
Test Case

Code :

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC
# Start Chrome
driver = webdriver.Chrome()
# Maximize browser
driver.maximize_window()
# Create wait object
wait = WebDriverWait(driver, 10)
try:
# 1. Browser Navigation
driver.get("https://www.saucedemo.com/")
print("Website opened")
# 2. Form Handling - Username
username = wait.until(
EC.visibility_of_element_located(
(By.ID, "user-name")
)
)
username.send_keys("standard_user")
# 3. Form Handling - Password
password = driver.find_element(
By.ID, "password"
)
password.send_keys("secret_sauce")
# 4. Click Login
driver.find_element(
By.ID, "login-button"
```

```
).click()
# 5. Validation
wait.until(
EC.url_contains("inventory")
)
assert "inventory" in driver.current_url
print("Login Validation: PASS")
# 6. Web Element Interaction
wait.until(
EC.element_to_be_clickable(
(By.ID, "add-to-cart-sauce-labs-backpack")
)
).click()
print("Product Selection: PASS")
# 7. Navigate to Cart
driver.find_element(
By.CLASS_NAME,
"shopping_cart_link"
).click()
# 8. Validate Cart
assert "cart" in driver.current_url
print("Cart Validation: PASS")
finally:
# Close browser
driver.quit()
print("Tutorial 14 Completed Successfully")
```

Output :



Steps of test case :

- Open app
- Enter the Code
- Click on run
- Check the output