

PROCESSED AT :**Thyrocare**

1st Floor, 889 HSR layout
Sector-7 (BDA), No 1159, Bangalore



Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

NAME : SHALINI YADAV (46Y/F)

REF. BY : SELF

TEST ASKED : T3-T4-USTSH

SAMPLE COLLECTED AT :

TRIGUNA HEALTHCARE
SY NO, 373/3, SITE NO 5, SHOP NO 6
10TH CROSS, CLASSIC PARADISE LAYOUT
BEGUR HULIMAVU ROAD BANGALORE - 560068

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL TRIIODOTHYRONINE (T3)	C.M.I.A	117	ng/dL	58-159
TOTAL THYROXINE (T4)	C.M.I.A	8.63	µg/dL	4.87-11.72
TSH - ULTRA SENSITIVE	C.M.I.A	5.208	µIU/mL	0.35-4.94

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically.

Method :

T3,T4,USTSH - Fully Automated Chemi Luminescent Microparticle Immunoassay

Pregnancy reference ranges for TSH/USTSH :

Trimester || T3 (ng/dl) || T4 (µg/dl) || TSH/USTSH (µIU/ml)

1st || 83.9-196.6 || 4.4-11.5 || 0.1-2.5

2nd || 86.1-217.4 || 4.9-12.2 || 0.2-3.0

3rd || 79.9-186 || 5.1-13.2 || 0.3-3.5

References :

1. Carol Devilia, C I Parhon. First Trimester Pregnancy ranges for Serum TSH and Thyroid Tumor reclassified as Benign. Acta Endocrinol. 2016; 12(2) : 242 - 243
2. Kulhari K, Negi R, Kalra DK et al. Establishing Trimester specific Reference ranges for thyroid hormones in Indian women with normal pregnancy : New light through old window. Indian Journal of Contemporary medical research. 2019; 6(4)

Disclaimer : Results should always be interpreted using the reference range provided by the laboratory that performed the test. Different laboratories do tests using different technologies, methods and using different reagents which may cause difference. In reference ranges and hence it is recommended to interpret result with assay specific reference ranges provided in the reports. To diagnose and monitor therapy doses, it is recommended to get tested every time at the same Laboratory.

~~ End of report ~~

Sample Collected on (SCT) : 03 Jan 2025 08:50

Sample Received on (SRT) : 03 Jan 2025 12:59

Report Released on (RRT) : 03 Jan 2025 15:12

Sample Type : SERUM

Labcode : 0301074979/A2381 Dr Ishant Anand MD(Path)

Barcode : CO634173

