

LAB ASSIGNMENT RECORD

On

ECS756

Digital Image Processing using Scilab



**COLLEGE OF COMPUTING SCIENCES AND INFORMATION
TECHNOLOGY**

TMU, MORADABAD

Session 2022 - 2023

Submitted To:

Dr. Saurabh Pathak

Submitted By:

Name: Divyanshu Jain

Course: B.Tech(AI+ML+DL)

Semester: 7th

Enrollment No: TCA1959012

Lab Assignment No:1

S.NO	PROGRAM NAME	PAGE NO	DATE	SIGN	REMARK
1.	WAP to demonstrate some basic commands and functions of SciLab.				
2.	WAP in SciLab to Import any Image and Display it.				
3.	WAP to convert color image (RGB) into Grayscale.				
4.	WAP to print Negative Image from Color Image using SciLab				
5.	WAP to Histogram display on an image. .				
6.	WAP to Affine Transformation - To learn basic image transformation (a)Translation (b)Rotation (c)Scaling.				

Assignment – 2

S.NO	PROGRAM NAME	PAGE NO	DATE	SIGN	REMARK
1.	WAP to understand how frequency distribution can be used to represent an image.				
2.	WAP to enhance the image using median filtering.				
3.	WAP To Implement Low Pass Filter.				
4.	WAP to Implement High Pass Filter.				
5.	WAP To study the effect of the size of the neighborhood on the result of processing.				

Assignment 1

Program 1: WAP to demonstrate some basic commands and functions of SciLab.

Solution:

//Addition

--> 1+2

ans = 3

//Subtraction

--> 3-2

ans =1

//Multilplication

--> 2*3

ans = 6

// Division

--> 5/2

ans = 2.5

// Matrix Addition

[1 2;3 4]+[5 6;7 8]

ans = 6. 8.

10. 12.

--> A=[1,2,3,4]

// length function

--> length(A)

ans = 4

//Transpose of matrix

--> A'

ans =

1.

2.

3.

4.

// min() function

```
--> min(A)
```

```
ans =
```

```
1.
```

```
// max() function
```

```
--> max(A)
```

```
ans = 4
```

```
// sqrt() function
```

```
--> sqrt(16)
```

```
ans = 4.
```


Program 2. WAP in SciLab to Import any Image and Display it.

Solution:

```
image=imread('C:\Users\DIVYANSHU\Downloads\twitter ads.png')
```

```
imshow(image)
```

OUTPUT:




Program 3. WAP to convert color image (RGB) into Grayscale.

Solution:

```
image=imread('C:\Users\DIVYANSHU\Downloads\twitter ads.png')  
gray=rgb2gray(image)  
imshow(gray)
```


OUTPUT:



Program 4. WAP to print Negative Image from Color Image using SciLab.

Solution:

```
image=imread('C:\Users\DIVYANSHU\Downloads\twitter ads.png')  
b=imcomplement(image)  
imshow(b)
```





Program 5. WAP to Histogram display and histogram equalization on any Image.

Solution:

```
I=imread('C:\Users\DIVYANSHU\Downloads\image.jpg')
lequal = imhistequal(I);
[qtd, level] = imhist(I);
[qtde, levele] = imhist(lequal);
subplot(221);
imshow(I);
subplot(222);
plot2d3(level, qtd);
subplot(223);
imshow(lequal);
subplot(224);
plot2d3(levele, qtde);
```

OUTPUT:



Program 6. WAP to Affine Transformation - To learn basic image transformation

- (a) Translation
- (b) Rotation
- (c) Scaling


Solution: Translation:

```
S=imread('C:\Users\DIVYANSHU\Downloads\image.jpg')
subplot(2,2,1);
imshow(S);
// Translation for x = 20
mat = [ 1 0 0;...
        0 1 0;...
        20 0 1];
S2 = imtransform(S,mat,'affine');
subplot(2,2,2);
imshow(S2);
```

Before



After




Rotation:

```
S=imread('C:\Users\DIVYANSHU\Downloads\image.jpg')
subplot(1,2,1);
imshow(S);
// Rotation for theta = 45 degree
mat = [ cosd(45) -sind(45);...
        sind(45) cosd(45) ;...
        0      0      ];
S2 = imtransform(S,mat,'affine');
subplot(1,2,2);
imshow(S2);
```


Before



After



Scailing:


```
S=imread('C:\Users\DIVYANSHU\Downloads\img.jpg');  
subplot(1,2,1);  
imshow(S);  
[m , n ] = size ( S ) ;  
for i = 1: m  
    for j =1: n  
        J (2* i ,2* j ) = S(i , j ) ;  
    end  
end  
subplot(1,2,2);  
imshow(J)
```

OUTPUT:

Before Scailing



After Scailing




Assignment 2

Program 1. WAP to understand how frequency distribution can be used to represent an image.

Solution:

```
I=imread('C:\Users\DIVYANSHU\Downloads\image.jpg')  
[qtd, level] = imhist(I);  
subplot(221);  
imshow(I);  
subplot(222);  
plot2d3(level, qtd);
```

OUTPUT:



Program 2. WAP to enhance the image using median filtering.

Solution:

```
I=imread('C:\Users\DIVYANSHU\Downloads\median_filter.jpg')  
Filter_size=[3,3];  
[m,n]=size(I);  
for i=2:m-1  
    for j=2:n-1  
        d(i,j)=median([I(i-1,j+1),I(i,j+1),I(i+1,j+1);I(i-1,j),I(i,j),I(i+1,j);I(i-1,j-1),I(i,j-1),I(i+1,j-1)]);  
    end  
end  
imshow(d)
```

OUTPUT:

Before



After



Program 3. WAP To Implement Low Pass Filter.

Solution: `a1=imread('C:\Users\DIVYANSHU\Downloads\bw.jpg');`
`a=double(a1);`
`subplot(1,2,1);`
`imshow(a1);`
`[m,n]=size(a);`
`w=[1 1 1;1 1 1;1 1 1];`
`for i=2:m-1`
 `for j=2:n-1`


$$d(i,j)=[w(1)*a(i-1,j+1)+w(2)*a(i,j+1)+w(3)*a(i+1,j+1)+w(4)*a(i-1,j)+w(5)*a(i,j)+w(6)*a(i+1,j)+w(7)*a(i-1,j-1)+w(8)*a(i,j-1)+w(9)*a(i+1,j-1)]/9$$

 `end`
`end`
`e=uint8(d);`
`subplot(1,2,2);`
`imshow(e);`

Before



After



Program 4. WAP To Implement High Pass Filter.

Solution:


```
a1=imread('C:\Users\DIVYANSHU\Downloads\bw.jpg');
subplot(1,2,1);
imshow(a1);
a=double(a1);
[m,n]=size(a);
w=[-1 -1 -1;-1 8 -1;-1 -1 -1];
for i=2:m-1
    for j=2:n-1
        b(i,j)=[w(1)*a(i-1,j+1)+w(2)*a(i,j+1)+w(3)*a(i+1,j+1)+w(4)*a(i-1,j)+w(5)*a(i,j)+w(6)*a(i+1,j)+w(7)*a(i-1,j-1)+w(8)*a(i,j-1)+w(9)*a(i+1,j-1)]/9;
    end
end
c=uint8(b);
subplot(1,2,2);
imshow(c);
```

OUTPUT:

Before



After



Program 5. WAP To study the effect of the size of the neighborhood on the result of processing.

Solution: Code:

For 2*2 filter

```
l=imread('C:\Users\DIVYANSHU\Downloads\median_filter.jpg')
FilterSize=[2,2]
[m,n]=size(l);
for i=2:m-1
    for j=2:n-1
        g(i,j)=median([l(i-1,j+1),l(i,j+1),l(i+1,j+1);l(i-1,j),l(i,j),l(i+1,j)]);
    end
end
imshow(d)
```

For 3*3 filter

```
I=imread('C:\Users\DIVYANSHU\Downloads\median_filter.jpg')
Filter_size=[3,3];
[m,n]=size(I);
for i=2:m-1
for j=2:n-1
d(i,j)=median([I(i-1,j+1),I(i,j+1),I(i+1,j+1);I(i-1,j),I(i,j),I(i+1,j);I(i-1,j-1),I(i,j-1),I(i+1,j-1)]);
end
end
imshow(d)
```

OUTPUT:**2*2 neighborhood size****3*3 neighborhood size**