Friendship Calculator

💪 This is a fun challenge! 💪

You are going to write a function called calculate_friendship_score() that tests the friendship compatibility between two people.

1. To work out the friendship score between two names:
2. Take both people's names and check for the number of times the letters in the word FRIEND occur.
3. Then check for the number of times the letters in the word BOND occur.
4. Combine these two totals to make a 2-digit number, which represents the Friendship Score.

Example

name1 = "Shahrukh Khan"
name2 = "Salman Khan"

Step 1: Count letters from “FRIEND”
F occurs 0 times
R occurs 1 time
I occurs 1 time
E occurs 0 times
N occurs 2 times
D occurs 0 times
Total = 4

Step 2: Count letters from “BOND”
B occurs 0 times
O occurs 0 times
N occurs 2 times
D occurs 0 times
Total = 2

Friendship Score = 42

Example Input

calculate_friendship_score("Shahrukh Khan", "Salman Khan")

Example Output

42

Caesar Cipher Exercise

💪 This is a classic encryption challenge! 💪

You are going to write two functions called encrypt() and decrypt() to implement the Caesar Cipher encryption and decryption.

The Caesar Cipher is one of the simplest and oldest encryption techniques. It works by shifting each letter in the text by a fixed number of positions down or up the alphabet.

Steps to Encrypt:

1. Take a plain text message and a shift number (for example, 3).

2. For each letter in the message:

   - Find its position in the alphabet (A=0, B=1, ... Z=25).

   - Add the shift number to the position to get a new position.

   - Replace the letter with the new shifted letter.

3. If you go past 'Z', wrap around to the beginning of the alphabet.

Steps to Decrypt:

1. Take the encrypted message and the same shift number used to encrypt it.

2. For each letter in the encrypted text:

   - Find its position in the alphabet.

   - Subtract the shift number to get the original position.

   - Replace it with the corresponding letter.

3. Again, wrap around if you go before 'A'.

Example:

Plain text: "HELLO"
Shift: 3

Encryption process:
H → K
E → H
L → O
L → O
O → R

Encrypted message: "KHOOR"

Decryption process (shift back by 3):
K → H
H → E
O → L
O → L
R → O

Decrypted message: "HELLO"

Example Code Template:

```
def encrypt(text, shift):
    # Your code here to shift characters forward
    pass

def decrypt(cipher_text, shift):
    # Your code here to shift characters backward
    pass

# Example usage
encrypt("HELLO", 3)
decrypt("KHOOR", 3)
```