· github: disyasanjan 10

DATE

CHAP 5: Shootost JS Buspium, windows & this keywood

[" Well, it's an empty file"

Set still tilebal exocution Contact is executed

and enomony assigned to it.

- New we also get sendhing called 'windows' S took 2 tookon
- is boated along with tilebal Boautien Contect.
- alla di brocyd 'sitt' a, tott the propert \*
- 'exabrate' aft at straight sint', land lardalle net <=
- lauge si 'sitt', exapt ladella ent ni ca esell x

  si toejde 'exabnies' et

  exabnies = = = eitt <<

suret «

· New, what is this Tolebal Space's which which was stored upon which is observed a function.
top si St is objeni stipe you obor unit «
Inside a function.
The second of th
· let ma give you an example le simplify:  ucer a = 10; -> This is inside tilebrel space.  function b() \( \in \) -> This is also invide tis.
ucer a = 10; -> This is include tolobal space.
function b() { -> This is also invide &s.
Voor x = 20; -> But this 'voor x' is not
3 impido GS.
The second second second second
*In simble words, compthing which is not invoide a function is tribail space.
inside to function is toloral Space.
V
=> To circuss' user a', we cam weithe:
congolo. log (winders. a);
(o. eight) god description
remote. log (a):