

Analysis of a Text Classification using Deep Neural Network

*A Project Based Learning Report Submitted in partial fulfilment of the requirements for the
award of the degree*

of

Bachelor of Technology

in The Department of ECE

Course name with Course code

Submitted by

Sirisha: 2310040058

Akshitha: 2310040062

Divya:2310040065

Under the guidance of

Dr. Bittu Kumar



Department of Electronics and Communication Engineering

Koneru Lakshmaiah Education Foundation, Aziz Nagar

Aziz Nagar – 500075

FEB - 2025.

Introduction

Text classification is one of the most important and widely used tasks in the field of Natural Language Processing (NLP). It involves automatically assigning predefined categories or labels to textual data based on its content. With the exponential growth of digital text data from sources such as social media, emails, websites, and online documents, automated text classification has become essential. Deep Neural Networks (DNNs) have emerged as powerful tools for handling text classification problems due to their ability to learn complex patterns and semantic representations directly from raw text data.

This document presents a detailed analysis of text classification using deep neural networks, covering concepts, architecture, training process, applications, advantages, and limitations.

Literature Review/ Application Survey

Text classification refers to the process of categorizing text into one or more classes. The input text can be a word, sentence, paragraph, or an entire document, and the output is a label such as spam or not spam, positive or negative sentiment, or a topic category like sports, politics, or technology.

Text classification can be broadly divided into:

Binary classification (e.g., spam vs. non-spam)

Multi-class classification (e.g., news topic classification)

Multi-label classification (e.g., tagging documents with multiple topics)

Traditional approaches relied on rule-based systems and classical machine learning algorithms. However, these methods often struggle with large datasets and complex language structures.

Role of Deep Neural Networks in Text Classification

Deep Neural Networks have revolutionized text classification by reducing the need for manual feature engineering. Unlike traditional methods that depend on handcrafted features, deep learning models automatically learn features from data.

Key reasons for using deep neural networks include:

- *Ability to capture semantic meaning of words*
- *Better handling of large and complex datasets*
- *Robustness to noise in text data*
- *End-to-end learning capability*

Deep learning models can learn hierarchical representations of text, starting from word-level features to sentence-level and document-level features

Text Preprocessing

Before feeding text data into a deep neural network, preprocessing is required to convert raw text into a suitable numerical format. Common preprocessing steps include:

- ***Tokenization:*** *Splitting text into words or tokens*
- ***Lowercasing:*** *Converting all text to lowercase*
- ***Stop word removal:*** *Removing common words like “is”, “the”, and “and”*
- ***Stemming or lemmatization:*** *Reducing words to their root form*
- ***Padding and truncation:*** *Ensuring uniform sequence length*

Proper preprocessing improves model efficiency and performance.

Word Representation and Embeddings

Deep learning models require numerical input. Word embeddings are used to represent words as dense vectors that capture semantic relationships. Common word embedding techniques include:

1. ***Word2Vec***
2. ***GloVe***
3. ***Fast Text***
4. ***Trainable embedding layers***

Word embeddings map similar words to nearby points in vector space, allowing models to understand context and meaning.

Deep Neural Network Architectures for Text Classification

Several deep neural network architectures are used for text classification:

Feedforward Deep Neural Networks (DNN)

These models consist of multiple fully connected layers. They are simple and effective when combined with features such as TF-IDF or averaged word embeddings. However, they do not capture word order.

Convolutional Neural Networks (CNN)

CNNs apply convolutional filters over text to extract local features such as key phrases. They are efficient and perform well for sentence-level classification tasks.

Recurrent Neural Networks (RNN)

RNNs process text sequentially, making them suitable for capturing context. Variants like Long Short-Term Memory (LSTM) and Gated Recurrent Units (GRU) solve the vanishing gradient problem and handle long-term dependencies.

Transformer-Based Models

Transformers use attention mechanisms to focus on important words in a sentence. Models such as BERT, RoBERTa, and GPT have achieved state-of-the-art results in text classification tasks.

- ***Training Process***
- ***Loss Functions***

The choice of loss function depends on the task:

- *Binary Cross-Entropy for binary classification*

- *Categorical Cross-Entropy for multi-class classification*
- **Optimization Techniques**

Common optimization algorithms include:

- *Adam optimizer*
- *Stochastic Gradient Descent (SGD)*

These optimizers adjust model weights to minimize loss during training.

- **Evaluation Metrics**

Model performance is evaluated using metrics such as:

- *Accuracy*
- *Precision*
- *Recall*
- *F1-score*

These metrics provide insights into classification quality.

Applications of Text Classification

Text classification using deep neural networks is widely applied in real-world scenarios:

- *Spam email filtering*
- *Sentiment analysis of reviews*
- *News and document categorization*
- *Fake news detection*
- *Customer feedback analysis*
- *Intent detection in chatbots*

These applications demonstrate the importance of deep learning in modern NLP systems.

Advantages and Limitations

- **Advantages**
- *High classification accuracy*
- *Automatic feature learning*
- *Ability to handle large datasets*
- *Strong performance on complex language tasks*
- **Limitations**
- *Requires large labeled datasets*
- *High computational cost*
- *Longer training time*
- *Limited interpretability*

Conclusion:

Text classification using deep neural networks has significantly advanced the field of natural language processing. By leveraging word embeddings and powerful architectures such as CNNs, RNNs, and Transformers, deep learning models can effectively capture both semantic and contextual information from text. Despite challenges such as high computational requirements, deep neural networks remain the most effective and widely adopted approach for modern text classification tasks.

References

- 1) https://www.researchgate.net/publication/367000135_Research_On_Text_Classification_Based_On_Deep_Neural_Network
- 2) <https://www.emerald.com/bj/article-abstract/31/8/2743/1218696/Text-classification-using-deep-learning-techniques?redirectedFrom=fulltext>
- 3) <https://ieeexplore.ieee.org/abstract/document/11020401>
- 4) <https://arxiv.org/abs/2104.14289>