



Practical - 2


aws console login
AI Mode
All
Images
Forums
Shopping
Videos
Short videos
More
Tools
Sponsored Result
Amazon Web Services
https://aws.amazon.com
Amazon Web Services
Up To $200 in Credits — Track Your Free Tier Credit Usage Through Billing And Cost Management Console Or Via API. Read more
AWS Business Support+
AWS Training
AWS Pricing Calculator



English
Contact us
AWS Marketplace
Support
My account
aws
re:Invent
Discover AWS
Products
Solutions
Pricing
Resources
Search
Sign in to console
Create account
AWS Free Tier
Overview
Free Tier Categories
Featured Offers for Business
Terms and Conditions
More
AWS
AWS Free Tier
AWS Free Tier
Continue building on AWS. Sign in to the AWS Management Console to resume your work, or use AWS documentation to find your next step.
Sign in to console
View AWS Documentation




1. Open EC2: Search for EC2 in the AWS Management Console, open the EC2 service, and click Launch instance.





2. Open the Instances page: Select Instances from the left - side menu and click Launch instances.







3. Name and Image: Enter the instance name as mylinuxvm and choose Amazon Linux with the t3.micro instance type.










4. Create Key Pair: Under Key pair (login), click Create new key pair. Enter the name linux key1, select RSA as the key pair type and .pem as the file format, then click Create key pair.






5. Launch the Instance: Keep the remaining settings as default and click Launch instance. A success message with the new instance ID appears.







6. Verify the Instance: Go to the Instances page and confirm that mylinuxvm shows the Running state with 3/3 status checks passed.




7. Connect to the Instance: Select the instance and click Connect. In the In web
browser tab, choose EC2 Instance Connect, keep the public IPv4 address selected, and click Connect.








8. Access the Linux Terminal: The browser - based terminal opens and shows the
Amazon Linux 2023 prompt, confirming a successful login.


8. Access the Linux Terminal: The browser - based terminal opens and shows the Amazon Linux 2023 prompt, confirming a successful login.














Creating a Windows Instance

1. Launch a Windows Instance: On the Launch an instance page, enter the name mywindowvm, select Windows under Quick Start (Microsoft Windows Server 2025 AMI), and keep the t3.micro instance type.







2. Create Key Pair: Under Key pair (login), click Create new key pair. Enter the name windows key1, select RSA as the key pair type and .pem as the file format, then click Create key pair.





3. Launch the Instance: Click Launch instance. A success message with the new
instance ID appears.






4. Verify the Instance: On the Instances page, confirm that mywindowvm is Running and that mylinuxvm is Stopped.






5. Open the Connect Page: Select mywindowvm and click Connect. The Connect to Windows instance page opens with the In web browser tab.




6. Choose RDP: Select the RDP (Remote Desktop Protocol) tab. Download the RDP shortcut file, note the Public DNS and the Administrator username, and click Get Windows password.





7. Get Windows Password: On the Get Windows password page, upload the private key file (windowkey1.pem) created while launching the instance.


8. Decrypt the Password: After the key file is uploaded and its contents appear in the Private key contents box, click Decrypt password.




C%4NpMe)WP8;gNFoCjK&P@aGOoDbqrzd












10. Open the RDP File: Run the downloaded RDP shortcut file. In the Remote Desktop Connection security warning, click Connect.










11. .Enter Credentials: In the Windows Security window, enter the Administrator password copied earlier and click OK.


12. Accept the Certificate Warning: When the identity of the remote computer cannot be verified, click Yes to connect anyway.






13.Windows Desktop: The remote session opens and the Windows Server desktop appears, confirming a successful connection.








Creating a Linux Instance with GUI (Ubuntu)

1. Instance Type and Key Pair: On the Launch an instance page, choose the Ubuntu AMI (Canonical, Ubuntu 26.04), select the t3.small instance type, and select the key pair linuxguikey.












2. Configure Security Group: Under Network settings, add inbound rules for SSH (TCP, port 22) and RDP (TCP, port 3389) with the source type set to My IP.




3. Configure Storage: Under Configure storage, set the root volume to 30 GiB (gp3) and keep the file system option as None.







4. Add User Data: Expand Advanced details and paste the startup script in the User data box.





5. Launch the Instance: Click Launch instance. A success message with the new
instance ID appears.






6. Verify the Instance: On the Instances page, confirm that the instance linuxgui is in the Running state. Note its Public IPv4 address.







7. Open the Connect Page: Select linuxgui and click Connect. Click the copy icon next to the IPv4 address to copy the public IP address.



Ip addresses : 16.192.155.47




8. Connect Using Remote Desktop: Open Remote Desktop Connection on your computer, paste the copied IP address in the Computer field, and click Connect. The username for this instance is ubuntu.




S3 Bucket Creation and Upload Objects


Storage s3


1. Open S3: Search for S3 in the AWS Management Console and select the S3 service.








2. Create a Bucket: On the Amazon S3 page, click Create bucket, enter a globally unique bucket name (bucket3909309), and create the bucket.











Search [Alt+S]
Europe (Stockholm)
NAGABHIRU DIVYA SREE (073343584105)
NAGABHIRU DIVYA SREE
Amazon S3 / Buckets / Create bucket
Create bucket Info
Buckets are containers for data stored in S3.
General configuration
AWS Region
Europe (Stockholm) eu-north-1
Bucket type Info
General purpose
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
Directory
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.
Bucket namespace
Choose the namespace where you want to create your bucket. Learn more
Global namespace
By default, S3 creates general purpose buckets in the global namespace.
Account Regional namespace (recommended)
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.
Bucket name Info
divyasree2008
Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn more
Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.
Choose bucket



Search [Alt+S]
Europe (Stockholm)
NAGABHIRU DIVYA SREE (073343584105)
NAGABHIRU DIVYA SREE
Amazon S3 / Buckets / Create bucket
You can add up to 50 tags.
Default encryption Info
Server-side encryption is automatically applied to new objects stored in this bucket.
Encryption type Info
Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the Storage tab of the Amazon S3 pricing page.
Server-side encryption with Amazon S3 managed keys (SSE-S3)
Server-side encryption with AWS Key Management Service keys (SSE-KMS)
Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)
Bucket Key
Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. Learn more
Disable
Enable
Advanced settings
After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.
Cancel
Create bucket
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Europe (Stockholm)
NAGABHIRU DIVYA SREE (073343584105)
NAGABHIRU DIVYA SREE
Amazon S3 / Buckets / divyasree2008
Successfully created bucket "divyasree2008"
divyasree2008 Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (0)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
No objects
You don't have any objects in this bucket.
Upload
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

3. Upload Objects: Open the bucket and click Upload. Use Add files to select the files to upload (here ss aws.docx and Skill 1.pdf), then click Upload.












4. Check Upload Status: Confirm the Upload succeeded message and that all files show the status Succeeded, then click Close.





5. Verify Objects: On the Objects tab of the bucket, confirm that the uploaded files appear in the object list.





DELETE instances, key pairs and security groups












Search
[Alt+S]
Europe (Stockholm)
NAGABHIRU DIVYA SREE (073343584105)
NAGABHIRU DIVYA SREE
EC2 / Key pairs
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Key pairs (3) Info
Filter Key Pair by attribute or tag
Actions
Create key pair
Name
Type
Created
Fingerprint
ID
linuxui key1
rsa
2026/11/11 11:20 GMT+5:30
a1:ee:f2:16:9a:5c:52:2c:96:37:16:0f:d5:43:e6:...
key-0c452474be8e6c8a5
linux key1
rsa
2026/11/11 10:23 GMT+5:30
3a:74:75:b0:16:dd:18:79:c6:59:4e:e5:e2:6a:9...
key-0728801abe4a98fd8
windows key1
rsa
2026/11/11 10:46 GMT+5:30
9c:b4:ae:02:35:1d:0b:ad:b9:8b:08:9b:0c:71:8...
key-0c15d0cd02e3b775d
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
NAGABHIRU DIVYA SREE (073343584105)
NAGABHIRU DIVYA SREE
EC2 / Key pairs
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Key pairs (3/3) Info
Filter Key Pair by attribute or tag
Actions
Create key pair
Name
Type
Created
Fingerprint
ID
linuxui key1
rsa
2026/11/11 11:20 GMT+5:30
a1:ee:f2:16:9a:5c:52:2c:96:37:16:0f:d5:43:e6:...
key-0c452474be8e6c8a5
linux key1
rsa
2026/11/11 10:23 GMT+5:30
3a:74:75:b0:16:dd:18:79:c6:59:4e:e5:e2:6a:9...
key-0728801abe4a98fd8
windows key1
rsa
2026/11/11 10:46 GMT+5:30
9c:b4:ae:02:35:1d:0b:ad:b9:8b:08:9b:0c:71:8...
key-0c15d0cd02e3b775d
https://eu-north-1.console.aws.amazon.com/console/home?region=eu-nort...
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
NAGABHIRU DIVYA SREE (073343584105)
NAGABHIRU DIVYA SREE
EC2 / Key pairs
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Key pairs (3/3) Info
Actions
Create key pair
Delete selected (3) key pairs
The selected key pairs could be associated with one or more instances.
To confirm deletion, type Delete in the field
Delete
Cancel
Delete



Search
[Alt+S]
Europe (Stockholm)
NAGABHIRU DIVYA SREE (073343584105)
NAGABHIRU DIVYA SREE
EC2 / Key pairs
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Successfully deleted 3 key pairs
Key pairs Info
Actions
Create key pair
Filter Key Pair by attribute or tag
Name
Type
Created
Fingerprint
ID
No key pairs to display



Search
[Alt+S]
Europe (Stockholm)
NAGABHIRU DIVYA SREE (073343584105)
NAGABHIRU DIVYA SREE
EC2 / Security Groups
Security Groups (4) Info
Actions
Export security groups to CSV
Create security group
Find security groups by attribute or tag
Name
Security group ID
Security group name
VPC ID
Description
sg-0d60314603db11bf6
default
vpc-01d97f523a5e91212
default VPC security group
sg-0a71b4869a21eaa8a
launch-wizard-1
sg-0a4dcf7039c039a0f
launch-wizard-3
sg-0f14dcab50b8b1a06
launch-wizard-2
Select a security group
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
NAGABHIRU DIVYA SREE (073343584105)
NAGABHIRU DIVYA SREE
EC2 / Security Groups
Security Groups (4/4) Info
Actions
Export security groups to CSV
Create security group
Find security groups by attribute or tag
Name
Security group ID
Security group name
VPC ID
Description
sg-0d60314603db11bf6
default
vpc-01d97f523a5e91212
default VPC security group
sg-0a71b4869a21eaa8a
launch-wizard-1
sg-0a4dcf7039c039a0f
launch-wizard-3
sg-0f14dcab50b8b1a06
launch-wizard-2
Security Groups: sg-0d60314603db11bf6, sg-0a71b4869a21eaa8a, sg-0a4dcf7039c039a0f, sg-0f14dcab50b8b1a06
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Delete security groups
Some security groups can't be deleted
The following security groups can't be deleted. They are either default security groups, referenced by other security groups, or they are associated with instances or network interfaces.
Security group
Status
Reason
sg-0d60314603db1bf6 default
Will not be deleted
This is a default security group. Default security groups c...
sg-0a71b4869a21eaa8a launc...
Will not be deleted
1 instance associated. Terminate the instances, or asso
1 network interface associated. Delete the network inte
sg-0a4dcf7039c039a0f launc...
Will not be deleted
1 instance associated. Terminate the instances, or asso
1 network interface associated. Delete the network inte
sg-0f14dcab50b8b1a06 launc...
Will not be deleted
1 instance associated. Terminate the instances, or asso
1 network interface associated. Delete the network inte
To confirm deletion, enter delete below.
Cancel
Delete



Instances (3/3)
Launch instances
mylinuxvm
mywindowsvm
linuxui
3 instances selected
Monitoring
It is taking a bit longer than usual to fetch your data



eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Instances:
Instances (3/3)
Instance state
Actions
Launch instances
Stop instance
Start instance
Reboot instance
Hibernate instance
Terminate (delete) instance
3 instances selected
Monitoring
CPU utilization (%)
Network in (bytes)
Network out (bytes)
Network packets in (count)
No data available.


Terminate (delete) instances
On an EBS-backed instance, the default action is for the root EBS volume to be deleted when the instance is terminated. Storage on any local drives will be lost.
Are you sure you want to terminate these instances?
Instance ID
Termination protection
i-07387510ceb53d066 (mylinuxvm) Disabled
i-0e915d36338c356de (mywindowsvm) Disabled
i-06f5e9b0fc8b58ad4 (linuxui) Disabled
To confirm that you want to delete the instances, choose the terminate button below. Instances with termination protection enabled will not be terminated. Terminating the instance cannot be undone.
Skip OS shutdown
This option skips the graceful OS shutdown process. Use only when your instance must be stopped immediately, such as during an emergency or failover.
Skip OS shutdown
Cancel
Terminate (delete)
3 instances selected


Successfully initiated termination (deletion) of i-07387510ceb53d066,i-0e915d36338c356de,i-06f5e9b0fc8b58ad4
Instances (3/3)
mylinuxvm i-07387510ceb53d066 Stopped t3.micro eu-north-1b
mywindowsvm i-0e915d36338c356de Stopped t3.micro eu-north-1b
linuxui i-06f5e9b0fc8b58ad4 Stopped t3.small eu-north-1c
3 instances selected
Monitoring
CPU utilization (%)
Network in (bytes)
Network out (bytes)
Network packets in (count)
No data available.


Delete security groups
Some security groups can't be deleted
The following security groups can't be deleted. They are either default security groups, referenced by other security groups, or they are associated with instances or network interfaces.
Security group
Status
Reason
sg-0d60314603db11bf6 default Will not be deleted This is a default security group. Default security groups c...
sg-0a71b4869a21eaa8a launc... Will be deleted No associated resources
sg-0a4dcf7039c039a0f launc... Will be deleted No associated resources
sg-0f14dcab50b8b1a06 launc... Will be deleted No associated resources
To confirm deletion, enter delete below.
Cancel
Delete
Security Groups (4/4)


Search
[Alt+S]
Europe (Stockholm)
NAGABHIRU DIVYA SREE (073343584105)
NAGABHIRU DIVYA SREE
EC2 / Security Groups
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Security Groups (4/4) Info
Actions
Export security groups to CSV
Create security group
Find security groups by attribute or tag
Name
Security group ID
Security group name
VPC ID
Description
default VPC security group
launch-wizard-1 created 2026-11-1
launch-wizard-3 created 2026-11-1
launch-wizard-2 created 2026-11-1
Security Groups: sg-0d60314603
Delete security groups
Some security groups can't be deleted
The following security groups can't be deleted. They are either default security groups, referenced by other security groups, or they are associated with instances or network interfaces.
Security group
Status
Reason
sg-0d60314603db11bf6 default
Will not be deleted
This is a default security group. Default security groups c...
sg-0a71b4869a21eaa8a launc...
Will be deleted
No associated resources
sg-0a4dcf7039c039a0f launc...
Will be deleted
No associated resources
sg-0f14dcab50b8b1a06 launc...
Will be deleted
No associated resources
To confirm deletion, enter delete below.
delete
Cancel
Delete


Search
[Alt+S]
Europe (Stockholm)
NAGABHIRU DIVYA SREE (073343584105)
NAGABHIRU DIVYA SREE
EC2 / Security Groups
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Successfully deleted 3 security groups
Details
Security Groups (4) Info
Actions
Export security groups to CSV
Create security group
Find security groups by attribute or tag
Name
Security group ID
Security group name
VPC ID
Description
sg-0d60314603db11bf6
default
vpc-01d97f523a5e91212
default VPC security group
sg-0a71b4869a21eaa8a
launch-wizard-1
vpc-01d97f523a5e91212
launch-wizard-1 created 2026-
sg-0a4dcf7039c039a0f
launch-wizard-3
vpc-01d97f523a5e91212
launch-wizard-3 created 2026-
sg-0f14dcab50b8b1a06
launch-wizard-2
vpc-01d97f523a5e91212
launch-wizard-2 created 2026-
Select a security group