```
mysql> create database employee;
Query OK, 1 row affected (0.00 sec)

mysql> use employee;
Database changed
mysql> CREATE TABLE emp (empname VARCHAR(50), empid INT);
Query OK, 0 rows affected (0.01 sec)

mysql> desc emp;
+---------+-------------+------+-----+---------+-------+
| Field   | Type        | Null | Key | Default | Extra |
+---------+-------------+------+-----+---------+-------+
| empname | varchar(50) | YES  |     | NULL    |       |
| empid   | int         | YES  |     | NULL    |       |
+---------+-------------+------+-----+---------+-------+
2 rows in set (0.00 sec)
```

```
mysql> ALTER TABLE emp ADD COLUMN salary DECIMAL(10,2);
Query OK, 0 rows affected (0.03 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> desc emp;
+---------+---------------+------+-----+---------+-------+
| Field   | Type          | Null | Key | Default | Extra |
+---------+---------------+------+-----+---------+-------+
| empname | varchar(50)   | YES  |     | NULL    |       |
| empid   | int           | YES  |     | NULL    |       |
| salary  | decimal(10,2) | YES  |     | NULL    |       |
+---------+---------------+------+-----+---------+-------+
3 rows in set (0.00 sec)

mysql> ALTER TABLE emp ADD COLUMN salary DECIMAL(10,2);
ERROR 1060 (42S21): Duplicate column name 'salary'
mysql> ALTER TABLE emp DROP COLUMN salary;
Query OK, 0 rows affected (0.02 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> desc emp;
+---------+-------------+------+-----+---------+-------+
| Field   | Type        | Null | Key | Default | Extra |
+---------+-------------+------+-----+---------+-------+
| empname | varchar(50) | YES  |     | NULL    |       |
| empid   | int         | YES  |     | NULL    |       |
+---------+-------------+------+-----+---------+-------+
2 rows in set (0.00 sec)
```

```
mysql> insert into emp values("divya",101);
Query OK, 1 row affected (0.00 sec)

mysql> insert into emp values("anu",102);
Query OK, 1 row affected (0.00 sec)

mysql> insert into emp values("gopika",103);
Query OK, 1 row affected (0.00 sec)

mysql> select * from emp;
+---------+-------+
| empname | empid |
+---------+-------+
| divya   |   101 |
| anu     |   102 |
| gopika  |   103 |
+---------+-------+
3 rows in set (0.00 sec)

mysql> TRUNCATE TABLE emp;
Query OK, 0 rows affected (0.02 sec)

mysql> select * from emp;
Empty set (0.00 sec)

mysql>
```

```
mysql> DROP TABLE emp;
Query OK, 0 rows affected (0.01 sec)

mysql> desc emp;
ERROR 1146 (42S02): Table 'employee.emp' doesn't exist
mysql>
```