LAB MANUAL
Ethical Hacking Lab

Experiment 1

Basic File and User Management Commands

Aim

To execute and understand the usage of **rm, users, and tree** commands in Kali Linux.

Theory

rm Command

The rm command is used to remove files and directories from the Linux file system.

Syntax:

rm filename

Example:

touch test.txt
rm test.txt

Users Command

Displays the usernames of users currently logged into the system.

Syntax:

users

tree Command

Displays directories and files in a tree-like structure.


Syntax:

tree

Procedure

1. Open Kali Linux Terminal.
2. Create a sample file.
3. Execute the rm command.
4. Execute the users command.
5. Execute the tree command.

Output



Result

Successfully executed rm, users, and tree commands in Kali Linux.

Experiment 2

File Viewing Commands

Aim

To execute and understand the usage of **less, more and vi** commands.

Theory

less Command

Displays file contents page by page.

less filename.txt

more Command

Displays file contents one screen at a time.

more filename.txt

vi Command


Text editor used to create and edit files.

vi filename.txt

Procedure

1. Create a text file.
2. Open the file using less.
3. Open the file using more.
4. Edit the file using vi.

Output



Result

Successfully executed file viewing and editing commands.

Experiment 3

Tree, Head and Tail Commands

Aim

To execute and understand the usage of tree, head, and tail commands.

Theory

head Command

Displays the first 10 lines of a file.

head filename.txt

tail Command


Displays the last 10 lines of a file.

tail filename.txt

Procedure

1. Create a text file containing multiple lines.
2. Execute the head command.
3. Execute the tail command.
4. Display directory structure using tree.

Output



Result

Successfully executed tree, head, and tail commands.

Experiment 4

Directory and File Display Commands

Aim

To execute ls, cat, and mkdir commands.

Theory

ls Command

Lists files and directories.

ls

cat Command

Displays file contents.

cat file.txt

mkdir Command


Creates a new directory.

mkdir EthicalHacking

Procedure

1. Create a directory using mkdir.
2. List files using ls.
3. Create a text file.
4. Display file contents using cat.

Output



Result

Successfully executed ls, cat, and mkdir commands.

Experiment 5

System Information Commands

Aim

To execute **uptime, date, and mv** commands.

Theory

uptime Command

Shows system running time.

uptime

date Command

Displays current date and time.

date

mv Command


Moves or renames files.

mv file1.txt file2.txt

Procedure

1. Check system uptime.
2. Display current date.
3. Rename a file using mv.

Output



Result

Successfully executed uptime, date, and mv commands.

Experiment 6

File Creation and Download Commands

Aim

To execute touch, pwd, and wget commands.

Theory

touch Command

Creates an empty file.

touch sample.txt

pwd Command

Displays current working directory.

pwd

wget Command


Downloads files from the internet.

wget https://example.com/file.zip

Procedure

1. Create a file using touch.
2. Display current directory using pwd.
3. Download a sample file using wget.

Output



Result

Successfully executed touch, pwd, and wget commands.

Experiment 7

Navigation and Copy Commands

Aim

To execute cd, cp, and ls commands.

Theory

cd Command

Changes the current directory.

cd Documents

cp Command

Copies files and directories.

cp file1.txt backup.txt

Procedure

1. Navigate between directories using cd.
2. Copy files using cp.
3. Verify copied files using ls.

Output



Result

Successfully executed cd, cp, and ls commands.