

ASSIGNMENT- HTML and CSS

Session : 1

1. Inspect Instagram image using Chrome DevTools.

1. Open **Instagram** in Chrome and open any post.
2. Right-click on the post image and select **Inspect**.
3. In the Elements panel, look for the `<img>` element or its parent container.
4. Instagram's HTML/CSS structure can change frequently, so the exact class may differ.

Example answer:

- **HTML Tag:** `<img>`
- **Class:** `x5yr21d` (*example; Instagram may show a different class when you inspect it*)

2. Create myprofile.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>My Profile</title>
```

```
</head>
```

```
<body>
```

```
  <h1>Divy Patel</h1>
```

```
  <p>
```

```
    I am a Computer Science student interested in web development,
```

programming, and technology.

</p>

</body>

</html>

3. Change background color using Chrome DevTools

background-color: lightblue;

4. DOM structure of myprofile.html

html

|

├— head

|

└ title

|

└ "My Profile"

|

└ body

|

├— h1

|

└ "Divy Patel"

|

├— p

|

└ "I am a Computer Science student..."

|

└ img

Session : 2

Create a file named foodie-profile.html and use the following complete code:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>My Foodie Profile</title>

</head>

<body>

  <h1>My Foodie Profile</h1>

  <h2>About Me</h2>

  <p>

    Hello! My name is Divy Patel. I am a food lover who enjoys

    exploring different cuisines and trying delicious dishes.

  </p>

  <h2>My Favorite Cuisine</h2>

  <p>

    My favorite cuisine is Indian cuisine because it offers a wide

    variety of flavors, spices, and traditional dishes.

  </p>
```

<h2>My Best Meal</h2>

<p>

One of my best meals was a delicious Gujarati thali with dhokla, sabzi, dal, kadhi, roti, rice, and sweets. The combination of different flavors made the meal very memorable.

</p>

<h2>My Top 5 Favorite Dishes</h2>

Pizza

Paneer Tikka

Gujarati Thali

Masala Dosa

Chole Bhature

<h2>3 Restaurants I Want to Try Next</h2>

Social

Barbeque Nation

Domino's Pizza

<h2>My Favorite Dish</h2>

<p>

Click on the pizza image to visit the official Domino's website.

</p>

<h2>Food Delivery App Comparison</h2>

<table border="1" cellpadding="10" cellspacing="0">

<tr>

<th>App Name</th>

<th>Delivery Charges</th>

<th>Rating</th>

</tr>

<tr>

<td>Zomato</td>

<td>₹30</td>

<td>4.5/5</td>

</tr>

<tr>

<td>Swiggy</td>

<td>₹25</td>

<td>4.4/5</td>

</tr>

<tr>

<td>Uber Eats</td>

<td>₹35</td>

<td>4.2/5</td>

</tr>

</table>

</body>

</html>

Session : 3

1. Flipkart-Style Product Review Form

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Product Review</title>

</head>

<body>

  <h1>Product Review</h1>

  <form action="#" method="POST">

    <!-- Username -->

    <label for="username">Username:</label>

    <input type="text" id="username" name="username" required>

    <br><br>

    <!-- Rating -->

    <label for="rating">Rating:</label>

    <select id="rating" name="rating" required>

      <option value="" disabled selected>Select Rating</option>

      <option value="1">1 - Very Poor</option>

      <option value="2">2 - Poor</option>

      <option value="3">3 - Average</option>
```

```
<option value="4">4 - Good</option>
<option value="5">5 - Excellent</option>
</select>
<br><br>
<!-- Review Message -->
<label for="review">Review:</label>
<br>
<textarea
  id="review"
  name="review"
  rows="5"
  cols="40"
  minlength="20"
  required
  placeholder="Write your review (minimum 20 characters)">
</textarea>
<br><br>
<button type="submit">Submit Review</button>
</form>
</body>
</html>
```

2. Validation used

- required → Username cannot be empty.
- required → Rating must be selected.
- minlength="20" → Review must contain at least 20 characters.

- disabled selected → The default **Select Rating** option cannot be selected as a valid rating.
-

3. Check POST data in Chrome DevTools

```
<form action="#" method="POST">
```

4. Zomato-Style Food Order Form

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Food Order Form</title>
```

```
</head>
```

```
<body>
```

```
  <h1>Food Order Form</h1>
```

```
  <form action="#" method="POST">
```

```
    <!-- User Name -->
```

```
    <label for="name">User Name:</label>
```

```
    <input type="text" id="name" name="name" required>
```

```
    <br><br>
```

```
    <!-- Food Item -->
```

```
    <label for="food">Select Food Item:</label>
```

```
    <select id="food" name="food" required>
```

```
      <option value="" disabled selected>Select Food</option>
```

```
      <option value="pizza">Pizza</option>
```

```
<option value="burger">Burger</option>
<option value="biryani">Biryani</option>
<option value="paneer-tikka">Paneer Tikka</option>
</select>
<br><br>
<!-- Quantity -->
<label for="quantity">Quantity:</label>
<input
  type="number"
  id="quantity"
  name="quantity"
  min="1"
  required>
<br><br>
<!-- Delivery Instructions -->
<label for="instructions">Delivery Instructions:</label>
<br>
<textarea
  id="instructions"
  name="instructions"
  rows="5"
  cols="40"
  required
  placeholder="Enter your delivery instructions">
</textarea>
<br><br>
```

```
<!-- Fixed Order ID -->

<!-- This field is disabled because users should not be allowed
      to change the fixed order ID generated by the system. -->

<label for="orderid">Order ID:</label>

<input
  type="text"
  id="orderid"
  name="orderid"
  value="ORD12345"
  disabled>

<br><br>

<button type="submit">Place Order</button>

</form>

</body>

</html>
```

Session : 4

1. Semantic Blog Post Layout

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>My Simple Blog</title>
```

```
</head>
```

```
<body>
```

```
  <header>
```

```
    <h1>Divy's Tech Blog</h1>
```

```
    <p>Welcome to my technology and learning blog.</p>
```

```
  </header>
```

```
  <nav>
```

```
    <a href="#">Home</a> |
```

```
    <a href="#">Explore</a> |
```

```
    <a href="#">About</a>
```

```
  </nav>
```

```
  <main>
```

```
    <article>
```

```
      <header>
```

```
        <h2>My Journey into Web Development</h2>
```

```
        <p>Posted on August 20, 2026</p>
```

```
      </header>
```

```
      <p>
```

```
        Web development is an exciting field that combines  
        creativity and programming. I started learning HTML  
        and CSS to understand how websites are created.
```

```
      </p>
```

```
      <p>
```

```
        After learning the basics, I started creating simple  
        web pages and experimenting with different layouts.
```

```
        </p>

    </article>

</main>

<footer>

    <p>&copy; 2026 Divy's Tech Blog. All Rights Reserved.</p>

</footer>

</body>

</html>
```

2. Zomato-Style Restaurant Listing Card

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Restaurant Listings</title>

</head>

<body>

    <main>

        <h1>Popular Restaurants</h1>

        <article>

            <header>

                <h2>Spice Garden</h2>

                <p>Indian, Punjabi, Chinese</p>

            </header>
```

<p>
Enjoy delicious Indian and Chinese dishes
prepared with fresh ingredients.

</p>

<footer>

<p>Rating: 4.5/5</p>

<p>Delivery Time: 30 minutes</p>

</footer>

</article>

<hr>

<article>

<header>

<h2>Pizza House</h2>

<p>Pizza, Italian, Fast Food</p>

</header>

<p>

Freshly baked pizzas with a variety of toppings
and delicious sides.

</p>

<footer>

<p> Rating: 4.3/5</p>

<p> Delivery Time: 25 minutes</p>

</footer>

</article>

<hr>

<article>

```
<header>

  <h2>Royal Biryani</h2>

  <p>Biryani, Mughlai, North Indian</p>

</header>

<p>

  Authentic and flavorful biryani made with

  traditional spices.

</p>

<footer>

  <p> Rating: 4.6/5</p>

  <p> Delivery Time: 35 minutes</p>

</footer>

</article>

</main>

</body>

</html>
```

3. Flipkart-style product page section

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Flipkart Style Product Page</title>

</head>

<body>
```

<!-- Category Breadcrumbs -->

<nav aria-label="Breadcrumb">

Home >

Electronics >

Mobiles >

Smartphones

</nav>

<!-- Product Title and Image -->

<header>

<h1>Samsung Galaxy Smartphone</h1>

<p>Latest Smartphone with powerful performance</p>

</header>

<!-- Product Details -->

<article>

<h2>Product Details</h2>

<p>

The Samsung Galaxy Smartphone features a beautiful display, powerful processor, high-quality camera, and long-lasting battery. It is suitable for gaming, photography, entertainment, and everyday use.

</p>

<h3>Key Features</h3>

```
<ul>
  <li>6.5-inch Full HD Display</li>
  <li>8 GB RAM</li>
  <li>128 GB Internal Storage</li>
  <li>50 MP Primary Camera</li>
  <li>5000 mAh Battery</li>
</ul>

<h2>Price: ₹24,999</h2>
<p> Rating: 4.5/5</p>
</article>
<!-- Offers and Warranty -->
<footer>
  <h2>Offers & Warranty</h2>
  <p>10% instant discount on selected bank cards.</p>
  <p>Free delivery available.</p>
  <p>1 Year Manufacturer Warranty included.</p>
  <p>&copy; 2026 Flipkart Style Product Page</p>
</footer>
</body>
</html>
```

4. Refactoring Non-Semantic Movie Review HTML

```
<div>
  <div>
    <span>Movie Reviews</span>
```

```
</div>

<div>

  <span>Home</span>

  <span>Movies</span>

  <span>Reviews</span>

</div>

<div>

  <span>Avengers: Endgame</span>

  <span>Released: 2019</span>

  <span>

    Avengers: Endgame is an exciting superhero movie

    with an emotional story.

  </span>

  <span>Rating: 4.8/5</span>

</div>

<div>

  <span>&copy; 2026 Movie Reviews</span>

</div>

</div>
```

Session : 5

1. Flipkart-style product card — Inline CSS

```
<!DOCTYPE html>

<html>
```

```
<head>

  <title>Flipkart Product Card</title>

</head>

<body>

  <div style="width: 300px; border: 1px solid #ddd; padding: 20px; margin: 50px auto;">

    

    <h2 style="background-color: #e8f0fe; font-size: 24px;">

      Wireless Bluetooth Headphones

    </h2>

    <p>High-quality wireless headphones with deep bass.</p>

    <h3>₹1,499</h3>

    <button>Add to Cart</button>

  </div>

</body>

</html>
```

2. Myntra-like offer banner — Internal CSS

```
<!DOCTYPE html>

<html>

<head>

  <title>Myntra Offer Banner</title>

  <style>

    .offer-banner {

      background-color: #ff3f6c;

      color: white;

      font-family: Arial, sans-serif;
```

```
        text-align: center;

        padding: 20px;

        font-size: 24px;

        font-weight: bold;
    }
</style>
</head>
<body>

    <div class="offer-banner">

        FLAT 50% OFF | USE CODE: MYNTRA50

    </div>
</body>
</html>
```

3. External CSS — styles.css

```
<!DOCTYPE html>

<html>

<head>

    <title>Zomato Buttons</title>

    <link rel="stylesheet" href="styles.css">

</head>

<body>

    <h1>Order Your Favourite Food</h1>

    <button>Order Now</button>

    <button>View Menu</button>
```

```
<button>Book Table</button>

</body>

</html>
```

4. Spotify playlist — Class and ID selectors

```
<!DOCTYPE html>

<html>

<head>

  <title>Spotify Playlist</title>

  <style>

    .playlist-item {

      background-color: #222;

      color: white;

      padding: 15px;

      margin: 8px;

      border-radius: 8px;

    }

    #currently-playing {

      background-color: #1db954;

      color: white;

      font-weight: bold;

    }

  </style>

</head>

<body>

  <h1>My Spotify Playlist</h1>
```

```
<div class="playlist-item">Song 1 - Perfect</div>
<div class="playlist-item" id="currently-playing">
  Song 2 - Shape of You ►
</div>
<div class="playlist-item">Song 3 - Believer</div>
<div class="playlist-item">Song 4 - Faded</div>
</body>
</html>
```

5. BookMyShow — Light/Dark Mode using JavaScript

```
<!DOCTYPE html>
<html>
<head>
  <title>BookMyShow - Movie Details</title>
  <style>
    body{
      background-color: white;
      color: #222;
      font-family: Arial, sans-serif;
      transition: 0.3s;
      text-align: center;
      padding: 50px;
    }
    .movie-card{
      max-width: 400px;
      margin: auto;
```

```
padding: 25px;

border-radius: 12px;

box-shadow: 0 4px 15px rgba(0,0,0,0.2);
}

button {

background-color: #f84464;

color: white;

border: none;

padding: 12px 20px;

border-radius: 6px;

cursor: pointer;

margin-top: 20px;

}

/* Dark Mode */

body.dark-mode {

background-color: #121212;

color: white;

}

body.dark-mode .movie-card {

background-color: #242424;

color: white;

}

body.dark-mode button {

background-color: #ff1744;

}

</style>
```

```
</head>

<body>

  <div class="movie-card">

    <h1>Avengers: Endgame</h1>

    <p><strong>Genre:</strong> Action, Adventure, Sci-Fi</p>

    <p><strong>Rating:</strong> ★ 9.0/10</p>

    <p>Book your tickets now and enjoy the movie experience!</p>


    <button onclick="toggleMode()">

      Switch Light / Dark Mode

    </button>

  </div>

  <script>

    function toggleMode() {

      document.body.classList.toggle("dark-mode");

    }

  </script>

</body>

</html>
```

Session : 6

Task 1 — Zomato-style Restaurant Card

```
<!DOCTYPE html>

<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Restaurant Card</title>
```

```
<style>
```

```
body{
```

```
    font-family: Arial, sans-serif;
```

```
    background-color: #f5f5f5;
```

```
}
```

```
.restaurant-card {
```

```
    width: 320px;
```

```
    margin: 50px auto;
```

```
    padding: 20px;
```

```
    border: 2px solid #ddd;
```

```
    border-radius: 12px;
```

```
    background-color: white;
```

```
}
```

```
.restaurant-name {
```

```
    padding: 10px;
```

```
    border-bottom: 1px solid #ddd;
```

```
}
```

```
.cuisine {
```

```
margin-top: 10px;
padding: 10px;
border-bottom: 1px solid #ddd;
color: #666;
}
```

```
.rating{
margin-top: 10px;
padding: 10px;
color: green;
font-weight: bold;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="restaurant-card">
```

```
<h2 class="restaurant-name">Spice Garden</h2>
```

```
<p class="cuisine">North Indian • Chinese • Punjabi</p>
```

```
<p class="rating"> 4.5 Rating</p>
```

```
</div>
```

```
</body>
```

```
</html>
```

2. Flipkart-style Product Tile

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Product Tile</title>


<style>

  body{

    font-family: Arial, sans-serif;

    background-color: #f2f2f2;

  }


  .product {

    width: 250px;

    margin: 50px auto;

    padding: 20px;

    background-color: white;

    border: 1px solid #ddd;

    text-align: center;

  }


  .product img {

    width: 200px;

    height: 200px;
```

```
    object-fit: contain;
}
```

```
/* block occupies the complete available width */
```

```
.product-name {
    display: block;
    margin: 15px 0;
    font-size: 18px;
    font-weight: bold;
}
```

```
/* inline-block allows width and height while staying inline */
```

```
.price {
    display: inline-block;
    padding: 8px 15px;
    color: green;
    font-size: 20px;
    font-weight: bold;
}
```

```
/* Add this class to hide the price */
```

```
.hide-price {
    display: none;
}
```

```
</style>
```

```
</head>
```

```
<body>

<div class="product">

  


  <h2 class="product-name">Smartphone 5G</h2>


  <!-- Remove hide-price to display the price -->

  <span class="price">₹19,999</span>

</div>

</body>

</html>
```

3. Fixed WhatsApp Notification Badge

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>WhatsApp Badge</title>


  <style>

    body{

      font-family: Arial, sans-serif;
```

```
height: 1500px;
padding: 30px;
}
```

```
.whatsapp-badge {
```

```
position: fixed;
```

```
right: 25px;
```

```
bottom: 25px;
```

```
margin: 10px;
```

```
padding: 15px 20px;
```

```
background-color: #25D366;
```

```
color: white;
```

```
border-radius: 30px;
```

```
font-weight: bold;
```

```
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.25);
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>Scroll Down</h1>
```

```
<p>The WhatsApp notification remains fixed at the bottom-right.</p>
```

```
<div class="whatsapp-badge">
```

```
   WhatsApp Chat
```

```
</div>
```

```
</body>
```

```
</html>
```

4. BookMyShow Movie Poster Grid

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Movie Poster Grid</title>
```

```
<style>
```

```
  body{
```

```
    font-family: Arial, sans-serif;
```

```
    background-color: #f5f5f5;
```

```
  }
```

```
  .movie-grid {
```

```
    display: flex;
```

```
    gap: 20px;
```

```
    justify-content: center;
```

```
    margin: 50px;
}
```

```
.movie {
    position: relative;
    width: 200px;
}
```

```
.movie img {
    width: 100%;
    height: 280px;
    object-fit: cover;
    border-radius: 8px;
}
```

```
.movie-title {
    text-align: center;
    font-weight: bold;
    margin-top: 10px;
}
```

```
/* Absolute position places the badge over the poster */
```

```
.new-badge {
    position: absolute;
    top: 10px;
    left: 10px;
```

```
padding: 6px 12px;
background-color: red;
color: white;

border-radius: 5px;
font-size: 14px;
font-weight: bold;
}
</style>
</head>

<body>

<h1 style="text-align: center;">BookMyShow Movies</h1>

<div class="movie-grid">

<div class="movie">
  <span class="new-badge">NEW</span>

  

  <p class="movie-title">Action Hero</p>
</div>
```

```
<div class="movie">

  


  <p class="movie-title">Love Story</p>

</div>
```

```
<div class="movie">

  


  <p class="movie-title">The Adventure</p>

</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

5. Reusable CSS Class for Maintainability

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

<title>Reusable CSS Class</title>

<style>

/*

Reusable spacing class:

Instead of writing the same margin and padding repeatedly, we define them once.

This improves maintainability because changing the spacing in one place updates every element using this class.

*/

.spacing{

margin: 10px;

padding: 10px;

}

.restaurant-card {

width: 300px;

border: 2px solid #ccc;

background-color: white;

}

.restaurant-name {

border-bottom: 1px solid #ddd;

}

```
.cuisine {  
  color: #666;  
}
```

```
.rating {  
  color: green;  
  font-weight: bold;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="restaurant-card spacing">
```

```
<h2 class="restaurant-name spacing">
```

```
  Spice Garden
```

```
</h2>
```

```
<p class="cuisine spacing">
```

```
  North Indian • Chinese
```

```
</p>
```

```
<p class="rating spacing">
```

```
  4.5 Rating
```

```
</p>
```

```
</div>

</body>

</html>
```

Session : 7

1. App Icons Using Flexbox

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>App Icons - Flexbox</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      background-color: #f5f5f5;

    }

    .app-container {

      width: 500px;

      margin: 80px auto;
```

```
padding: 30px;

background-color: white;

border-radius: 15px;


/* Flexbox */

display: flex;

justify-content: space-between;

align-items: center;

}


.app-container img {

width: 70px;

height: 70px;

border-radius: 15px;

object-fit: cover;

}

</style>

</head>


<body>


<div class="app-container">

  


  





</div>

</body>

</html>
```

2. Spotify-Style Horizontal Playlist

```
.playlist{display:flex;gap:10px}.song{display:flex;align
items:center;width:180px;height:70px;padding:10px;border:1px solid #ccc}
```

Song 1 - Artist 1

Song 2 - Artist 2

Song 3 - Artist 3

Song 4 - Artist 4

Song 5 - Artist 5

Task 3–4 – Responsive 6-product grid

```
.product-grid{display:grid;grid-templatecolumns:repeat(3,1fr);gap:20px}
.product-card{padding:15px;border:1px solid
```

```
#ddd}.product-card img{width:100%} @media(max-width:900px){.product-
grid{gridtemplate-columns:repeat(2,1fr)}}
@media(max-width:600px){.product-grid{gridtemplate-columns:1fr}}
<section class="product-grid">
<div class="product-card"><h3>Produ ct 1</h3></div>
<div class="product-card"><h3>Produ ct 2</h3></div>
<div class="product-card"><h3>Produ ct 3</h3></div>
<div class="product-card"><h3>Produ ct 4</h3></div>
<div class="product-card"><h3>Produ ct 5</h3></div>
<div class="product-card"><h3>Produ ct 6</h3></div>
</section>
```

Session : 8

1-3 – Responsive Flipkart-style product card

```
<!DOCTYPE html><html><head>
<meta name="viewport" content="width=device-width, initialscale=1.0">
<style> .productcard{display:flex;gap:25px;padding:30px;font-
size:20px;border:1px solid #ccc} .product-card
img{width:280px;objectfit:contain}
@media only screen and (maxwidth:1200px){.product-
```

```

card{padding:25px;font-size:19px}} @media only screen and
(maxwidth:900px){.product-
card{padding:20px;font-size:17px}}
@media only screen and (max-width:600px){
.product-card{flexdirection:column;padding:15px;fontsize:15px}
.product-card img{width:100%}}
</style></head><body> <div class="product-card"> <div><h2>Smartphone
X</h2><p>Powerful smartphone with excellent camera and
display.</p><h3>₹19,999</h3></div></div>
</body></html>

```

4 – Testing note

Resize Chrome or use DevTools Device Toolbar. At mobile width the image moves above the details. Tablet uses smaller spacing/font, while desktop uses larger spacing and text.

Take mobile, tablet, and desktop screenshots and submit them with this note

Session : 9

1 – Three product cards

```

<div class="container"><div class="row g3">
<div class="col-12 col-md-4"><div class="card"><div class="card-body"><h5>Product
1</h5><p>₹999</

```

```
<div class="col-12 col-md-4"><div class="card"><div class="card-body"><h5>Product
```

```
2</h5><p>₹1,499
```

```
<div class="col-12 col-md-4"><div class="card"><div class="card-body"><h5>Product
```

```
3</h5><p>₹1,999
```

```
</div></div>
```

2 – Zomato listing, two cards per row

```
<div class="container"><div class="row g-
3">
```

```
<div class="col-6"><div class="card p3"><h5>Spice
```

```
Garden</h5><p>Indian cuisine and family dining.</p></div></div> <div
```

```
class="col-6"><div class="card p3"><h5>Pizza House</h5><p>Fresh pizza
and pasta.</p></div></div>
```

```
<div class="col-6"><div class="card p-3"><h5>South Tiffin</h5><p>Dosa, idli
and
```

```
South Indian food.</p></div></div>
```

```
<div class="col-6"><div class="card p3"><h5>Sweet
Corner</h5><p>Desserts and sweets.</p></div></div>
```

```
</div></div>
```

3-4 – Movie details with mobile stacking

```
<div class="container"><div class="row align-items-center">
```

```
<div class="col-12 col-md-6 textcenter"></div> <div class="col-12 col-md-
```

```
6"><h1>Movie
```

```
Title</h1><p>Genre: Action / Drama</p><p>Rating: 4.5/5</p><button
```

```
class="btn btn-primary">Book No</div></div>
```

Session : 10

1 – Responsive music navbar

```
<nav class="navbar navbar-expand-lg bg-dark navbar-dark"><div
class="container">
<a class="navbar-brand" href="#">Music App</a>
<button class="navbar-toggler" data-bstoggle="collapse" data-bs-
target="#menu"><span class="navbar-togglericon"></span></button>
<div class="collapse navbar-collapse" id="menu"><ul class="navbar-nav ms-
auto"> <li class="nav-item"><a class="nav-link" href="#">Home</a></li><li
class="navitem"><a class="nav-link" href="#">Playlists</a></li><li c
</ul></div></div></nav>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap
@5.3.3/dist/js/bootstrap.bundle.min.js"></s cript>
```

2 – Product card

```
<div class="card" style="width:18rem">
<div class="card-body"><h5 class="cardtitle">Wireless Headphones</h5><p
class="card-text">n1,999</p>
<a href="#" class="btn btn-primary">Buy
Now</a></div></div>
```

3 – Three-movie carousel

```
<div id="movieCarousel" class="carousel slide" data-bs-ride="carousel"><div
class="carousel-inner">
<div class="carousel-item active"><div class="carouselcaption"><h5>Movie
One< <div class="carousel-item"><div class="carouselcaption"><h5>Movie
Two</h5></d <div class="carousel-item"><div
class="carouselcaption"><h5>Movie Three</h5><
</div></div>
```

4 – Restaurant review form

```
<form class="p-3"> <label class="form-
label">Name</label><input type="text"
class="form-contrl mb-3" required>
<label class="form-label">Rating</label><select class="formselect mb-3"
required> <option value="" selected disabled>Select
rating</option><option>1 Star</option><option>2
Stars</option><option>3 Stars</option><option> </select><label
class="form-
label">Review</label><textarea class="formcontrol mb-3"
required></textarea>
<button class="btn btn-danger">Submit
Review</button></form>
```

5 – Food filter buttons

```
<div class="btn-group"> <button class="btn btn-danger
active">All</button><button class="btn btnoutline-danger">Veg</button>
```

```
<button class="btn btn-outline-danger">NonVeg</button><button class="btn  
btn-outlinedanger">Desserts</button>  
</div>
```

Session : 11

1 – Three spacing levels

```
<div class="m-2 p-2 card">Small spacing product</div>  
<div class="m-4 p-4 card">Medium spacing product</div>  
<div class="m-5 p-5 card">Large spacing product</div>
```

2 – Movie review typography

```
<div class="card p-4"><h2 class="fw-bold fs-2">Movie Title</h2> <p  
class="fw-semibold fs-4">Rating:  
4.5/5</p><p class="fw-normal fs-6">This is a short movie review.</p></div>
```

3 – Restaurant color utilities

```
<div class="card p-3"><h5>Spice Garden</h5>  
<span class="badge bg-success">Rating  
4.5</span>  
<span class="badge bg-warning textdark">20% OFF</span>  
<span class="badge bgdanger">Closed</span></div>
```

4 – Custom primary button

```
/* custom.css – load after Bootstrap */
.btn-primary{background-
color:#e23744;border-color:#e23744} .btn-
primary:hover{backgroundcolor:#b71c1c;border-color:#b71c1c} <!--
HTML --><button class="btn btnprimary">Book Ticket</button>
```

5 – Light/dark theme switcher

```
<div id="main" class="container bg-light text-dark p-5">
<button class="btn btn-secondary" onclick="toggleTheme()">Switch
Theme</button>
<h2>Movie Details</h2><p>Movie information appears here.</p></div>
<script>
function toggleTheme(){ const box=document.getElementById("main");
box.classList.toggle("bg-
light");box.classList.toggle("bg-dark"); box.classList.toggle("text-
dark");box.classList.toggle("text-light");
}
</script>
```

Session : 12

1–5 – Complete music artist landing page

```
<!DOCTYPE html>
<html lang="en"><head>
```

```
<meta charset="UTF-8"><meta name="viewport" content="width=device-
width, initial-scale=1">
<title>Music Artist</title>

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.
3.3/dist/css/bootstrap.min.css" rel="stylesheet">

<link rel="stylesheet"

href="https://cdn.jsdelivr.net/npm/bootstrapicons@1.11.3/font/bootstrap-
icons.min.css">
<style>

body{background:#f8f9fa}.hero{padding:60px
20px}

.artist-img{width:160px;height:160px;objectfit:cover;border-radius:50%}
.playlist img{height:180px;object-fit:cover}

</style></head><body>

<nav class="navbar navbar-expand-lg bg-dark navbar-dark sticky-top"><div
class="container">
<a class="navbar-brand" href="#home">My
Artist</a>

<button class="navbar-toggler" data-bstoggle="collapse" data-bs-
target="#nav"><span class="navbar-toggler-icon"></span></button> <div
id="nav" class="collapse navbarcollapse"><ul class="navbar-nav ms-
auto"> <li class="nav-item"><a class="nav-link"
href="#home">Home</a></li>
<li class="nav-item"><a class="nav-link" href="#about">About</a></li>
<li class="nav-item"><a class="nav-link" href="#contact">Contact</a></li>
</ul></div></div></nav>

<section id="home" class="hero textcenter">
```

<h1 class="fw-bold">My Music Artist</h1><p class="lead">Singer, songwriter and music creator.</p>

<div class="d-flex justify-content-center gap-2">

<i class="bi bi-instagram"></i> Instagram <i class="bi bi-spotify"></i> Spotify

<i class="bi bi-youtube"></i> YouTube

</div></section>

<section id="about" class="container py-5"><h2

class="text-center mb-4">Featured

Playlists</h2>

<div class="row g-4">

<div class="col-12 col-md-4"><div class="card playlist h-100"><div class="cardbody"><h5>C<div class="col-12 col-md-4"><div class="card playlist h-100"><div class="cardbody"><h5>W<div class="col-12 col-md-4"><div class="card playlist h-100"><div class="cardbody"><h5>T</div></section>

<section class="container py-5"><h2 class="text-center mb-4">Product Showcase</h2><div class="row g-3">

<div class="col-6 col-md-3"><div class="card h100"><div class="card-body"><h6>Product

1</h6><but

<div class="col-6 col-md-3"><div class="card h100"><div class="card-body"><h6>Product

2</h6><but

```
<div class="col-6 col-md-3"><div class="card h100"><div class="card-body"><h6>Product
```

```
3</h6><but
```

```
<div class="col-6 col-md-3"><div class="card h100"><div class="card-body"><h6>Product 4</h6><but
</div></section>
```

```
<footer id="contact" class="bg-dark text-light text-center p-4"><p>Follow
the artist</p> <a href="#" class="text-light fs-3 mx-2"><i class="bi bi-
instagram"></i></a>
```

```
<a href="#" class="text-light fs-3 mx-2"><i class="bi bi-facebook"></i></a>
```

```
<a href="#" class="text-light fs-3 mx-2"><i class="bi bi-youtube"></i></a>
```

```
<p class="mt-3 mb-0">© 2026 My Music
```

```
Artist</p></footer>
```

```
<script
```

```
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3
```

```
.3/dist/js/bootstrap.bundle.min.js"></script>
```

```
</body></html
```