

DecodeLabs Internship

Project 1: Zero-Shot & Few-Shot Data Extraction

Objective

Extract Name, City and Phone Number from unstructured text and return the output in valid JSON format.

1. Zero-Shot Prompt

Extract name, city and phone number.
Return only valid JSON.

Text:
Rahul Sharma lives in Jaipur.
Phone: 9876543210

Output:

```
{  
  "name": "Rahul Sharma",  
  "city": "Jaipur",  
  "phone": "9876543210"  
}
```

2. Few-Shot Prompt

Example 1

Input:
Amit lives in Delhi.
Phone: 9999999999

Output:
{"name": "Amit", "city": "Delhi", "phone": "9999999999"}

Example 2

Input:
Neha lives in Mumbai.
Phone: 8888888888

Output:
{"name": "Neha", "city": "Mumbai", "phone": "8888888888"}

Now Process:
Rahul Sharma lives in Jaipur.
Phone: 9876543210

Output:

```
{  
  "name": "Rahul Sharma",  
  "city": "Jaipur",  
  "phone": "9876543210"  
}
```

3. Test Cases

Test Case 1

Input:
Rahul Sharma lives in Jaipur. Phone: 9876543210
Output:
{ "name": "Rahul Sharma", "city": "Jaipur", "phone": "9876543210" }

Test Case 2

Input:
I am Mohit. Currently living in Udaipur. Contact: 9988776655
Output:
{ "name": "Mohit", "city": "Udaipur", "phone": "9988776655" }

Test Case 3

Input:
Neha from Mumbai. Phone: 8877665544
Output:
{ "name": "Neha", "city": "Mumbai", "phone": "8877665544" }

Test Case 4

Input:
Ravi Kumar resides in Ahmedabad. Contact: 9123456789
Output:
{ "name": "Ravi Kumar", "city": "Ahmedabad", "phone": "9123456789" }

Test Case 5

Input:
Priya lives in Delhi. Phone Number: 9000011111
Output:
{ "name": "Priya", "city": "Delhi", "phone": "9000011111" }

Conclusion

Zero-Shot and Few-Shot prompting were used to convert messy text into structured JSON. Few-Shot prompting provided more consistent results due to example-based guidance.