






The image shows a Visual Studio Code editor window with a file named 'CSs.html'. The code is written in a dark theme and includes both HTML and CSS. The HTML part defines a title and a body with a class 'box' containing two paragraphs. The CSS part styles the body with a light blue background, center-aligned text, and the 'box' with a white background, padding, margin, width, and border-radius. The status bar at the bottom indicates 'Ln 40, Col 11', 'Spaces: 4', 'UTF-8', 'CRLF', and 'HTML'.


```
1 <!-- DO NOT REMOVE -->
2 <html>
3 <head>
4   <title>Why CSS is Needed</title>
5   <style>
6     body {
7       font-family: Arial, sans-serif;
8       background-color: lightblue;
9       text-align: center;
10    }
11    h1 {
12      color: darkblue;
13    }
14    p {
15      color: black;
16      font-size: 18px;
17    }
18    .box {
19      background-color: white;
20      padding: 20px;
21      margin: 30px auto;
22      width: 60%;
23      border-radius: 10px;
24    }
25  </style>
26 </head>
27 <body>
28   <div class="box">
29     <h1>Why Do We Need CSS?</h1>
30     <p>
31       CSS is used to make webpages attractive and well-designed.
32     </p>
33     <p>
34       HTML provides the structure and content,
35       while CSS controls the appearance and design.
36     </p>
37   </div>
38 </body>
39 </html>
```




```
1  <html>
2  <!DOCTYPE html>
3  <html>
4  <head>
5      <title>Google Image Webpage</title>
6      <link href="https://fonts.googleapis.com/css2?family=Poppins&display=wap"
7            rel="stylesheet">
8      <style>
9          body {
10             font-family: 'Poppins', sans-serif;
11             text-align: center;
12             background-color: lightblue;
13          }
14          img {
15             width: 400px;
16             border-radius: 10px;
17          }
18      </style>
19 </head>
20 <body>
21     <h1>Beautiful Nature</h1>
22     
24     <p>This webpage uses a Google-imported resource.</p>
25
26 </body>
27 </html>
28
29
```




```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <style>
5   p { color: teal; font-size: 18px; text-align: center; }
6 </style>
7 </head>
8 <body>
9   <p>This paragraph is centered, teal, and 18px.</p>
10  <p>So is this one — the rule applies to every &lt;p> tag.</p>
11 </body>
12 </html>
```






```
1 <!DOCTYPE html>
2 <html>
3 <body>
4   <p style="color: white; background-color: darkblue; font-size: 20px; padding: 10px;">
5     This paragraph is styled using inline CSS via the style attribute
6   </p>
7 </body>
8 </html>
```

Ln 8, Col 8 Spaces: 4 UTF-8 CRLF {} HTML Go Live




```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <style>
5     body { font-family: Arial, sans-serif; }
6     h1 { color: crimson; text-align: center; }
7     p { color: #333333; line-height: 1.6; }
8     a { color: orange; text-decoration: none; }
9 </style>
10 </head>
11 <body>
12     <h1>Internal CSS Example</h1>
13     <p>This page uses one &lt;style> block to style several elements.</p>
14     <a href="#">A styled link</a>
15 </body>
16 </html>
```



```
web.html
selector.html x
selector.html > ...
1
2 <!DOCTYPE html>
3 <html>
4 <head>
5   <title>CSS Rule Syntax</title>
6   <style>
7     h1 {
8       color: blue;
9     }
10
11     p {
12       font-size: 20px;
13     }
14   </style>
15 </head>
16 <body>
17   <h1>CSS Rule Example</h1>
18   <p>
19     This paragraph demonstrates a CSS property and value.
20   </p>
21 </body>
22 </html>
23
24
```



```
background.html
background.html > html > head > title
1
2 <!DOCTYPE html>
3 <html>
4 <head>
5   <title>Background Image</title>
6   <style>
7     body {
8       background-image: url("https://images.unsplash.com/photo-15003462328...");
9       background-size: cover;
10      background-repeat: no-repeat;
11      background-attachment: fixed;
12    }
13
14    h1 {
15      color: white;
16      text-align: center;
17    }
18
19    p {
20      color: white;
21      text-align: center;
22      font-size: 20px;
23    }
24  </style>
25 </head>
26
27 <body>
28
29   <h1>Background Image Example</h1>
30
31   <p>
32     This webpage uses the CSS background-image property.
33   </p>
34
35 </body>
36 </html>
37
```



```
horizontal.html X
horizontal.html > html
1
2 <!DOCTYPE html>
3 <html>
4 <head>
5   <title>Background Properties</title>
6   <style>
7     .box {
8       width: 90%;
9       height: 250px;
10      margin: 20px auto;
11      border: 2px solid black;
12      background-image: url("https://images.unsplash.com/photo-15003482328");
13    }
14    .repeat {
15      background-repeat: repeat;
16    }
17    .position {
18      background-repeat: no-repeat;
19      background-position: center;
20    }
21    .size {
22      background-repeat: no-repeat;
23      background-size: cover;
24    }
25  </style>
26 </head>
27 <body>
28   <h1>CSS Background Properties</h1>
29   <h2>1. background-repeat</h2>
30   <div class="box repeat"></div>
31   <h2>2. background-position</h2>
32   <div class="box position"></div>
33   <h2>3. background-size</h2>
34   <div class="box size"></div>
35 </body>
36 </html>
37
```

Assignment - GDB online | Background Properties


1. background-repeat




2. background-position




3. background-size



```
fixed.html X
fixed.html > html > body > div.content > p
2 <!DOCTYPE html>
3 <html>
4 <head>
5   <title>Fixed Background Image</title>
6   <style>
7     body {
8       background-image: url("https://images.unsplash.com/photo-15003462328...");
9       background-size: cover;
10      background-repeat: no-repeat;
11      background-attachment: fixed;
12      font-family: Arial, sans-serif;
13    }
14    .content {
15      background-color: white;
16      padding: 30px;
17      margin: 100px auto;
18      width: 60%;
19    }
20  </style>
21 </head><body>
22   <div class="content">
23     <h1>Fixed Background Image</h1>
24     <p>
25       This webpage demonstrates the
26       background-attachment: fixed property.
27     </p><p>
28       Scroll down to see that the background image
29       remains fixed while the content moves.
30     </p>
31     <br>
32     <h2>Scroll Test</h2>
33     <p>
34       The background image stays in the same position
35       even when the webpage is scrolled.
36     </p> </div>
37   </body></html>
```



```
text.html <
2 <!DOCTYPE html>
3 <html>
4 <head>
5   <title>CSS Text Properties</title>
6
7   <style>
8     h1 {
9       text-align: center;
10    }
11    .decoration {
12      text-decoration: underline;
13    }
14    .transform {
15      text-transform: uppercase;
16    }
17    .indent {
18      text-indent: 50px;
19    }
20  </style>
21 </head>
22 <body>
23   <h1>CSS Text Properties</h1>
24   <p class="decoration">
25     This text is underlined using text-decoration.
26   </p>
27   <p class="transform">
28     this text is transformed into uppercase.
29   </p>
30   <p class="indent">
31     This paragraph demonstrates the text-indent property.
32     The first line of this paragraph starts with an indentation
33     of 50 pixels.
34   </p>
35 </body>
36 </html>
37
```



```
letter.html X
letter.html > html
2 <html lang="en">
3 <head>
6 <style>
7   body {
8     font-family: Arial, sans-serif;
9     max-width: 700px;
10    margin: 40px auto;
11    padding: 0 20px;}
12  .letter-spacing {
13    letter-spacing: 4px;}
14  .word-spacing {
15    word-spacing: 12px;
16  }
17  .line-height {
18    line-height: 2.5;
19  }
20  p {
21    border: 1px solid #ccc;
22    padding: 12px;}
23 </style></head><body>
24 <h2>1. Letter Spacing (letter-spacing: 4px)</h2>
25 <p class="letter-spacing">
26   This paragraph has extra space between each individual letter,
27   which makes the text look more spread out.
28 </p>
29 <h2>2. Word Spacing (word-spacing: 12px)</h2>
30 <p class="word-spacing">
31   This paragraph has extra space between each word, while the
32   letters within a word remain normally spaced.
33 </p>
34 <h2>3. Line Height (line-height: 2.5)</h2>
35 <p class="line-height">
36   This paragraph has increased vertical space between its lines.
37   A larger line-height makes the text easier to read and less
38   cramped, especially for longer paragraphs like this one.
39 </p></body></html>
```

Text Spacing Demo

1. Letter Spacing (letter-spacing: 4px)

This paragraph has extra space between each individual letter, which makes the text look more spread out.


2. Word Spacing (word-spacing: 12px)

This paragraph has extra space between each word, while the letters within a word remain normally spaced.


3. Line Height (line-height: 2.5)

This paragraph has increased vertical space between its lines. A larger line-height makes the text easier to read and less cramped, especially for longer paragraphs like this one.


```
shadow.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Text Shadow Demo</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      text-align: center;
      margin-top: 60px;
      background-color: #f0f0f0;
    }
    h1 {
      font-size: 48px;
      color: #2c3e50;
      /* text-shadow: horizontal-offset vertical-offset blur-radius color */
      text-shadow: 4px 4px 6px rgba(255, 0, 0, 0.6);
    }
    .multi-shadow {
      text-shadow:
        2px 2px 3px rgba(255, 0, 0, 0.7),
        -2px -2px 3px rgba(0, 0, 255, 0.7),
        0px 0px 12px rgba(0, 255, 0, 0.5);
    }
  </style>
</head>
<body>
  <h1>Text Shadow Effect</h1>
  <h1 class="multi-shadow">Multiple Shadows</h1>
</body>
</html>
```



```
bullet.html X
bullet.html > html > body
1 <html lang="en">
2 <head>
3   <meta charset="UTF-8">
4   <title>List Style Type Demo</title>
5   <style>
6     .disc { list-style-type: disc; }
7     .circle { list-style-type: circle; }
8     .square { list-style-type: square; }
9     .none { list-style-type: none; }
10  </style>
11 </head>
12 <body>
13   <h2>Unordered List with disc</h2>
14   <ul class="disc">
15     <li>Apple</li>
16     <li>Banana</li>
17     <li>Cherry</li>
18   </ul>
19   <h2>Unordered List with circle</h2>
20   <ul class="circle">
21     <li>Apple</li>
22     <li>Banana</li>
23     <li>Cherry</li>
24   </ul>
25   <h2>Unordered List with square</h2>
26   <ul class="square">
27     <li>Apple</li>
28     <li>Banana</li>
29     <li>Cherry</li>
30   </ul>
31   <h2>Unordered List with none</h2>
32   <ul class="none">
33     <li>Apple</li>
34     <li>Banana</li>
35     <li>Cherry</li>
36   </ul>
37 </body></html>
```



```
shorthand.html > web.html
shorthand.html > html > body
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <title>Font Shorthand Demo</title>
6   <style>
7     p {
8       /* font shorthand: style variant weight size/line-height family */
9       font: italic bold 20px/1.6 Georgia, serif;
10    }
11
12    h1 {
13      font: small-caps 900 32px/1.2 Arial, sans-serif;
14    }
15  </style>
16 </head>
17 <body>
18   <h1>Font Shorthand Property Demo</h1>
19   <p>
20     This paragraph uses the font shorthand property to set the font style,
21     weight, size, line height, and family all in one line. Instead of
22     writing five separate declarations, everything is combined into a
23     single font property.
24   </p>
25 </body>
26 </html>
```



Using rgba() - only the background is transparent

rgba(255,0,0,0.4)

rgba(0,0,255,0.6)

Using opacity - the whole box (including text) is transparent

opacity: 0.4

opacity: 0.6

No transparency (for comparison)

Fully opaque

```
opacity.html X
<opacity.html> > <html> > <head> > <style> > .rgba-box2
2 <html lang="en">
3 <head>
6 <style>
7   body {
8     font-family: Arial, sans-serif;
9     background: #e8e8e8;
10    padding: 20px;}
11  .box {
12    width: 180px;
13    height: 100px;
14    display: inline-block;
15    margin: 10px;
16    border: 1px solid #999;
17    text-align: center;
18    padding-top: 15px;
19    color: white;
20    font-weight: bold;}
21  .rgba-box {
22    background-color: rgba(255, 0, 0, 0.4); }
23  .rgba-box2 {background-color: rgba(0, 0, 255, 0.6); }
24  .opacity-box {
25    background-color: red;
26    opacity: 0.4;}
27  .opacity-box2 {
28    background-color: blue;
29    opacity: 0.6;}
30  .no-effect {
31    background-color: green;}</style></head><body></body>
32 <h2>Using rgba() - only the background is transparent</h2>
33 <div class="box rgba-box">rgba(255,0,0,0.4)</div>
34 <div class="box rgba-box2">rgba(0,0,255,0.6)</div>
35 <h2>Using opacity - the whole box (including text) is transparent</h2>
36 <div class="box opacity-box">opacity: 0.4</div>
37 <div class="box opacity-box2">opacity: 0.6</div>
38 <h2>No transparency (for comparison)</h2>
39 <div class="box no-effect">Fully opaque</div></body></html>
```

Ln 23, Col 64 Spaces: 4 UTF-8 CRLF {} HTML Go Live

6:38 PM
9/16/2026