






```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Intorducton</title>
5 </head>
6 <body>
7   <h1>web designing assisment</h1>
8   <p>MY name is Diwakar Bhatta . I am currently persuing BTech CSE from COER uni
9 </body>
10 </html>
11
```

Open a folder or workspace... (File -> Open Folder)

Ln 11, Col 1 Spaces: 4 UTF-8 CRLF { } HTML Go Live






The screenshot shows a code editor with a dark theme. The file explorer on the left shows a project structure with files: introduction.html, heading.html, and format.html. The active file is format.html, located at C:\Users\DELL MCC\OneDrive\Desktop\html\python\format.html. The code in the editor is as follows:

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>HTML Text Formatting Tags</title>
5 </head>
6 <body>
7   <h2>HTML Formatting Tags Example</h2>
8   <!-- Underline -->
9   <u>This text is underlined.</u>
10  <br><br>
11  <!-- Paragraph -->
12  <p>This is a paragraph created using the &lt;p> tag.</p>
13  <!-- Typewriter Text -->
14  <tt>This text is displayed in typewriter (monospaced) font.</tt>
15  <br><br>
16  <!-- Strikethrough -->
17  <s>This text has a strikethrough effect.</s>
18  <br><br>
19  <!-- Bold Text -->
20  <b>This text is bold.</b>
21  <br><br>
22  <i>This text is italicized.</i>
23 </body>
24 </html>
25
```

The status bar at the bottom indicates the cursor is at Line 24, Column 8, with 4 spaces, UTF-8 encoding, CRLF line endings, and HTML language mode.



list.html

C: > Users > DELL MCC > OneDrive > Desktop > html > python > list.html > html

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

<!DOCTYPE html>

<html>

<body>

<h2>An unordered HTML list</h2>

Coffee

Tea

Milk

<h2>An ordered HTML list</h2>

Coffee


Tea

Milk

</body>

</html>

Ln 20, Col 8 Spaces: 4 UTF-8 CRLF { } HTML Go Live



VS Code

Search

Update

table.html

C: > Users > DELL MCC > OneDrive > Desktop > html > python > table.html > html

1

<!DOCTYPE html>

2

<html lang="en">

3

<head>

4

<meta charset="UTF-8">

5

<meta name="viewport" content="width=device-width, initial-scale=1.0">

6

<title>table</title>

7

</head>

8

<body>

9

<table border="1">

10

<caption>Student Marks</caption>

11

<tr>

12

<th>Name</th>

13

<th>Subject</th>

14

<th>Marks</th>

15

</tr>

16

<tr>

17

<td>Rahul</td>

18

<td>Math</td>

19

<td>85</td>

20

</tr>

21

<tr>

22

<td>Priya</td>

23

<td>Science</td>

24

<td>90</td>

25

</tr>

26

</table>

27

</body>

28

</html>

Ln 28, Col 8 Spaces: 4 UTF-8 CRLF {} HTML Go Live

table


C:/Users/DELL%20MCC/OneDrive/...

Student Marks

Name	Subject	Marks
Rahul	Math	85
Priya	Science	90


9:17 PM 9/2/2026

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>link</title>
7 </head>
8 <body>
9   <h1>this is a link example</h1>
10  <a href="https://www.youtube.com">youtube</a>
11
12 </body>
13 </html>
```



```
image.html X
C: > Users > DELL MCC > OneDrive > Desktop > html > New folder > liverpool > image.html > html Text Editor v
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>image</title>
7 </head>
8 <body>
9   <h1>this is an image example</h1>
10  
12 </html>
```

Ln 12, Col 8 Spaces: 4 UTF-8 CRLF { } HTML Go Live



```
label.html
1 <html lang="en">
2 <head>
3 <title>JavaScript Forms Demo</title>
4 <script src="script.js"></script>
5 <style>
6   body { font-family: Arial, sans-serif; margin: 30px; }
7   form { max-width: 400px; }
8   label { display: block; margin-top: 10px; }
9   input, select, textarea { width: 100%; padding: 6px; margin-top: 4px; }
10  #output { margin-top: 20px; padding: 10px; background: #f0f0f0; border-radius: 5px; }
11 </style>
12 </head>
13 <body>
14 <h1>JavaScript Forms Demo</h1>
15 <form id="myForm">
16 <label for="name">Name:</label>
17 <input type="text" id="name" name="name">
18 <label for="email">Email:</label>
19 <input type="email" id="email" name="email">
20 <label for="gender">Gender:</label>
21 <select id="gender" name="gender">
22 <option value="male">Male</option>
23 <option value="female">Female</option>
24 <option value="other">Other</option>
25 </select>
26 <label for="course">Course:</label>
27 <input type="text" id="course" name="course">
28 <label>
29 <input type="checkbox" id="subscribe" name="subscribe">
30   Subscribe to newsletter
31 </label>
32 <label for="message">Message:</label>
33 <textarea id="message" name="message" rows="3"></textarea>
34 <div id="output"></div>
35 <br><br>
36 <button type="submit">Submit</button>
37 <button type="reset">Reset</button>
38 </form>
```

JavaScript Forms Demo

Name:


Email:

Gender:


Course:

☐ Subscribe to newsletter

Message:



```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head><meta charset="UTF-8"><title>details tag demo</title></head>
4 <body>
5 <details>
6 <summary>Click to expand</summary>
7 <p>Here is the hidden detail content, shown only when the user opens
8 it .</p>
9 </details>
10 <details>
11 <summary>Web Designing</summary>
12 <p>HTML (HyperText Markup Language) is the standard markup language used
13 to create web pages. It describes the structure of a web page using elements,
14 which browsers render into visible/audible content .</p>
15 </details>
16 </body>
17 </html>
```



VS Code

Search

Update


detail.html × fruits × fruits.html ×

Text Editor

C: > Users > DELL MCC > OneDrive > Desktop > html > python > fruits.html > html

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <style>
5   ul.fruit-list {
6     list-style: none;
7     padding-left: 0;
8   }
9   ul.fruit-list li {
10    position: relative;
11    padding-left: 25px;
12    margin: 8px 0;
13    font-family: sans-serif;
14  }
15  ul.fruit-list li::before {
16    content: "🍏";
17    position: absolute;
18    left: 0;
19  }
20 </style>
21 </head>
22 <body>
23   <ul class="fruit-list">
24     <li>Apple</li>
25     <li>Banana</li>
26     <li>Mango</li>
27     <li>Grapes</li>
28   </ul>
29 </body>
30 </html>
```

Ln 30, Col 8 Spaces: 4 UTF-8 CRLF { } HTML Go Live




```

2 <html>
3 <head>
4
5 </head>
6 <body>
7   <h2>Table of Contents</h2>
8   <ol>
9     <li>Introduction
10       <ul>
11         <li>Basics</li>
12         <li>History</li>
13         <li>Applications</li>
14       </ul>
15     </li>
16     <li>Programming
17       <ul>
18         <li>Variables</li>
19         <li>Data Types</li>
20         <li>Operators</li>
21       </ul>
22     </li>
23     <li>Control Statements
24       <ul>
25         <li>If-Else</li>
26         <li>Loops</li>
27         <li>Switch</li>
28       </ul>
29     </li>
30     <li>Functions
31       <ul>
32         <li>Defining Functions</li>
33         <li>Arguments</li>
34         <li>Return Values</li>
35       </ul>
36     </li>
37   </ol>
38

```

Table of Contents

- 1. Introduction
 - Basics
 - History
 - Applications
- 2. Programming
 - Variables
 - Data Types
 - Operators
- 3. Control Statements
 - If-Else
 - Loops
 - Switch
- 4. Functions
 - Defining Functions
 - Arguments
 - Return Values



VS Code icons

Search

Update


nested.html x color.html x paragraph.html x


C:\Users\DELL MCC>OneDrive>Desktop>html>python>paragraph.html>html

Text Editor


1 <!DOCTYPE html>
2 <html>
3 <head>
4 | <title>Pre Tag Example</title>
5 </head>
6 <body>
7 |
8 <h2>Paragraph using Pre Tag</h2>
9 |
10 <pre>
11 This is a paragraph
12 with spaces and
13 | line breaks preserved.
14 |
15 This text will appear
16 exactly as it is written
17 in the HTML code.
18 </pre>
19 |
20 </body>
21 </html>

Ln 21, Col 8 Spaces: 4 UTF-8 CRLF { } HTML Go Live





```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <style>
5   /* CSS way */
6   body {
7     background-color: lightyellow;
8     color: darkblue;
9   }
10 </style>
11 </head>
12 <!-- HTML attribute way (deprecated but still works in most browsers) -->
13 <body bgcolor="lightyellow" text="darkblue">
14
15   <h2>Background and Text Color Example</h2>
16   <p>This page's background and text color are set using both old HTML attributes
17
18 </body>
19 </html>
20
21
```



VS Code

Search

Update

footer.html

C: > Users > DELL MCC > OneDrive > Desktop > html > python > footer.html > html

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

```
<!DOCTYPE html>
<html>
<head>
  <title>Comments Example</title>
</head>

<body>

  <!-- Header Section -->
  <header>
    <h1>My Website</h1>
    <p>Welcome to my webpage</p>
  </header>


  <!-- Body Content Section -->
  <main>
    <h2>About Us</h2>
    <p>This is the main content of the webpage.</p>
    <p>HTML is used to create and structure web pages.</p>
  </main>



  <!-- Footer Section -->
  <footer>
    <p>Copyright © 2026 My Website</p>
  </footer>

</body>
</html>
```


Text Editor

Ln 28, Col 8 Spaces: 4 UTF-8 CRLF { } HTML Go Live





```
font.html X
C:\Users\DELL MCC>OneDrive\Desktop>html>python> font.html > html
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Font Tag Example</title>
5
6   <style>
7     .css-text {
8       font-family: Arial;
9       font-size: 24px;
10      color: blue;
11    }
12  </style>
13 </head>
14
15 <body>
16
17   <h2>Using Font Tag</h2>
18
19   <font face="Arial" size="5" color="red">
20     This text uses the font tag.
21   </font>
22
23   <h2>Using CSS</h2>
24
25   <p class="css-text">
26     This text uses CSS to change font family, size, and color.
27   </p>
28
29 </body>
30 </html>
```



font.html × description.html ×

C: > Users > DELL MCC > OneDrive > Desktop > html > python > description.html > ...

1 <!DOCTYPE html>

2 <html>

3 <body>

4 <h2>A Description List</h2>

5 <dl>

6 <dt>Coffee</dt>

7 <dd>- black hot drink</dd>

8 <dt>Milk</dt>

9 <dd>- white cold drink</dd>


10 </dl>

11 </body>

12 </html>

13

Ln 13, Col 1 Spaces: 4 UTF-8 CRLF { } HTML Go Live



```
register.html X
C:\Users\DELL MCC>OneDrive\Desktop>html>python>register.html>html
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Sample Form</title>
5 </head>
6 <body>
7
8 <h2>Registration Form</h2>
9 <form action="#" method="post">
10
11 <label for="username">Username:</label>
12 <input type="text" id="username" name="username"><br><br>
13
14 <label for="password">Password:</label>
15 <input type="password" id="password" name="password"><br><br>
16
17 <label>Gender:</label>
18 <input type="radio" id="male" name="gender" value="male">
19 <label for="male">Male</label>
20 <input type="radio" id="female" name="gender" value="female">
21 <label for="female">Female</label><br><br>
22 <label>Hobbies:</label>
23 <input type="checkbox" id="reading" name="hobbies" value="reading">
24 <label for="reading">Reading</label>
25 <input type="checkbox" id="sports" name="hobbies" value="sports">
26 <label for="sports">Sports</label><br><br>
27
28 <input type="submit" value="Submit">
29
30 </form>
31
32 </body>
33 </html>
```

JPG to PDF Converter: Co Sample Form

C:/Users/DELL%20MCC/One...

Registration Form

Username:

Password:

Gender: ☐ Male ☐ Female

Hobbies: ☐ Reading ☐ Sports

```
register.html X time.html X
C:\Users\DELL MCC>OneDrive\Desktop>html>python>time.html>...
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <title>Student Table</title>
5 </head>
6 <body>
7
8   <h2>Student Information</h2>
9
10  <table border="1">
11    <tr>
12      <th>Name</th>
13      <th>Roll No.</th>
14      <th>Branch</th>
15      <th>Marks</th>
16    </tr>
17
18    <tr>
19      <td>Rahul</td>
20      <td>101</td>
21      <td>CSE</td>
22      <td>85</td>
23    </tr>
24
25    <tr>
26      <td>Amit</td>
27      <td>102</td>
28      <td>IT</td>
29      <td>90</td>
30    </tr>
31  </table>
32
33 </body>
34 </html>
```

JPG to PDF Converter: Co Student Table

C:/Users/DELL%20MCC/One...

Student Information

Name	Roll No.	Branch	Marks
Rahul	101	CSE	85
Amit	102	IT	90

10:42 PM 9/2/2026

```
<html>
<head>

</head>
<body>

<h2>Student Registration Form</h2>
<form action="#" method="post">

  <fieldset>
    <legend>Personal Details</legend>
    <label for="name">Name:</label>
    <input type="text" id="name" name="name"><br><br>

    <label for="email">Email:</label>
    <input type="email" id="email" name="email"><br><br>

    <label for="dob">Date of Birth:</label>
    <input type="date" id="dob" name="dob">
  </fieldset>
  <br>

  <fieldset>
    <legend>Course Details</legend>
    <label for="course">Course:</label>
    <select id="course" name="course">
      <option value="cse">CSE</option>
      <option value="ece">ECE</option>
      <option value="mech">Mechanical</option>
    </select><br><br>

    <label for="year">Year:</label>
    <input type="number" id="year" name="year" min="1" max="4">
  </fieldset>
  <br>

  <input type="submit" value="Register">

</body>
</html>
```

JPG to PDF Converter: Co Fieldset Form

Student Registration Form

Personal Details

Name:

Email:

Date of Birth:

Course Details

Course:

Year:

Register