```
<!DOCTYPE html>

<html lang="en">

<head>

   <meta charset="UTF-8">

   <meta name="viewport" content="width=device-width, initial-scale=1.0">

   <title>Document</title>

</head>

<body>

   <table border="7" width="500px" height="100px" cellspacing="3" cellpadding="5">

      <tr>

         <th  bgcolor="orange">Logo</th><th colspan="4"  bgcolor="orange">  Web Site Name</th>

      </tr>

      <tr >

         <th  bgcolor="pink">Home</th><th  bgcolor="pink">Login</th><th  bgcolor="pink">Registrati
on</th><th  bgcolor="pink">catalouge</th><th  bgcolor="pink">cart</th>

      </tr>

      <tr>

         <th  bgcolor="brown">ECE</th ><th colspan="4" rowspan="4">


       <form>

         <table>

           <tr>

             <h4>Login Page</h4>

             <pre>

             <label for="UserName">User Name </label> <input type="text" name="UserName"
id="UserName" placeholder="User Name">

             </pre>

           </tr>

           <tr >

             <pre>

             <label for="Password">Password </label><input type="Password " id="Password"
name="Password" placeholder="Password">
```

```
          </pre>
        </tr>


        <tr >
          <pr>
          <input type="submit" name="sumbit" placeholder="submit " >
          </pr>
        </tr>
         <tr >
          <pr>
          <input type="reset" name="reset " placeholder="reset " >
          </pr>
        </tr>
      </table>
    </form>
    </th>




</tr>
 <tr>
   <th  bgcolor="brown"> CSE</th>


</tr>
 <tr>
   <th  bgcolor="brown"> EEE</th>


</tr>
 <tr>
   <th  bgcolor="brown"> CIVIL</th>


</tr>
```

```
    </table>


</body>

</html>
```

Logo	Web Site Name			
Home	Login	Registration	catalouge	cart
ECE	**Login Page**			
CSE	User Name	User Name		
EEE	Password	Password		
CIVIL	Submit Reset			