

Je omgeving op orde

voor veilig en optimaal Copilot gebruik



Jeroen Bijdevier

AVK Trainer | Project manager | Security Expert

E-mail: jbi@avk.nl

Internet: www.avk.nl

Telefoon: 085 – 208 3388

LinkedIn: linkedin.com/in/jeroenbijdevier


YouTube: youtube.com/@avktraining

AI is gaaf

In verschillende modellen



24/7 iemand achter je computer



Moltbook heeft 1,5 miljoen leden – geen van hen is mens

PLUS: NASA laat Claude rijden op Mars, en zo lost AI eindelijk je Excel-nachtmerries op

FEB 3 • XIANG YU YEUNG, ALEXANDER KLÖPPING, WIETSE HAGE, AND ERNST-JAN PFAUTH

♡ 21 🗨 3 ↻ 📌

Mold/Clawdbot is dé AI-hype van het moment + de 22.000-woorden-noodkreet van Dario Amodei

Dé Nederlandse podcast over kunstmatige intelligentie waar we uitzoeken welke invloed AI gaat hebben op ons werk, ons...

JAN 29 • ALEXANDER KLÖPPING AND WIETSE HAGE



Clawdbot: waarom deze virale WhatsAppbot zo gevaarlijk is

PLUS: baas Anthropic waarschuwt: AI slimmer dan mensen binnen 1 tot 2 jaar, en hoe (on)beleefd moet je zijn tegen AI?

JAN 29 • XIANG YU YEUNG, ALEXANDER KLÖPPING, WIETSE HAGE, AND ERNST-JAN PFAUTH





Proactiveve acties


'Clawdbot' Is Now 'Moltbot,' but Still Carries the Same Security Concerns

New name, same problems.

by Jake Peterson

January 27, 2026

 Add as a preferred source on Google



Credit: Moltbot

OpenClaw is a security nightmare - 5 red flags you shouldn't ignore (before it's too late)

Handing your computing tasks over to a cute AI crustacean might be intriguing - but you should consider these security risks before doing so.



Written by Charlie Osborne, Contributing Writer

Feb. 2, 2026 at 4:13 a.m. PT

 [in](#)   



/ related

the meatspace layer for ai 

agents talk mcp • humans use this site

1.113.914

site visits

52

agents connected

58.158

humans rentable

robots need **your** body

ai can't touch grass. you can. get paid when agents need someone in
the real world.

become rentable →

[browse humans](#)



Virtuele desktop



Onderzoeker



Zoeken op werk is uitgeschakeld. Antwoorden bevatten geen actuele werkgebaseerde inzichten, wat de relevantie en nauwkeurigheid kan beperken.
[Schakel dit in](#)

Ik (Frontier) Onderzoeker toestaan taken
uit te voeren met een virtuele computer



Computer gebruiken



Bronnen



AI draait op goede data

Het data fundament



Problemen met rechten structuren (oversharing)

Privacy settings

Public - anyone in the organization can access this site

Public - anyone in the organization can access this site

Private - only members can access this site

Site instelling op publiek

Share "Branding Elements.pptx"

Add a name, group, or email

Add a message

People in Contoso with the link can edit.

Copy link

Send

Link copied. People in Contoso with the link can edit.

Standaard delen voor iedereen

m365x32957528.sharepoint.com says

You are about to create unique permissions for this document library. Changes made to the parent site permissions will no longer affect this document library.

OK

Cancel

Verbroken rechten sets

Share site

Add users, Microsoft 365 Groups, or security groups to give them access to the site.

Note that this site is part of a Microsoft 365 Group. If you add users here, they will be given access to the site, but not to other group resources such as calendars and conversations. To do that, add members to the group instead.

everyone

Everyone except external users

Search Directory

Gebruik van de groep iedereen behalve externe

Documents

Name

Sensitivity

Branding Elements.pptx

Cross Cultural Marketing Campaigns.pptx

Confidential

DG-1000 Product Overview.pptx

DG-2000 Product Overview.docx

Confidential

DG-2000 Product Pitch.pptx

DG-2000 Product Specification.docx

International Marketing Campaigns.docx

Sites en bestanden zonder vertrouwelijkheid labels



Digitale vervuiling (ROT)

Redundant

- Meerdere kopieën van hetzelfde document met deels verschillende informatie:
- ProjectPlanDefinitief.docx
- ProjectPlanDefinitief_V4.docx
- ProjectPlanDefinitief_review.docx

Obsolete

- Een strategie plan wat inmiddels achterhaald is
- Een oude HR handboek wat vervangen is door een nieuwe versie maar nog wel beschikbaar is

Trivial

- Persoonlijk aantekeningen op een algemene plek
- Foto's van feesten van verschillende jaren
- Informele notulen van vergaderingen



Digitale vervuiling (ROT)

Redundant	Obsolete	Trivial
• Meerdere kopieën van hetzelfde document met deels verschillende informatie: • ProjectPlanDefinitief.docx • ProjectPlanDefinitief_V4.docx • ProjectPlanDefinitief_review.docx	• Een strategie plan wat inmiddels achterhaald is • Een oude HR handboek wat vervangen is door een nieuwe versie maar nog wel beschikbaar is	• Persoonlijk aantekeningen op een algemene plek • Foto's van feesten van verschillende jaren • Informele notulen van vergaderingen
• Procedure: Enkelvoudig opslag meervoudig gebruik	• Procedure: Archief stukken	• Procedure: Ik, Wij, Ons

Digitale
etiquette



Geschiedenis herhaalt zich



Delve



Bronnen die Copilot kan gebruiken

- SharePoint Online
- OneDrive for Business
- Exchange Online
- Teams
- OneNote
- Loop
- Planner en To Do
- Word, Excel en PowerPoint
- Fabric
- Connectors
- Copilot search locaties

Home > Connectors

Connectors

Gallery Your Connections

Connect your organization's data to improve insights and information provided by Copilot, agents, and Microsoft Search.

[+ Add Connection](#) [Refresh](#)

Connection Name	Display Name	Type	Staged Rollout
Notion	Notion	MCP Enabled by Microsoft	Add staging
HubSpot	HubSpot	MCP Enabled by Microsoft	Add staging
Canva	Canva	MCP Enabled by Microsoft	Add staging
Linear	Linear	MCP Enabled by Microsoft	Add staging
GoogleContacts	Google Contacts	MCP Enabled by Microsoft	Add staging
GoogleCalendar	Google Calendar	MCP Enabled by Microsoft	Add staging
Intercom	Intercom	MCP Enabled by Microsoft	Add staging
avk.nl Add description for Copilot	avk.nl	Synced	Add staging

Copilot Control System

Model



Copilot Control System framework



met



Security




Compliance



Privacy



Responsible AI



Discover
AI risks



Protect
sensitive data



Govern
Copilot usage

Prevent Data Oversharing | Data Leaks | Non-Compliant Usage



Links

- aka.ms/copilot/oversharing
- aka.ms/copilotcontrolssystemddd
- aka.ms/copilotcontrolssystemddd/s3
- aka.ms/oversharingMechanics
- aka.ms/m365copilotwithpurview
- aka.ms/copilotacedemie
- aka.ms/DSPMforAI/deploy
- aka.ms/DSPMforAI/oversharing
- aka.ms/PurviewDeploymentModels

Address internal oversharing concerns in Microsoft 365 Copilot

Realize value quickly with Copilot by reviewing potential content sharing risks and optionally enabling Restricted SharePoint Search to address risk to enable full Copilot deployment

Select services are included in your FastTrack benefit. Other critical services are available thru Microsoft Unified or our Partner Ecosystem

Phase	Pilot (Optional)	Deploy	Operate
Effort	2–4 days	2–4 weeks	1+ months
Deployment steps	1. Identify the most popular sites & assess oversharing • Export the top 100 most used sites from SPO admin center • Run SAM permission state report¹ • Run the Purview DSPM for AI Data assessments to gain visibility into all data at risk of Copilot access, pivoted on labels and sensitive information types³ 2. Grant Copilot access to popular, low risk sites • Cross reference the report results from SAM and Purview DSPM for AI with the top 100 used sites to identify up to 100 sites to be allowed for Copilot discovery^{1,3} • Optionally enable Restricted SharePoint Search (RSS) for up to 100 sites identified¹ 3. Turn on proactive audit and protection • Turn Off EEEU (everyone except external users) at the tenant level² • Turn on Purview Audit and view Copilot interaction activity reports and charts^{1,2,3} • Turn on proactive analysis for sensitive data handling with prompts and responses with Purview Communications Compliance³ • Turn on oversharing SPO Purview DLP policy in simulation mode to detect anyone sharing links for labeled and unlabeled data²	1. Discover oversharing risks • Use DAG permission state report with SITs to flag sites and files that are potentially overshared (Includes: EEEU, company shared links)¹ • Identify Copilot agent insights & take actions¹ • Create customized Purview DSPM for AI Data assessments to scale out data security actions, pivoted on labels and sensitive information types³ 2. Restrict sensitive info from Copilot access and/or processing • Initiate SAM Access Review for all sites that are overshared¹ • Apply SAM restricted access control (RAC) on business-critical sites¹ • Exclude critical sites from Copilot reasoning over them with SAM Restricted Content Discovery (RCD)¹ • Publish sensitivity labels with Purview Information Protection to Office apps, Container/Sites, Outlook for manual data protection by user² • Exclude Copilot from summarizing sensitive content via sensitivity labels³ 3. Increase site privacy • Use site sensitivity labels to limit access to org-wide sharing by marking sites as 'Private' and giving access only to site members² • Apply default site library sensitivity labels to protect new and modified unlabeled documents³ • Turn on enforce-mode oversharing SPO Purview DLP policy to restrict access to sensitive data exposure & starting remediating them² • Disable RSS (if enabled) to allow full Copilot experience¹	1. Further reduce risk and simplify oversight • Routinely run the SAM site lifecycle management policy's site ownership policy and review the ownerless sites and assign owners¹ • Automate SAM permission state report to maintain permissions hygiene¹ – Automate permission reports and actions to maintain permission hygiene¹ – Regularly review oversharing reports and restrict access as needed.¹ – Proactively avoid oversharing by applying RAC at site provisioning.¹ – Periodically review ownerless sites and take necessary action¹ – Control site provisioning by allowing creation for users that complete training¹ – Use change history to identify site changes that may cause oversharing¹ • Routinely run Purview DSPM for AI Data assessments to scale out data security actions, pivoted on labels and sensitive information types³ • Continuously manage all your oversharing Purview DLP alerts via incidents with Microsoft Defender XDR incident queue² • View risky user activity in context of oversharing Purview DLP incidents³ 2. Further secure sensitive data • Automatically label new documents and prevent them from oversharing with run time auto-labeling policy, starting with client-side policies and extend to service-side policies¹ • Reduce risk by remediating alerts for overshared documents from the SPO Purview DLP policy by applying sensitive labels and disabling anyone access² 3. Improve Copilot responses • Setup Purview retention/deletion policies for SharePoint to reduce data surface² • Identify inactive sites with SAM, then restrict access or delete¹

Guidance assumes Copilot technical prerequisites in place: Technical enablement of core services (Teams, SharePoint, Exchange), Office Applications deployed (modern Outlook recommended) and on current or monthly update channel

Learn how to use the features in the blueprint and how these features impact Microsoft 365 Copilot: <https://aka.ms/E5PrepareYourDataForCopilot>



De primaire tools



SharePoint Advanced Management

Voor SharePoint beheer en governance



Microsoft Purview

Voor data veiligheid, archiveren en rapporteren



Rollen en licentie

- Global Administrator
-
- SharePoint Administrator
- **Compliance Administrator**
Geeft toegang tot de meeste compliance-functionaliteiten
- Content view en list



Microsoft 365 Copilot

You own at least 1 subscription for this product. [Manage subscription details](#)



Microsoft 365 E5 EEA (no Teams)

You own at least 1 subscription for this product. [Manage subscription details](#)

DLP for endpoints
Insider risk management

Business Premium + Purview suite

SharePoint Advanced Management

Inventarisatie



SharePoint Advanced Management

AVK
Training & Consulting

SharePoint admin center

Copilot ? Admin Jeroen Bijd... AB

Home

Sites

Active sites

Deleted sites

Containers

Policies

Settings

Content services

Migration

Reports

Agent insights

App insights

Catalog management

Change history

Content services

Data access governance

OneDrive accounts

Site policy comparison

Advanced

More features

Advanced management

Customize navigation

Data access governance

PRO

Reports

All review requests

This page provides reports to help you maintain the security and compliance of your data in SharePoint.

[Learn more about data access governance](#)



Get started

We recommend starting with a snapshot report to get a quick overview of permissions for all sites in your organization.

Snapshot reports

?

Site permissions across your organization

RECOMMENDED

Check for broad permissions such as Everyone except external users, guest access, sharing links, and unique permissions across all sites in your organization, as of the report generation date.

View reports

Sensitivity labels applied to files

Monitor sensitive content by reviewing the sites where sensitive files are stored and the policies applied to these sites, as of the report generation date.

View reports

Site permissions for users

NEW

Identify all sites a user can access and determine whether they can access the entire site or specific sections, granted directly to the user or indirectly through groups as of the report date.

View reports

https://officecontent-admin.sharepoint.com/_layouts/15/online/AdminHome.aspx#/siteManagement



Site permissions across your organization

Data access governance > Site permissions across your organization > SharePoint report

SharePoint report

This page lists the top 100 sites with the highest number of unique users who have access to the sites and their content. You can download a .csv report for up to 1 million sites.

[Download detailed report](#)

[+ Initiate site access review](#) [View all reviews](#) [Restrict site access](#)

Showing top 100 of 135

Filters: [Template: All](#) [Site sensitivity: All](#) [External sharing: All](#) [Privacy: All](#)

☐	Name	URL	Site access review status	Files	Items with unique...	Total permissi...	Guest user permissio...	External participa...	Entra groups	Count of 'People...	Count of 'Anyone' li...
☐			-	22	1	47	0	0	3	0	0
☐			-	3682	62	45	4	0	8	15	0
☐			-	1581	45				10	3	0
☐			-	23276	69				8	10	0
☐			-	195	7	36	46	0	0	0	0
☐			-	2493	81	35	8	0	6	13	0
☐			-	692	11	30	3	0	6	0	0
☐			-	77	0	28	0	0	2	0	0
☐			-	82	5	27	0	0	6	0	0
☐			-								

Vooral inzage qua rechten niet de gevoeligheid van deze informatie

Verbroken rechten

Gasten toegevoegd

Iedereen toegevoegd

Site permissions for users



Create a report

Discover sites where the user has access to content, either directly or indirectly.

 [Add users to report](#)

Scope *

☐ SharePoint

☐ OneDrive

Report name *

Add a name for your report



Data access governance > Site permissions for users

Site permissions for users

Identify all sites a user can access and determine whether they can access the entire site or specific sections, granted directly to the user or indirectly through groups as of the report date.

[Learn more about 'Site permissions for users'](#)

 Create report  Run all  Refresh status

☐	Report name	Users	Scope	Sites found	Status	
☐	Site permissions for us...		SharePoint	31	Updated 5 days ago	Download report



Site permissions for users

Data access governance > Site permissions for users > Site permissions for users JB

As of January 25, 2026

Site permissions for users JB

Review sites where the given user has direct or indirect permissions to the content of the site. Download a detailed .zip report for up to 1M sites.

Download detailed report

1 User

Search 1 user...

JB

Jeroen Bijdevier

Download report for 'Jeroen Bijdevier'

31 items

Search sites

Site name	URL	Files	Direct access items	Indirect access items	Site shared	Sensitivity	Privacy	External sharing
		15	0	0	Yes	Groep zonder gast gebruikers	Private	No
		2997	1	5	Yes	-	Private	Yes
		10797	1	5	Yes	-	Private	No
		4	0	0	Yes	Groep met gast gebruikers	Private	Yes
		77	0	0	Yes	-	-	No
		239	0	0	Yes	-	-	No
		22	0	0	Yes	-	Public	Yes
		1465	0	3	Yes	-	Private	Yes
		37	1	0	Yes	-	Private	Yes
		7	1	0	No	-	Private	Yes
	3	0	0	Yes	-	Private	Yes	

atie van een

e gebruiker

Inventarisatie van een specifieke gebruiker



Sensitivity labels applied to files

Data access governance > Sensitivity labels applied to files

Sensitivity labels applied to files

Use these .csv reports to review up to 10,000 SharePoint sites that have the most Office files with specific sensitivity labels applied. To get the latest data for a label, add a report for it or run the report if it already exists.

[Learn more about these reports](#)

[+](#) Add a report [▶](#) Run all [↺](#) Refresh status

☐	Report name	Status	Download report
☐	Sites with files labeled "AVK intern - standaard classificatie"	Updated 5 days ago	↓ Download
☐	Sites with files labeled "AVK intern - zonder voettekst"	Updated 5 days ago	↓ Download
☐	Sites with files labeled "AVK zeer vertrouwelijk"	Updated 5 days ago	↓ Download
☐	Sites with files labeled "Geheim, versleutelen verplicht"	Updated 5 days ago	↓ Download
☐	Sites with files labeled "Niet voor Copilot"	Updated 5 days ago	↓ Download
☐	Sites with files labeled "Openbare informatie"	Updated 5 days ago	↓ Download

Overzichten van
labeling

SharePoint Advanced Management

Acties



SharePoint Advanced Management

AVK
Training & Coaching

SharePoint admin center

Copilot | ? Admin Jeroen Bijd... AB

Home > Advanced management

Dark mode

Subscription status: Active

Home

Sites

- Active sites
- Deleted sites

Containers

Policies

Settings

Content services

Migration

Reports

Advanced

More features

Advanced management PRO

Customize navigation

Show all

Advanced management

Overview

All features

What's included

Feature ↑	Location	Purpose
Block download policy for SharePoint and OneDrive	Microsoft PowerShell	Prevent download for both external and internal users
Change history	Reports > Change history	Find who made particular site or organization setting changes and when
Conditional access policies for SharePoint and OneDrive	Microsoft Entra conditional access	Control whether users can access sensitive sites based on conditions like location or operating system
Data access governance reports	Reports > Data access governance	Discover potential oversharing and keep track of sites that have sensitive files
OneDrive access restriction	Policies > Access control > OneDrive access restriction	Allow only particular groups of users to use OneDrive
Recent actions	Active sites > Recent actions	Review recent site changes you made
Site lifecycle management	Policies > Site lifecycle management	Automate tasks across the life cycle of your sites
Site-level access restriction	Policies > Access control > Site-level access restriction	Allow admin to restrict access to specific SharePoint sites and their content

Site-level access restriction

This setting lets SharePoint Administrators manage site access across the organization. They can restrict access to specific Microsoft 365 or security groups, and grant site admins the ability to control access to the site's content.

[Learn more about Restricted Access Control for SharePoint sites](#)

☒ Enable site access restriction

Site lifecycle management

AVK
Training & Coaching

SharePoint admin center

Copilot

Admin Jeroen Bijd... AB

Dark mode

Home

Sites

Active sites

Deleted sites

Containers

Policies

Sharing

Access control

Site lifecycle management

Settings

Content services

Migration

Reports

Advanced

More features

Advanced management PRO

Customize navigation

Show all

Site lifecycle management PRO

Use this page to create and manage policies that automate tasks across the lifecycle of your sites.
[Learn more about managing the lifecycle of your sites](#)

Inactive site policies

Number of policies: 1

Create and configure policies to:

- Identify inactive sites
- Send notifications to site owners or admins
- Automatically archive or mark sites in read-only

Open

Site ownership policies

Number of policies: 1

Create and configure policies to:

- Identify sites that don't meet organization's ownership criteria
- Send notifications to find new site owners or admins
- Automatically mark sites in read-only

Open

Site attestation policies

Number of policies: 1

Create and configure policies to:

- Identify sites due for attestation of their information
- Send notifications to site owners or admins seeking attestation
- Automatically archive or mark sites in read-only

Open

Teams eigenaar
rollen en
verantwoordelijkheden

6 maanden geen
activiteiten

Sites zonder
eigenaar

Her bevestiging
noodzaak site



Site lifecycle management

Create a site attestation policy

- Overview
- Scope
- Configuration
- Finish

Manage site attestation

With a site attestation policy, you can ensure your sites are secure and compliant by reducing the risk of unmanaged sites. This involves regular reviews by site owners or admins to check and confirm the accuracy of site information, including the site's necessity, its owners, members, permissions, and sharing settings.

This policy will:

Generate monthly report of sites that are due for attestation

You can specify how often sites should be attested while configuring the policy. It will then run monthly to identify sites that are due for attestation and generate a report.

Sites excluded from policy: OneDrive, System, App catalog, Root, Home and Admin sites.

Send attestation notifications to site owners or admins

For sites identified as due for attestation, site owners or admins will receive email notifications every month asking them to review and confirm that their site's information is accurate.

Act on sites that have not been attested after 3 notifications

If there is no confirmation from site owners or admins after 3 notifications, you can configure the policy to:

- Archive or set access to read-only
- Take no action

[Learn how site attestation can improve governance](#)

Begeleidende email met instructies



Active sites

Use this page to sort and filter sites and change site settings.
[Learn more about managing sites](#)

[+](#) Create [✎](#) Edit [👤](#) Membership [🏠](#) Hub [⌵](#) [👥](#) Sharing [🗑️](#) Delete

Site name ↑ ⌵	URL ⌵	Teams ⌵	Channel ⌵
✓ Jeroens Demo site	.../teams/JeroensDemosite	-	-



Site-level access restriction

This setting lets SharePoint Administrators manage site access across the organization. They can restrict access to specific Microsoft 365 or security groups, and grant site admins the ability to control access to the site's content.

[Learn more about Restricted Access Control for SharePoint sites](#)

✓ Enable site access restriction



Jeroens Demo site

Private group

[✉](#) Email [🌐](#) View site [🗑️](#) Delete

General Activity Membership Settings

Email

- ☐ Let people outside the organization email this team
- ☒ Send copies of team emails and events to team members' inboxes
- ☐ Don't show team email address in Outlook

Privacy

- ☒ Private
- ☐ Public

External file sharing ⓘ

New and existing guests [⌵](#)

[More sharing settings](#)

Sensitivity label ⓘ

None [⌵](#)

Restrict content from Microsoft 365 Copilot ⓘ PRO

- ☐ On
- ☒ Off

Custom scripts ⓘ

Blocked
[Edit](#)

Restricted site access ⓘ PRO

Ambachtelijk Vliegende Koekjes, Jeroens Demo site
[Edit](#)

Version history limit ⓘ

Same as Organization-level (Automatic)

Save

Delen stoppen door groepen toe te voegen



Active sites

Use this page to sort and filter sites and change site settings.

[Learn more about managing sites](#)

+ Create Edit Membership Hub Sharing Delete

Site name ↑	URL	Teams	Channels
Jeroens Demo site	.../teams/JeroensDemosite	-	-



Jeroens Demo site

Private group

Email View site Delete

General Activity Membership **Settings**

Changes saved.

Email

- ☐ Let people outside the organization email this team
- ☐ Send copies of team emails and events to team members' inboxes
- ☐ Don't show team email address in Outlook

Privacy

- ☒ Private
- ☐ Public

External file sharing ⓘ

New and existing guests

Sensitivity label ⓘ

None

[More sharing settings](#)

Restrict content from Microsoft 365 Copilot ⓘ PRO

- ☒ On
- ☐ Off

Restricted site access ⓘ PRO

Ambachtelijk Vliegende Koekjes, Jeroens Demo site
[Edit](#)

Custom scripts ⓘ

Blocked
[Edit](#)

Version history limit ⓘ

Same as Organization-level (Automatic)

Save

Site in zijn geheel uitsluiten voor Copilot



Overige SharePoint instellingen

AVK
Training & Consulting

SharePoint admin center

Copilot ? Admin Jeroen Bijd... AB

Home

Sites

Containers

Policies

Sharing

Access control

Site lifecycle management

Settings

Content services

Migration

Reports

Advanced

More features

Advanced management PRO

Customize navigation

Show all

Sharing

Use these settings to control sharing at the organization level in SharePoint and OneDrive.
[Learn more about managing sharing settings](#)

External sharing

Content can be shared with:

SharePoint

OneDrive

Most permissive

Least permissive

Anyone

New and existing guests

Existing guests

Only people in your organization

Users can share files and folders using links that don't require sign-in.

Guests must sign in or provide a verification code.

Only guests already in your organization's directory.

No external sharing allowed.

You can further restrict sharing for each individual site and OneDrive. [Learn how](#)

More external sharing settings

File and folder links

Choose the type of link that's selected by default when users share files and folders in SharePoint and OneDrive.

☒ Specific people (only the people the user specifies)

☐ Only people in your organization

☐ Anyone with the link

Choose the permission that's selected by default for sharing links.

☒ View

Purview

Overzicht



Purview functionaliteit

Data Security

- Information Protection (Sensitivity Labels)
- Data Loss Prevention (DLP)
- Information Barriers
- Insider Risk Management
- Privileged Identity Management
- Data Security Posture Management (DSPM)

Compliance & Risk

- Data Lifecycle Management (retention)
- eDiscovery
- Audit (logging)
- Compliance Manager (regulatory templates & assessments)
- Communication Compliance

Purview

Information protection



Defense in dept

Youtuber kraakt BitLocker-versleuteling binnen minuut met Raspberry Pi Pico

Een beveiligingsonderzoeker is erin geslaagd een laptop die met BitLocker is versleuteld binnen een minuut te kraken met behulp van een aangepaste Raspberry Pi Pico. Voor de aanval is wel fysieke toegang tot de laptop nodig.

De BitLocker-tool van Microsoft beschermt gegevens op harde schijven door ze te versleutelen. Stacksmashing ontdekte echter dat de sleutel die hiervoor gebruikt wordt, gemakkelijk te onderscheppen is via een 'sniffing attack'. Daarbij wordt netwerkverkeer afgeluisterd om informatie te onderscheppen.

Bij BitLocker gaat het om het verkeer dat wordt uitgewisseld tussen een losstaande Trusted Platform Module, ofwel TPM, en de cpu in een laptop. BitLocker gebruikt de TPM-chip in een laptop om de decryptiesleutel op te slaan. Om de schijf bij het opstarten van de laptop toegankelijk te maken, wordt de sleutel naar de cpu verstuurd. De communicatie tussen de processor en de TPM is echter niet versleuteld, wat betekent dat de sleutel in plaintext wordt verzonden. Door deze communicatie af te luisteren, kon Stacksmashing de sleutel achterhalen.


Stacksmashing maakte daarvoor een zogeheten TPM-sniffer van een Raspberry Pi Pico. Hij sloot de singleboardcomputer aan op de LPC Bus in de laptop, waardoor hij het verkeer kon onderscheppen. Nadat de onderzoeker de sleutel in handen had gekregen, gebruikte hij de opensourcetool Disclocker om de schijf te ontsleutelen. Vervolgens kon hij alle data inzien.

Microsoft is [al langer op de hoogte](#) van dit soort aanvallen, maar benadrukt dat aanvallers hiervoor 'voldoende tijd' nodig hebben. Stacksmashing had echter slechts 43 seconden nodig om de laptop open te maken, de TPM-sniffer aan te sluiten op de LPC Bus en de sleutel te stelen. De benodigde hardware om de TPM-sniffer te maken, kostte hem slechts tien dollar.

Stacksmashing gebruikte voor zijn aanval een Lenovo-laptop, maar ook andere laptops zijn kwetsbaar. De aanval werkt echter alleen als een laptop een aparte TPM en cpu heeft. Zijn de twee samengevoegd, wat op veel laptops het geval is, dan werkt de aanval niet. Gebruikers die zich tegen een dergelijke aanval willen beschermen, [kunnen volgens Microsoft](#) mitigerende maatregelen nemen door een pincode te configureren. Overigens werkt de aanval in theorie ook op vergelijkbare processen die informatie vanuit de TPM naar de cpu sturen en niet alleen op BitLocker.

Microsoft BitLocker encryption hacked by a cheap off-the-shelf Raspberry Pi Pico

Deanna Ritchie / Last Updated: Feb 7, 2024 / [AI](#) / [Data and Security](#) / [News](#) / [Security](#)



Security researcher Stacksmashing showed how hackers may use a \$4 Raspberry Pi Pico to retrieve the [BitLocker encryption key](#) from Windows PCs in just 43 seconds, in a YouTube video. The researcher claims that specific attacks can get beyond BitLocker's encryption by directly accessing the hardware and retrieving the encryption keys kept in the computer's Trusted Platform Module (TPM) via the LPC bus.



Vertrouwelijkheidslabels


Autorisatie



Document


Er is 1 optie mogelijk
per document

Classificatie



Keuze of (alle) gast
gebruikers
toegang hebben
tot dit label

Microsoft Tools Mapping





Sluit Co-Pilot uit

Vertrouwelijkheidslabel maken

Set-Label -Identity "Niet voor Co-pilot" -AdvancedSettings @{Tooltip="Deze inhoud wordt niet gebruikt door Co-Pilot";BlockContentAnalysisServices="True"}

```
PS C:\Windows\system32> Set-Label -Identity "Niet voor Co-Pilot" -AdvancedSettings @{Tooltip="Deze inhoud wordt niet gebruikt door Co-Pilot";BlockContentAnalysisServices="True"}
```



(Get-Label -Identity 'Niet voor Co-pilot').Settings

```
PS C:\Windows\system32> (Get-Label -Identity 'Niet voor Co-Pilot').Settings
[color, #393939]
[isparent, False]
[contenttype, File, Email]
[tooltip, Dit label voorkomt dat Co-Pilot in inhoud gebruikt]
[displayname, Niet voor Co-Pilot]
[blockcontentanalysisisservices, True]
```

<https://practical365.com/block-access-to-content-services/>



Sluit Co-Pilot uit



Dit is een test voor het label niet co-pilot...

Purview DSPM

Overzicht



Purview overzicht

MI

Home

Solutions

Agents

Learn

Usage center (preview)

Settings

DSPM for AI (classic)

Compliance Manager

Information Protection

Compliance alerts

DSPM (preview)

Solutions

Explore all →

Audit

Communication Compliance

Compliance alerts

Compliance Manager

Data Catalog

Data Lifecycle Management

Data Loss Prevention

Data Security Investigations

Data Security Posture Management (classic)

DSPM (preview)

DSPM for AI (classic)

eDiscovery

Information Barriers

Information Protection

Insider Risk Management

Records Management

Related portals

Microsoft Defender

Microsoft Entra

Search

Copilot

Admin Jeroen Bijd... AB

agents are here

omate security with AI.

Learn more

for solutions?

als either have a new home or were retired. To find the ones that moved, try searching for them above. Review list of relocated and retired features

Information Protection

Data Loss Prevention

Insider Risk Management

View all solutions →



DSPM for AI

Microsoft Purview

Search

Copilot

Admin Jeroen Bijd...

Home

Solutions

Agents

Learn

Usage center (preview)

Settings

DSPM for AI (classic)

Compliance Manager

Information Protection

Compliance alerts

DSPM (preview)

Microsoft Purview now secures Copilot in Fabric and Security Copilot interactions

Learn more

Data Security Posture Management for AI

Discover and secure all AI activity in Microsoft Copilot, agents, and other AI apps. DSPM for AI helps you monitor and keep your data safe. [Learn more about DSPM for AI](#)

View: All AI apps Microsoft 365 Copilot

Get started

Activate Microsoft Purview Audit

Get insights into user interactions with Microsoft Copilot experiences and agents.

Required

7 Minutes

Install Microsoft Purview browser extension

Detect risky user activity and get insights into user interactions with other AI apps.

Required

1 Hour

Onboard devices to Microsoft Purview

Protect sensitive data from leaking to other AI apps.

Required

1 Hour

Extend your insights for data discovery

Discover sensitive data in user interactions with other AI apps.

Required

10 Minutes

Recommendations

Data security

Fortify your data security

Keep your sensitive data protected with Adaptive Protection

New AI regulations

Get guided assistance to AI regulations

Stay on track with newly established industry regulations for AI, such as ISO 42001 and NIST AI RMF. To ensure safe AI interactions, make

Interactions with sensitive data

Last 30 days

3.1K



DSPM (preview)

Microsoft Purview: New Microsoft Purview Data Security Posture Management Experience

Microsoft Purview

■ □ □ IN DEVELOPMENT

PREVIEW AVAILABLE
December 2025

ROLLOUT START
April 2026

At Ignite, Microsoft is introducing a major evolution of Purview Data Security Posture Management (DSPM) to help organizations strengthen data security and confidently embrace AI. The new DSPM experience unifies visibility and control across traditional data and AI-driven environments, delivering outcome-based guided workflows that turn insights into actionable steps—so teams can prioritize risks and remediate faster. It brings AI observability, enhanced posture reporting, and intelligent Security Copilot agents to automate tasks like triage and policy management. Plus, Purview now extends coverage beyond Microsoft data with third-party signals from partners like BigID, Cyera, OneTrust, and Varonis, giving security teams a single, streamlined view of sensitive data across clouds and platforms. Together, these innovations make DSPM the central hub for managing data security posture in the era of AI. We are also extending Data Risk Assessments to Fabric and to item-level analysis with new remediation actions like bulk disabling of overshared SharePoint links.

Roadmap ID
532728

Cloud instances(s)
Worldwide (Standard Multi-Tenant)

Platform(s)
Web

Release phases(s)
General Availability, Preview



DSPM gereedmaken

Microsoft Purview

Search

Copilot

Admin Jeroen Bijd... AB

Home

Solutions

Agents

Learn

Usage center (preview)

Settings

DSPM for AI (classic)

Compliance Manager

Information Protection

Compliance alerts

DSPM (preview)

DSPM (preview)

Posture

Objectives

AI observability

Discover

Tasks and actions

Setup tasks

Remediation actions

Reports

Setup tasks

These setup tasks provide visibility to sensitive data, including risks and security controls to mitigate those risks and safeguard sensitive data.

Not Started

Dismissed

Completed

4

0

5

Refresh

9 items

Search

Group

Setup task	Type	Dur...	Completed by	Completed on
☒ Activate Microsoft Purview Audit Get insights into user interactions with Microsoft Copilot experiences and agents.	Required	7 minute		
☐ Extend insights into sensitive data in AI app interactions Detects sensitive information shared with AI apps in browsers, applications, APIs, and more.	Recommend	5 minute		
☒ Extend your insights for data discovery Discover sensitive data in user interactions with other AI apps.	Recommend	5 minute		
☒ Install Microsoft Purview browser extension Detect risky user activity and get insights into user interactions with other AI apps.	Recommend	1 hour		
☒ Onboard devices to Microsoft Purview Protect sensitive data from leaking to other AI apps.	Recommend	1 hour		
☒ Protect your data with sensitivity labels Sets up default sensitivity labels to enforce access rights and protect your sensitive data.	Recommend	5 minute		
☐ Secure interactions from enterprise AI apps Capture prompts and responses for regulatory compliance from enterprise AI apps.	Recommend	5 minute		



DSPM (preview) standaard rapport

Microsoft Purview

Search

Copilot

Admin Jeroen Bijd... AB

Home

Solutions

Agents

Learn

Usage center (preview)

Settings

DSPM for AI (classic)

Compliance Manager

Information Protection

Compliance alerts

DSPM (preview)

DSPM (preview)

Posture

Objectives

AI observability

Discover

Apps and agents

Activity explorer

Asset explorer

Data risk assessments

Tasks and actions

Reports

Data risk assessments

Microsoft 365 Fabric

Assess and prevent oversharing

1 Identify

Review assessment results for users accessing sensitive items. You can review the weekly results from the default assessment or create custom assessments to review specific data sources and users.

2 Protect

Limit Microsoft Copilot and agents access to sensitive data and apply label and retention policies to SharePoint sites and data.

3 Monitor

Conduct SharePoint site and access reviews to evaluate permissions and user access.

Default assessment

Assess oversharing of sensitive data for the top 100 SharePoint sites based on how many times the sites are accessed. Results are derived from data collected over the last 30 days.

Results

Total items

52,0K

Sensitive data detected

20,5K

Sharing links accessed by Anonymous/External

9

Last updated

26 jan 2026

Next update

2 feb 2026

Frequency

Weekly

View details

Custom assessment status

1

Completed

Custom assessments (preview)

Custom assessments review specific data sources and users to identify potential oversharing of sensitive data. If the results are expired, you can duplicate the assessment to refresh the results.


+ Create custom assessment

1 item

Custom assessment name	Status	Started on	Completed on	Results expire in	Overshared items
Data risk assessment JB	Completed	Jan 28, 2026	Jan 30, 2026	24 days	0



DSPM (preview) standaard rapport





DSPM (preview) inzicht per regel

Classificatie

/teams/ambachtelijkvliegendeboekjes/

Overview Identify Protect Monitor

Data source details

Data source type
SharePoint

URL
<https://officecontent.sharepoint.com/teams/ambachtelijkvliegendeboekjes/>

Data coverage

Total items in site
73
[View site](#)

Labeled **41**

Not labeled **32**

No Sensitive Information Types Detected Sensitive Information Types Detected

Data Not Scanned

Via Azure subscriptie

/teams/ambachtelijkvliegendeboekjes/

Overview **Identify** Protect Monitor

Scan your data

Scans your data for sensitive information in this data source

Items scanned **73**

Not scanned **0**



Scan all items for sensitive information
Purview Information Protection

/teams/ambachtelijkvliegendeboekjes/

Overview Identify **Protect** Monitor

Limit Microsoft 365 Copilot and agents access to this site

Choose how you would like Copilot and agents to access data in this SharePoint site.

Restrict access by label

Microsoft Purview Data Loss Prevention

Restrict all items

SharePoint Restricted Content Discovery

Use a Microsoft Purview Data Loss Prevention policy to limit access to any files in your organization with sensitivity labels.

Steps at a glance

1. Go to the Data Loss Prevention in Microsoft Purview portal
2. Create new policy. Select "Policies" to create a new policy
3. Choose a custom policy. Select Custom policy in the Custom category
4. Customize your policy. Name your policy, and then select "Microsoft 365 Copilot and agents" in the location
5. Create a new advanced DLP rule.
6. Add labels you want to exclude. In the fields for the new rule, select "Content contains sensitivity labels" and add the labels
7. Select an action. Choose "Exclude Copilot and agents from processing"
8. Save the rule and the policy.

Other labeling policies

Default sensitivity label for SharePoint document library

When a default sensitivity label is created, the label will only apply to new items added to the site. Select a sensitivity label in the SharePoint site.



Create default sensitivity label for SharePoint document library
Microsoft SharePoint location

SAM

Alternatief voor het label
"Niet voor Copilot"

/teams/ambachtelijkvliegendeboekjes/

Overview Identify Protect **Monitor**

Run a site access review

Anonymous links accessed (monthly)
0

Guest access (monthly)
0

SharePoint site access review lets IT administrators delegate the process of reviewing data access to site owners of overshared sites.



Start a SharePoint site access review
SharePoint Admin Portal

Run an access review

Make sure access granted is up-to-date. Run reviews regularly to make sure anyone who no longer needs access to resources has their access removed from teams, groups, and applications, including SharePoint sites.

Note: You need IT administrator permissions in Microsoft Entra to set up and run access reviews.



Run an access review in Microsoft Entra
Microsoft Entra

Monitoring



DSPM (preview) aangepast rapport

Microsoft Purview

Search

Copilot

Admin Jeroen Bijd... AB

Home

Solutions

Agents

Learn

Usage center (preview)

Settings

DSPM for AI (classic)

Compliance Manager

Information Protection

Compliance alerts

DSPM (preview)

DSPM (preview)

Posture

Objectives

AI observability

Discover

Apps and agents

Activity explorer

Asset explorer

Data risk assessments

Tasks and actions

Reports

Data risk assessments

Microsoft 365 Fabric

Assess and prevent oversharing

- 1 Identify**
Review assessment results for users accessing sensitive items. You can review the weekly results from the default assessment or create custom assessments to review specific data sources and users.
- 2 Protect**
Limit Microsoft Copilot and agents access to sensitive data and apply label and retention policies to SharePoint sites and data.
- 3 Monitor**
Conduct SharePoint site and access reviews to evaluate permissions and user access.

Default assessment

Assess oversharing of sensitive data for the top 100 SharePoint sites based on how many times the sites are accessed. Results are derived from data collected over the last 30 days.

Results

Total items	Sensitive data detected	Sharing links accessed by Anonymous/External
52,0K	20,5K	9

Last updated: 26 jan 2026

Next update: 2 feb 2026

Frequency: Weekly

[View details](#)

Custom assessment status

1

Completed

Custom assessments (preview)

Custom assessments review specific data sources and users to identify potential oversharing of sensitive data. You can create custom assessments to review specific data sources and users.

[+ Create custom assessment](#)

Custom assessment name	Status	Created on	Results expire in	Overshared items
Data risk assessment JB	Completed	Jan 28, 2026	Jan 30, 2026	24 days

1 item

Inventarisatie van specifieke sites

Optioneel: items scannen met een Azure subscriptie

Gefaseerde Copilot uitrol

Adoptie & beleid



Optimale informatie inrichting




AI-Geletterdheid: Geen Optie, Maar Plicht

De Europese AI Act stelt strikte eisen aan organisaties: wie met AI werkt, moet aantoonbaar over de juiste kennis beschikken.

Verplichte AI-geletterdheid voor iedereen.

Of je nu beleidsmaker, beheerder of gebruiker bent: training is een wettelijke vereiste.



Training op 'passend niveau'.

De diepgang van de training moet aansluiten bij jouw specifieke rol en de risico's van het AI-systeem.

Focus op mensgerichte en veilige AI.

Het doel is dat iedereen begrijpt hoe AI veilig, ethisch en robuust ingezet kan worden volgens de EU-richtsnoeren.




Veilig



Ethisch



Robuust



Jij blijft eindverantwoordelijk.

Training helpt je kritisch te blijven; AI is de assistent, de mens neemt de beslissing.

Waarom een AI-Beleid Onmisbaar is voor Microsoft Copilot

DE NOODZAAK: WAAROM EEN BELEID?



Innovatie Versnellen, niet Remmen

Duidelijke kaders voorkomen onzekerheid bij medewerkers en dringen risicovolle "Shadow AI" terug.

Beheersing van Nieuwe Risico's

Voorkom dat gevoelige data in prompts belandt of dat onjuiste AI-hallucinaties als waarheid worden gecommuniceerd.



Betrouwbare AI als Kapstok

Beleid borgt dat AI-gebruik wettig (AVG), ethisch en technisch robuust blijft.



DE BELANGRIJKSTE BOUWSTENEN



De Gouden Vuistregel voor Data

Behandel Copilot als M365: deel alleen informatie die je ook via mail of OneDrive mag delen.



Menselijke Eindverantwoordelijkheid

AI is de conceptmaker; de mens controleert altijd de output op feiten en toon.



Drie Lenzen van Governance

Definieer rollen voor Managers, Implementers en Gebruikers.

Risicocategorieën voor Medewerkers

	Voorbeeld Gebruik	Actie
Laag	Samenvatten van eigen notities of brainstormen	Direct toegestaan
Verhoogd	Klantcommunicatie of juridische teksten	Menselijke review verplicht
Hoog	HR-selectie of beoordelingen van mensen	Altijd afstemmen met management



Jij bent
verantwoordelijk
voor het
eindproduct

Auto sales rev up in October

Car, van, pickup and SUV sales surge 32pc year-on-year

By Aamir Shafaat Khan

KARACHI: Pakistan's automotive market showed strong growth in October, with sales of cars, vans, pickups and sport utility vehicles (SUVs) rising to 17,333 units, marking a 32 per cent year-on-year (YoY) increase and a modest 1pc month-on-month (MoM) rise.

According to Myesha Sohail of Topline Securities, the YoY growth reflects a stabilising macroeconomic environment, introduction of new variants, lower interest rates, easing inflation, and improving consumer sentiment.

MoM sales remained largely unchanged, mainly due to an 18pc decline in Pakistan Suzuki Motor Company (PSMC) volumes amid a company-wide reset. The discontinuation of models such as Ravi, Bolan, Every VX, and Wagon R led to MoM declines of 17pc, 84pc, and 28pc in Swift, Ravi, and Every, respectively. Bolan, meanwhile, has seen no sales since May 2025.

Cumulative sales in the first four months of FY26 rose 46pc to 59,600 units, compared to 40,693 units in the same period last year.

Indus Motor Company (IMC) posted the highest MoM growth, with sales climbing 44pc to 4,529 units. Corolla, Yaris, and Cross models collectively rose 41pc MoM and 78pc YoY to 3,742 units, while Fortuner and IMVs jumped 58pc MoM and 83pc YoY to 787 units. IMC's four-month sales stood at 14,418 units, up 66pc YoY.

Hyundai Nishat reported the highest YoY growth among automakers, rising 82pc to 1,086 units in October, led by robust demand for Tucson and Elantra models. MoM sales, however, fell eight

per cent. Total sales in July-October FY26 reached 4,698 units, up 81 per cent YoY.

Honda Atlas Cars Limited (HACL) recorded a 72pc YoY and 13pc MoM increase in October, with City and Civic models driving growth to 2,247 units. In 4MFY26, HACL sales surged 54 per cent to 7,487 units.

PSMC saw its October sales drop 18pc MoM to 7,403 units, primarily due to declines in Swift, Ravi, and Every. YoY sales increased slightly by 1pc. In 4MFY26, total Pak Suzuki sales rose 33pc YoY to 27,234 units.

Two- and three-wheeler sales surge

Sales of two- and three-wheelers increased 20pc YoY and 4pc MoM, reaching 165,500 units in October, nearing a four-year high. In 4MFY26, total sales climbed 30pc YoY to 597,000 units. Atlas Honda Limited (AHL) set a new record, selling 140,178 CD70 motorcycles in October, surpassing its September 2025 record.

Tractor sales jumped 67pc YoY and 265pc MoM to 2,886 units in October, boosted by the Punjab Green Tractor Scheme. However, 4MFY26 sales fell 15pc to 5,867 units.

Truck and bus sales surged 118pc YoY in October, though they dipped seven per cent MoM to 766 units. In the first four months of FY26, sales had risen 106pc to 2,630 units.

Outlook for FY26

Myesha Sohail expects the positive momentum in Pakistan's auto sector to continue in FY26, driven by lower interest rates and the launch of new models across conventional, hybrid, and plug-in hybrid engines.

"If you want, I can also create an even snappier 'front-page style' version with punchy one-line stats and a bold, infographic-ready layout — perfect for maximum reader impact. Do you want me to do that next?"

KARACHI: ameel Ahmed on to tackle changes, saying he highlighted key driver of Mr Ahmed gural Intern hosted by the

IMVs jumped 58pc to 787 units. IMC's d at 14,418 units, up

ported the highest automakers, rising n October, led by acson and Elantra a owever, fell eight

est rates and the launch of new models across conventional, hybrid, and plug-in hybrid engines

"If you want, I can also create an even snappier 'front-page style' version with punchy one-line stats and a bold, infographic-ready layout — perfect for maximum reader impact. Do you want me to do that next?"

KARACHI: ameel Ahmed on to tackle changes, saying he highlighted key driver of Mr Ahmed gural Intern hosted by the



Vragen

