Does D-Flow help?

These results do not demonstrate an advantage over tuned QGF or FK. D-Flow reaches high Task 2 success, while tuned original QGF and FK each achieve 40/40 for every trained model. The table reports model-specific own-best fresh confirmation after selection; it is not a new heldout comparison.

Own-best confirmation	lambda	Seed 11	Seed 23	Seed 37
Regular / raw Q	0	35/40	40/40	37/40
Regular / raw Q	1	28/40	40/40	40/40
Stochastic / raw Q	0	40/40	40/40	39/40
Stochastic / raw Q	1	37/40	40/40	40/40
Regular / averaged Q	0	38/40	40/40	37/40
Regular / averaged Q	1	25/40	40/40	40/40
Stochastic / averaged Q	0	40/40	40/40	40/40
Stochastic / averaged Q	1	35/40	40/40	40/40
Original QGF	-	40/40	40/40	40/40
Original FK	-	40/40	40/40	40/40
Original IPG	-	unqualified	unqualified	unqualified

Stochastic averaged-Q D-Flow with lambda=0 ties QGF/FK at 40/40 on all three models. It does not exceed them, and selected parameters differ. All 24 selected tuples, 72 literal alternatives and their 144 fresh40 CSV chunks (2,880 represented records) are supplied, with no new episode credit. All eight conditions use full F8 endpoints and identity-Jacobian surrogate guidance. Own-best comparisons do not isolate a causal averaging effect; matched-strength/full-curve evidence remains absent.

Full selection exports are included: 27,720 D-Flow TRAIN score rows (9,240/model on the paired fixed 16 TRAIN anchors), 420 native candidate views, 648 QGF grid views across Tasks 2 and 5, and 2,160 FK TRAIN score rows. TRAIN score rows and repeated metric views are not additional native episodes.

Primary selection scope: 30,360 native VAL/CONF episodes and 16,185,534 evaluated action rows; new main heldout 0. Canonical F8 BC reference controls were 0/20 for each Task 2 model. They have a separate cached-control role. Three training seeds and many selection views are not additional independent trained models.

All 33 choices remain required. Thirty are frozen; the three IPG choices are unqualified, rather than zero-success outcomes. No 30-plus-BC substitute or heldout release is authorized.

Harder Cube Task 3: actual BC pilot

Native observations are 46D; the policy produces a flat 25D H5 chunk, executed as five 5D controls. Fresh 50k BC and 50k goal-IQL phases completed with full-state/canonical checkpoint audits. The frozen policy uses the local 1M-scale TRAIN source and 128 x 128 networks; this is not a paper-scale 100M-data replication.

Audited terminal: AUDITED_COMPLETE. Persisted completed summaries: 20/20; official successes among those summaries: 0. Missing summaries are NA, not failures or successes. The full 20-member pilot is a separate readiness bucket and contributes no primary-selection or heldout credit.

Saved B20 callback returns: 200; physical row proposals: 4000. Completed native external controls: 20000. Reset-internal controls and source-implied physics are 80 and 502000 respectively. The unchanged BC source retains eight target-Q/AD slices per row; this is not a global compiler-operation count.

Ep.	Controls	Return	Official success	Max lift* (m)	Max move* (m)	Contact signal* max	Max post goals*/3	End T/H
1	1000	-3000.000	no	0.237	0.494	1.000	0	H
2	1000	-3000.000	no	0.214	0.222	1.000	0	H
3	1000	-3000.000	no	0.006	0.096	0.367	0	H
4	1000	-3000.000	no	0.014	0.189	1.000	0	H
5	1000	-3000.000	no	0.007	0.118	1.000	0	H
6	1000	-3000.000	no	0.008	0.179	1.000	0	H
7	1000	-3000.000	no	0.012	0.124	1.000	0	H
8	1000	-3000.000	no	0.008	0.167	1.000	0	H
9	1000	-3000.000	no	0.008	0.154	1.000	0	H
10	1000	-3000.000	no	0.014	0.130	0.450	0	H
11	1000	-3000.000	no	0.010	0.133	1.000	0	H
12	1000	-3000.000	no	0.277	0.342	1.000	0	H
13	1000	-3000.000	no	0.008	0.164	0.685	0	H
14	1000	-3000.000	no	0.008	0.119	1.000	0	H
15	1000	-3000.000	no	0.218	0.222	1.000	0	H
16	1000	-3000.000	no	0.002	0.015	0.373	0	H
17	1000	-3000.000	no	0.310	0.460	1.000	0	H
18	1000	-3000.000	no	0.009	0.129	0.408	0	H
19	1000	-3000.000	no	0.232	0.262	1.000	0	H
20	1000	-3000.000	no	0.009	0.105	1.000	0	H

*Contact is the original observation contact signal, not a verified object grasp. Post-state geometry, displacement and lift are descriptive, not official success or a policy-adoption cutoff. Geometry reconstructs native float64 observation coordinates and uses the source inclusive 0.04 m convention; exact-boundary identity to native qpos arithmetic is not claimed. Official returned pre-action success/reward/termination fields remain authoritative. T=terminated; H=truncated/horizon. Full three-cube metrics, IDs and seeds are in the all20 CSV.

No Cube D-Flow/QGF/FK policy-performance sweep has run. Capacity correctness and BC readiness do not qualify the failed learned-sampler gates, establish goal-specific Q truth, or trigger an automatic next phase.

What is complete, what remains blocked

Scope	Current evidence	Limit / required next evidence
Task 2 selection	24 D-Flow + 3 QGF + 3 FK choices frozen	IPG 3 remain unqualified; keep all33 before new main heldout.
Cube model/checkpoints	50k BC + 50k goal-IQL; full P4 parent 2935ad03	Checkpoint correctness is distinct from native competence or sampler accuracy.
Cube learned sampler	E2a f32: 120 PASS / 8 latent FAIL; original 895 FD32 FAIL retained	Reference64 direct action-gradient probes passed under their own tolerance; not full F8-composed endpoint/operand proof or tolerance bridge.
I1 / IPG diagnostics	I1 V3 reference73 public nonparity: INCONCLUSIVE; IPG capture evidence preserved	No latent cause, mathematical repair, IPG qualification or utility claim follows.
Other harder checks	Task5 selected QGF: 40/40, 36/40, 40/40; highdim 585 PASS / 11 FAIL	Different domains/reset roles; formula checks are not native task utility or a waiver.

The next scientific scope needs its own reviewed protocol, eligibility gates, model/source/dtype checks, prospective cost/calendar, fresh or explicitly reused roles and ROOT admission. The BC pilot has no hidden full-goal success threshold, and no automatic sampler, native sweep, test or algorithm-variant release. Genuine failure or partial outcomes remain part of the record.

Direct outputs and scope

Output	Contents
This PDF + TXT	Three-page partial interpretation; terminal and frozen-plan scope.
CUBE_BC20_ALL20_EPISODES_AND_PRIMITIVE_METRICS.csv	All 20 pilot members; full three-cube distance/lift/displacement, contact and official outcomes; missing fields NA.
DF24/DF72 + complete main CSV exports	Selected tuples, alternatives, 144 CONF CSVs, DF27,720 TRAIN/420 native views, QGF648 and FK2,160 TRAIN/30 native views.
SOURCE_AND_RECEIPT_SHA256_INDEX.json	All report inputs, exact audit/reconciliation pins and source-copy provenance.
Model/legacy reference JSONs	Existing eight-model archive plus frozen Cube P4 reference. No weights, raw TRAIN or scientific NPZ duplicated or decoded.
Existing plan365 report + evidence archive	Complete prior selection evidence remains unchanged in the original private results release.

Prior full results and evidence: private GitHub release results-plan365-20261108. The compact addendum supplies new pilot summaries and reuses the exact selection evidence; it is not a rebuilt complete workspace.

Frozen resource account: actual 46,783.888 s; separate unknown administrative-failure charge 600 s; active reserved caps 0 at this report freeze. Physical/API calls, repeated batch rows, native episodes and selection views retain separate accounting. A process/static hash proof is not a numerical or causal theorem.