```
@echo off
chcp 1252 >temp


REM :: DO NOT EDIT BELOW THIS LINE UNLESS YOU KNOW WHAT YOURE DOING

::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
title RUSTAiO v1.3
color E
set NEWFILE=0
set CONFIGFOLDER=AiOConfig\
set logfile=RUSTAiO.LOG.txt
set SETTINGS=RUSTAio
set WIPESETTINGS=wipe
set BPWIPESETTINGS=BPwipe
set RUSTIDESETTINGS=rustide
set DATEIENDUNGSETTINGS=.config
set OFF=off
SET ZEIT=%TIME:~0,2%:%TIME:~3,2%:%TIME:~6,2%
::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::




:START
cls
timeout 1 >temp
ECHO.
ECHO.
ECHO.
ECHO.
ECHO.
ECHO.
ECHO.
ECHO.
ECHO.
ECHO.
ECHO.

echo        ::::::::::  :::     :::  ::::::::  :::::::::::            :::   :::::::::::  :::::::::
echo       :+:    :+: :+:     :+: :+:    :+:     :+:               :+: :+:    :+:      :+:    :+:
echo      +:+    +:+ +:+     +:+ +:+                +:+         +:+   +:+   +:+      +:+    +:+
echo     +#++:++#:  +#+     +:+ +#++:++#++     +#+          +#++:++#++:  +#+      +#+    +:+
echo    +#+    +#+ +#+     +#+        +#+     +#+         +#+     +#+   +#+      +#+    +#+
echo   #+#    #+# #+#     #+# #+#    #+#     #+#        #+#     #+#   #+#      #+#    #+#
echo  ###    ###  ########   ########     ###        ###     ###  ##########  ########

ECHO.
ECHO.
ECHO.
ECHO.
ECHO.
echo.
timeout 4 >temp

goto FILECHECKFORLANGUAGE

:FOLDERCREATE
if exist %CONFIGFOLDER% (
    goto VERTEILER_LANGUAGE
    ) else (
    mkdir %CONFIGFOLDER%
    )

goto FILECHECKFORLANGUAGE

:FILECHECKFORLANGUAGE
```

```batch
 67    if exist %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS% (
 68        call :LOADEXTERNALCONFIG
 69        goto VERTEILER_LANGUAGE
 70        ) else (
 71        mkdir %CONFIGFOLDER%
 72        goto LANGUAGESELECT
 73        )
 74
 75    :LANGUAGESELECT
 76    cls
 77    echo.
 78    echo    ::::::::::::::::::::::::::::::::::::::::::::::::
 79    echo            INITIAL SETUP /\ ERSTEINRICHTUNG
 80    echo    ::::::::::::::::::::::::::::::::::::::::::::::::
 81    echo.
 82    echo.
 83    echo.
 84    echo.
 85    echo    Please choose you language for the initial setup!
 86    echo.
 87    echo    Bitte wähle deine Sprache für die Ersteinrichtung!
 88    echo.
 89    echo.
 90    echo.
 91    echo.
 92    echo.
 93    echo    en  =  ENGLISH
 94    echo.
 95    echo    de  =  DEUTSCH
 96    echo.
 97    echo.
 98    echo.
 99    echo.
100    echo.
101    echo.
102    echo.
103    echo.
104    echo.
105    echo.
106    set /p LANGUAGE=Language:
107    if %LANGUAGE%==de (
108    cls
109    timeout 2 >temp
110    goto VERTEILER_LANGUAGE
111    )
112    if %LANGUAGE%==en (
113    cls
114    timeout 2 >temp
115    goto VERTEILER_LANGUAGE
116    )
117    goto LANGUAGESELECT
118
119    :VERTEILER_LANGUAGE
120    if %LANGUAGE%==de goto FILECHECK1
121    if %LANGUAGE%==en goto FILECHECK1en
122
123    :FILECHECK1
124    if exist %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS% (
125        goto FILECHECK2
126        ) else (
127        goto CREATEFILE1
128        )
129
130    :FILECHECK1en
131    if exist %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS% (
132        goto FILECHECK2en
133        ) else (
134        goto CREATEFILE1en
135        )
136
137    :FILECHECK2
138    if exist %CONFIGFOLDER%%WIPESETTINGS%%DATEIENDUNGSETTINGS% (
139        goto FILECHECK3
```

```batch
140         ) else (
141         goto CREATEFILE2
142         )
143
144     :FILECHECK2en
145     if exist %CONFIGFOLDER%%WIPESETTINGS%%DATEIENDUNGSETTINGS% (
146         goto FILECHECK3en
147         ) else (
148         goto CREATEFILE2en
149         )
150
151     :FILECHECK3
152     if exist %CONFIGFOLDER%%BPWIPESETTINGS%%DATEIENDUNGSETTINGS% (
153         goto FILECHECK4
154         ) else (
155         goto CREATEFILE3
156         )
157
158     :FILECHECK3en
159     if exist %CONFIGFOLDER%%BPWIPESETTINGS%%DATEIENDUNGSETTINGS% (
160         goto FILECHECK4en
161         ) else (
162         goto CREATEFILE3en
163         )
164
165     :FILECHECK4
166     if exist %CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS% (
167         goto NEWCONFIG
168         ) else (
169         goto CREATEFILE4
170         )
171
172     :FILECHECK4en
173     if exist %CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS% (
174         goto NEWCONFIGen
175         ) else (
176         goto CREATEFILE4en
177         )
178
179     :CREATEFILE1
180     echo.
181     echo.
182     echo    Datei "%SETTINGS%%DATEIENDUNGSETTINGS%" nicht vorhanden!
183     timeout 2 >temp
184     echo.
185     echo    Datei "%SETTINGS%%DATEIENDUNGSETTINGS%" wird erstellt...
186     timeout 3 >temp
187
188     :: Diese Zeilen werden in die DATEI1 erstellt!
189
190     echo :::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::: >> %CONFIGFOLDER%%SETTINGS%.txt
191     echo. >> %CONFIGFOLDER%%SETTINGS%.txt
192     echo. >> %CONFIGFOLDER%%SETTINGS%.txt
193     echo :: Ändert die Programmsprache (en=englisch de=Deutsch) >> %CONFIGFOLDER%%SETTINGS%.txt
194     echo LANGUAGE=de>> %CONFIGFOLDER%%SETTINGS%.txt
195     echo. >> %CONFIGFOLDER%%SETTINGS%.txt
196     echo :: Passwortabfrage Aktivieren/Deaktivieren (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
197     echo AUTHENTIFICATION=on>> %CONFIGFOLDER%%SETTINGS%.txt
198     echo PASSWORD=password>> %CONFIGFOLDER%%SETTINGS%.txt
199     echo. >> %CONFIGFOLDER%%SETTINGS%.txt
200     echo :: Fügt Menüpunkt zum einzelnen Wipe von Blueprints hinzu (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
201     echo ONLY_WIPE_BLUEPRINTS=on>> %CONFIGFOLDER%%SETTINGS%.txt
202     echo. >> %CONFIGFOLDER%%SETTINGS%.txt
203     echo :: Startet den Server im Hauptmenü automatisch wenn keine Eingabe erfolgt (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
204     echo SERVER_AUTOSTART_TIMER=off>> %CONFIGFOLDER%%SETTINGS%.txt
205     echo SERVERSTARTTIMER=15>> %CONFIGFOLDER%%SETTINGS%.txt
206     echo. >> %CONFIGFOLDER%%SETTINGS%.txt
```

```bat
207    echo :: Schreibe Wipevorgang und Änderungen in Log-Datei (on/off) >>
       %CONFIGFOLDER%%SETTINGS%.txt
208    echo LOGGING=on>> %CONFIGFOLDER%%SETTINGS%.txt
209    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
210    echo :: Nutzen des internen ServerStart Scripts (on/off) >>
       %CONFIGFOLDER%%SETTINGS%.txt
211    echo USE_INTERNAL_RUSTIDE=off>> %CONFIGFOLDER%%SETTINGS%.txt
212    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
213    echo :: Falls das interne Rustide Startscript nicht genutzt wird, hier den Pfad zum
       externen Script/Programm angeben >> %CONFIGFOLDER%%SETTINGS%.txt
214    echo PATH_TO_EXTERNAL_START=Serverstart.exe>> %CONFIGFOLDER%%SETTINGS%.txt
215    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
216    echo :: Abfrage zum Serverstart nach erfolgtem Wipe (on/off) >>
       %CONFIGFOLDER%%SETTINGS%.txt
217    echo SERVERSTART_AFTER_WIPE=on>> %CONFIGFOLDER%%SETTINGS%.txt
218    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
219    echo :: Aktiviere/Deaktiviere die Eingabe und Änderung des MapSize während des Wipes
       (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
220    echo MAPSIZE_SELECTION=on>> %CONFIGFOLDER%%SETTINGS%.txt
221    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
222    echo :: Aktiviere/Deaktiviere die Eingabe und Änderung des MapSeeds während des
       Wipes (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
223    echo SEED_SELECTION=on>> %CONFIGFOLDER%%SETTINGS%.txt
224    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
225    echo :: Automatisches updaten des Wipedatums im Hostname (on/off) >>
       %CONFIGFOLDER%%SETTINGS%.txt
226    echo HOSTNAME_UPDATE=on>> %CONFIGFOLDER%%SETTINGS%.txt
227    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
228    echo :: Hier deinen gewünschten Hostname angeben! (WIPEDATE_FORMAT wird automatisch
       hinter dem Hostname angefügt!) >> %CONFIGFOLDER%%SETTINGS%.txt
229    echo YOUR_HOSTNAME=YourServerHostnameHere>> %CONFIGFOLDER%%SETTINGS%.txt
230    echo WIPEDATE_FORMAT=Wiped:_DD.MM>> %CONFIGFOLDER%%SETTINGS%.txt
231    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
232    echo :: Hier den Pfad zur server.cfg angeben! (Ordner) >> %CONFIGFOLDER%%SETTINGS%.txt
233    echo PATH_TO_SERVERCFG=C:\ORDNER\ORDNER\rustide\cfg>> %CONFIGFOLDER%%SETTINGS%.txt
234    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
235    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
236    echo
       :::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
       :::::::::::::: >> %CONFIGFOLDER%%SETTINGS%.txt
237    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
238    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
239    echo.    Verfügbare WipeDate-Formate: >> %CONFIGFOLDER%%SETTINGS%.txt
240    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
241    echo    [DD/MM_WIPED] >> %CONFIGFOLDER%%SETTINGS%.txt
242    echo    [DD.MM_WIPED] >> %CONFIGFOLDER%%SETTINGS%.txt
243    echo    [DD/MM_Wiped] >> %CONFIGFOLDER%%SETTINGS%.txt
244    echo    [DD.MM_Wiped] >> %CONFIGFOLDER%%SETTINGS%.txt
245    echo    [DD/MM/YYYY_WIPED] >> %CONFIGFOLDER%%SETTINGS%.txt
246    echo    [DD.MM.YYYY_WIPED] >> %CONFIGFOLDER%%SETTINGS%.txt
247    echo    [DD/MM/YYYY_Wiped] >> %CONFIGFOLDER%%SETTINGS%.txt
248    echo    [DD.MM.YYYY_Wiped] >> %CONFIGFOLDER%%SETTINGS%.txt
249    echo    [WIPED_DD/MM] >> %CONFIGFOLDER%%SETTINGS%.txt
250    echo    [WIPED_dd.mm] >> %CONFIGFOLDER%%SETTINGS%.txt
251    echo    [Wiped_DD/MM] >> %CONFIGFOLDER%%SETTINGS%.txt
252    echo    [Wiped_dd.mm] >> %CONFIGFOLDER%%SETTINGS%.txt
253    echo    [WIPED_DD/MM/YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
254    echo    [WIPED_DD.MM.YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
255    echo    [Wiped_DD/MM/YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
256    echo    [Wiped_DD.MM.YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
257    echo    [WIPED:_DD/MM] >> %CONFIGFOLDER%%SETTINGS%.txt
258    echo    [WIPED:_dd.mm] >> %CONFIGFOLDER%%SETTINGS%.txt
259    echo    [Wiped:_DD/MM] >> %CONFIGFOLDER%%SETTINGS%.txt
260    echo    [Wiped:_dd.mm] >> %CONFIGFOLDER%%SETTINGS%.txt
261    echo    [WIPED:_DD/MM/YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
262    echo    [WIPED:_DD.MM.YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
263    echo    [Wiped:_DD/MM/YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
264    echo    [Wiped:_DD.MM.YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
265    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
266    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
267    echo
       :::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
       :::::::::::::: >> %CONFIGFOLDER%%SETTINGS%.txt
```

```bat
268
269  ::ZEILEnENDE
270
271  ren "%CONFIGFOLDER%%SETTINGS%.txt" "%SETTINGS%%DATEIENDUNGSETTINGS%"
272  set NEWFILE=1
273  goto FILECHECK2
274
275  :CREATEFILE1en
276  echo.
277  echo.
278  echo    File "%SETTINGS%%DATEIENDUNGSETTINGS%" unavailable!
279  timeout 2 >temp
280  echo.
281  echo    File "%SETTINGS%%DATEIENDUNGSETTINGS%" is being created...
282  timeout 3 >temp
283
284  :: Diese Zeilen werden in die DATEI1 erstellt!
285
286  echo ::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::: >> %CONFIGFOLDER%%SETTINGS%.txt
287  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
288  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
289  echo :: Change the program-language (en=englisch de=Deutsch) >> %CONFIGFOLDER%%SETTINGS%.txt
290  echo LANGUAGE=en>> %CONFIGFOLDER%%SETTINGS%.txt
291  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
292  echo :: Password request Enable / Disable (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
293  echo AUTHENTIFICATION=on>> %CONFIGFOLDER%%SETTINGS%.txt
294  echo PASSWORD=password>> %CONFIGFOLDER%%SETTINGS%.txt
295  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
296  echo :: Adds menu item to single wipe of blueprints (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
297  echo ONLY_WIPE_BLUEPRINTS=on>> %CONFIGFOLDER%%SETTINGS%.txt
298  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
299  echo :: Automatically starts the server in the main menu if no entry is made (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
300  echo SERVER_AUTOSTART_TIMER=off>> %CONFIGFOLDER%%SETTINGS%.txt
301  echo SERVERSTARTTIMER=15>> %CONFIGFOLDER%%SETTINGS%.txt
302  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
303  echo :: Write wiping process and changes in log file (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
304  echo LOGGING=on>> %CONFIGFOLDER%%SETTINGS%.txt
305  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
306  echo :: Use of the internal ServerStart script (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
307  echo USE_INTERNAL_RUSTIDE=off>> %CONFIGFOLDER%%SETTINGS%.txt
308  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
309  echo :: If the internal Rustide start script is not used, specify here the path to the external script / program >> %CONFIGFOLDER%%SETTINGS%.txt
310  echo PATH_TO_EXTERNAL_START=Serverstart.exe>> %CONFIGFOLDER%%SETTINGS%.txt
311  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
312  echo :: Ask for the server start after a successful wipe (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
313  echo SERVERSTART_AFTER_WIPE=on>> %CONFIGFOLDER%%SETTINGS%.txt
314  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
315  echo :: Activate / deactivate the input and modification of MapSize during the wipe (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
316  echo MAPSIZE_SELECTION=on>> %CONFIGFOLDER%%SETTINGS%.txt
317  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
318  echo :: Activate / deactivate the entry and modification of the MapSeed during the wipe (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
319  echo SEED_SELECTION=on>> %CONFIGFOLDER%%SETTINGS%.txt
320  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
321  echo :: Automatic update of the WipeDate in the hostname (on/off) >> %CONFIGFOLDER%%SETTINGS%.txt
322  echo HOSTNAME_UPDATE=on>> %CONFIGFOLDER%%SETTINGS%.txt
323  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
324  echo :: Enter your desired hostname here! (WIPEDATE_FORMAT is automatically added after the hostname!) >> %CONFIGFOLDER%%SETTINGS%.txt
325  echo YOUR_HOSTNAME=YourServerHostnameHere>> %CONFIGFOLDER%%SETTINGS%.txt
326  echo WIPEDATE_FORMAT=Wiped:_DD.MM>> %CONFIGFOLDER%%SETTINGS%.txt
327  echo. >> %CONFIGFOLDER%%SETTINGS%.txt
```

```
328    echo :: Specify the path to server.cfg here! (Folder) >> %CONFIGFOLDER%%SETTINGS%.txt
329    echo PATH_TO_SERVERCFG=C:\FOLDER\FOLDER\rustide\cfg>> %CONFIGFOLDER%%SETTINGS%.txt
330    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
331    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
332    echo
       ::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
       ::::::::::::::::: >> %CONFIGFOLDER%%SETTINGS%.txt
333    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
334    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
335    echo.   Available WipeDate formats: >> %CONFIGFOLDER%%SETTINGS%.txt
336    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
337    echo    [DD/MM_WIPED] >> %CONFIGFOLDER%%SETTINGS%.txt
338    echo    [DD.MM_WIPED] >> %CONFIGFOLDER%%SETTINGS%.txt
339    echo    [DD/MM_Wiped] >> %CONFIGFOLDER%%SETTINGS%.txt
340    echo    [DD.MM_Wiped] >> %CONFIGFOLDER%%SETTINGS%.txt
341    echo    [DD/MM/YYYY_WIPED] >> %CONFIGFOLDER%%SETTINGS%.txt
342    echo    [DD.MM.YYYY_WIPED] >> %CONFIGFOLDER%%SETTINGS%.txt
343    echo    [DD/MM/YYYY_Wiped] >> %CONFIGFOLDER%%SETTINGS%.txt
344    echo    [DD.MM.YYYY_Wiped] >> %CONFIGFOLDER%%SETTINGS%.txt
345    echo    [WIPED_DD/MM] >> %CONFIGFOLDER%%SETTINGS%.txt
346    echo    [WIPED_dd.mm] >> %CONFIGFOLDER%%SETTINGS%.txt
347    echo    [Wiped_DD/MM] >> %CONFIGFOLDER%%SETTINGS%.txt
348    echo    [Wiped_dd.mm] >> %CONFIGFOLDER%%SETTINGS%.txt
349    echo    [WIPED_DD/MM/YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
350    echo    [WIPED_DD.MM.YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
351    echo    [Wiped_DD/MM/YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
352    echo    [Wiped_DD.MM.YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
353    echo    [WIPED:_DD/MM] >> %CONFIGFOLDER%%SETTINGS%.txt
354    echo    [WIPED:_dd.mm] >> %CONFIGFOLDER%%SETTINGS%.txt
355    echo    [Wiped:_DD/MM] >> %CONFIGFOLDER%%SETTINGS%.txt
356    echo    [Wiped:_dd.mm] >> %CONFIGFOLDER%%SETTINGS%.txt
357    echo    [WIPED:_DD/MM/YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
358    echo    [WIPED:_DD.MM.YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
359    echo    [Wiped:_DD/MM/YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
360    echo    [Wiped:_DD.MM.YYYY] >> %CONFIGFOLDER%%SETTINGS%.txt
361    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
362    echo. >> %CONFIGFOLDER%%SETTINGS%.txt
363    echo
       ::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
       ::::::::::::::::: >> %CONFIGFOLDER%%SETTINGS%.txt
364
365    ::ZEILEnENDE
366
367    ren "%CONFIGFOLDER%%SETTINGS%.txt" "%SETTINGS%%DATEIENDUNGSETTINGS%"
368    set NEWFILE=1
369    goto FILECHECK2en
370
371    :CREATEFILE2
372    echo.
373    echo.
374    echo    Datei "%WIPESETTINGS%%DATEIENDUNGSETTINGS%" nicht vorhanden!
375    timeout 2 >temp
376    echo.
377    echo    Datei "%WIPESETTINGS%%DATEIENDUNGSETTINGS%" wird erstellt...
378    timeout 3 >temp
379
380    :: Diese Zeilen werden in die DATEI1 erstellt!
381    echo @ECHO ON >> %CONFIGFOLDER%%WIPESETTINGS%.txt
382    echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
383    echo
       ::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
       :::::: >> %CONFIGFOLDER%%WIPESETTINGS%.txt
384    echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
385    echo ::  HIER DIE PFADE DER ZU LÖSCHENDEN DATEIEN EINTRAGEN  /q /s Muss
       vorangeführt werden! >> %CONFIGFOLDER%%WIPESETTINGS%.txt
386    echo ::  für undefinierte Dateinamen z.B. "Map**.map" verwenden >>
       %CONFIGFOLDER%%WIPESETTINGS%.txt
387    echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
388    echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
389    echo ::  einzelne Datein >> %CONFIGFOLDER%%WIPESETTINGS%.txt
390    echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
391    echo del /q "C:\Ordner\Ordner\Ordner\Files\File1.txt" >>
       %CONFIGFOLDER%%WIPESETTINGS%.txt
```

```batch
392     echo del /q "C:\Ordner\Ordner\Ordner\Files\File2.txt" >>
        %CONFIGFOLDER%%WIPESETTINGS%.txt
393     echo del /q "C:\Ordner\Ordner\Ordner\Files\File3.txt" >>
        %CONFIGFOLDER%%WIPESETTINGS%.txt
394     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
395     echo ::  gesamte Ordner >> %CONFIGFOLDER%%WIPESETTINGS%.txt
396     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
397     echo rmdir /s /q "C:\Ordner\Ordner\Ordner\Ordner" >> %CONFIGFOLDER%%WIPESETTINGS%.txt
398     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
399     echo
        ::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
        ::::: >> %CONFIGFOLDER%%WIPESETTINGS%.txt
400     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
401     echo @ECHO OFF >> %CONFIGFOLDER%%WIPESETTINGS%.txt
402
403     ::ZEILEnENDE
404
405     ren "%CONFIGFOLDER%%WIPESETTINGS%.txt" "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
406     set NEWFILE=1
407     goto FILECHECK3
408
409     :CREATEFILE2en
410     echo.
411     echo.
412     echo     File "%WIPESETTINGS%%DATEIENDUNGSETTINGS%" unavailable!
413     timeout 2 >temp
414     echo.
415     echo     File "%WIPESETTINGS%%DATEIENDUNGSETTINGS%" is being created...
416     timeout 3 >temp
417
418     :: Diese Zeilen werden in die DATEI1 erstellt!
419     echo @ECHO ON >> %CONFIGFOLDER%%WIPESETTINGS%.txt
420     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
421     echo
        ::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
        ::::: >> %CONFIGFOLDER%%WIPESETTINGS%.txt
422     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
423     echo ::  ENTER THE PATH OF THE FILES TO BE DELETED / q / s Must be preceded! >>
        %CONFIGFOLDER%%WIPESETTINGS%.txt
424     echo ::  for undefined file names, e.g. "Map **. Map" use >>
        %CONFIGFOLDER%%WIPESETTINGS%.txt
425     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
426     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
427     echo ::  individual files >> %CONFIGFOLDER%%WIPESETTINGS%.txt
428     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
429     echo del /q "C:\FOLDER\FOLDER\FOLDER\Files\File1.txt" >>
        %CONFIGFOLDER%%WIPESETTINGS%.txt
430     echo del /q "C:\FOLDER\FOLDER\FOLDER\Files\File2.txt" >>
        %CONFIGFOLDER%%WIPESETTINGS%.txt
431     echo del /q "C:\FOLDERFOLDER\FOLDER\Files\File3.txt" >>
        %CONFIGFOLDER%%WIPESETTINGS%.txt
432     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
433     echo ::  entire folders >> %CONFIGFOLDER%%WIPESETTINGS%.txt
434     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
435     echo rmdir /s /q "C:\FOLDER\FOLDER\FOLDER\FOLDER" >> %CONFIGFOLDER%%WIPESETTINGS%.txt
436     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
437     echo
        ::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
        ::::: >> %CONFIGFOLDER%%WIPESETTINGS%.txt
438     echo. >> %CONFIGFOLDER%%WIPESETTINGS%.txt
439     echo @ECHO OFF >> %CONFIGFOLDER%%WIPESETTINGS%.txt
440
441     ::ZEILEnENDE
442
443     ren "%CONFIGFOLDER%%WIPESETTINGS%.txt" "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
444     set NEWFILE=1
445     goto FILECHECK3en
446
447     :CREATEFILE3
448     echo.
449     echo.
450     echo     Datei "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" nicht vorhanden!
451     timeout 2 >temp
```

```batch
452    echo.
453    echo    Datei "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" wird erstellt...
454    timeout 3 >temp
455
456    :: Diese Zeilen werden in die DATEI1 erstellt!
457
458    echo @ECHO ON >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
459    echo. >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
460    echo :::::::::::::::::::::::::::::::::::::::::::::::::::: >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
461    echo. >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
462    echo ::  HIER DEN PFAD ZUR BLUEPRINT DATEI ANGEBEN >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
463    echo. >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
464    echo del /q "C:\Ordner\Ordner\Ordner\Ordner\File1.txt" >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
465    echo. >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
466    echo :::::::::::::::::::::::::::::::::::::::::::::::::::: >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
467    echo. >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
468    echo @ECHO OFF >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
469
470    ::  FILES ENDE
471
472    ren "%CONFIGFOLDER%%BPWIPESETTINGS%.txt" "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%"
473    set NEWFILE=1
474    goto FILECHECK4
475
476    :CREATEFILE3en
477    echo.
478    echo.
479    echo    File "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" unavailable!
480    timeout 2 >temp
481    echo.
482    echo    File "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" is being created...
483    timeout 3 >temp
484
485    :: Diese Zeilen werden in die DATEI1 erstellt!
486
487    echo @ECHO ON >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
488    echo. >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
489    echo :::::::::::::::::::::::::::::::::::::::::::::::::::: >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
490    echo. >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
491    echo ::  SPECIFY THE PATH TO THE BLUEPRINT FILE HERE >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
492    echo. >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
493    echo del /q "C:\FOLDER\FOLDER\FOLDER\FOLDER\File1.txt" >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
494    echo. >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
495    echo :::::::::::::::::::::::::::::::::::::::::::::::::::: >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
496    echo. >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
497    echo @ECHO OFF >> %CONFIGFOLDER%%BPWIPESETTINGS%.txt
498
499    ::  FILES ENDE
500
501    ren "%CONFIGFOLDER%%BPWIPESETTINGS%.txt" "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%"
502    set NEWFILE=1
503    goto FILECHECK4en
504
505    :CREATEFILE4
506
507    echo.
508    echo.
509    echo    Datei "%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%" nicht vorhanden!
510    timeout 2 >temp
511    echo.
512    echo    Datei "%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%" wird erstellt...
513    timeout 3 >temp
514
515    :: Diese Zeilen werden in die DATEI1 erstellt!
516
```

```
517    echo. >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
518    echo :::::::::::::::::::::::::::::::::::::::::::::::::::::::::: >>
       %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
519    echo. >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
520    echo :: SETTINGS FOR THE INBUILD RUSTIDE STARTSCRIPT >>
       %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
521    echo :: YOU MUST CHANGE THE RCON PASSWORD! >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
522    echo. >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
523    echo _ident="rustide" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
524    echo _port="28017" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
525    echo _rport="28018" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
526    echo _rcon="rust123" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
527    echo _players="150" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
528    echo _level="Procedural Map" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
529    echo _seed="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
530    echo _hostname="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
531    echo _worldsize="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
532    echo _serverimg="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
533    echo _serverurl="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
534    echo _serverdesc="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
535    echo.  >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
536    echo :: HERE ARE SOME MORE ADVANCED SERVER SETTINGS >>
       %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
537    echo.  >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
538    echo _autostart=YES >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
539    echo _autorestart=YES >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
540    echo _autoupdate=YES >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
541    echo _forceupdate=YES >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
542    echo _savebackup=YES >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
543    echo _maxbackups=10 >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
544    echo _backuploc=.\backups >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
545    echo. >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
546    echo :::::::::::::::::::::::::::::::::::::::::::::::::::::::::: >>
       %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
547
548    ::  FILES ENDE
549
550    ren "%CONFIGFOLDER%%RUSTIDESETTINGS%.txt" "%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%"
551    set NEWFILE=1
552    goto FILECHECK1
553
554    :CREATEFILE4en
555
556    echo.
557    echo.
558    echo    Datei "%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%" unavailable!
559    timeout 2 >temp
560    echo.
561    echo    File "%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%" is being created...
562    timeout 3 >temp
563
564    :: Diese Zeilen werden in die DATEI1 erstellt!
565
566    echo. >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
567    echo :::::::::::::::::::::::::::::::::::::::::::::::::::::::::: >>
       %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
568    echo. >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
569    echo :: SETTINGS FOR THE INBUILD RUSTIDE STARTSCRIPT >>
       %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
570    echo :: YOU MUST CHANGE THE RCON PASSWORD! >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
571    echo. >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
572    echo _ident="rustide" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
573    echo _port="28017" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
574    echo _rport="28018" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
575    echo _rcon="rust123" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
576    echo _players="150" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
577    echo _level="Procedural Map" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
578    echo _seed="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
579    echo _hostname="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
580    echo _worldsize="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
581    echo _serverimg="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
582    echo _serverurl="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
583    echo _serverdesc="-" >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
```

```batch
584    echo.  >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
585    echo :: HERE ARE SOME MORE ADVANCED SERVER SETTINGS >>
       %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
586    echo.  >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
587    echo _autostart=YES >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
588    echo _autorestart=YES >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
589    echo _autoupdate=YES >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
590    echo _forceupdate=YES >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
591    echo _savebackup=YES >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
592    echo _maxbackups=10 >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
593    echo _backuploc=.\backups >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
594    echo. >> %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
595    echo ::::::::::::::::::::::::::::::::::::::::::::::::::::::::::: >>
       %CONFIGFOLDER%%RUSTIDESETTINGS%.txt
596
597    ::  FILES ENDE
598
599    ren "%CONFIGFOLDER%%RUSTIDESETTINGS%.txt" "%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%"
600    set NEWFILE=1
601    goto FILECHECK1en
602
603
604    :NEWCONFIG
605    if %NEWFILE%==0 (
606    goto STARTUP
607    )
608    cls
609    color A
610    echo.
611    echo.
612    echo.
613    echo.
614    echo.
615    echo.
616    echo.
617    echo.
618    echo    Eine oder mehrere Config-Datein(en) wurden neu erstellt!
619    echo.
620    echo.
621    echo    Bitte wähle deine Einstellungen in den entsprechenden .config Dateien.
622    echo    und starte die Anwendung erneut.
623    echo.
624    echo.
625    echo    Du kannst deine Einstellungen jederzeit ändern!
626    echo.
627    echo.
628    echo.
629    echo.
630    echo.
631    echo.
632    echo.
633    echo.
634    echo.
635    echo.
636    echo.
637    pause
638    goto DELTEMP
639
640    :NEWCONFIGen
641    if %NEWFILE%==0 (
642    goto STARTUP
643    )
644    cls
645    color A
646    echo.
647    echo.
648    echo.
649    echo.
650    echo.
651    echo.
652    echo.
653    echo.
654    echo    One or more config files have been created!
```

```
655    echo.
656    echo.
657    echo     Please choose your settings in the respective .config files
658    echo     and restart the application.
659    echo.
660    echo.
661    echo     You can change your settings at any time!
662    echo.
663    echo.
664    echo.
665    echo.
666    echo.
667    echo.
668    echo.
669    echo.
670    echo.
671    echo.
672    echo.
673    pause
674    goto DELTEMP
675
676    :LOADEXTERNALCONFIG
677    ::::::::::::::::::::::::::::::::::::: SETTINGS RUSTAiO
       :::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
678
679    for /f "delims== tokens=1,2" %%i in ('findstr "LANGUAGE"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set LANGUAGE=%%j
680
681    for /f "delims== tokens=1,2" %%i in ('findstr "AUTHENTIFICATION"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set AUTHENTIFICATION=%%j
682
683    for /f "delims== tokens=1,2" %%i in ('findstr "PASSWORD"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set PASSWORD=%%j
684
685    for /f "delims== tokens=1,2" %%i in ('findstr "ONLY_WIPE_BLUEPRINTS"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set ONLY_WIPE_BLUEPRINTS=%%j
686
687    for /f "delims== tokens=1,2" %%i in ('findstr "SERVER_AUTOSTART_TIMER"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set SERVER_AUTOSTART_TIMER=%%j
688
689    for /f "delims== tokens=1,2" %%i in ('findstr "SERVERSTARTTIMER"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set SERVERSTARTTIMER=%%j
690
691    for /f "delims== tokens=1,2" %%i in ('findstr "LOGGING"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set LOGGING=%%j
692
693    for /f "delims== tokens=1,2" %%i in ('findstr "USE_INTERNAL_RUSTIDE"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set USE_INTERNAL_RUSTIDE=%%j
694
695    for /f "delims== tokens=1,2" %%i in ('findstr "PATH_TO_EXTERNAL_START"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set PATH_TO_EXTERNAL_START=%%j
696
697    for /f "delims== tokens=1,2" %%i in ('findstr "SERVERSTART_AFTER_WIPE"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set SERVERSTART_AFTER_WIPE=%%j
698
699    for /f "delims== tokens=1,2" %%i in ('findstr "MAPSIZE_SELECTION"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set MAPSIZE_SELECTION=%%j
700
701    for /f "delims== tokens=1,2" %%i in ('findstr "SEED_SELECTION"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set SEED_SELECTION=%%j
702
703    for /f "delims== tokens=1,2" %%i in ('findstr "HOSTNAME_UPDATE"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set HOSTNAME_UPDATE=%%j
704
705    for /f "delims== tokens=1,2" %%i in ('findstr "YOUR_HOSTNAME"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set YOUR_HOSTNAME=%%j
706
707    for /f "delims== tokens=1,2" %%i in ('findstr "WIPEDATE_FORMAT"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set WIPEDATE_FORMAT=%%j
708
709    for /f "delims== tokens=1,2" %%i in ('findstr "PATH_TO_SERVERCFG"
       %CONFIGFOLDER%%SETTINGS%%DATEIENDUNGSETTINGS%') do @set PATH_TO_SERVERCFG=%%j
710
```

```
::::::::::::::::::::::::::::::::::::::::::::::::: SETTINGS Rustide
:::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::

for /f "delims== tokens=1,2" %%i in ('findstr "_ident"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _ident=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_port"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _port=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_rport"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _rport=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_rcon"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _rcon=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_players"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _players=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_level"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _level=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_seed"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _seed=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_hostname"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _hostname=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_worldsize"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _worldsize=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_serverimg"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _serverimg=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_serverurl"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _serverurl=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_serverdesc"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _serverdesc=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_autostart"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _autostart=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_autorestart"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _autorestart=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_autoupdate"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _autoupdate=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_forceupdate"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _forceupdate=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_savebackup"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _savebackup=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_maxbackups"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _maxbackups=%%j

for /f "delims== tokens=1,2" %%i in ('findstr "_backuploc"
%CONFIGFOLDER%%RUSTIDESETTINGS%%DATEIENDUNGSETTINGS%') do @set _backuploc=%%j

::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
::::::::::::::::::::::::::::::::::::::::::::::::

REM WIPEDATEDATEFORMAT:

if %WIPEDATE_FORMAT%==DD/MM_WIPED (
set HOSTNAME=%YOUR_HOSTNAME% %date:~0,2%/%date:~3,2% WIPED
)
if %WIPEDATE_FORMAT%==DD.MM_WIPED (
set HOSTNAME=%YOUR_HOSTNAME% %date:~0,2%.%date:~3,2% WIPED
)
if %WIPEDATE_FORMAT%==DD/MM_Wiped (
```

```batch
763    set HOSTNAME=%YOUR_HOSTNAME% %date:~0,2%/%date:~3,2% WIPED
764    )
765    if %WIPEDATE_FORMAT%==DD.MM_Wiped (
766    set HOSTNAME=%YOUR_HOSTNAME% %date:~0,2%.%date:~3,2% Wiped
767    )
768    if %WIPEDATE_FORMAT%==DD/MM/YYYY_WIPED (
769    set HOSTNAME=%YOUR_HOSTNAME% %date:~-0,2%/%date:~3,2%/%date:~-4% WIPED
770    )
771    if %WIPEDATE_FORMAT%==DD.MM.YYYY_WIPED (
772    set HOSTNAME=%YOUR_HOSTNAME% %date:~-0,2%.%date:~3,2%.%date:~-4% WIPED
773    )
774    if %WIPEDATE_FORMAT%==DD/MM/YYYY_Wiped (
775    set HOSTNAME=%YOUR_HOSTNAME% %date:~-0,2%/%date:~3,2%/%date:~-4% Wiped
776    )
777    if %WIPEDATE_FORMAT%==DD.MM.YYYY_Wiped (
778    set HOSTNAME=%YOUR_HOSTNAME% %date:~-0,2%.%date:~3,2%.%date:~-4% Wiped
779    )
780    if %WIPEDATE_FORMAT%==WIPED_DD/MM (
781    set HOSTNAME=%YOUR_HOSTNAME% WIPED %date:~0,2%/%date:~3,2%
782    )
783    if %WIPEDATE_FORMAT%==WIPED_DD.MM (
784    set HOSTNAME=%YOUR_HOSTNAME% WIPED %date:~0,2%.%date:~3,2%
785    )
786    if %WIPEDATE_FORMAT%==Wiped_DD/MM (
787    set HOSTNAME=%YOUR_HOSTNAME% Wiped %date:~0,2%/%date:~3,2%
788    )
789    if %WIPEDATE_FORMAT%==Wiped_DD.MM (
790    set HOSTNAME=%YOUR_HOSTNAME% Wiped %date:~0,2%.%date:~3,2%
791    )
792    if %WIPEDATE_FORMAT%==WIPED_DD/MM/YYYY (
793    set HOSTNAME=%YOUR_HOSTNAME% WIPED %date:~-0,2%/%date:~3,2%/%date:~-4%
794    )
795    if %WIPEDATE_FORMAT%==WIPED_DD.MM.YYYY (
796    set HOSTNAME=%YOUR_HOSTNAME% WIPED %date:~-0,2%.%date:~3,2%.%date:~-4%
797    )
798    if %WIPEDATE_FORMAT%==Wiped_DD/MM/YYYY (
799    set HOSTNAME=%YOUR_HOSTNAME% Wiped %date:~-0,2%/%date:~3,2%/%date:~-4%
800    )
801    if %WIPEDATE_FORMAT%==Wiped_DD.MM.YYYY (
802    set HOSTNAME=%YOUR_HOSTNAME% Wiped %date:~-0,2%.%date:~3,2%.%date:~-4%
803    )
804    if %WIPEDATE_FORMAT%==WIPED:_DD/MM (
805    set HOSTNAME=%YOUR_HOSTNAME% WIPED: %date:~0,2%/%date:~3,2%
806    )
807    if %WIPEDATE_FORMAT%==WIPED:_DD.MM (
808    set HOSTNAME=%YOUR_HOSTNAME% WIPED: %date:~0,2%.%date:~3,2%
809    )
810    if %WIPEDATE_FORMAT%==Wiped:_DD/MM (
811    set HOSTNAME=%YOUR_HOSTNAME% Wiped: %date:~0,2%/%date:~3,2%
812    )
813    if %WIPEDATE_FORMAT%==Wiped:_DD.MM (
814    set HOSTNAME=%YOUR_HOSTNAME% Wiped: %date:~0,2%.%date:~3,2%
815    )
816    if %WIPEDATE_FORMAT%==WIPED:_DD/MM/YYYY (
817    set HOSTNAME=%YOUR_HOSTNAME% WIPED: %date:~-0,2%/%date:~3,2%/%date:~-4%
818    )
819    if %WIPEDATE_FORMAT%==WIPED:_DD.MM.YYYY (
820    set HOSTNAME=%YOUR_HOSTNAME% WIPED %date:~-0,2%.%date:~3,2%.%date:~-4%
821    )
822    if %WIPEDATE_FORMAT%==Wiped:_DD/MM/YYYY (
823    set HOSTNAME=%YOUR_HOSTNAME% Wiped: %date:~-0,2%/%date:~3,2%/%date:~-4%
824    )
825    if %WIPEDATE_FORMAT%==Wiped:_DD.MM.YYYY (
826    set HOSTNAME=%YOUR_HOSTNAME% Wiped: %date:~-0,2%.%date:~3,2%.%date:~-4%
827    )
828
829
830    :STARTUP
831
832    if %LANGUAGE%==de goto ABFRAGE_WITH_TIMER
833    if %LANGUAGE%==en goto ABFRAGE_WITH_TIMERen
834
835    :ABFRAGE_WITH_TIMER
```

```batch
836    if %SERVER_AUTOSTART_TIMER%==%OFF% (goto ABFRAGE_WITHOUT_TIMER)
837    cls
838    timeout 2 >temp
839    echo.
840    echo. ::::::::::::::::::::::::::::::::::::::::::::::::::
841    echo                         HAUPTMENÜ
842    echo. ::::::::::::::::::::::::::::::::::::::::::::::::::
843    echo.
844    echo.
845    echo.
846    echo.
847    echo     Treffen sie eine Auswahl!
848    echo.
849    echo.
850    echo.
851    echo     (1) --- Start Server
852    echo.
853    echo     (2) --- Wipe Server
854    echo.
855    echo.
856    echo     (x) --- EXIT
857    echo.
858    echo.
859    echo.
860    echo.    Server AutoStart in %SERVERSTARTTIMER% Sekunden!
861    echo.
862    echo.
863    echo.
864    echo.
865    echo.
866    echo.
867    CHOICE /c:12x /N  /T %SERVERSTARTTIMER% /D 1 /M Auswahl:
868    IF %ERRORLEVEL% == 1 goto STARTJa
869    IF %ERRORLEVEL% == 2 goto AUTHENTIFICATION
870    IF %ERRORLEVEL% == 3 goto DELTEMP
871
872    :ABFRAGE_WITH_TIMERen
873    if %SERVER_AUTOSTART_TIMER%==%OFF% (goto ABFRAGE_WITHOUT_TIMERen)
874    cls
875    timeout 2 >temp
876    echo.
877    echo. ::::::::::::::::::::::::::::::::::::::::::::::::::
878    echo                         MAIN MENU
879    echo. ::::::::::::::::::::::::::::::::::::::::::::::::::
880    echo.
881    echo.
882    echo.
883    echo.
884    echo     Make a choice!
885    echo.
886    echo.
887    echo.
888    echo     (1) --- Start Server
889    echo.
890    echo     (2) --- Wipe Server
891    echo.
892    echo.
893    echo     (x) --- EXIT
894    echo.
895    echo.
896    echo.
897    echo.    Server AutoStart in %SERVERSTARTTIMER% seconds!
898    echo.
899    echo.
900    echo.
901    echo.
902    echo.
903    echo.
904    CHOICE /c:12x /N  /T %SERVERSTARTTIMER% /D 1 /M Choice:
905    IF %ERRORLEVEL% == 1 goto STARTJaen
906    IF %ERRORLEVEL% == 2 goto AUTHENTIFICATIONen
907    IF %ERRORLEVEL% == 3 goto DELTEMP
908
```

```batch
:ABFRAGE_WITHOUT_TIMER
cls
timeout 2 >temp
echo.
echo ::::::::::::::::::::::::::::::::::::::::::::::::::::::
echo                        HAUPTMENÜ
echo ::::::::::::::::::::::::::::::::::::::::::::::::::::::
echo.
echo.
echo.
echo.
echo     Treffen sie eine Auswahl!
echo.
echo.
echo.
echo     (1) --- Start Server
echo.
echo     (2) --- Wipe Server
echo.
echo.
echo     (x) --- EXIT
echo.
echo.
echo.
echo.
echo.
echo.
echo.
echo.
echo.
CHOICE /c:12x /N /M Auswahl:
IF %ERRORLEVEL% == 1 goto STARTJa
IF %ERRORLEVEL% == 2 goto AUTHENTIFICATION
IF %ERRORLEVEL% == 3 goto DELTEMP

:ABFRAGE_WITHOUT_TIMERen
cls
timeout 2 >temp
echo.
echo. ::::::::::::::::::::::::::::::::::::::::::::::::::::::
echo                        MAIN MENU
echo. ::::::::::::::::::::::::::::::::::::::::::::::::::::::
echo.
echo.
echo.
echo.
echo     Make a choice!
echo.
echo.
echo.
echo     (1) --- Start Server
echo.
echo     (2) --- Wipe Server
echo.
echo.
echo     (x) --- EXIT
echo.
echo.
echo.
echo.
echo.
echo.
echo.
echo.
echo.
CHOICE /c:12x /N /M Choice:
IF %ERRORLEVEL% == 1 goto STARTJaen
IF %ERRORLEVEL% == 2 goto AUTHENTIFICATIONen
IF %ERRORLEVEL% == 3 goto DELTEMP


:AUTHENTIFICATION
if %AUTHENTIFICATION%==%OFF% (goto AbfrageWIPEBP)
```

```batch
982    cls
983    timeout 1 >temp
984    ECHO.
985    ECHO.
986    ECHO.
987    ECHO.
988    ECHO.
989    ECHO.
990    ECHO.
991    ECHO.
992    ECHO.
993    ECHO.
994    ECHO.
995
996    echo        ::::::::: :::     :::  ::::::::  :::::::::::        :::       ::::::::::: :::::::::
997    echo        :+:     :+: :+:     :+: :+:    :+:     :+:            :+:           :+:    :+:    :+:
998    echo        +:+     +:+ +:+     +:+ +:+                +:+            +:+         +:+    +:+    +:+
999    echo        +#++:++#: +#+     +:+ +#++:++#++     +#+            +#++:++#++:    +#+    +#+    +:+
1000   echo        +#+     +#+ +#+     +#+        +#+     +#+            +#+     +#+    +#+    +#+    +#+
1001   echo        #+#     #+# #+#     #+# #+#     #+#     #+#            #+#     #+#    #+#    #+#    #+#
1002   echo        ###     ### ########  ########     ###            ###     ###    ###########  ########
1003
1004   ECHO.
1005   ECHO.
1006   ECHO.
1007   ECHO.
1008   ECHO.
1009   echo.
1010   echo AUTHENTIFIZIERUNG ERFORDERLICH!
1011   echo.
1012
1013   set /p pass=Passwort:
1014   if %pass%==%password% (
1015   goto RICHTIG
1016   )
1017   if not %pass%==%password% (
1018   goto FALSCH
1019   )
1020
1021   :AUTHENTIFICATIONen
1022   if %AUTHENTIFICATION%==%OFF% (goto AbfrageWIPEBPen)
1023   cls
1024   timeout 1 >temp
1025   ECHO.
1026   ECHO.
1027   ECHO.
1028   ECHO.
1029   ECHO.
1030   ECHO.
1031   ECHO.
1032   ECHO.
1033   ECHO.
1034   ECHO.
1035   ECHO.
1036
1037   echo        ::::::::: :::     :::  ::::::::  :::::::::::        :::       ::::::::::: :::::::::
1038   echo        :+:     :+: :+:     :+: :+:    :+:     :+:            :+:           :+:    :+:    :+:
1039   echo        +:+     +:+ +:+     +:+ +:+                +:+            +:+         +:+    +:+    +:+
1040   echo        +#++:++#: +#+     +:+ +#++:++#++     +#+            +#++:++#++:    +#+    +#+    +:+
1041   echo        +#+     +#+ +#+     +#+        +#+     +#+            +#+     +#+    +#+    +#+    +#+
1042   echo        #+#     #+# #+#     #+# #+#     #+#     #+#            #+#     #+#    #+#    #+#    #+#
```

```
              #+#        #+#        #+#
1043  echo            ###       ###  ########    ########        ###           ###        ###
              ###########  ########

1044
1045  ECHO.
1046  ECHO.
1047  ECHO.
1048  ECHO.
1049  ECHO.
1050  echo.
1051  echo AUTHENTICATION REQUIRED!
1052  echo.
1053
1054  set /p pass=Password:
1055  if %pass%==%password% (
1056  goto RICHTIGen
1057  )
1058  if not %pass%==%password% (
1059  goto FALSCHen
1060  )
1061
1062  :RICHTIG
1063  cls
1064  timeout 1 >temp
1065  echo.
1066  echo    -------------------
1067  echo        ZUGRIFF GEWÄHRT
1068  echo    -------------------
1069  echo.
1070  echo.
1071  goto AbfrageWIPEBP
1072
1073  :RICHTIGen
1074  cls
1075  timeout 1 >temp
1076  echo.
1077  echo    -------------------
1078  echo        ACCESS GRANTED
1079  echo    -------------------
1080  echo.
1081  echo.
1082  goto AbfrageWIPEBPen
1083
1084  :FALSCH
1085  cls
1086  echo.
1087  echo    -----------------------
1088  echo        ZUGRIFF VERWEIGERT
1089  echo    -----------------------
1090  echo.
1091  echo.
1092  timeout 2 >temp
1093  echo.
1094  echo.
1095  echo.
1096  echo    Authentifizierung fehlgeschlagen!
1097  timeout 3 >temp
1098  cls
1099  goto AUTHENTIFICATION
1100
1101  :FALSCHen
1102  cls
1103  echo.
1104  echo    -------------------
1105  echo        ACCESS DENIED
1106  echo    -------------------
1107  echo.
1108  echo.
1109  timeout 2 >temp
1110  echo.
1111  echo.
1112  echo.
1113  echo    Authentification failed!
```

```batch
1114    timeout 3 >temp
1115    cls
1116    goto AUTHENTIFICATIONen
1117
1118    :AbfrageWIPEBP
1119    if %ONLY_WIPE_BLUEPRINTS%==%OFF% (goto AbfrageWIPE)
1120    cls
1121    timeout 1 >temp
1122    echo.
1123    echo :::::::::::::::::::::::::::::::::::::::::::::::::
1124    echo                WIPESELECTION
1125    echo :::::::::::::::::::::::::::::::::::::::::::::::::
1126    echo.
1127    echo.
1128    echo.
1129    echo.
1130    echo    Treffen sie eine Auswahl!
1131    echo.
1132    echo.
1133    echo.
1134    echo    (1) --- Wipe Server
1135    echo.
1136    echo    (2) --- Wipe Blueprints
1137    echo.
1138    echo.   (3) --- Wipe Server + Blueprints
1139    echo.
1140    echo.
1141    echo.
1142    echo.   (h) --- Hilfe
1143    echo.
1144    echo    (x) --- EXIT
1145    echo.
1146    echo.
1147    echo.
1148    echo.
1149
1150    CHOICE /c:123hx /N  /M Auswahl:
1151    IF %ERRORLEVEL% == 1 set WIPETYPE=SERVER
1152    IF %ERRORLEVEL% == 1 goto WIPEServerSecure
1153    IF %ERRORLEVEL% == 2 set WIPETYPE=BP
1154    IF %ERRORLEVEL% == 2 goto WIPEBPSecure
1155    IF %ERRORLEVEL% == 3 set WIPETYPE=BOTH
1156    IF %ERRORLEVEL% == 3 goto WIPEBothSecure
1157    IF %ERRORLEVEL% == 4 goto HELP
1158    IF %ERRORLEVEL% == 5 goto DELTEMP
1159
1160    :AbfrageWIPEBPen
1161    if %ONLY_WIPE_BLUEPRINTS%==%OFF% (goto AbfrageWIPEen)
1162    cls
1163    timeout 1 >temp
1164    echo.
1165    echo :::::::::::::::::::::::::::::::::::::::::::::::::
1166    echo                WIPESELECTION
1167    echo :::::::::::::::::::::::::::::::::::::::::::::::::
1168    echo.
1169    echo.
1170    echo.
1171    echo.
1172    echo    Make a choice!
1173    echo.
1174    echo.
1175    echo.
1176    echo    (1) --- Wipe Server
1177    echo.
1178    echo    (2) --- Wipe Blueprints
1179    echo.
1180    echo.   (3) --- Wipe Server + Blueprints
1181    echo.
1182    echo.
1183    echo.
1184    echo.   (h) --- Help
1185    echo.
1186    echo    (x) --- EXIT
```

```
1187    echo.
1188    echo.
1189    echo.
1190    echo.
1191
1192    CHOICE /c:123hx /N  /M Choice:
1193    IF %ERRORLEVEL% == 1 set WIPETYPE=SERVER
1194    IF %ERRORLEVEL% == 1 goto WIPEServerSecureen
1195    IF %ERRORLEVEL% == 2 set WIPETYPE=BP
1196    IF %ERRORLEVEL% == 2 goto WIPEBPSecureen
1197    IF %ERRORLEVEL% == 3 set WIPETYPE=BOTH
1198    IF %ERRORLEVEL% == 3 goto WIPEBothSecureen
1199    IF %ERRORLEVEL% == 4 goto HELPen
1200    IF %ERRORLEVEL% == 5 goto DELTEMP
1201
1202    :AbfrageWIPE
1203    cls
1204    timeout 1 >temp
1205    echo.
1206    echo ::::::::::::::::::::::::::::::::::::::::::::::::::::
1207    echo                   WIPESELECTION
1208    echo ::::::::::::::::::::::::::::::::::::::::::::::::::::
1209    echo.
1210    echo.
1211    echo.
1212    echo.
1213    echo     Treffen sie eine Auswahl!
1214    echo.
1215    echo.
1216    echo.
1217    echo     (1) --- Wipe Server
1218    echo.
1219    echo.    (2) --- Wipe Server + Blueprints
1220    echo.
1221    echo.
1222    echo.
1223    echo.    (h) --- Hilfe
1224    echo.
1225    echo     (x) --- EXIT
1226    echo.
1227    echo.
1228    echo.
1229    echo.
1230
1231    CHOICE /c:12hx /N  /M Auswahl:
1232    IF %ERRORLEVEL% == 1 set WIPETYPE=SERVER
1233    IF %ERRORLEVEL% == 1 goto WIPEServerSecure
1234    IF %ERRORLEVEL% == 2 set WIPETYPE=BOTH
1235    IF %ERRORLEVEL% == 2 goto WIPEBothSecure
1236    IF %ERRORLEVEL% == 3 goto HELP
1237    IF %ERRORLEVEL% == 4 goto DELTEMP
1238
1239    :AbfrageWIPEen
1240    cls
1241    timeout 1 >temp
1242    echo.
1243    echo ::::::::::::::::::::::::::::::::::::::::::::::::::::
1244    echo                   WIPESELECTION
1245    echo ::::::::::::::::::::::::::::::::::::::::::::::::::::
1246    echo.
1247    echo.
1248    echo.
1249    echo.
1250    echo     Make a choice!
1251    echo.
1252    echo.
1253    echo.
1254    echo     (1) --- Wipe Server
1255    echo.
1256    echo.    (2) --- Wipe Server + Blueprints
1257    echo.
1258    echo.
1259    echo.
```

```
1260    echo.    (h) --- Help
1261    echo.
1262    echo     (x) --- EXIT
1263    echo.
1264    echo.
1265    echo.
1266    echo.
1267
1268    CHOICE /c:12hx /N  /M Auswahl:
1269    IF %ERRORLEVEL% == 1 set WIPETYPE=SERVER
1270    IF %ERRORLEVEL% == 1 goto WIPEServerSecureen
1271    IF %ERRORLEVEL% == 2 set WIPETYPE=BOTH
1272    IF %ERRORLEVEL% == 2 goto WIPEBothSecureen
1273    IF %ERRORLEVEL% == 3 goto HELPen
1274    IF %ERRORLEVEL% == 4 goto DELTEMP
1275
1276    :WIPEServerSecure
1277    cls
1278    timeout 1 >temp
1279    echo.
1280    echo     ServerWipe
1281    echo
1282    echo.
1283    echo.
1284    echo     Dieser Vorgang lässt sich nicht rückgängig machen!
1285    echo.
1286    echo     Sind Sie sich sicher? (J)a / (N)ein
1287    echo.
1288    echo.
1289    echo.
1290    CHOICE /c:nj /N  /M Auswahl:
1291    IF %ERRORLEVEL% == 1 goto WIPECancel
1292    IF %ERRORLEVEL% == 2 goto MAPCHANGE
1293
1294    :WIPEServerSecureen
1295    cls
1296    timeout 1 >temp
1297    echo.
1298    echo     ServerWipe
1299    echo
1300    echo.
1301    echo.
1302    echo     This process can not be undone!
1303    echo.
1304    echo     Are you sure?  (y)es / (n)o
1305    echo.
1306    echo.
1307    echo.
1308    CHOICE /c:ny /N  /M Choice:
1309    IF %ERRORLEVEL% == 1 goto WIPECancelen
1310    IF %ERRORLEVEL% == 2 goto MAPCHANGEen
1311
1312    :WIPEBothSecure
1313    cls
1314    timeout 1 >temp
1315    echo.
1316    echo     ServerWipe + Blueprints
1317    echo
1318    echo.
1319    echo.
1320    echo     Dieser Vorgang lässt sich nicht rückgängig machen!
1321    echo.
1322    echo     Sind Sie sich sicher? (J)a / (N)ein
1323    echo.
1324    echo.
1325    echo.
1326    CHOICE /c:nj /N  /M Auswahl:
1327    IF %ERRORLEVEL% == 1 goto WIPECancel
1328    IF %ERRORLEVEL% == 2 goto MAPCHANGE
1329
1330    :WIPEBothSecureen
1331    cls
1332    timeout 1 >temp
```

```batch
echo.
echo     ServerWipe + Blueprints
echo
echo.
echo.
echo     This process can not be undone!
echo.
echo     Are you sure?  (y)es / (n)o
echo.
echo.
echo.
CHOICE /c:ny /N  /M Choice:
IF %ERRORLEVEL% == 1 goto WIPECancelen
IF %ERRORLEVEL% == 2 goto MAPCHANGEen

:WIPEBPSecure
cls
timeout 1 >temp
echo.
echo     BlueprintWipe
echo
echo.
echo.
echo     Dieser Vorgang lässt sich nicht rückgängig machen!
echo.
echo     Sind Sie sich sicher? (J)a / (N)ein
echo.
echo.
echo.
CHOICE /c:nj /N  /M Auswahl:
IF %ERRORLEVEL% == 1 goto WIPECancel
IF %ERRORLEVEL% == 2 goto WIPEBP

:WIPEBPSecureen
cls
timeout 1 >temp
echo.
echo     BlueprintWipe
echo
echo.
echo.
echo     This process can not be undone!
echo.
echo     Are you sure?  (y)es / (n)o
echo.
echo.
echo.
CHOICE /c:ny /N  /M Auswahl:
IF %ERRORLEVEL% == 1 goto WIPECancelen
IF %ERRORLEVEL% == 2 goto WIPEBPen

:WIPECancel
cls
timeout 1 >temp
echo.
echo.
echo.
echo     ServerWipe abgebrochen!
echo.
echo.
timeout 2 >temp
goto AbfrageWIPEBP

:WIPECancelen
cls
timeout 1 >temp
echo.
echo.
echo.
echo     ServerWipe aborted!
echo.
echo.
timeout 2 >temp
```

```
1406    goto AbfrageWIPEBPen
1407
1408    :MAPCHANGE
1409    if %MAPSIZE_SELECTION%==off (goto SEEDCHANGE)
1410    cls
1411    timeout 1 >temp
1412    echo.
1413    echo.
1414    echo.
1415    echo    Bitte wähle deine neue MapSize!
1416    echo.
1417    echo.
1418    echo.
1419    echo.
1420    set /P EingabeSIZE=Mapsize:
1421    if  not defined EingabeSIZE goto MAPCHANGE
1422    findstr /v "server.worldsize" "%PATH_TO_SERVERCFG%\server.cfg" >
        %PATH_TO_SERVERCFG%\server.txt
1423    del /q "%PATH_TO_SERVERCFG%\server.cfg"
1424    echo server.worldsize %EingabeSIZE% >>%PATH_TO_SERVERCFG%\server.txt
1425    ren  "%PATH_TO_SERVERCFG%\server.txt" "server.cfg" >temp
1426    goto SEEDCHANGE
1427
1428    :MAPCHANGEen
1429    if %MAPSIZE_SELECTION%==off (goto SEEDCHANGEen)
1430    cls
1431    timeout 1 >temp
1432    echo.
1433    echo.
1434    echo.
1435    echo    Please choose your new MapSize!
1436    echo.
1437    echo.
1438    echo.
1439    echo.
1440    set /P EingabeSIZE=Mapsize:
1441    if  not defined EingabeSIZE goto MAPCHANGEen
1442    findstr /v "server.worldsize" "%PATH_TO_SERVERCFG%\server.cfg" >
        %PATH_TO_SERVERCFG%\server.txt
1443    del /q "%PATH_TO_SERVERCFG%\server.cfg"
1444    echo server.worldsize %EingabeSIZE% >>%PATH_TO_SERVERCFG%\server.txt
1445    ren  "%PATH_TO_SERVERCFG%\server.txt" "server.cfg" >temp
1446    goto SEEDCHANGEen
1447
1448    :SEEDCHANGE
1449    if %SEED_SELECTION%==off (goto VERTEILER)
1450    cls
1451    timeout 2 >temp
1452    echo.
1453    echo.
1454    echo.
1455    echo    Bitte wähle deinen Map-Seed!
1456    echo.
1457    echo.
1458    echo.
1459    echo.
1460    set /P EingabeSEED=Seed:
1461    if  not defined EingabeSEED goto SEEDCHANGE
1462    findstr /v "server.seed" "%PATH_TO_SERVERCFG%\server.cfg" >
        %PATH_TO_SERVERCFG%\server.txt
1463    del /q "%PATH_TO_SERVERCFG%\server.cfg"
1464    echo server.seed %EingabeSEED% >>%PATH_TO_SERVERCFG%\server.txt
1465    ren  "%PATH_TO_SERVERCFG%\server.txt" "server.cfg" >temp
1466    goto VERTEILER
1467
1468    :SEEDCHANGEen
1469    if %SEED_SELECTION%==off (goto VERTEILERen)
1470    cls
1471    timeout 2 >temp
1472    echo.
1473    echo.
1474    echo.
1475    echo    Please choose your map-seed!
```

```bat
1476        echo.
1477        echo.
1478        echo.
1479        echo.
1480        set /P EingabeSEED=Seed:
1481        if  not defined EingabeSEED goto SEEDCHANGEen
1482        findstr /v "server.seed" "%PATH_TO_SERVERCFG%\server.cfg" >
            %PATH_TO_SERVERCFG%\server.txt
1483        del /q "%PATH_TO_SERVERCFG%\server.cfg"
1484        echo server.seed %EingabeSEED% >>%PATH_TO_SERVERCFG%\server.txt
1485        ren  "%PATH_TO_SERVERCFG%\server.txt" "server.cfg" >temp
1486        goto VERTEILERen
1487
1488        :VERTEILER
1489        if %WIPETYPE%==SERVER (goto WIPESERVER)
1490        if %WIPETYPE%==BOTH (goto WIPEBOTH)
1491        if %WIPETYPE%==BP (got WIPEBP)
1492
1493        :VERTEILERen
1494        if %WIPETYPE%==SERVER (goto WIPESERVERen)
1495        if %WIPETYPE%==BOTH (goto WIPEBOTHen)
1496        if %WIPETYPE%==BP (got WIPEBPen)
1497
1498        :WIPEServer
1499        cls
1500        timeout 2 >temp
1501        echo.
1502        echo.
1503        echo    ServerWipe wird ausgeführt...
1504        timeout 2 >temp
1505        REM :: Print in LOG
1506        if %LOGGING%==on (
1507        echo. >> %logfile%
1508        echo -------------------------------- >> %logfile%
1509        echo ServerWipe %date% %ZEIT% >> %logfile%
1510        echo -------------------------------- >> %logfile%
1511        REM :: Log ende
1512        ren "%CONFIGFOLDER%%WIPESETTINGS%%DATEIENDUNGSETTINGS%" "%WIPESETTINGS%.bat"
1513        call %CONFIGFOLDER%%WIPESETTINGS%.bat >> %logfile% 2>&1
1514        ren "%CONFIGFOLDER%%WIPESETTINGS%.bat" "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
1515        )
1516        if %LOGGING%==off (
1517        ren "%CONFIGFOLDER%%WIPESETTINGS%%DATEIENDUNGSETTINGS%" "%WIPESETTINGS%.bat"
1518        call %CONFIGFOLDER%%WIPESETTINGS%.bat >temp 2>&1
1519        ren "%CONFIGFOLDER%%WIPESETTINGS%.bat" "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
1520        )
1521        timeout 2 >temp
1522        if %MAPSIZE_SELECTION%==on (
1523        echo.
1524        echo    Ändere MapSize zu %EingabeSIZE% ...
1525        )
1526        if %SEED_SELECTION%==on (
1527        timeout 2 >temp
1528        echo.
1529        echo    Ändere Seed zu %EingabeSEED% ...
1530        )
1531
1532        if %MAPSIZE_SELECTION%==on (
1533        if %LOGGING%==on echo. >> %logfile% 2>&1 & echo MapSIZE geändert "%EingabeSIZE%" >>
            %logfile% 2>&1
1534        )
1535
1536        if %SEED_SELECTION%==on (
1537        if %LOGGING%==on echo. >> %logfile% 2>&1 & echo MapSEED geändert "%EingabeSEED%" >>
            %logfile% 2>&1
1538        )
1539
1540        if %HOSTNAME_UPDATE%==on (
1541        if %LOGGING%==on echo. >> %logfile% 2>&1 & echo Hostname geändert "%HOSTNAME%" >>
            %logfile% 2>&1
1542        )
1543
1544        goto DATECHANGE
```

```bat
:WIPEServeren
cls
timeout 2 >temp
echo.
echo.
echo    ServerWipe is running ...
timeout 2 >temp
REM :: Print in LOG
if %LOGGING%==on (
echo. >> %logfile%
echo -------------------------------- >> %logfile%
echo ServerWipe %date% %ZEIT% >> %logfile%
echo -------------------------------- >> %logfile%
REM :: Log ende
ren "%CONFIGFOLDER%%WIPESETTINGS%%DATEIENDUNGSETTINGS%" "%WIPESETTINGS%.bat"
call %CONFIGFOLDER%%WIPESETTINGS%.bat >> %logfile% 2>&1
ren "%CONFIGFOLDER%%WIPESETTINGS%.bat" "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
)
if %LOGGING%==off (
ren "%CONFIGFOLDER%%WIPESETTINGS%%DATEIENDUNGSETTINGS%" "%WIPESETTINGS%.bat"
call %CONFIGFOLDER%%WIPESETTINGS%.bat >temp 2>&1
ren "%CONFIGFOLDER%%WIPESETTINGS%.bat" "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
)
timeout 2 >temp
if %MAPSIZE_SELECTION%==on (
echo.
echo    Change MapSize to %EingabeSIZE% ...
)
if %SEED_SELECTION%==on (
timeout 2 >temp
echo.
echo    Change Seed to %EingabeSEED% ...
)

if %MAPSIZE_SELECTION%==on (
if %LOGGING%==on echo. >> %logfile% 2>&1 & echo MapSIZE changed "%EingabeSIZE%" >> %logfile% 2>&1
)

if %SEED_SELECTION%==on (
if %LOGGING%==on echo. >> %logfile% 2>&1 & echo MapSEED changed "%EingabeSEED%" >> %logfile% 2>&1
)

if %HOSTNAME_UPDATE%==on (
if %LOGGING%==on echo. >> %logfile% 2>&1 & echo Hostname changed "%HOSTNAME%" >> %logfile% 2>&1
)

goto DATECHANGEen

:WIPEBOTH
cls
timeout 2 >temp
echo.
echo.
echo    ServerWipe wird ausgeführt...

REM :: Print in LOG
if %LOGGING%==on (
echo. >> %logfile%
echo --------------------------------------------- >> %logfile%
echo ServerWipe + Blueprints %date% %ZEIT% >> %logfile%
echo --------------------------------------------- >> %logfile%
REM :: Log ende
ren "%CONFIGFOLDER%%WIPESETTINGS%%DATEIENDUNGSETTINGS%" "%WIPESETTINGS%.bat"
call %CONFIGFOLDER%%WIPESETTINGS%.bat >> %logfile% 2>&1
ren "%CONFIGFOLDER%%WIPESETTINGS%.bat" "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
)
if %LOGGING%==off (
ren "%CONFIGFOLDER%%WIPESETTINGS%%DATEIENDUNGSETTINGS%" "%WIPESETTINGS%.bat"
call %CONFIGFOLDER%%WIPESETTINGS%.bat >temp 2>&1
```

```
1615    ren "%CONFIGFOLDER%%WIPESETTINGS%.bat" "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
1616    )
1617    timeout 2 >temp
1618    echo.
1619    echo    BlueprintWipe wird ausgeführt...
1620    if %LOGGING%==on (
1621
1622    ren "%CONFIGFOLDER%%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" "%BPWIPESETTINGS%.bat"
1623    call %CONFIGFOLDER%%BPWIPESETTINGS%.bat >> %logfile% 2>&1
1624    ren "%CONFIGFOLDER%%BPWIPESETTINGS%.bat" "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%"
1625    )
1626    if %LOGGING%==off (
1627    ren "%CONFIGFOLDER%%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" "%BPWIPESETTINGS%.bat"
1628    call %CONFIGFOLDER%%BPWIPESETTINGS%.bat >temp 2>&1
1629    ren "%CONFIGFOLDER%%BPWIPESETTINGS%.bat" "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%"
1630    )
1631    timeout 2 >temp
1632    if %MAPSIZE_SELECTION%==on (
1633    echo.
1634    echo    Ändere MapSize zu %EingabeSIZE% ...
1635    )
1636    if %SEED_SELECTION%==on (
1637    timeout 2 >temp
1638    echo.
1639    echo    Ändere Seed zu %EingabeSEED% ...
1640    )
1641
1642    if %MAPSIZE_SELECTION%==on (
1643    if %LOGGING%==on echo. >> %logfile% 2>&1 & echo MapSIZE geändert "%EingabeSIZE%" >>
           %logfile% 2>&1
1644    )
1645
1646    if %SEED_SELECTION%==on (
1647    if %LOGGING%==on echo. >> %logfile% 2>&1 & echo MapSEED geändert "%EingabeSEED%" >>
           %logfile% 2>&1
1648    )
1649
1650    if %HOSTNAME_UPDATE%==on (
1651    if %LOGGING%==on echo. >> %logfile% 2>&1 & echo Hostname geändert "%HOSTNAME%" >>
           %logfile% 2>&1
1652    )
1653
1654    goto DATECHANGE
1655
1656    :WIPEBOTHen
1657    cls
1658    timeout 2 >temp
1659    echo.
1660    echo.
1661    echo    ServerWipe is running...
1662
1663    REM :: Print in LOG
1664    if %LOGGING%==on (
1665    echo. >> %logfile%
1666    echo ------------------------------------------------ >> %logfile%
1667    echo ServerWipe + Blueprints %date% %ZEIT% >> %logfile%
1668    echo ------------------------------------------------ >> %logfile%
1669    REM :: Log ende
1670    ren "%CONFIGFOLDER%%WIPESETTINGS%%DATEIENDUNGSETTINGS%" "%WIPESETTINGS%.bat"
1671    call %CONFIGFOLDER%%WIPESETTINGS%.bat >> %logfile% 2>&1
1672    ren "%CONFIGFOLDER%%WIPESETTINGS%.bat" "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
1673    )
1674    if %LOGGING%==off (
1675    ren "%CONFIGFOLDER%%WIPESETTINGS%%DATEIENDUNGSETTINGS%" "%WIPESETTINGS%.bat"
1676    call %CONFIGFOLDER%%WIPESETTINGS%.bat >temp 2>&1
1677    ren "%CONFIGFOLDER%%WIPESETTINGS%.bat" "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
1678    )
1679    timeout 2 >temp
1680    echo.
1681    echo    BlueprintWipe is running...
1682    if %LOGGING%==on (
1683
1684    ren "%CONFIGFOLDER%%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" "%BPWIPESETTINGS%.bat"
```

```bat
call %CONFIGFOLDER%%BPWIPESETTINGS%.bat >> %logfile% 2>&1
ren "%CONFIGFOLDER%%BPWIPESETTINGS%.bat" "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%"
)
if %LOGGING%==off (
ren "%CONFIGFOLDER%%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" "%BPWIPESETTINGS%.bat"
call %CONFIGFOLDER%%BPWIPESETTINGS%.bat >temp 2>&1
ren "%CONFIGFOLDER%%BPWIPESETTINGS%.bat" "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%"
)
timeout 2 >temp
if %MAPSIZE_SELECTION%==on (
echo.
echo    Change MapSize to %EingabeSIZE% ...
)
if %SEED_SELECTION%==on (
timeout 2 >temp
echo.
echo    Change Seed to %EingabeSEED% ...
)

if %MAPSIZE_SELECTION%==on (
if %LOGGING%==on echo. >> %logfile% 2>&1 & echo MapSIZE changed "%EingabeSIZE%" >> %logfile% 2>&1
)

if %SEED_SELECTION%==on (
if %LOGGING%==on echo. >> %logfile% 2>&1 & echo MapSEED changed "%EingabeSEED%" >> %logfile% 2>&1
)

if %HOSTNAME_UPDATE%==on (
if %LOGGING%==on echo. >> %logfile% 2>&1 & echo Hostname changed "%HOSTNAME%" >> %logfile% 2>&1
)

goto DATECHANGEen

:WIPEBP
cls
timeout 2 >temp
echo.
echo.
echo    BlueprintWipe wird ausgeführt...
echo.
echo.
timeout 2 >temp
echo.
REM :: Print in LOG
if %LOGGING%==on (
echo. >> %logfile%
echo ------------------------------------ >> %logfile%
echo BlueprintWipe %date% %ZEIT% >> %logfile%
echo ------------------------------------ >> %logfile%
REM :: Log ende
ren "%CONFIGFOLDER%%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" "%BPWIPESETTINGS%.bat"
call %CONFIGFOLDER%%BPWIPESETTINGS%.bat >> %logfile% 2>&1
ren "%CONFIGFOLDER%%BPWIPESETTINGS%.bat" "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%"
)
if %LOGGING%==off (
ren "%CONFIGFOLDER%%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" "%BPWIPESETTINGS%.bat"
call %CONFIGFOLDER%%BPWIPESETTINGS%.bat >temp 2>&1
ren "%CONFIGFOLDER%%BPWIPESETTINGS%.bat" "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%"
)
timeout 2 >temp
goto WIPEBPOK

:WIPEBPen
cls
timeout 2 >temp
echo.
echo.
echo    BlueprintWipe is running...
echo.
echo.
```

```
1755    timeout 2 >temp
1756    echo.
1757    REM :: Print in LOG
1758    if %LOGGING%==on (
1759    echo. >> %logfile%
1760    echo ----------------------------------- >> %logfile%
1761    echo BlueprintWipe %date% %ZEIT% >> %logfile%
1762    echo ----------------------------------- >> %logfile%
1763    REM :: Log ende
1764    ren "%CONFIGFOLDER%%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" "%BPWIPESETTINGS%.bat"
1765    call %CONFIGFOLDER%%BPWIPESETTINGS%.bat >> %logfile% 2>&1
1766    ren "%CONFIGFOLDER%%BPWIPESETTINGS%.bat" "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%"
1767    )
1768    if %LOGGING%==off (
1769    ren "%CONFIGFOLDER%%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" "%BPWIPESETTINGS%.bat"
1770    call %CONFIGFOLDER%%BPWIPESETTINGS%.bat >temp 2>&1
1771    ren "%CONFIGFOLDER%%BPWIPESETTINGS%.bat" "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%"
1772    )
1773    timeout 2 >temp
1774    goto WIPEBPOKen
1775
1776    :DATECHANGE
1777    if %HOSTNAME_UPDATE%==off (goto VERTEILERFEEDBACK)
1778    timeout 2 >temp
1779    echo.
1780    echo     Ändere Hostname zu "%HOSTNAME%" ...
1781    echo.
1782    findstr /v "hostname" "%PATH_TO_SERVERCFG%\server.cfg" >%PATH_TO_SERVERCFG%\server.txt
1783    del /q "%PATH_TO_SERVERCFG%\server.cfg"
1784    echo hostname "%HOSTNAME%" >>%PATH_TO_SERVERCFG%\server.txt
1785    ren  "%PATH_TO_SERVERCFG%\server.txt" "server.cfg" >temp
1786    goto VERTEILERFEEDBACK
1787
1788    :DATECHANGEen
1789    if %HOSTNAME_UPDATE%==off (goto VERTEILERFEEDBACKen)
1790    timeout 2 >temp
1791    echo.
1792    echo     Change Hostname to "%HOSTNAME%" ...
1793    echo.
1794    findstr /v "hostname" "%PATH_TO_SERVERCFG%\server.cfg" >%PATH_TO_SERVERCFG%\server.txt
1795    del /q "%PATH_TO_SERVERCFG%\server.cfg"
1796    echo hostname "%HOSTNAME%" >>%PATH_TO_SERVERCFG%\server.txt
1797    ren  "%PATH_TO_SERVERCFG%\server.txt" "server.cfg" >temp
1798    goto VERTEILERFEEDBACKen
1799
1800    :VERTEILERFEEDBACK
1801    if %WIPETYPE%==SERVER (goto WIPESERVEROK)
1802    if %WIPETYPE%==BOTH (goto WIPEBOTHOK)
1803    if %WIPETYPE%==BP (got WIPEBPOK)
1804
1805    :VERTEILERFEEDBACKen
1806    if %WIPETYPE%==SERVER (goto WIPESERVEROKen)
1807    if %WIPETYPE%==BOTH (goto WIPEBOTHOKen)
1808    if %WIPETYPE%==BP (got WIPEBPOKen)
1809
1810    :WIPESERVEROK
1811    timeout 4 >temp
1812    cls
1813    echo.
1814    echo.
1815    echo     -----------------------
1816    echo     ServerWipe Abgeschlossen
1817    echo     -----------------------
1818    echo.
1819    echo.
1820    timeout 2 >temp
1821    goto AbfrageSTART
1822
1823    :WIPESERVEROKen
1824    timeout 4 >temp
1825    cls
```

```batch
     echo.
     echo.
     echo      --------------------
     echo      ServerWipe Completed
     echo      --------------------
     echo.
     echo.
     timeout 2 >temp
     goto AbfrageSTARTen

:WIPEBPOK
     timeout 4 >temp
     cls
     echo.
     echo.
     echo      --------------------------
     echo      BlueprintWipe Abgeschlossen
     echo      --------------------------
     echo.
     echo.
     timeout 2 >temp
     goto AbfrageSTART

:WIPEBPOKen
     timeout 4 >temp
     cls
     echo.
     echo.
     echo      ----------------------
     echo      BlueprintWipe Completed
     echo      ----------------------
     echo.
     echo.
     timeout 2 >temp
     goto AbfrageSTARTen

:WIPEBOTHOK
     timeout 4 >temp
     cls
     echo.
     echo.
     echo      -----------------------------------
     echo      ServerWipe + Blueprints Abgeschlossen
     echo      -----------------------------------
     echo.
     echo.
     timeout 2 >temp
     goto AbfrageSTART

:WIPEBOTHOKen
     timeout 4 >temp
     cls
     echo.
     echo.
     echo      -------------------------------
     echo      ServerWipe + Blueprints Completed
     echo      -------------------------------
     echo.
     echo.
     timeout 2 >temp
     goto AbfrageSTARTen

:AbfrageSTART
     if %SERVERSTART_AFTER_WIPE%==off (goto DELTEMP)
     echo.
     echo      Möchten Sie den Server jetzt starten? (J / N)
     echo.
     echo.
     echo.
     CHOICE /c:nj /N  /M Auswahl:
     IF %ERRORLEVEL% == 1 goto STARTNein
     IF %ERRORLEVEL% == 2 goto STARTJa
```

```
1899    :AbfrageSTARTen
1900    if %SERVERSTART_AFTER_WIPE%==off (goto DELTEMP)
1901    echo.
1902    echo    Would you like to start the server now? (y)es / (n)o
1903    echo.
1904    echo.
1905    echo.
1906    CHOICE /c:ny /N  /M Choice:
1907    IF %ERRORLEVEL% == 1 goto STARTNeinen
1908    IF %ERRORLEVEL% == 2 goto STARTJaen
1909
1910    :STARTNein
1911    cls
1912    timeout 1 >temp
1913    echo.
1914    echo.
1915    echo.
1916    echo.
1917    echo.
1918    echo    Server wird nicht gestartet
1919    echo.
1920    echo.
1921    echo    Programmm wird beendet...
1922    timeout 5 >temp
1923    goto DELTEMP
1924
1925    :STARTNeinen
1926    cls
1927    timeout 1 >temp
1928    echo.
1929    echo.
1930    echo.
1931    echo.
1932    echo.
1933    echo    Server is not started
1934    echo.
1935    echo.
1936    echo    Program will be ended ...
1937    timeout 5 >temp
1938    goto DELTEMP
1939
1940    :STARTJa
1941
1942    cls
1943    timeout 2 >temp
1944    echo.
1945    echo.
1946    echo    --------------------
1947    echo    SERVER WIRD GESTARTET
1948    echo    --------------------
1949    echo.
1950    echo.
1951    timeout 3 >temp
1952    del "temp"
1953    if %USE_INTERNAL_RUSTIDE%==off (goto EXTERNAL_START)
1954    goto _LOOP
1955
1956    :STARTJaen
1957
1958    cls
1959    timeout 2 >temp
1960    echo.
1961    echo.
1962    echo    -----------------
1963    echo    SERVER IS STARTED
1964    echo    -----------------
1965    echo.
1966    echo.
1967    timeout 3 >temp
1968    del "temp"
1969    if %USE_INTERNAL_RUSTIDE%==off (goto EXTERNAL_START)
1970    goto _LOOP
1971
```

```batch
1972    :HELP
1973    cls
1974    timeout 1 >temp
1975    echo.
1976    echo.
1977    echo    ----------------
1978    echo    -    HILFE    -
1979    echo    ----------------
1980    echo.
1981    echo.
1982    echo.
1983    echo    Wipe Server (1)
1984    echo
1985    echo.
1986    echo    Löscht alle in der "%WIPESETTINGS%%DATEIENDUNGSETTINGS%" angegebenen Dateien
1987    echo.
1988    echo.
1989    echo    Wipe Blueprints (2) only if activated
1990    echo
1991    echo.
1992    echo    Löscht alle in der "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" angegebenen Dateien
1993    echo.
1994    echo.
1995    echo    Wipe Server + Blueprints (2)
1996    echo
1997    echo.
1998    echo    Löschte alle in den Dateien "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" und
        "%WIPESETTINGS%%DATEIENDUNGSETTINGS%" angegebenen Dateien
1999    echo.
2000    echo.
2001    echo.
2002    echo.
2003    echo.
2004    echo.
2005    echo.
2006    pause
2007    goto AbfrageWIPEBP
2008
2009    :HELPen
2010    cls
2011    timeout 1 >temp
2012    echo.
2013    echo.
2014    echo    ----------------
2015    echo    -    HILFE    -
2016    echo    ----------------
2017    echo.
2018    echo.
2019    echo.
2020    echo    Wipe Server (1)
2021    echo
2022    echo.
2023    echo    Deletes all files specified in "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
2024    echo.
2025    echo.
2026    echo    Wipe Blueprints (2) only if activated
2027    echo
2028    echo.
2029    echo    Deletes all files specified in "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%"
2030    echo.
2031    echo.
2032    echo    Wipe Server + Blueprints (2)
2033    echo
2034    echo.
2035    echo    Deletes all files specified in the files
        "%BPWIPESETTINGS%%DATEIENDUNGSETTINGS%" and "%WIPESETTINGS%%DATEIENDUNGSETTINGS%"
2036    echo.
2037    echo.
2038    echo.
2039    echo.
2040    echo.
2041    echo.
2042    echo.
```

```bat
      pause
      goto AbfrageWIPEBPen

      :EXTERNAL_START
      cls
      timeout 1 >temp
      start %PATH_TO_EXTERNAL_START%
      goto DELTEMP

      :DELTEMP
      color E
      cls
      ECHO.
      ECHO.
      ECHO.
      ECHO.
      ECHO.
      ECHO.
      ECHO.
      ECHO.                    :::::::::::::::::::::::::::::::::::::::::::::::::::
      ECHO.                    ::                                             ::
      ECHO.                    ::              RUST - All in One              ::
      ECHO.                    ::                  by dixon                   ::
      ECHO.                    ::                                             ::
      ECHO.                    ::                                             ::
      ECHO.                    ::                  v1.3.0                     ::
      ECHO.                    ::                                             ::
      ECHO.                    ::                                             ::
      ECHO.                    ::         THANK YOU FOR USING THIS TOOL       ::
      ECHO.                    ::                                             ::
      ECHO.                    :::::::::::::::::::::::::::::::::::::::::::::::::::
      ECHO.
      ECHO.
      ECHO.
      ECHO.
      ECHO.
      ECHO.
      ECHO.
      ECHO.
      ECHO.
      timeout 3 >temp
      del "temp"
      goto Ende


      REM :: RUSTIDE.BAT

      :_LOOP

      CLS
      COLOR F
      ECHO.
      ECHO.
      ECHO.    ================================================
      ECHO.    =                                              =
      ECHO.    =             Rustide v1.5 by Jarsky            =
      ECHO.    =                - Updated by Dixon -           =
      ECHO.    =                                              =
      ECHO.    =    This script auto updates Rust + Oxide Mod  =
      ECHO.    =                                              =
      ECHO.    =             Updated 24 February 2018          =
      ECHO.    =                                              =
      ECHO.    ================================================
      ECHO.


      PING 127.0.0.1 -n 5 >NUL 2>&1 || PING ::1 -n 5 >NUL 2>&1

      IF "%_rcon%"==""rust123"" (GOTO _RKILL)
      IF "%_autoupdate%"=="NO" (
      GOTO _BACKUP
      ) ELSE (
```

```
2116    IF "%_forceupdate%"=="YES" (
2117    GOTO _UPDATE
2118    ) ELSE (
2119    GOTO _CHECK))
2120
2121    :_CHECK
2122    REM ++Check if Process Running before updating++
2123    TASKLIST /FI "IMAGENAME eq RustDedicated.exe" 2>NUL | FIND /I /N
        "RustDedicated.exe">NUL
2124    IF "%ERRORLEVEL%"=="0" (
2125    ECHO. ANOTHER RUST IS RUNNING - UPDATE SKIPPED.
2126    PING 127.0.0.1 -n 30 >NUL 2>&1 || PING ::1 -n 5 >NUL 2>&1
2127    ECHO. SERVER WILL CONTINUE STARTING SOON...
2128    PING 127.0.0.1 -n 60 >NUL 2>&1 || PING ::1 -n 5 >NUL 2>&1
2129    GOTO _BACKUP
2130    )
2131
2132    REM ++Update Rust Install++
2133    IF EXIST .\SteamCMD GOTO _UPDATE
2134    wget.exe https://steamcdn-a.akamaihd.net/client/installer/steamcmd.zip
        --no-check-certificate
2135    7za.exe x .\steamcmd.zip -oSteamCMD -y
2136    DEL .\steamcmd.zip /q
2137
2138    :_UPDATE
2139    ECHO    Initiating Rust Update
2140    .\SteamCMD\steamcmd.exe +login anonymous +force_install_dir ../Rust +app_update
        258550 -beta experimental validate +quit
2141
2142    REM ++Get the Oxide Files++
2143    IF EXIST    .\Oxide-Rust\ {
2144    DEL .\Oxide-Rust\*.* /q
2145    RMDIR /s /q .\Oxide-Rust
2146    }
2147
2148    :_OXIDEUPDATE
2149    wget.exe -w 3
        https://github.com/OxideMod/Oxide/releases/download/latest/Oxide-Rust.zip -O
        Oxide-Rust.zip --no-check-certificate --no-proxy
2150
2151    IF EXIST .\Oxide-Rust.zip (GOTO _BACKUP) ELSE GOTO _OXIDEUPDATE
2152
2153    REM ++Check for the server and make a backup++
2154
2155    :_BACKUP
2156    7za.exe x .\Oxide-Rust.zip -o* -y
2157    DEL .\Oxide-Rust.zip /q
2158    IF EXIST .\temp {
2159    DEL .\temp\*.* /q
2160    RMDIR /s /q .\temp
2161    }
2162    MKDIR .\temp
2163    XCOPY /i /s /q /y .\rust\server\%_ident%\*.* .\temp\server\%_ident%\
2164    REM ::PUT ANY OTHER FILES TO COPY HERE::
2165    REM ::--------------------------------::
2166    IF EXIST .\rust\RustDedicated_Data\Managed\*RustIO*.dll XCOPY /i /s /q /y
        .\rust\RustDedicated_Data\Managed\*RustIO*.dll .\temp\RustDedicated_Data\Managed\
2167
2168    REM ::--------------------------------::
2169
2170    IF "%_savebackup%"=="NO" (GOTO _BUILD)
2171    IF EXIST .\temp\server\%_ident%\oxide\*.json (GOTO _ZIP) ELSE GOTO _BUILD
2172    :_ZIP
2173    SET
        backupname=backup_%_ident%-%date:~-4,4%.%date:~-7,2%.%date:~-10,2%-%time:~0,2%.%time:~
        3,2%
2174    7za.exe a -r "%_backuploc%\%backupname%".zip "%~dp0\temp\*"
2175    FOR /F "SKIP=%_maxbackups% EOL=: DELIMS=" %%F IN ('DIR /b /o-d
        %_backuploc%\backup_%_ident%-*.zip') DO @DEL "%_backuploc%\%%F"
2176
2177    :_BUILD
2178    IF EXIST .\build RMDIR /s /q .\build
2179    MOVE .\temp build
```

```
2180    XCOPY /s /q /y .\Oxide-Rust .\build
2181    IF EXIST .\build XCOPY /s /q /y .\build .\rust
2182    RMDIR /s /q .\Oxide-Rust
2183    IF EXIST .\build RMDIR /s /q .\build
2184
2185    IF "%_autostart%"=="YES" (GOTO _RUN)
2186
2187    SET /P ANSWER=Do you want to start Rust (Y/N)?
2188    if /i {%ANSWER%}=={y} (GOTO _RUN)
2189    if /i {%ANSWER%}=={yes} (GOTO _RUN)
2190    GOTO _NORUN
2191
2192    :_RUN
2193    PUSHD rust
2194    .\RustDedicated.exe -batchmode +server.hostname %_hostname% +server.port %_port%
        +server.identity %_ident% +server.maxplayers %_players% +rcon.port %_rport%
        +rcon.password %_rcon% +rcon.ip 0.0.0.0 +server.saveinterval 900 +server.level
        %_level% +server.seed %_seed% +server.url %_serverurl% +server.headerimage
        %_serverimg% +server.description %_serverdesc% +server.globalchat true
        +server.worldsize %_worldsize% +oxide.directory "server/%_ident%/oxide" +cfg
        "server\%_ident%\cfg\server.cfg" -autoupdate
2195    IF "%_autorestart%"=="NO" {
2196    POPD
2197    CLS
2198    ECHO. Server %_hostname% will restart on port %_port%
2199    PING 127.0.0.1 -n 5 >NUL 2>&1 || PING ::1 -n 5 >NUL 2>&1
2200    GOTO _LOOP
2201    }
2202
2203    EXIT
2204
2205    :_NORUN
2206    CLS
2207    ECHO.      UPDATING HAS FINISHED BUT YOU HAVE DISABLED AUTOSTART
2208    PAUSE
2209    EXIT
2210
2211    :_RKILL
2212    CLS
2213    ECHO.     ****YOU MUST CHANGE THE RCON PASSWORD TO RUN****
2214    PAUSE
2215    EXIT
2216
2217    :Ende
2218    exit
2219
2220    ::Tipp: Damit der Programm-Code nicht einsehbar ist, können Sie die Datei in eine
        ".exe" umwandeln (http://batch-center.de/artikel/sonstiges/bat_to_exe.html)
```