

Report Center — Developer Handover Document

Project: Element P2P — Report Center Module
Repository: eluv82P2-screens
Purpose: Show existing vs newly prepared work for developer onboarding
Handoff Rating: 8.3 / 10
API Policy: No backend changes — frontend adapts to existing API contract
Date: July 7, 2026

1. Executive Summary

The Report Center was redesigned from a **single-page horizontal-tab layout** into a **multi-route Report Center** with Library, Schedules, Templates, and Insights. All backend endpoints, payloads, and authentication behavior remain unchanged.

	Before (Existing)	After (New)
Entry	/reports (one page)	/reports → /reports/library
Navigation	Horizontal tabs (?tab=0-3)	Left sidebar nav + URL routes
Saved reports	Tab “Saved Reports”	Library with split list + detail panel
Overview	Default tab	Insights (separate route)
Report selection	In-tab state	URL-driven: /reports/library/:reportId
API layer	reportService.ts + envelope types	Same — reused, not replaced
Demo data	Limited / mixed	Dedicated reportDemoData.ts when no API token

2. What Already Existed (Unchanged / Retained)

2.1 Backend API Integration (No Contract Changes)

Item	Location	Notes
API envelope (TransactionStatus, Data, ResultMsg)	src/app/types/reportApi.ts	Unchanged
All Report API endpoints	src/app/services/reportService.ts	Same paths, methods, query params, bodies
Request payload builders	src/app/utils/reportPayloadBuilders.ts	GenerateReportRequest, SaveReportRequest; DelieveryOptions typo preserved
Response mappers	src/app/utils/reportApiMappers.ts	Maps API → UI models
HTTP client + envelope parsing	src/app/services/apiClient.ts	Same /api/Report/* pattern

API logging	src/app/utills/reportApiLogger.ts	Dev/debug logging
-------------	-----------------------------------	-------------------

Endpoints still used (unchanged):

GetOverviewData · GetSavedReport · GetScheduleReport · GetReportTemplates · GenerateReport · SavedReport · DownloadReport · DeleteReport/:id · SchedulePauseAndResume · EditSchedule · SendSavedReportEmail

2.2 Core Report Features (Logic Retained)

Feature	Where it lives
Generate report	ReportTemplateDrawer → ConfigureReportPanel → generateReport()
Save report	ReportsContext.addFromGeneration() → saveReport()
Download	downloadReport() / downloadReportFile() + CSV fallback
Email	emailReport() → SendSavedReportEmail
Schedules pause/resume	pauseOrResumeSchedule()
Schedule edit	editSchedule()
Star / save (client-side)	localStorage via ReportsContext
Export utilities	src/app/utills/reportExport.ts

2.3 Shared UI Building Blocks (Existing Components)

- ReportTemplateDrawer.tsx — template pick + configure + generate flow
- ConfigureReportPanel.tsx — filters, schedule toggle, validation
- ReportGenerationViews.tsx — generating / success states
- ScheduleEditDrawer.tsx — edit schedule modal
- ReportEmptyState.tsx, ReportSkeletons.tsx, ReportSectionErrorBanner.tsx
- ReportDeleteConfirmDialog.tsx, ReportQuickActionDrawers.tsx
- reportUiStyles.ts, reportMotion.ts — styling and animation tokens

2.4 App Infrastructure (Existing)

Item	Location
Demo UI login (route gate only)	AuthContext.tsx
Sidebar “Reports” link	Sidebar.tsx → /reports
Vite dev proxy to staging API	vite.config.ts
Env template	.env.example

2.5 Legacy Aliases (Backward Compatibility)

Old name	New implementation
SavedReportsSection	Re-exports ReportLibrarySection
ReportsOverviewTab	Re-exports ReportsInsightsSection

3. What Was Newly Prepared (Built / Redesigned)

3.1 New Routing Architecture

Before: Single route `/reports` with internal tab state (`?tab=0|1|2|3` or `?section=...`)

After: Dedicated routes under ReportsLayout:

Route	Section	Component
<code>/reports</code>	Redirect	<code>ReportsRedirect.tsx</code> → <code>/reports/library</code>
<code>/reports/library</code>	Library list	<code>ReportLibrarySection</code>
<code>/reports/library/:reportId</code>	Library + detail	<code>ReportLibrarySection</code> + <code>ReportDetailPanel</code>
<code>/reports/schedules</code>	Schedules	<code>ScheduledReportsSection</code>
<code>/reports/templates</code>	Templates	<code>ReportTemplatesSection</code>
<code>/reports/insights</code>	Insights	<code>ReportsInsightsSection</code>

New files:

- `src/app/pages/ReportsLayout.tsx` — wraps all report routes with `ReportsProvider`
- `src/app/pages/ReportsRedirect.tsx` — default landing + legacy URL redirects
- `src/app/utils/reportCenterRoutes.ts` — `buildReportCenterPath()` / `parseReportCenterPath()`

Legacy URL support:

- `?tab=0` → Insights, `?tab=1` → Library, `?tab=2` → Schedules, `?tab=3` → Templates
- `?section=library|schedules|templates|insights` → same paths

3.2 New UI / UX Structure

New piece	Purpose
<code>ReportCenterNav.tsx</code>	Left nav: Library, Schedules, Templates, Insights + collections
<code>ReportLibrarySection.tsx</code>	Replaces old Saved Reports tab — table, filters, pagination
<code>ReportDetailPanel.tsx</code>	Split-panel detail: Preview, Parameters, Schedule, Activity
<code>ReportAttentionStrip.tsx</code>	Running/failed report alerts with retry
<code>ReportsInsightsSection.tsx</code>	Replaces old Overview tab as dedicated Insights page
<code>Reports.tsx</code> (refactored)	Orchestrates nav, sections, drawers; URL-driven state

Default home changed: Library is now the landing page (was Overview/Insights in old tab order).

3.3 New State & Data Layer Additions

New item	Location	Purpose
----------	----------	---------

ReportsLayout + provider scope	ReportsLayout.tsx	Single ReportsProvider for all /reports/* routes
Demo mode	reportDemoData.ts	Sample data when no API token
Access token resolver	accessToken.ts	VITE_API_TOKEN + localStorage.Token resolution
Library filters utils	reportLibraryFilters.ts	Collections, search, date/status filters
Report preview state	ReportsContext.reportPreviews	Per-report preview loading/error/data
URL-synced selection	Reports.tsx + reportCenterRoutes.ts	Selected report in URL

3.4 New Styles

~105 `.app-report-*` rules in `src/styles/theme.css` for page layout, library split view, detail panel, nav, tables, filters, notifications, skeletons.

3.5 New Developer Tooling / Behavior

Addition	Detail
Demo mode indicator	Subtitle: "Sample data (no API token configured)"
API debug logging	VITE_REPORT_API_DEBUG=true
30s request timeout	AbortController in apiClient.ts
Silent bootstrap load	Initial 4 API calls with consolidated toast feedback

4. Fixes Applied in Final Audit Pass

Issue	Root cause	Fix	File(s)
Click report → redirect to Dashboard	API 401/403 called <code>redirectToLogin()</code> → <code>GuestRoute</code> sent user to /	Removed hard login redirect; inline errors	apiClient.ts
Selected report closes on load	<code>useEffect</code> cleared <code>reportId</code> while history empty	Guard with <code>isLoadingLibrary</code>	ReportLibrarySection.tsx
Preview re-fetches on refresh	<code>loadReportPreview</code> depended on history	Use <code>historyRef.current</code> ; stable callback	ReportsContext.tsx
Demo preview always errored	No <code>runConfig</code> on demo items	DEMO_PREVIEW_DATA + demo shortcut	reportDemoData.ts, ReportsContext.tsx

Schedule edit reset day fields	Hardcoded DayOfWeek/DayOfMonth	Preserve from API on ScheduledReport	scheduledReports.ts, reportApiMappers.ts, ReportsContext.tsx
429 / 422 / timeout	Generic messages	Dedicated handlers	reportApiErrors.ts, apiClient.ts

5. Authentication — Two Layers

Layer	Source	Purpose
UI session	AuthContext / demo login	Gates routes (RequireAuth)
API token	VITE_API_TOKEN or localStorage.Token	Report API Authorization: Bearer

- Demo login alone does NOT call the real Report API.
- Without API token → demo mode (reportDemoData.ts).
- With token → live data from staging/production API.

6. Setup (For Dev Team)

```
npm install
cp .env.example .env
npm run dev
```

Variable	Purpose
VITE_API_BASE	API root; empty in dev = Vite proxy
VITE_API_TOKEN	JWT for local dev
VITE_API_PROXY_TARGET	Proxy target (default: staging)
VITE_REPORT_API_DEBUG	Full API console logging
VITE_BASE_PATH	Router/asset base for deployment

7. Test Checklist

Must pass before merge

- ☐ /reports → /reports/library
- ☐ Click report → detail opens and stays open (wait 5+ seconds)
- ☐ Direct URL /reports/library/:id works after load
- ☐ Legacy ?tab=1 → Library, ?tab=0 → Insights
- ☐ All 4 sections navigate correctly
- ☐ New Report flow: template → configure → generate → opens in library
- ☐ With API token: library, schedules, templates, insights load from API

- ☐ 401/403 → inline error, no Dashboard redirect

Staging integration (with real token)

- ☐ Generate, save, download, email, delete report
- ☐ Pause, resume, edit schedule (verify day/time preserved)
- ☐ Preview loads for saved reports with stored filters

8. Known Limitations

ID	Item	Status
L1	Bulk export button disabled	"Coming soon"
L2	Schedule delete	API not supported
L3	Demo preview	Only 4 of 6 demo reports have sample rows
L4	New schedule create	Defaults DayOfWeek=monday, DayOfMonth=1
L5	Mobile layout	Split panel may need responsive pass below ~900px
L6	Automated tests	None yet — manual checklist only

9. File Map

New files

- src/app/pages/ReportsLayout.tsx
- src/app/pages/ReportsRedirect.tsx
- src/app/data/reportDemoData.ts
- src/app/services/accessToken.ts
- src/app/utils/reportCenterRoutes.ts
- src/app/components/reports/ReportCenterNav.tsx
- src/app/components/reports/ReportLibrarySection.tsx
- src/app/components/reports/ReportDetailPanel.tsx
- src/app/components/reports/ReportAttentionStrip.tsx
- src/app/components/reports/ReportsInsightsSection.tsx

Modified in this handoff (review these)

- src/app/pages/Reports.tsx
- src/app/routes.ts
- src/app/context/ReportsContext.tsx
- src/app/services/apiClient.ts
- src/app/utils/reportApiErrors.ts
- src/app/utils/reportApiMappers.ts
- src/app/data/scheduledReports.ts
- src/styles/theme.css

Unchanged API layer (do not modify without backend approval)

- src/app/types/reportApi.ts
- src/app/services/reportService.ts

- src/app/utis/reportPayloadBuilders.ts

10. Developer Onboarding — Read Order

1. src/app/routes.ts — new report routes
 2. src/app/utis/reportCenterRoutes.ts — URL building/parsing
 3. src/app/pages/Reports.tsx — page orchestration
 4. src/app/context/ReportsContext.tsx — data + actions
 5. src/app/services/reportService.ts — API calls
 6. src/app/types/reportApi.ts — request/response shapes
-

11. Rating & Path to 9.5+

Current rating: 8.3 / 10 — Ready for developer handoff.

To reach 9.5+:

1. Run full staging QA with real API token and tenant
 2. Add 5+ automated smoke tests (Playwright/Cypress)
 3. Responsive polish for library split view on mobile
 4. Fix or document any staging-only failures
-

12. Sign-off

Role	Name	Date	Notes
UI/UX delivery			
Dev lead review			
QA staging pass			
API compatibility confirmed			No backend changes required

Element P2P — Report Center Developer Handover · eluv82P2-screens