

Report Center — Developer Handover Document

Project: Element P2P — Report Center Module

Repository: eluv82P2-screens

Purpose: Show existing vs newly prepared work for developer onboarding

Handoff Rating: 8.3 / 10

API Policy: No backend changes — frontend adapts to existing API contract

Date: July 7, 2026

1. Executive Summary

The Report Center was redesigned from a **single-page horizontal-tab layout** into a **multi-route Report Center** with Library, Schedules, Templates, and Insights. All backend endpoints, payloads, and authentication behavior remain unchanged.

	Before (Existing)	After (New)
Entry	/reports (one page)	/reports → /reports/library
Navigation	Horizontal tabs (?tab=0-3)	Left sidebar nav + URL routes
Saved reports	Tab "Saved Reports"	Library with split list + detail panel
Overview	Default tab	Insights (separate route)
Report selection	In-tab state	URL-driven: /reports/library/:reportId
API layer	reportService.ts + envelope types	Same — reused, not replaced
Demo data	Limited / mixed	Dedicated reportDemoData.ts when no API token

2. What Already Existed (Unchanged / Retained)

2.1 Backend API Integration (No Contract Changes)

Item	Location	Notes
API envelope (TransactionStatus, Data, ResultMsg)	src/app/types/reportApi.ts	Unchanged
All Report API endpoints	src/app/services/reportService.ts	Same paths, methods, query params, bodies
Request payload builders	src/app/utls/reportPayloadBuilders.ts	GenerateReportRequest, SaveReportRequest; DelieveryOptions typo preserved
Response mappers	src/app/utls/reportApiMappers.ts	Maps API → UI models
HTTP client + envelope parsing	src/app/services/apiClient.ts	Same /api/Report/* pattern
API logging	src/app/utls/reportApiLogger.ts	Dev/debug logging

Endpoints still used (unchanged):

GetOverviewData · GetSavedReport · GetScheduleReport · GetReportTemplates · GenerateReport · SavedReport · DownloadReport · DeleteReport/:id · SchedulePauseAndResume · EditSchedule · SendSavedReportEmail

2.2 Core Report Features (Logic Retained)

Feature	Where it lives
Generate report	ReportTemplateDrawer → ConfigureReportPanel → generateReport()
Save report	ReportsContext.addFromGeneration() → saveReport()
Download	downloadReport() / downloadReportFile() + CSV fallback
Email	emailReport() → SendSavedReportEmail
Schedules pause/resume	pauseOrResumeSchedule()
Schedule edit	editSchedule()
Star / save (client-side)	localStorage via ReportsContext
Export utilities	src/app/utls/reportExport.ts

2.3 Shared UI Building Blocks (Existing Components)

- ReportTemplateDrawer.tsx — template pick + configure + generate flow
- ConfigureReportPanel.tsx — filters, schedule toggle, validation

- ReportGenerationViews.tsx — generating / success states
- ScheduleEditDrawer.tsx — edit schedule modal
- ReportEmptyState.tsx, ReportSkeletons.tsx, ReportSectionErrorBanner.tsx
- ReportDeleteConfirmDialog.tsx, ReportQuickActionDrawers.tsx
- reportUiStyles.ts, reportMotion.ts — styling and animation tokens

2.4 App Infrastructure (Existing)

Item	Location
Demo UI login (route gate only)	AuthContext.tsx
Sidebar “Reports” link	Sidebar.tsx → /reports
Vite dev proxy to staging API	vite.config.ts
Env template	.env.example

2.5 Legacy Aliases (Backward Compatibility)

Old name	New implementation
SavedReportsSection	Re-exports ReportLibrarySection
ReportsOverviewTab	Re-exports ReportsInsightsSection

3. What Was Newly Prepared (Built / Redesigned)

3.1 New Routing Architecture

Before: Single route /reports with internal tab state (?tab=0|1|2|3 Or ?section=...)

After: Dedicated routes under ReportsLayout:

Route	Section	Component
/reports	Redirect	ReportsRedirect.tsx → /reports/library
/reports/library	Library list	ReportLibrarySection
/reports/library/:reportId	Library + detail	ReportLibrarySection + ReportDetailPanel
/reports/schedules	Schedules	ScheduledReportsSection
/reports/templates	Templates	ReportTemplatesSection
/reports/insights	Insights	ReportsInsightsSection

New files:

- src/app/pages/ReportsLayout.tsx — wraps all report routes with ReportsProvider

- `src/app/pages/ReportsRedirect.tsx` — default landing + legacy URL redirects
- `src/app/utils/reportCenterRoutes.ts` — `buildReportCenterPath()` / `parseReportCenterPath()`

Legacy URL support:

- `?tab=0` → Insights, `?tab=1` → Library, `?tab=2` → Schedules, `?tab=3` → Templates
- `?section=library|schedules|templates|insights` → same paths

3.2 New UI / UX Structure

New piece	Purpose
<code>ReportCenterNav.tsx</code>	Left nav: Library, Schedules, Templates, Insights + collections
<code>ReportLibrarySection.tsx</code>	Replaces old Saved Reports tab — table, filters, pagination
<code>ReportDetailPanel.tsx</code>	Split-panel detail: Preview, Parameters, Schedule, Activity
<code>ReportAttentionStrip.tsx</code>	Running/failed report alerts with retry
<code>ReportsInsightsSection.tsx</code>	Replaces old Overview tab as dedicated Insights page
<code>Reports.tsx</code> (refactored)	Orchestrates nav, sections, drawers; URL-driven state

Default home changed: Library is now the landing page (was Overview/Insights in old tab order).

3.3 New State & Data Layer Additions

New item	Location	Purpose
ReportsLayout + provider scope	<code>ReportsLayout.tsx</code>	Single <code>ReportsProvider</code> for all <code>/reports/*</code> routes
Demo mode	<code>reportDemoData.ts</code>	Sample data when no API token
Access token resolver	<code>accessToken.ts</code>	<code>VITE_API_TOKEN</code> + <code>localStorage.Token</code> resolution
Library filters utils	<code>reportLibraryFilters.ts</code>	Collections, search, date/status filters
Report preview state	<code>ReportsContext.reportPreviews</code>	Per-report preview loading/error/data
URL-synced selection	<code>Reports.tsx</code> + <code>reportCenterRoutes.ts</code>	Selected report in URL

3.4 New Styles

~105 `.app-report-*` rules in `src/styles/theme.css` for page layout, library split view, detail panel, nav, tables, filters, notifications, skeletons.

3.5 New Developer Tooling / Behavior

Addition	Detail
Demo mode indicator	Subtitle: "Sample data (no API token configured)"
API debug logging	VITE_REPORT_API_DEBUG=true
30s request timeout	AbortController in apiClient.ts
Silent bootstrap load	Initial 4 API calls with consolidated toast feedback

4. Fixes Applied in Final Audit Pass

Issue	Root cause	Fix	File(s)
Click report → redirect to Dashboard	API 401/403 called redirectToLogin() → GuestRoute sent user to /	Removed hard login redirect; inline errors	apiClient.ts
Selected report closes on load	useEffect cleared reportId while history empty	Guard with isLoadingLibrary	ReportLibrarySection.tsx
Preview re- fetches on refresh	loadReportPreview depended on history	Use historyRef.current; stable callback	ReportsContext.tsx
Demo preview always errored	No runConfig on demo items	DEMO_PREVIEW_DATA + demo shortcut	reportDemoData.ts, ReportsContext.tsx
Schedule edit reset day fields	Hardcoded DayOfWeek/DayOfMonth	Preserve from API on ScheduledReport	scheduledReports.ts, reportApiMappers.ts, ReportsContext.tsx
429 / 422 / timeout	Generic messages	Dedicated handlers	reportApiErrors.ts, apiClient.ts

5. Authentication — Two Layers

Layer	Source	Purpose
UI session	AuthContext / demo login	Gates routes (RequireAuth)
API token	VITE_API_TOKEN or localStorage.Token	Report API Authorization: Bearer

- Demo login alone does NOT call the real Report API.

- Without API token → demo mode (reportDemoData.ts).
- With token → live data from staging/production API.

6. Setup (For Dev Team)

```
npm install
cp .env.example .env
npm run dev
```

Variable	Purpose
VITE_API_BASE	API root; empty in dev = Vite proxy
VITE_API_TOKEN	JWT for local dev
VITE_API_PROXY_TARGET	Proxy target (default: staging)
VITE_REPORT_API_DEBUG	Full API console logging
VITE_BASE_PATH	Router/asset base for deployment

7. Test Checklist

Must pass before merge

- ☐ /reports → /reports/library
- ☐ Click report → detail opens and stays open (wait 5+ seconds)
- ☐ Direct URL /reports/library/:id works after load
- ☐ Legacy ?tab=1 → Library, ?tab=0 → Insights
- ☐ All 4 sections navigate correctly
- ☐ New Report flow: template → configure → generate → opens in library
- ☐ With API token: library, schedules, templates, insights load from API
- ☐ 401/403 → inline error, no Dashboard redirect

Staging integration (with real token)

- ☐ Generate, save, download, email, delete report
 - ☐ Pause, resume, edit schedule (verify day/time preserved)
 - ☐ Preview loads for saved reports with stored filters
-

8. Known Limitations

ID	Item	Status
L1	Bulk export button disabled	"Coming soon"
L2	Schedule delete	API not supported
L3	Demo preview	Only 4 of 6 demo reports have sample rows
L4	New schedule create	Defaults DayOfWeek=monday, DayOfMonth=1
L5	Mobile layout	Split panel may need responsive pass below ~900px
L6	Automated tests	None yet — manual checklist only

9. File Map

New files

- src/app/pages/ReportsLayout.tsx
- src/app/pages/ReportsRedirect.tsx
- src/app/data/reportDemoData.ts
- src/app/services/accessToken.ts
- src/app/utils/reportCenterRoutes.ts
- src/app/components/reports/ReportCenterNav.tsx
- src/app/components/reports/ReportLibrarySection.tsx
- src/app/components/reports/ReportDetailPanel.tsx
- src/app/components/reports/ReportAttentionStrip.tsx
- src/app/components/reports/ReportsInsightsSection.tsx

Modified in this handoff (review these)

- src/app/pages/Reports.tsx
- src/app/routes.ts
- src/app/context/ReportsContext.tsx
- src/app/services/apiClient.ts
- src/app/utils/reportApiErrors.ts
- src/app/utils/reportApiMappers.ts
- src/app/data/scheduledReports.ts
- src/styles/theme.css

Unchanged API layer (do not modify without backend approval)

- src/app/types/reportApi.ts

- src/app/services/reportService.ts
 - src/app/utis/reportPayloadBuilders.ts
-

10. Developer Onboarding — Read Order

1. src/app/routes.ts — new report routes
 2. src/app/utis/reportCenterRoutes.ts — URL building/parsing
 3. src/app/pages/Reports.tsx — page orchestration
 4. src/app/context/ReportsContext.tsx — data + actions
 5. src/app/services/reportService.ts — API calls
 6. src/app/types/reportApi.ts — request/response shapes
-

11. Rating & Path to 9.5+

Current rating: 8.3 / 10 — Ready for developer handoff.

To reach 9.5+:

1. Run full staging QA with real API token and tenant
 2. Add 5+ automated smoke tests (Playwright/Cypress)
 3. Responsive polish for library split view on mobile
 4. Fix or document any staging-only failures
-

12. Sign-off

Role	Name	Date	Notes
UI/UX delivery			
Dev lead review			
QA staging pass			
API compatibility confirmed			No backend changes required

Element P2P — Report Center Developer Handover · eluv82P2-screens