2020

Dijana Lazić 19/18



[WEB PROGRAMIRANJE PHP 1]

https://elkevinhartstore.000webhostapp.com/

Sadržaj

Uvod		3
Korišćeni programs	ski jezici	2
Opis funkcionalnos	ti	3
Template		4
Organizacija		5
Organizaciona šem	a	6
Mapa sajta		7
Slike stranica I opis	i funkcionalnosti	8
Kodovi		9
Index.php		10
Views		11
Fixed		11
head	.php	11
nav.p	ohp	11
home	e.php	11
foote	er.php	11
Pages		11
categ	gories.php	11
produ	ucts.php	11
pagin	nacija.php	11
produ	uct.php	11
regist	ter.php	11
login	.php	11
conta	act.php	11
autho	or.php	11
	nik	
	anketa.php	11
	korpa.php	11

	Admin		11
	Produ	cts2	11
		products.php	11
		new.php	11
		update.php	11
	Users		11
		users.php	11
		update.php	11
	Surve	ys2	11
		surveys.php	11
	Order	s	11
		orders.php	11
	Messa	ages	11
		contact.php	11
Mod	ules		11
	register.php		11
	login.php		11
	logout.php		11
	contact.php		11
	vote.php		11
	voteresults.php		11
	cartproducts.php		11
	order.php		11
	functions.php		11
	Admin		11
	Products		11
	delete	php2	11
	insert	.php2	11
	updat	e.php2	11
	Users		11
	delete	e.php	11
	updat	e.php	11

Surveys	11
insert.php	11
change.php	11
Orders	11
change.php	11
Messages	11
change.php	11
Config	11
connection.php	11
Assets	11
bootystrap	11
CSS	11
style.css	11
img	12
js	13
·	
main.js	

Uvod

Korišćeni programski jezici

Prilikom izrade ovog sajta, ušli su u obzir sledeći jezici:

- ➤ HTML5
- > XML
- > CSS3
- > SASS
- JavaScript
- > jQuery
- ➤ PHP
- > SQL

^{*}Pisano u Visual Studio Code-u

Opis funkcionalnosti

Pre samog početka, treba naglasiti da se ceo sadržaj realizuje kroz index.php stranicu koja, u zavisnosti od prosleđenog parametra (poput *page-a*), menja svoju centralnu esenciju. Naime, svakom ko pristupa sajtu se prikazuje ceo skup proizvoda, premda korisnik nije ulogovan. Ergo, može da vidi sve, šta više i da pošalje poruku. Ukoliko ipak naumi da postane registrovani korisnik, mora prvo da napravi nalog, potom da se uloguje (sve je ovo praćeno proverom podataka sa klijentske kao i sa serverske strane!) i samim tim dobije pravo pristupa anketi, njenim rezultatima i korpi za naručivanje. Pak, ako administrator nastupi na scenu, dobiće admin panel i moć menjanja proizvoda, dodavanja novih i brisanja (isto važi i za ostala svojstva poput korisnika, anketi, narudžbina i poruka).

**Ukoliko nema pristup nekoj od stranica, osoba koja je to pokušala da uradi, se prosto redirektuje na neku drugu, njemu prikladnu.


Tempate

*S obzirom na to da se nije koristio nijedan template, ručno se pisao kod.(uz malu pomoć bootstrapa)

**Takođe će se usput opisivati I njihove funkcije, jer je autor poprilično izmoren



Sa leve strane je izlistan meni (prethodno uzet iz baze), koji se jedino menja ukoliko se neko uloguje (umesto *account* se ispiše, u skladu s ulogom osobe ili *user* ili *admin panel*). Naspram nje je dinamički ispisana lista društvenih mreža I ukupna količina proizvoda u korpi koja se menja u zavisnosti od njenog dodavanja(isto dinamički).



Prva četiri proizvoda iz kategorija **T-shirts** (koji takođe ima dodatnu opciju da klikom na *view all* prikaže sve proizvode iz te kategorije) I **Hoodies** se ispisuje na **home.php** stranici pomoću baze. Pojedinačnim klikom se prikazuju detalji svakog, ali za to ne menjajte kanal.





Specijalna ponuda (jedina od svoje vrste) prikazana poput I drugih pojedinačnih proizvoda, dakle sa svim svojim detaljima(naravno,iz baze). Međutim, korisnik I dalje nema opciju da naruči, jer se nije ulogovao!!!

footer.php		CET COLLIFORED	
AUTHOR DOCUMENTATION		GET CONNECTED f □ ✓	
	©2020 KEVIN HART STORE	.mreze	




Kratak opis (remek) dela.



Ispis svih kategorija (dovučen iz baze). Elem, ukoliko se klikne na neku od njih:



Ispisuju se po četiri proizvoda (s naglaskom na **SOLD OUT**, ukoliko **NIJEDAN** nije na stanju vise, što saznajemo naravno na osnovu baze). Ostatak se paginacijom, pojavljuje, zamenjujući mesta prethodnicima.



Detalji svakog proizvoda na jednom mestu (iz baze), među kojima su : njegova slika, naziv, cena, veličine I opis, naravno ispisane sve iz baze.

^{*}Mini meni, takođe iz baze dohvaćen, omogućava iole lakše kretanje kroz sajt, u zavisnosti od proizvoda





Korpica I dalje neostupna, jer kao što smo do sad zaključili, ukoliko se ne ulogujemo, ne možemo ni da je vidimo/koristimo.



Meni se menja na svim drugim stranicama (dobija **logo sličicu, za razliku na **home.php** stranici)

ULOGOVAN KORISNIK






Sad, zahvaljujućI svojim privilegijama, korisnik može da odgovori na anketu I vidi sve rezultate:



^{**}Ukoliko je već glasao, prikazuje mu se obaveštenje. U suprotnom, zanimljiva poštapalica praćena sličicom kao znak potvrde.



Ovaj sadržaj menja svoj izgled nakon logovanja, dobivši opciju ubacivanja proizvoda u korpu, ukoliko pre toga izabere veličinu (do tada je *disabled*). Dinamički se menjajući ih, ispisuje da li je na stanju u toj veličini (**ADD TO CART**) ili ne (**SOLD OUT**). Takođe, može da povećava/smanjuje količinu istog.

Ukoliko proizvod nema veličinu (poput **PHONE CASES ili **HATS**, ne prikazuje se lista sa veličinama).




U korpi su prikazani detalji izabranih proizvoda za naručivanje, kao što su slika, naziv, veličina, količina, ukupna cena tog proizvoda i celokupne nabavke. Ukoliko želi, korisnik može da ukloni proizvod iz korpe.


*U meniju se ispisala ukupna količina u korpi i dinamički se uvek menja u zavisnosti od sadržine.

U slučaju da je korisnik kliknuo na dugme **BUY, ispisalo mu se na dnu obaveštenje i ispraznila korpa.

DA BI SE DOŠLO DO SVEGA OVOGA MORA SE PROĆI KROZ OVE KORAKE:



Proveravaju se podaci na klijentskoj strani pomoću JS-a, potom ukoliko su korektni, šalju AJAX-om do contact.php stranice, koja ih takođe prekontroliše. Nakon graničnih provera, šalju se bazi i pravi se nalog





Za logovanje je takođe omogućena provera kod klijenta funkcijom koja sprečava direktno submitovanje forme ukoliko nije validna. U suprotnom se pravi sesija i transformiše sadržaj sajta.



Ova stranica dopušta svakom posetiocu (bio on ulogovan ili ne) da pošalje poruku i time kontaktira administratora. Proveraju se podaci i shodno tome šalju bazi.

ULOGOVAN ADMINISTRATOR






Izlistani svi proizvodi po redu kakvim kategorijama pripadaju. Njihova dostupnost u veličinama je obojena u skladu sa tim. Kraj toga su dve moguće opcije manipulisanja njima- promena i brisanje.

update.php		
	Atyn black lee	
	1500	
	100% cetten t-shirt, made tag-less for your comfort. Black t-shirt with multi-colored ink print on the front	
	Black bahirt with multi-colored ink print on the front Featuring the original WTM design from Kevin Hartl	
	T-shirts *	
	SM MD . ALD . AL	
	PICTURE SRC:	
	ATM TEEping	
	PICTURE ALT:	
	Acro-F-shirt	
	Change	

Izabrali ste **UPDATE**? Ne brinite, popunili su se direktno svi podaci tog proizvoda u formi, na vama je samo da birate šta ćete da menjate. Obrisali ste? (kao što je moj brat tako da izvinite na poslednjoj majici što je izrod i poslednji dodat proizvod i time ispao iz toka, kao i ja iz takta...)




U gornjem levom uglu je polunaslov/polulink koji otvara novu stranicu sa formom u skladu sa očekivanjem:

new.php	MAG	
	MCI:	
	oscarton	
	CATIGORY Change #	
	AMALANIEN VICES	
	PICHAS SEC	
	州 代刊報 4月	
	Trant	

Proveravaju se podaci i AJAX-om šalju products/insert.php stranici koja takođe istu funkciju vrši.

**Ukoliko se izabere kategorija koja nema veličine, checkboxovi sa njima se sklanjaju i šalju kao null



Uvid u korisnike, njihove detalje i uloge. Admin može da ih izbriše ili izmeni:


**Direkt iz baze popunjeni:




surveys.php	NEW SURVEY	CURRENTLY ACTIVE
Questio	në	What next product should The Great Kev release?
Respons	sex 1/2/3	Activate Deactivate Delete
		RESULTS
	Insert	
	BACKPACK BEANIE	
	SOCKS	

Sve u vezi sa anketama ovog sajta na jednom mestu. Unos nove, (de)aktiviranje postojećih, kao i njihovo brisanje i prikaz rezultata.

**Samo JEDNA može biti trenutno aktivna!!!



Novopristigle poruke imaju opciju da se "seen-uju", a svaka ponaosob i da se obriše od strane admina.



Narudžbine svakog od korisnika prikazane na prethodnoj slici ukazuju na to da mogu se vide detalji tj konkretni sadržaji svake. Otud, klikom na **DETAILS**, skoči modal sa podacima poput ovog:



^{**}Brisanjem narudžbine se briše **SVE** što je korisnik hteo da kupi!!!


<u>Organizacija</u>

Organizaciona šema:

baze

sajta





Mapa sajta

<u>Kodovi</u>

1)INDEX.PHP-HOME PAGE

```
<?php
session_start();
ob_start();
require_once("config/connection.php");
require_once("modules/functions.php");
require_once("views/fixed/head.php");
if (isset($_GET["page"])) :
    $page = $_GET["page"];
    if ($page == "home") : ?>
        <nav class="navbar navbar-expand-lg navbar-light h1 mb-5 pt-5"</pre>
id="navigacija">
            <?php require_once("views/fixed/nav.php"); ?>
    <?php else : ?>
        <div class="omotac mb-3">
            <nav class="navbar navbar-expand-lg navbar-light mb-5 pt-5 container-</pre>
fluid">
                <a href="index.php">
                     <img src="assets/img/LOGO.png" alt="Logo" class="manje"</pre>
title="Home page">
                </a>
                <?php require_once("views/fixed/nav.php"); ?>
            </nav>
        </div>
    <?php endif ?>
<?php else : ?>
    <nav class="navbar navbar-expand-lg navbar-light h1 mb-5 pt-5 "</pre>
id="navigacija">
        <?php require_once("views/fixed/nav.php"); ?>
    </nav>
<?php endif ?>
<!--sadrzaj -->
<?php
if (isset($_GET['page'])) {
```

```
$page = $_GET['page'];
switch ($page) {
   case 'home':
        require_once("views/fixed/home.php");
        break;
    case 'categories':
        require_once("views/pages/categories.php");
        break;
    case 'products':
        require_once("views/pages/products.php");
        break;
    case 'product':
        require_once("views/pages/product.php");
        break;
    case 'contact':
        require_once("views/pages/contact.php");
    case 'register':
        require once("views/pages/register.php");
    case 'login':
        require_once("views/pages/login.php");
    case 'logout':
        require_once("modules/logout.php");
        break;
    case 'survey':
        require_once("views/pages/korisnik/anketa.php");
        break;
    case 'cart':
        require_once("views/pages/korisnik/korpa.php");
        break;
    case 'admin-products':
        require once("views/pages/admin/products/products.php");
        break;
    case 'admin-users':
        require_once("views/pages/admin/users/users.php");
        break;
    case 'admin-surveys':
        require_once("views/pages/admin/surveys/surveys.php");
        break;
    case 'admin-orders':
        require_once("views/pages/admin/orders/orders.php");
        break;
   case 'admin-contact':
```

```
require_once("views/pages/admin/messages/contact.php");
            break;
        case 'products-update':
            require_once("views/pages/admin/products/update.php");
            break;
        case 'users-update':
            require_once("views/pages/admin/users/update.php");
            break;
        case 'new-product':
            require_once("views/pages/admin/products/new.php");
            break;
        //najbolje za kraj
        case 'author':require_once("views/pages/author.php");break;
        default:
            require_once("views/fixed/home.php");
            break;
} else {
    require_once("views/fixed/home.php");
<!-- futer -->
<?php require_once("views/fixed/footer.php"); ?>
```

VIEWS

FIXED

1)HEAD.PHP

```
<!DOCTYPE html>
<html lang="en">
<meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta name="keywords" content="store,t-shirts,hoodies,jackets,phone-</pre>
cases,hats,Kevin,Hart"/>
    <meta name="author" content="Dijana Lazic" target="_blank"/>
    <meta name="description" content="I think you'll look very good in these...SO</pre>
stop scrolling and get yourself one of kind clothing! "/>
    <!--linkovi-->
    <link rel="stylesheet" type="text/css" href="assets/bootstrap-4.3.1-</pre>
dist/css/bootstrap.min.css"/>
    <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
    <link rel="shortcut icon" href="assets/img/short.ico"/>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
    <title>Kevin Hart Store</title>
</head>
```

2)NAV.PHP

```
continue;
           if (($rm->naziv == "User")) {
               if (!isset($_SESSION['korisnik'])) {
                   continue;
                } elseif ($ SESSION['korisnik']->uloga == 'Admin') {
                   continue;
                }
           if ($rm->naziv == "Admin panel") {
               if (!isset($_SESSION['korisnik'])) {
                   continue;
               } elseif ($_SESSION['korisnik']->uloga == 'Korisnik') {
                   continue;
                }
           if ($rm->naziv == "Contact") {
                if (isset($_SESSION['korisnik']) && ($_SESSION['korisnik']->uloga
== 'Admin')) {
                   continue;
                }
           if ($rm->putanja == "#") {
               $rpodmeni = $conn->prepare("SELECT * FROM meni WHERE
roditelj=:roditelj ORDER BY pozicija");
               $rpodmeni->bindParam(":roditelj", $rm->idMenija);
               $rpodmeni->execute();
               if ($rpodmeni->rowCount() > 0) {
                   $rpodmeni = $rpodmeni->fetchAll();
                   echo "
                       <a class='nav-link crveno h4 dropdown-toggle' href='$rm-</pre>
>putanja' id='navbarDropdown' role='button' data-toggle='dropdown' aria-
haspopup='true' aria-expanded='false'>
                       $rm->naziv
                       </a><div class='dropdown-menu border' aria-
labelledby='navbarDropdown'>";
                   foreach ($rpodmeni as $rpm) {
                       echo "<a class='dropdown-item crveno py-2 crno'
href='$rpm->putanja'>$rpm->naziv</a>";
                   }
```

```
} else {
              echo "
              <a class='nav-link crveno h4' href='$rm->putanja'> $rm->naziv
<span class='sr-only'>(current)</span></a>
              ";
       endforeach ?>
       <?php
       if (isset($ SESSION['korisnik']) && ($ SESSION['korisnik']->uloga ==
'Admin')) {
          echo "
              <a class='nav-link crveno h4' href='index.php?page=logout'>
Logout <span class='sr-only'>(current)</span></a>
              ";
   <div class="mr-3 mreze ml-5">
       <a href="index.php?page=cart">
          <i id="ukorpi"></i>
           <i class="crveno fa fa-shopping-cart ml-1 mr-4" aria-</pre>
hidden="true"></i>
       </a>
   </div>
</div>
```

3)HOME.PHP

```
<?php foreach ($upit as $red) : ?>
            <div class="col-lg-3">
                <a href="index.php?page=product&id=<?= $red->pId ?>">
                        <img src="assets/img/<?= $red->sput ?>" alt="<?= $red-</pre>
>altic ?>" class="w-100">
                        <caption><?= $red->pnaz ?>
                        <?php $imal = $conn->prepare("SELECT sp.naStanju as ima
FROM proizvod p inner JOIN stanjeproizvoda sp on p.idProizvoda=sp.proizvodID
where p.idProizvoda=:id group by p.idProizvoda,sp.naStanju order by sp.naStanju
desc");
                                $id = $red->pId;
                                $imal->bindParam(":id", $id);
                                $imal->execute();
                                foreach ($imal as $i):
                                <?php if ($i->ima == 1) : ?>
                                    $<?= $red->pcena ?>
                                    <?php break; ?>
                                <?php else : ?>
                                    Sold out
                                <?php endif ?>
                            <?php endforeach; ?>
                        </caption>
                    </figure>
                </a>
            </div>
        <?php endforeach ?>
    </div>
    <div class="row">
        <a href="index.php?page=products&id=1" class="btn btn-lg active mx-auto"</pre>
role="button" aria-pressed="true">View all</a>
    </div>
    <div class="row my-5">
        <h2 class="mx-auto">Hoodies</h2>
    </div>
    <?php
    $upit = $conn->query("select k.naziv as katnaz,s.putanja as sput,s.opis as
altic,p.idProizvoda as pId,p.naziv as pnaz,p.cena as pcena from kategorija k
inner join proizvod p on k.idKategorije=p.kategorijeID inner join slika s on
p.slikeID=s.idSlike inner join stanjeproizvoda pv on p.idProizvoda=pv.proizvodID
where k.naziv='Hoodies' group by p.naziv order by p.naziv desc limit 4")-
>fetchAll(); ?>
```

```
<div class="row text-center">
        <?php foreach ($upit as $red) : ?>
            <div class="col-lg-3">
                <a href="index.php?page=product&id=<?= $red->pId ?>">
                        <img src="assets/img/<?= $red->sput ?>" alt="<?= $red-</pre>
>altic ?>" class="w-100">
                        <caption><?= $red->pnaz ?>
                            <?php $imal = $conn->prepare("SELECT sp.naStanju as
ima FROM proizvod p inner JOIN stanjeproizvoda sp on p.idProizvoda=sp.proizvodID
where p.idProizvoda=:id group by p.idProizvoda, sp.naStanju order by sp.naStanju
desc");
                                $id = $red->pId;
                                $imal->bindParam(":id", $id);
                                $imal->execute();
                                foreach ($imal as $i) :
                                <?php if ($i->ima == 1) : ?>
                                    $<?= $red->pcena ?>
                                    <?php break; ?>
                                <?php else : ?>
                                    Sold out
                                <?php endif ?>
                            <?php endforeach; ?>
                    </figure>
               </a>
            </div>
        <?php endforeach ?>
    </div>
    <?php
    $jedinac = $conn->query("select p.idProizvoda as pId,p.naziv as pnaz,p.cena
as pcena,p.opis as popis,s.putanja as sput,s.opis as altic from proizvod p inner
join slika s on p.slikeID=s.idSlike inner join kategorija k on
p.kategorijeID=k.idKategorije inner join stanjeproizvoda pv on
p.idProizvoda=pv.proizvodID where k.naziv='Jackets' group by p.naziv order by
p.naziv desc limit 1")->fetch(); ?>
    <div class="row my-5 py-5">
        <div class="col-lg-6">
        <a href="index.php?page=product&id=<?= $jedinac->pId ?>">
```

```
<img src="assets/img/<?= $jedinac->sput ?>" alt="<?= $jedinac->altic
?>" class="w-100 nopa">
       </a>
       </div>
       <div class="col-lg-6 my-auto">
           <?= $jedinac->pnaz ?>
           <?php $imal = $conn->prepare("SELECT sp.naStanju as ima FROM proizvod
p inner JOIN stanjeproizvoda sp on p.idProizvoda=sp.proizvodID where
p.idProizvoda=:id group by p.idProizvoda, sp.naStanju order by sp.naStanju desc");
           $id = $jedinac->pId;
          $imal->bindParam(":id", $id);
          $imal->execute();
          foreach ($imal as $i) :
              <?php if ($i->ima == 1) : ?>
                     $<?= $jedinac->pcena ?>
                     <?php break; ?>
                  <?php else : ?>
                     Sold out
                  <?php endif ?>
              <?php endforeach; ?>
           <?php
              $opis = $jedinac->popis;
              $pojedinacniOpisi = explode(".", $opis);
              foreach ($pojedinacniOpisi as $pOp) {
                  echo "$pOp";
           <i>This jacket is one of a kind, like you. But
there are few left in stock. Go get yours now!</i>
           <!-- velicine -->
           <?php
           $velicine = $conn->query("select * from velicina")->fetchAll(); ?>
          <select name="" id="velicine" class="my-5 ml-3">
              <?php foreach ($velicine as $v) : ?>
                  <option value="<?= $v->idVelicine ?>"><?= $v->naziv ?>-(<?=</pre>
$v->skracenica ?>)</option>
              <?php endforeach ?>
          </select><br>
          <?php if (isset($_SESSION['korisnik'])) : ?>
```

4)FOOTER.PHP

```
<div class="omotac my-5 border-top">
   <div class="row text-center pt-5">
       <div class="col-lg-4">
          <h6>Lingus</h6>
          <a href="index.php?page=author"</pre>
class="crveno">Author</a>
             <a href="documentation.pdf"</pre>
class="crveno" target="_blank">Documentation</a>
          </div>
       <div class="col-lg-4">
          What's up? Not the prices on
www.elkevinhartstore.com 
          <h6>&copy;2020 Kevin Hart Store</h6>
       </div>
       <div class="col-lg-4 mreze">
          <h6>Get connected</h6>
       </div>
   </div>
</div>
<script src="https://code.jquery.com/jquery-3.4.1.js"></script>
<script src="assets/js/main.js"></script>
<script type="text/javascript" src="assets/bootstrap-4.3.1-</pre>
dist/js/bootstrap.min.js"></script>
```

PAGES

1)CATEGORIES.PHP

```
<div class="omotac">
   <nav aria-label="breadcrumb">
       <a href="index.php">Home</a>
           current="page">Collections
       </nav>
   <div class="row border-bottom my-5">
       <div class="col-lg-6">
       <h1>Categories</h1>
       </div>
       <div class="col-lg-6 text-right">
              <i>"Make your mirrors look sexier... "</i></i>
       </div>
   </div>
   <div class="row text-center my-5">
       <?php $rkategorije = $conn->query("select k.idKategorije as kid,k.naziv
as katnaz, p.idProizvoda as pId,p.naziv as pnaz,p.cena as pcena,s.putanja as
sput, s. opis as altic from kategorija k inner join proizvod p on
k.idKategorije=p.kategorijeID inner join slika s on p.slikeID=s.idSlike group by
k.naziv order by k.naziv desc")->fetchAll(); ?>
       <div class="row">
           <?php foreach ($rkategorije as $rkat) : ?>
              <div class="col-lg-3">
                  <a href="index.php?page=products&id=<?= $rkat->kid ?>">
                      <figure>
                         <img src="assets/img/<?= $rkat->sput ?>" alt="<?=</pre>
$rkat->altic ?>" class="w-100">
                         <caption><?= $rkat->katnaz ?></caption>
                      </figure>
                  </a>
              </div>
           <?php endforeach ?>
       </div>
   </div>
 /div>
```

2)PRODUCTS.PHP

```
<?php if (isset($ GET['id'])) :</pre>
   $ajdi = $_GET['id'];
   require once("paginacija.php");
   $rproizvodi = $conn->prepare("SELECT pv.naStanju as ima, k.naziv as katnaz,
p.idProizvoda as pId,p.naziv as pnaz,p.cena as pcena,s.putanja as sput,s.opis as
altic from kategorija k inner join proizvod p on k.idKategorije=p.kategorijeID
inner join slika s on p.slikeID=s.idSlike inner join stanjeproizvoda pv on
p.idProizvoda=pv.proizvodID WHERE k.idKategorije=:id group by p.naziv order by
p.naziv desc limit $limit offset $offset");
   $rproizvodi->bindParam(":id", $ajdi);
   $rproizvodi->execute();
   if ($rproizvodi->rowCount() > 0) :
       $rproizvodi = $rproizvodi->fetchAll();
       <div class="omotac border-top">
          <nav aria-label="breadcrumb ">
              <a href="index.php">Home</a>
                  <a</pre>
href="index.php?page=categories">Collections</a>
                  <?php foreach ($rproizvodi as $rpr) : ?>
                         <?php echo $rpr->katnaz;
                                   break; ?>
                     <?php endforeach ?>
                  </nav>
          <div class="row border-bottom my-5">
              <?php foreach ($rproizvodi as $rpr) : ?>
                  <h2><?php echo $rpr->katnaz;
                                break; ?></h2>
              <?php endforeach ?>
          </div>
          <div class="row text-center">
              <?php foreach ($rproizvodi as $rpr) : ?>
                  <div class="col-lg-3">
                     <a href="index.php?page=product&id=<?= $rpr->pId ?>">
                         <figure>
                            <img src="assets/img/<?= $rpr->sput ?>" alt="<?=</pre>
$rpr->altic ?>" class="w-100">
                           <caption><?= $rpr->pnaz ?>
```

```
<?php $imal = $conn->prepare("SELECT
sp.naStanju as ima FROM proizvod p inner JOIN stanjeproizvoda sp on
p.idProizvoda=sp.proizvodID where p.idProizvoda=:id group by
p.idProizvoda,sp.naStanju order by sp.naStanju desc");
                                            $id = $rpr->pId;
                                            $imal->bindParam(":id", $id);
                                            $imal->execute();
                                            foreach ($imal as $i) :
                                     <?php if ($i->ima == 1) : ?>
                                         $<?= $rpr->pcena
?>
                                        <?php break; ?>
                                     <?php else : ?>
                                         Sold out
                                     <?php endif ?>
                                 <?php endforeach; ?>
                             </caption>
                          </figure>
                      </a>
                  </div>
              <?php endforeach ?>
           <div class="row justify-content-center">
               <nav aria-label="Page navigation example">
                  <?php for ($i = 0; $i < $pagesCount; $i++) : ?>
                          <a class="crno page-link"</pre>
crveno" href="<?php</pre>
$putanja = $_SERVER["PHP_SELF"] . "?" . $_SERVER["QUERY_STRING"] . "&broj=" . ($i
+ 1);
echo substr(putanja, 0, 33). "&broj=" . (i + 1); ?>"><?= i + 1?></a>
                      <?php endfor ?>
                  </nav>
           </div>
       <?php endif ?>
       </div>
   <?php else : ?>
       <?php header("Location:index.php?page=categories"); ?>
   <?php endif ?>
```

3)PAGINACIJA.PHP

4)PRODUCT.PHP

```
<?php if (isset($ GET['id'])) :</pre>
   $ajdi = $_GET['id'];
   $rproizvod = $conn->prepare("SELECT pv.naStanju as ima,pv.velicinaID as
vid, p.opis as popis, k.idKategorije as kid, k.naziv as katnaz, p.idProizvoda as
pId,p.naziv as pnaz,p.cena as pcena,s.putanja as sput,s.opis as altic from
kategorija k inner join proizvod p on k.idKategorije=p.kategorijeID inner join
slika s on p.slikeID=s.idSlike inner join stanjeproizvoda pv on
p.idProizvoda=pv.proizvodID WHERE p.idProizvoda=:id group by p.naziv");
   $rproizvod->bindParam(":id", $ajdi);
   $rproizvod->execute();
   if ($rproizvod->rowCount() == 1) :
      $rpr = $rproizvod->fetch();
<div class="omotac border-top text-center">
   <nav aria-label="breadcrumb">
      <a href="index.php">Home</a>
          <a</pre>
href="index.php?page=categories">Collections</a>
```

```
<?= "<a href='index.php?page=products&id=$rpr->kid'>$rpr-
>katnaz</a>"; ?>
           <?= $rpr->pnaz ?>
           </nav>
   <div class="omotac">
       <div class="row ">
           <div class="col-lg-6">
               <img src="assets/img/<?= $rpr->sput ?>" alt="<?= $rpr->altic ?>"
class="w-100"/>
           </div>
           <div class="col-lg-6 my-auto text-left">
               <h3 class="h1 font-weight-bold"><?= $rpr->pnaz ?></h3>
               $<?= $rpr->pcena ?>
               <?php if ($rpr->vid != null) : ?>
                   <?php $velicine = $conn->query("select * from velicina")-
>fetchAll(); ?>
                   <select name="" id="velicine" class="mt-5 " data-</pre>
idproizvoda="<?= $rpr->pId ?>">
                   <option value="0"> Choose...</option>
                       <?php foreach ($velicine as $v) : ?>
                          <option value="<?= $v->idVelicine ?>"><?= $v->naziv
?>-(<?= $v->skracenica ?>)</option>
                      <?php endforeach ?>
                   </select><br>
               <?php else : ?>
               <?php endif ?>
               <input type="number" class="pl-5" name="" id="kolicinski"</pre>
value="1" min="1" max="50" data-idproizvoda="<?= $rpr->pId ?>">
               <?php if (isset($ SESSION['korisnik'])) : ?>
                   <?php $imal = $conn->prepare("SELECT sp.naStanju as
ima,sp.velicinaID as vid FROM proizvod p inner JOIN stanjeproizvoda sp on
p.idProizvoda=sp.proizvodID where p.idProizvoda=:id group by
p.idProizvoda,sp.naStanju order by sp.naStanju desc");
                              $id = $rpr->pId;
                              $imal->bindParam(":id", $id);
                              $imal->execute();
                              foreach ($imal as $i) :
                      <?php if ($i->ima == 1) : ?>
```

```
<?php if ($i->vid != null) : ?>
                                 <button type="submit" id="dodajUkorpu"</pre>
name="dodajUkorpu" data-idproizvoda="<?= $rpr->pId ?>" class="btn mb-5"
disabled>Gotta choose size first</button>
                          <?php else : ?>
                                 <button type="submit" id="dodajUkorpu"</pre>
name="dodajUkorpu" data-idproizvoda="<?= $rpr->pId ?>" class="btn mb-5">Add to
cart</button>
                          <?php endif ?>
                          <?php break; ?>
                      <?php else : ?>
                          <br>
                          <button class="btn mb-5" disabled>Sold out</button>
                      <?php endif ?>
                  <?php endforeach; ?>
               <?php else : ?>
                  To order, gotta <a</pre>
href="index.php?page=login" class="crveno">login</a> first!
              <?php endif ?>
               <div id="ima-il-nema"></div>
              <?php
                          $opis = $rpr->popis;
                          $pojedinacniOpisi = explode(".", $opis);
                          foreach ($pojedinacniOpisi as $pOp) {
                              echo "$pOp";
               </div>
       </div>
   </div>
<?php endif ?>
</div>
<?php else : ?>
   <?php header("Location:index.php?page=categories"); ?>
<?php endif ?>
```

5)REGISTER.PHP

```
<div class="omotac border-top my-5">
    <div class="container pt-5">
        <div class="row ">
            <div class="col-lg-6 mx-auto text-center">
                 <h2>Create account</h2>
                <form action="#">
                     <input type="text" name="ime" id="ime" placeholder="First</pre>
name" class="form-control">
                     <span></span>
                     <input type="text" name="prezime" id="prezime"</pre>
placeholder="Last name" class="form-control">
                     <span></span>
                     <input type="text" name="username" id="username"</pre>
placeholder="Username" class="form-control">
                     <span></span>
                     <input type="text" name="mejl" id="mejl" placeholder="Email"</pre>
class="form-control">
                     <span></span>
                     <input type="password" name="sifra" id="sifra"</pre>
placeholder="Password" class="form-control">
                     <span></span><br>
                     <button type="button" id="btnkreirajnalog" class="btn btn-</pre>
dark my-3">Create</button><br>
                     <a href="index.php" class="crveno">Return to store</a>
                     <div id="poruka" class="mt-3 py-3"></div>
                </form>
            </div>
        </div>
    </div>
 /div>
```

6)LOGIN.PHP

```
<div class="omotac border-top my-5">
<div class="container pt-5">
    <div class="row ">
        <div class="col-lg-6 mx-auto ">
            <div class="row">
                <div class="col-lg-6">
                     <h2>Log in</h2>
                </div>
                <div class="col-lg-6 pt-3 text-right">
                     <a href="index.php?page=register" class="crveno">Create
account</a>
                </div>
            </div>
            <form action="modules/login.php" onsubmit=" return proveraLogina()"</pre>
class="text-center" method="post">
                <input type="text" name="mejl" id="mejl" placeholder="Email"</pre>
class="form-control">
                <span></span>
                <input type="password" name="sifra" id="sifra"</pre>
placeholder="Password" class="form-control">
                <span></span><br>
                <button type="submit" name="btnulogujse" class="btn btn-dark my-</pre>
3">Sign in</button><br>
                <a href="index.php" class="crveno">Return to store</a>
                <div id="poruka" class="mt-3 py-3 ">
                     <?php
                         if(isset($_SESSION["greske"])){
                             foreach($_SESSION["greske"] as $greska){
                                 echo $greska;
                             unset($_SESSION["greske"]);
                </div>
            </form>
        </div>
    </div>
</div>
(/div>
```

7)CONTACT.PHP

```
<div class="omotac border-top my-5">
<div class="container pt-5">
    <div class="row">
        <div class="col-lg-6">
            <h1>Contact</h1>
        </div>
        <div class="col-lg-6 text-center">
            <form action="" class="form-group">
                <input type="text" name="" id="ime" placeholder="Name"</pre>
class="form-control"><span></span>
                <input type="text" name="" id="mejl" placeholder="Email"</pre>
class="form-control my-3"><span></span>
                <textarea name="" id="poruka" cols="30" rows="10"</pre>
placeholder="Message" class="form-control my-2"></textarea><span></span>
               <button type="button" id="kontaktiraj" class="btn btn-dark mt-3</pre>
float-right">Submit</button>
            </form>
            </div>
    </div>
</div>
```

8) AUTHOR. PHP

```
<div class="omotac border-top pt-5">
    <div class="container">
       <div class="row">
           <div class="col-lg-12 text-center mb-3">
               <h1>The author</h1>
           </div>
           <div class="col-lg-6">
               <img src="assets/img/elautor.png" alt="El ja" class="w-100">
           </div>
           <div class="col-lg-6 my-auto">
               Well hello! Didn't see you there...Wanna know something about
me, huh? Why? Are you working for the police? If not, nice to meet you, my name
is <span><a href="https://znaciporfolio.netlify.com" target="_blank"</pre>
title="Portfolio" class="crveno">Dijana</a></span>, I'm 20 years old and I live
in a house. In Belgrade.
```

KORISNIK

1)ANKETA.PHP

```
<?php if ((isset($ SESSION['korisnik']) && $ SESSION['korisnik']->uloga ==
'Korisnik')) : ?>
    <div class="omotac border-top py-5">
    <div class="container">
        <div class="row">
            <div class="col-lg-6 mx-auto text-center mt-5">
                    $aktivna = $conn->query("select * from anketa where
aktivna=1")->fetch();
                    if ($aktivna) {
                         echo "<h3>$aktivna->pitanje</h3>";
                    } else {
                         echo "<h3>Wait til we make one</h3>";
            </div>
        </div>
        <div class="row text-center mt-5">
            <div class="col-lg-6 py-5">
                <form action="" method="post">
                    <input type="hidden" id="hiddenIDuser"</pre>
value="<?=$ SESSION['korisnik']->kid; ?>">
                     <input type="hidden" id="hiddedIDsurvey" value="<?= $aktivna-</pre>
>idAnkete; ?>">
```

```
<?php
                       $odgovori = $conn->query("select o.odgovor as odg
,o.idOdgovora as odid from anketa a inner join odgovor o on
a.idAnkete=o.anketaID")->fetchAll();
                       foreach ($odgovori as $odg) : ?>
                       <input type="radio" name="glas" id="" class="ml-5"</pre>
value="<?= $odg->odid ?>"> <?= $odg->odg ?>
                   <?php endforeach ?>
                    <br><button type="button" class="btn btn-dark my-5"</pre>
id="glasaj" >Vote</button>
                   <div id="glas"></div>
                </form>
            </div>
            <div class="col-lg-6 py-5">
                Wanna see results?
               <button type="button" id="rezultati" class="btn btn-</pre>
dark">Results
            </div>
       </div>
        <div class="row">
            <div class="col-lg-6 mx-auto py-3" id="svirezultati">
            </div>
        </div>
    </div>
    </div>
<?php else : header("Location:../../index.php?page=home"); ?>
<?php endif ?>
```

2)KORPA.PHP

```
<div class="omotac border-top">
   <div class="row ">
       <div class="col-lg-12 my-5">
           <h2>Shopping cart</h2>
       </div>
       <?php
       if (isset($_SESSION["korisnik"]) && $_SESSION['korisnik']->uloga ==
Korisnik') :
           <div class="col-lg-12 text-center" id="proizvodiKorpe"></div>
           <div class="col-lg-12">
               <button type="button" id="kupi" data-idkorisnika="<?=</pre>
$_SESSION["korisnik"]->kid ?>" class="btn btn-dark my-5 float-right">Buy</button>
           </div>
       <?php else : ?>
           <div class="col-lg-12">
               Your cart is currently empty!Continue browsing <a
href="index.php?page=categories" class="crveno">here</a>
               **Gotta <a href="index.php?page=login"</p>
class="crveno">login</a> first!
           </div>
       <?php endif ?>
       <?php
       if(isset($_SESSION["greske"])){
           foreach($_SESSION["greske"] as $greska){
               echo $greska;
           unset($_SESSION["greske"]);
   </div>
</div>
```

ADMIN

PRODUCTS

1)PRODUCTS.PHP

```
<?php if (isset($_SESSION["korisnik"]) && $_SESSION['korisnik']->uloga ==
'Admin') : ?>
<div class="omotac border-top">
   <div class="row">
      <div class="col-lg-12 mb-5">
          <div class="row">
             <div class="col-lg-6 my-5">
                <h1>
                    <a class="crveno" href="index.php?page=new-product">New
product</a>
                 </h1>
             </div>
             <div class="col-lg-6 my-5 text-right">
                 <h1>All products</h1>
             </div>
          </div>
      </div>
      <div class="col-lg-12 text-center">
          Name
                 Price
                Photo
                Category
                In stock
                 Do sam changes
             <?php $sve = $conn->query("select k.idKategorije as kid,k.naziv
as katnaz,p.idProizvoda as pId,p.naziv as pnaz,p.cena as pcena,s.putanja as sput
from kategorija k inner join proizvod p on k.idKategorije=p.kategorijeID inner
join slika s on p.slikeID=s.idSlike")->fetchAll(); ?>
             <?php foreach ($sve as $s) : ?>
                 <?= $s->pnaz ?>
                    $<?= $s->pcena ?>
```

```
<img src="assets/img/<?= $s->sput ?>" alt=""
class="smanji" />
                     <?= $s->katnaz ?>
                        <?php $vel = $conn->prepare("select v.skracenica)
as velicina, s. naStanju as ima from stanjeproizvoda s inner join velicina v on
s.velicinaID=v.idVelicine where s.proizvodID=:id");
                               $id = $s->pId;
                               $vel->bindParam(":id", $id);
                               $vel->execute();
                               foreach ($vel as $v):
                               <?php if (($v->ima == 1) && ($v-)
>velicina!=null)) : ?>
                                   <?= $v->velicina
?>
                               <?php elseif (($v->ima == 1) && ($v-
>velicina==null)) : ?>
                                   In stock
                                <?php elseif (($v->ima == 0) && ($v-
>velicina==null)) : ?>
                                   Not
available
                               <?php else : ?>
                                   <?= $v->velicina
?>
                               <?php endif ?>
                            <?php endforeach; ?>
                        <form action="index.php?page=products-update"</pre>
method="post">
                            <input type="hidden" name="idProiz" value="<?=</pre>
$s->pId ?>" />
                            <button type="submit" name="apdejtuj" class="btn</pre>
btn-dark my-5">Update me</button>
                        </form>
                     <form action="modules/admin/products/delete.php"</pre>
method="post">
```

```
<input type="hidden" name="idProiz" value="<?=</pre>
$s->pId ?>" />
                               <button type="submit" name="delete" class="btn</pre>
btn-dark my-5">Delete me</button>
                       <?php endforeach; ?>
            </div>
       <?php
       if(isset($ SESSION["greske"])){
            print_r($_SESSION["greske"]);
           unset($ SESSION["greske"]);
       }?>
    </div>
    <?php else : header("Location:../../../index.php?page=home"); ?>
    <?php endif ?>
```

2)NEW.PHP

```
<?php if (isset($ SESSION["korisnik"]) && $ SESSION['korisnik']->uloga ==
'Admin') : ?>
<div class="container">
    <div class="row">
        <div class="col-lg-6 mx-auto text-center">
            <form action="modules/admin/products/insert.php" method="post"</pre>
onsubmit="return ubaciProizvodUbazu()" >
                <?php
                $postojeci = $conn->query("select k.idKategorije as kid,k.naziv
as katnaz,p.idProizvoda as pId,p.opis as popis,p.naziv as pnaz,p.cena as
pcena, s. putanja as sput from kategorija k inner join proizvod p on
k.idKategorije=p.kategorijeID inner join slika s on p.slikeID=s.idSlike")-
>fetchAll(); ?>
                <label for="naziv">Name</label><br>
                <input type="text" name="naziv" id="naziv"><span></span><br>
                <label for="cena">Price</label><br>
                <input type="text" name="cena" id="cena" /><span></span><br>
                <label for="opis">Description</label><br>
                <textarea name="opis" id="opis" cols="30" rows="10"</pre>
placeholder="Separate with dots.!"></textarea><br>
                <label for="kategorije">Category</label><br>
                <?php
```

```
$kategorije = $conn->query("select idKategorije,naziv from
kategorija")->fetchAll();
                echo "<select name='kategorije' id='ddlKategorije'><option</pre>
value='0'>Choose</option>";
                foreach ($kategorije as $k) :
                    <option value="<?= $k->idKategorije ?>"><?= $k->naziv
?></option>
                <?php endforeach ?>
                </select><br><br><
                <div id="sizes">
                <label for="velicine[]">Available in sizes:</label><br>
                <?php $vel = $conn->query("select * from velicina")->fetchAll();
                     foreach ($vel as $v) : ?>
                         <input type="checkbox" class="mx-3" name="velicine[]"</pre>
id="" value="<?= $v->idVelicine ?>"><i class="text-danger"><?= $v->skracenica
?></i>
                    <?php endforeach; ?>
                <br><br><br>>
                </div>
             <div id="stanje">
             <input type="radio" class="mx-3" name="stanje" id="" value="Yes"><i</pre>
class="text-success">In stock</i>
          <input type="radio" class="mx-3" name="stanje" id="" value="No"><i</pre>
class="text-danger">Not in stock</i>
                </div>
                <label for="putanja">Picture src:</label><br>
                <input type="text" name="putanja" id="putanja"</pre>
/><span></span><br>
                <label for="slikopis">Picture alt:</label><br>
                <input type="text" name="slikopis" id="slikopis" /><br>
                <button type="submit" name="insert" class="btn btn-dark my-</pre>
5">Insert</button>
                     <?php
                    if (isset($ SESSION['uspeh'])) {
                         print r($ SESSION['uspeh']);
                        unset($_SESSION['uspeh']);
                    if (isset($ SESSION['greske'])) {
                         foreach($_SESSION["greske"] as $greska){
                                 echo $greska;
                        unset($_SESSION['greske']);
```

3)UPDATE.PHP

```
<?php if (isset($ SESSION["korisnik"]) && $ SESSION['korisnik']->uloga ==
'Admin') : ?>
<div class="container">
    <div class="row">
        <div class="col-lg-6 mx-auto text-center">
            <?php if (isset($_POST['apdejtuj'])) : ?>
                <form action="modules/admin/products/update.php" method="post"</pre>
onsubmit="return ubaciProizvodUbazu()">
                    <?php
                        $id = $ POST["idProiz"];
                        $izabran = $conn->prepare("select k.idKategorije as
kid,k.naziv as katnaz,p.idProizvoda as pId,p.opis as popis,s.opis as
sopis,p.naziv as pnaz,p.cena as pcena,s.putanja as sput,s.idSlike as sId from
kategorija k inner join proizvod p on k.idKategorije=p.kategorijeID inner join
slika s on p.slikeID=s.idSlike where p.idProizvoda=:id");
                        $izabran->bindParam(":id", $id);
                        $izabran->execute();
                         if ($izabran->rowCount() == 1) :
                             $podaci = $izabran->fetch(); ?>
                         <input type="hidden" name="idProiz" value="<?= $podaci-</pre>
>pId ?>">
                         <input type="hidden" name="idSlike" value="<?= $podaci-</pre>
>sId ?>">
                         <input type="text" name="naziv" id="" value="<?= $podaci-</pre>
>pnaz ?>" /><br>
                         <input type="text" name="cena" id="" value="<?= $podaci-</pre>
>pcena ?>" /><br>
                         <textarea name="opis" id="" cols="30" rows="10"><?=
$podaci->popis ?></textarea><br>
                         <?php
                                 $kategorije = $conn->query("select
idKategorije,naziv from kategorija")->fetchAll();
```

```
$kategorija = $conn->prepare("select
k.idKategorije as kid from kategorija k inner join proizvod p on
k.idKategorije=p.kategorijeID where p.idProizvoda=:id");
                                 $idpk = $podaci->pId;
                                 $kategorija->bindParam(":id", $idpk);
                                 $kategorija->execute();
                                 echo "<select name='kategorije' id=''>";
                                 foreach ($kategorije as $ks) :
                             <?php
                                         foreach ($kategorija as $kj) {
                                             $druga = $kj->kid;
                                         $prva = $ks->idKategorije;
                                         if ($prva == $druga) : ?>
                                 <option value="<?= $ks->idKategorije ?>"
selected><?= $ks->naziv ?></option>
                             <?php else : ?>
                                 <option value="<?= $ks->idKategorije ?>"><?= $ks-</pre>
>naziv ?></option>
                             <?php endif ?>
                         <?php endforeach ?>
                         </select><br><br>
                         <?php $vel = $conn->prepare("select v.skracenica as
velicina, s. naStanju as ima, v. idVelicine as vid from stanjeproizvoda s inner join
velicina v on s.velicinaID=v.idVelicine where s.proizvodID=:id");
                                 $id = $podaci->pId;
                                 $vel->bindParam(":id", $id);
                                 $vel->execute();
                                 foreach ($vel as $v) :
                          <?php if (($v->ima == 1) && ($v->velicina != null)) : ?>
                               <input type="checkbox" class="mx-3" checked</pre>
name="velicine[]" id="" value="<?= $v->vid ?>"><i class="text-success"> <?= $v-</pre>
>velicina ?> </i>
                             <?php elseif (($v->ima == 1) && ($v->velicina == 
null)) : ?>
                                 <input type="radio" class="mx-3" checked</pre>
name="stanje" id="" value="Yes"><i class="text-success"> In stock </i></i>
                                 <input type="radio" class="mx-3" name="stanje"</pre>
id="" value="No"><i class="text-danger"> No moe </i>
                             <?php elseif (($v->ima == 0) && ($v->velicina ==
null)) : ?>
```

```
<input type="radio" class="mx-3" checked</pre>
name="stanje" id="" value="No"><i class="text-danger"> Not available </i>
                                 <input type="radio" class="mx-3" name="stanje"</pre>
id="" value="Yes"><i class="text-success"> Now yes </i></i>
                             <?php else : ?>
                                 <input type="checkbox" class="mx-3"</pre>
name="velicine[]" id="" value="<?= $v->vid ?>"><i class="text-danger">
                                      <?= $v->velicina ?>
                                 </i>
                             <?php endif ?>
                         <?php endforeach; ?>
                         <br><br><br>
                         <label for="putanja">Picture src:</label><br>
                         <input type="text" name="putanja" id="putanja" value="<?=</pre>
$podaci->sput ?>" /><span></span><br>
                         <label for="slikopis">Picture alt:</label><br>
                         <input type="text" name="slikopis" id="slikopis"</pre>
value="<?= $podaci->sopis ?>" /><br>
                     <?php endif ?><br>
                     <button type="submit" name="update" class="btn btn-dark my-</pre>
5">Change</button>
                </form>
            <?php endif ?>
            <?php
            if(isset($_SESSION["greske"])){
                print r($ SESSION["greske"]);
                unset($_SESSION["greske"]);
        </div>
    </div>
    <?php else : header("Location:../../../index.php?page=home"); ?>
    <?php endif ?>
</div>
```

1)USERS.PHP

```
<?php if (isset($_SESSION["korisnik"]) && $_SESSION['korisnik']->uloga ==
'Admin') : ?>
<div class="omotac border-top">
<div class="container">
   <div class="row">
       <div class="col-lg-12 text-center my-5">
          <h1>All users</h1>
       </div>
       <div class="col-lg-12 text-center">
          Name
                 Last name
                 User name
                 Email
                 Role
                 Do sam changes
              <?php $korisnici = $conn->query("select * from korisnik k inner
join uloga u on k.ulogaID=u.idUloga")->fetchAll(); ?>
              <?php foreach ($korisnici as $k) : ?>
                 <?= $k->ime ?>
                     <?= $k->prezime ?>
                     <?= $k->username ?>
                     <?= $k->email ?>
                     <?= $k->naziv ?>
                        <form action="index.php?page=users-update"</pre>
method="post">
                            <input type="hidden" name="idKoris" value="<?=</pre>
$k->idKorisnik ?>" />
                            <button type="submit" name="apdejtuj" class="btn</pre>
btn-dark my-5">Update me</button>
                        </form>
                     <form action="modules/admin/users/delete.php"</pre>
method="post">
                            <input type="hidden" name="idKoris" value="<?=</pre>
$k->idKorisnik ?>" />
```

```
<button type="submit" name="delete" class="btn</pre>
btn-dark my-5">Delete me</button>
                           </form>
                       <?php endforeach; ?>
           </div>
       <?php
       if(isset($_SESSION["greske"])){
           print_r($_SESSION["greske"]);
           unset($_SESSION["greske"]);
    </div>
    <?php else : header("Location:../../index.php?page=home"); ?>
    <?php endif ?>
</div>
 /div>
```

2)UPDATE.PHP

```
<?php if (isset($ SESSION["korisnik"]) && $ SESSION['korisnik']->uloga ==
'Admin') :?>
<div class="container">
    <div class="row">
        <div class="col-lg-6 mx-auto text-center">
            <?php if (isset($ POST['apdejtuj'])) : ?>
                <form action="modules/admin/users/update.php" method="post">
                    <?php
                         $id = $_POST["idKoris"];
                         $izabran = $conn->prepare("select * from korisnik k inner
join uloga u on k.ulogaID=u.idUloga where idKorisnik=:id");
                         $izabran->bindParam(":id", $id);
                         $izabran->execute();
                         if ($izabran->rowCount() == 1) :
                             $podaci = $izabran->fetch(); ?>
                         <input type="hidden" name="id" value="<?= $podaci-</pre>
>idKorisnik ?>">
                         <input type="text" name="ime" id="" value="<?= $podaci-</pre>
>ime ?>" /><br>
                         <input type="text" name="prezime" id="" value="<?=</pre>
$podaci->prezime ?>" /><br>
```

```
<input type="text" name="username" id="" value="<?=</pre>
$podaci->username ?>" /><br>
                         <input type="text" name="email" id="" value="<?= $podaci-</pre>
>email ?>" /><br>
                         <?php
                                 $roles = $conn->query("select * from uloga")-
>fetchAll();
                                 $role = $conn->prepare("select u.idUloga as uid
from uloga u inner join korisnik k on k.ulogaID=u.idUloga where
k.idKorisnik=:id");
                                 $idk = $podaci->idKorisnik;
                                 $role->bindParam(":id", $idk);
                                 $role->execute();
                                 echo "<select name='uloga' id=''>";
                                 foreach ($roles as $rs) :
                             <?php
                                         foreach ($role as $r) {
                                              $druga = $r->uid;
                                         $prva = $rs->idUloga;
                                          if ($prva == $druga) : ?>
                                  <option value="<?= $rs->idUloga ?>" selected><?=</pre>
$rs->naziv ?></option>
                             <?php else : ?>
                             <option value="<?= $rs->idUloga ?>"><?= $rs->naziv
?></option>
                             <?php endif ?>
                         <?php endforeach ?>
                         </select><br><br></
                         <label for="active">Active?</label><br>
                         <?php if ($podaci->active == 1) : ?>
                             <input type="radio" name="active" value="1"</pre>
checked="checked">Yes
                             <input type="radio" name="active" value="0">Nope
                         <?php else : ?>
                             <input type="radio" name="active" value="1">Yes
                             <input type="radio" name="active" value="0"</pre>
checked="checked">Nope
                         <?php endif ?>
                     <?php endif ?><br>
                     <button type="submit" name="update" class="btn btn-dark my-</pre>
5">Change</button>
                </form>
```

SURVEYS

1)SURVEYS.PHP

```
<?php if (isset($_SESSION["korisnik"]) && $_SESSION['korisnik']->uloga ==
'Admin') : ?>
<div class="omotac border-top">
<div class="container">
    <div class="row text-center">
        <div class="col-lg-6 mt-5">
            <h1>New survey</h1>
            <form action="#">
                <input type="text" name="pitanje" id="pitanje"</pre>
placeholder="Question?"><span></span><br>
                <textarea name="odgovori" id="odgovori" cols="30" rows="10"</pre>
placeholder="Responses: 1/2/3..."></textarea><span></span><br>
                <button type="button" id="unosAnkete" class="btn btn-dark my-</pre>
5">Insert</button>
                </form>
        </div>
        <div class="col-lg-6 my-5">
            <div class="row">
                <div class="col-lg-12">
                    <h2 class="ml-5">Currently active</h2>
                    <form action="modules/admin/surveys/change.php"</pre>
method="post">
                        <?php $sveankete = $conn->query("select * from anketa")-
>fetchAll(); ?>
```

```
<select name="anketa" id="ddlAnketaActivate" class="mt-5</pre>
ml-5">
                            <?php foreach ($sveankete as $sa) : ?>
                                <?php if ($sa->aktivna == 1) : ?>
                                     <option value="<?= $sa->idAnkete ?>"
selected="selected"><?= $sa->pitanje ?></option>
                                <?php else : ?>
                                     <option value="<?= $sa->idAnkete ?>"><?= $sa-</pre>
>pitanje ?></option>
                                <?php endif; ?>
                            <?php endforeach; ?>
                        </select><br>
                        <button type="submit" name="aktiviraj" class="btn btn-</pre>
dark my-5 ml-5">Activate</button>
                        <button type="submit" name="deaktiviraj" class="btn btn-</pre>
dark my-5 mx-5">Deactivate</button>
                        <button type="submit" name="izbrisi" class="btn btn-dark</pre>
my-5">Delete/button>
                        <?php
                            if (isset($_SESSION['uspeh'])) {
                                print_r($_SESSION['uspeh']);
                                unset($ SESSION['uspeh']);
                            if (isset($ SESSION['greske'])) {
                                print_r($_SESSION['greske']);
                                unset($_SESSION['greske']);
                        </form>
                </div>
                <div class="col-lg-12 mt-2 ml-5">
                    <h2>Results</h2>
                    <?php $sveankete = $conn->query("select * from anketa")-
>fetchAll(); ?>
                    <select name="" id="ddlAnketaResults" class="mt-5">
                        <option value="0">Choose</option>
                        <?php foreach ($sveankete as $sa) : ?>
                            <option value="<?= $sa->idAnkete ?>"><?= $sa->pitanje
?></option>
                        <?php endforeach; ?>
                    </select><br>
                </div>
```

```
</div>
       </div>
   </div>
   <div class="row">
           <div class="col-lg-6 mx-auto py-3" id="svirezultati">
           </div>
       </div>
   <?php
   if(isset($ SESSION["greske"])){
       foreach($_SESSION["greske"] as $greska){
           echo $greska;
       unset($_SESSION["greske"]);
   <?php else : header("Location:../../../index.php?page=home"); ?>
   <?php endif ?>
</div>
</div>
```

ORDERS

1)ORDERS.PHP

```
<?php if (isset($_SESSION["korisnik"]) && $_SESSION['korisnik']->uloga ==
'Admin') : ?>
<div class="omotac border-top">
<div class="container">
   <div class="row">
      <div class="col-lg-12 text-center my-5">
         <h1>All orders</h1>
      </div>
      <div class="col-lg-12 text-center">
         First Name
               Last Name
               Date
               Do sam changes
```

```
<?php $sve = $conn->query("select * from porudzbina p inner join
korisnik k on p.korisnikID=k.idKorisnik group by k.idKorisnik")->fetchAll(); ?>
                <?php foreach ($sve as $s) : ?>
                    <?= $s->ime ?>
                        <?= $s->prezime ?>
                        <?= $s->datum ?>
                            <button type="button" data-idkorisnika="<?= $s-</pre>
>idKorisnik ?>" name="detalji" data-toggle="modal" data-target="#exampleModal"
class="detalji btn btn-dark my-5">Details</button>
                        <form action="modules/admin/orders/change.php"</pre>
method="post">
                                <input type="hidden" name="idKoris" value="<?=</pre>
$s->idKorisnik ?>" />
                                <button type="submit" name="delete" class="btn</pre>
btn-dark my-5">Delete me</button>
                            </form>
                        <?php endforeach; ?>
            </div>
        <div id="detalji-por">
            <div class="modal fade" id="exampleModal" tabindex="-1" role="dialog"</pre>
aria-labelledby="exampleModalLabel" aria-hidden="true">
                <div class="modal-dialog" role="document">
                    <div class="modal-content">
                        <div class="modal-header">
                            <h5 class="modal-title" id="exampleModalLabel">New
message</h5>
                            <button type="button" class="close crveno" data-</pre>
dismiss="modal" aria-label="Close">
                                <span aria-hidden="true">&times;</span>
                            </button>
                        </div>
                        <div class="modal-body">
                        </div>
                        <div class="modal-footer">
                            <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal">Close</button>
                        </div>
                   </div>
```

MESSAGES

1)CONTACT.PHP

```
<?php if (isset($ SESSION["korisnik"]) && $ SESSION['korisnik']->uloga ==
'Admin') : ?>
<div class="omotac border-top">
   <div class="row">
      <div class="col-lg-12 text-center my-5">
         <h1>Kinda like inbox</h1>
      </div>
      <div class="col-lg-12 text-center">
         Name
                Email
                Date
                Message
                Do sam changes
             <?php $sve = $conn->query("select * from kontaktiranje")-
>fetchAll(); ?>
            <?php if (true) : ?>
                <?php foreach ($sve as $s) : ?>
```

```
<?= $s->ime ?>
                          <?= $s->email ?>
                          <?= $s->datum ?>
                          <?= $s->poruka ?>
                              <?php if ($s->seen == 0) : ?>
                                  <form
action="modules/admin/messages/change.php" method="post">
                                      <input type="hidden" name="idPoruke"</pre>
value="<?= $s->idKontaktiranje ?>" />
                                      <button type="submit" name="seenuj"</pre>
class="btn btn-dark my-5 procitajPoruku"> New</button>
                                  </form>
                              <?php else : ?>
                                  Seen
                              <?php endif ?>
                          <form action="modules/admin/messages/change.php"</pre>
method="post">
                                  <input type="hidden" name="idPoruke"</pre>
value="<?= $s->idKontaktiranje ?>" />
                                  <button type="submit" name="delete"</pre>
class="btn btn-dark my-5">Delete me</button>
                              </form>
                          <?php endforeach; ?>
               <?php else : ?>
                      No new messages
                   <?php endif ?>
           <div class="col-lg-12 text-center crveno">
       <?php
       if ((isset($_SESSION['greske']))) {
           print_r($_SESSION['greske']);
           unset($_SESSION["greske"]);
       if ((isset($ SESSION['uspeh']))) {
```

```
print_r($_SESSION['uspeh']);
    unset($_SESSION["uspeh"]);
}
?>
    </div>
</div>

else : header("Location:../../../index.php?page=home"); ?>

c/div>
```

MODULES

FIXED

1)REGISTER.PHP

```
<?php
   ob start();
if (isset($_POST['send'])) {
    require_once("../config/connection.php");
    require_once("functions.php");
    header("Content-type:application/json");
    $ime = trim($_POST['ime']);
    $prezime = trim($_POST['prezime']);
    $username = trim($_POST['username']);
    $mejl = trim($_POST['mejl']);
    $sifra = trim($_POST['sifra']);
    $greske = [];
    code = 404;
    $data = null;
    reimeprezime = "/^[A-Z][a-z]+(\s[A-Z][a-z]+)*$/";
    property = "/^[A-z0-9]{7,50}$/";
    reuser = "/^[\d\w\_-\.@]{4,30}$/";
    if($ime==""){
        array_push($greske, "First name is required! <br/> ');
    else if (!preg_match($reimeprezime, $ime)) {
```

```
array_push($greske, "First name in bad format!-Start with an uppercase!
<br/>');
    if($prezime==""){
        array_push($greske, "Last name is required! <br/>');
   else if (!preg_match($reimeprezime, $prezime)) {
        array_push($greske, "Last name in bad format!-Start with an uppercase!
<br/>');
    if($username==""){
        array push($greske, "Username is required!");
   else if (!preg_match($reuser, $username)) {
        array_push($greske, "Username in bad format!-At least 7 characters!
<br/>');
   if($mejl==""){
        array_push($greske, "Email is required!");
    else if (!filter var($mejl, FILTER VALIDATE EMAIL)) {
        array_push($greske, "Email in bad format!Gotta have @ in it!Like this:
try.again@gmail.com <br/>');
    if($sifra==""){
        array_push($greske, "Password is required!");
    else if (!preg_match($repassword, $sifra)) {
        array_push($greske, "Password in bad format! At least 7 characters!**Only
letters and numbers! <br/> ');
    }
    if (count($greske)>0) {
        $data = $greske;
        code = 422;
   else {
        $sifra = md5($sifra);
       try {
            $provera = $conn->prepare("SELECT * FROM korisnik WHERE email =
:email OR username = :username");
```

```
$provera->bindParam(":email",$mejl);
            $provera->bindParam(":username",$username);
            $provera->execute();
            if ($provera->rowCount() >= 1) {
                $code=409;
            }else{
                insertKorisnika($ime, $prezime, $mejl, $username, $sifra);
                code = 201;
        } catch (PDOException $e) {
            code = 500;
            $x=$e->getMessage();
            array_push($data,$x);
    http_response_code($code);
    echo json_encode($data);
else{
    header("Location:../index.php?page=register");
```

2)LOGIN.PHP

```
c?php
  ob_start();
  session_start();
if (isset($_POST['btnulogujse'])) {
    require_once("../config/connection.php");

    $mejl = trim($_POST['mejl']);
    $sifra = trim($_POST['sifra']);

    $greske = [];

    $repassword = "/^[A-z0-9]{7,50}$/";

    if($mejl==""){
        array_push($greske, "Email is required!");
    }
    else if (!filter var($mejl, FILTER VALIDATE EMAIL)) {
```

```
array_push($greske, "Email in bad format!Gotta have @ in it!Like this:
try.again@gmail.com <br/>');
    }
    if($sifra==""){
        array_push($greske, "Password is required!");
   else if (!preg_match($repassword, $sifra)) {
        array_push($greske, "Password in bad format! At least 7 characters!**Only
letters and numbers! <br/> ');
    if (count($greske)>0) {
        $ SESSION["greske"]=$greske;
        header("Location:../index.php?page=login");
    } else {
       $sifra = md5($sifra);
        try {
            $nadji=$conn->prepare("select k.idKorisnik as kid,k.username,u.naziv
as uloga from korisnik k inner join uloga u on k.ulogaID=u.idUloga where
k.email=:mejl and k.password=:sifra and k.active=1");
            $nadji->bindParam(":mejl",$mejl);
            $nadji->bindParam(":sifra",$sifra);
            $nadji->execute();
            if($nadji->rowCount()==1){
                $rezultat=$nadji->fetch();
                $_SESSION['korisnik']=$rezultat;
                header("Location:../index.php?page=home");
            else{
                array_push($greske, "Gotta create account first!");
                array_push($greske, "<br/> Or try again...");
                $ SESSION["greske"]=$greske;
                header("Location:../index.php?page=login");
        } catch (PDOException $e) {
            array_push($greske, $e->getMessage());
            $_SESSION["greske"]= $greske;
            header("Location:../index.php?page=login");
    header("Location:../index.php?page=login");}?>
```

3)LOGOUT.PHP

```
    session_start();
    ob_start();
    if(isset($_SESSION['korisnik'])){
        unset($_SESSION['korisnik']);
        header("Location:index.php?page=login");
    }
    else{
        header("Location:../index.php?page=home");
    }
}
```

4)CONTACT.PHP

```
<?php
   ob_start();
if (isset($_POST['send'])) {
    require_once("../config/connection.php");
    require_once("functions.php");
    header("Content-type:application/json");
    $ime = trim($ POST['ime']);
    $email = trim($_POST['email']);
    $poruka = trim($_POST['poruka']);
    $greske = [];
    code = 404;
    $data = null;
    reimeprezime = "/^[A-Z][a-z]+(\s[A-Z][a-z]+)*$/";
    if($ime==""){
        array_push($greske, "First name is required! <br/>>");
    else if (!preg_match($reimeprezime, $ime)) {
        array_push($greske, "First name in bad format!-Start with an uppercase!
<br/>');
    }
    if($email==""){
        array_push($greske, "Email is required!");
    else if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
```

```
array_push($greske, "Email in bad format!Gotta have @ in it!Like this:
try.again@gmail.com <br/>');
    }
    if (count($greske)>0) {
        $data = $greske;
        code = 422;
    else {
        try {
            insertPoruke($ime, $email, $poruka);
            $code = 201;
        } catch (PDOException $e) {
            $code = 500;
            $data=["greska"=>$e->getMessage()];
    http_response_code($code);
    echo json encode($data);
else{
    header("Location:../index.php?page=contact");
```

5)VOTE.PHP

```
<?php
    ob start();
    if(isset($_POST['send'])){
    require once("../config/connection.php");
    require_once("functions.php");
    header("Content-type:application/json");
    $korisnikId=$_POST['korisnikId'];
    $glas=$_POST['glas'];
    $data=null;
    $code=404;
    try{
        $proveraglasa=$conn->prepare("select * from anketa a inner join odgovor o
on a.idAnkete=o.anketaID inner join glasanje g on o.idOdgovora=g.odgovorID where
g.korisnikID=:id and a.aktivna=1");
        $proveraglasa->bindParam(":id",$korisnikId);
        $proveraglasa->execute();
```

```
if($proveraglasa->rowCount()>=1){
          $code=409;
}
else{
          unesiGlas($glas,$korisnikId);
          $code=201;
}
}
catch(PDOException $e){
          $code = 500;
          echo $x=$e->getMessage();
          array_push($data,$x);
}
http_response_code($code);
echo json_encode($data);
}
else{
          header("Location:../index.php?page=survey");
}
```

6)VOTERESULTS.PHP

```
<?php
   ob_start();
   header("Content-type:application/json");
    if(isset($_POST['send'])){
    require_once("../config/connection.php");
    require_once("functions.php");
   $id=$_POST['idAnkete'];
   $code=404;
   $data=null;
   try{
        $uhvati=$conn->prepare("select count(g.odgovorID) as ukupno, o.odgovor
from odgovor o left outer join glasanje g on o.idOdgovora=g.odgovorID where
o.anketaID=:id group by o.odgovor");
        $uhvati->bindParam(":id",$id);
        $uhvati->execute();
        if($uhvati){
            $rezultati=$uhvati->fetchAll();
            $data=$rezultati;
            $code=200;
```

```
}
catch(PDOException $e){
    $code=500;
    $data=["greska"=>$e->getMessage()];
}
echo json_encode($data);
http_response_code($code);
}
else{
    header("Location:../index.php?page=survey");
}
?>
```

7)CARTPRODUCTS.PHP

```
<?php
    session_start();
    ob start();
    if(isset($ SESSION['korisnik'])){
        header("Content-type:application/json");
        require_once("../config/connection.php");
        $data=null;
        $code=404;
        try
            $upit=$conn->query("SELECT *,v.naziv as velicinaziv,s.putanja as
putanja, s. opis as opis, p. naziv as naziv, p. cena as cena FROM slika s inner join
proizvod p on s.idSlike=p.slikeID INNER JOIN kategorija k on
p.kategorijeID=k.idKategorije inner join stanjeproizvoda pv on
pv.proizvodID=p.idProizvoda left outer join velicina v on
pv.velicinaID=v.idVelicine order by p.idProizvoda");
            if($upit->rowCount()>=1){
                $code=200;
                $data=$upit->fetchAll();
        catch(PDOException $e){
            $code=500;
            $data=["greska"=>$e->getMessage()];
        http_response_code($code);
        echo json_encode($data);
    else{
```

```
header("Location:../index.php?page=login");
}
?>
```

8)ORDER.PHP

```
<?php
session_start();
ob_start();
if(isset($_SESSION['korisnik'])):
    if(isset($_POST['send'])){
    require_once("../config/connection.php");
    require_once("functions.php");
   header("Content-type:application/json");
   $idK=$_POST['id'];
   $idP=$ POST['idP'];
   $kolicina=$ POST['kol'];
   $velicina=$_POST['vel'];
   $code=404;
   $data=null;
   try{
        $svIdP=explode(",",$idP);
        $svaKolicina=explode(",",$kolicina);
        $svaVelicina=explode(",",$velicina);
        $vreme=date("Y-m-d H:i:s",time());
        $parametri=[];
        $vrednosti=[];
        foreach($svIdP as $sid){
            $parametri[]="(?,?,?,?,?)";
            $vrednosti[]=$idK;
            $vrednosti[]=$sid;
            foreach($svaKolicina as $sk){
                $vrednosti[]=$sk;
                array_shift($svaKolicina);
                foreach($svaVelicina as $sv){
                    array_shift($svaVelicina);
                    if($sv=="null"){
                        $vrednosti[]=null;
```

```
else{
                        $vrednosti[]=$sv;
                break;
                break;
            $vrednosti[]=$vreme;
        $naruci=$conn->prepare("insert into
porudzbina(korisnikID,proizvodID,kolicina,velicinaID,datum) values"
.implode(",",$parametri));
        $naruci->execute($vrednosti);
        $code=201;
        catch(PDOException $e){
        $conn->rollback();
        $code=500;
        $data=["greska"=>$e->getMessage()];
        header("Location:../index.php?page=cart");
    http_response_code($code);
    echo json_encode($data);
 else{
    header("Location:../index.php?page=cart");
else:
    header("Location:../index.php?page=home");
endif;
```

9)FUNCTIONS.PHP

```
<?php
    function insertKorisnika($ime, $prezime, $mejl, $username, $sifra){
        global $conn;
        $vreme=date("Y-m-d",time());
        $insertuj=$conn->prepare("insert into
korisnik(ime,prezime,username,email,password,active,ulogaID,datumReg)
values(:ime,:prezime,:username,:email,:password,1,2,:datumReg)");
        $insertuj->bindParam(":ime",$ime);
        $insertuj->bindParam(":prezime",$prezime);
        $insertuj->bindParam(":username",$username);
        $insertuj->bindParam(":email",$mejl);
        $insertuj->bindParam(":password",$sifra);
        $insertuj->bindParam(":datumReg",$vreme);
        return $insertuj->execute();
    function unesiGlas($glas,$korisnikId){
        global $conn;
        $glasaj=$conn->prepare("insert into glasanje(odgovorID,korisnikID)
values(:glas,:korisnikId) ");
        $glasaj->bindParam(":glas",$glas);
        $glasaj->bindParam(":korisnikId",$korisnikId);
        return $glasaj->execute();
    function insertPorudzbine($idK,$idP,$kolicina){
        global $conn;
        $vreme=date("Y-m-d",time());
        // foreach($obj as $o){
               $idP[]=$o["idP"];
               $kolicina[]=$o["kolicina"];
        for($i=0;$i<count($idP);$i++){</pre>
            $naruci=$conn->prepare("insert into
porudzbina(korisnikID,proizvodID,kolicina,datum)
values(:idK,:idP,:kolicina,:datumNar)");
            $naruci->bindParam(":idK",$idK);
            $naruci->bindParam(":idP",$idP[$i]);
            $naruci->bindParam(":kolicina",$kolicina[$i]);
            $naruci->bindParam(":datumNar",$vreme);
            $naruci->execute();
        }
    function updatujProizvod($idP,$name,$price,$desc,$cat){
        global $conn;
```

```
$insertuj=$conn->prepare("update proizvod set
naziv=:naziv,cena=:cena,opis=:opis,kategorijeID=:idKat where idProizvoda=:id");
        $insertuj->bindParam(":id",$idP);
        $insertuj->bindParam(":naziv",$name);
        $insertuj->bindParam(":cena",$price);
        $insertuj->bindParam(":opis",$desc);
        $insertuj->bindParam(":idKat",$cat);
        return $insertuj->execute();
    function izbrisiProizvod($id){
        global $conn;
        $izbrisi=$conn->prepare("delete from proizvod where idProizvoda=:id");
        $izbrisi->bindParam(":id",$id);
        return $izbrisi->execute();
    function updatujKorisnika($id,$ime,$prezime,$username,$email,$uloga,$active){
        global $conn;
        $insertuj=$conn->prepare("update korisnik set
ime=:ime,prezime=:prezime,username=:username,email=:email,active=:active,ulogaId=
:uloga where idKorisnik=:id");
        $insertuj->bindParam(":id",$id);
        $insertuj->bindParam(":ime",$ime);
        $insertuj->bindParam(":prezime", $prezime);
        $insertuj->bindParam(":username",$username);
        $insertuj->bindParam(":email",$email);
        $insertuj->bindParam(":active",$active);
        $insertuj->bindParam(":uloga",$uloga);
        return $insertuj->execute();
    function izbrisiKorisnika($id){
        global $conn;
        $izbrisi=$conn->prepare("delete from korisnik where idKorisnik=:id");
        $izbrisi->bindParam(":id",$id);
        return $izbrisi->execute();
    function izbrisiAnketu($id){
        global $conn;
        $izbrisi=$conn->prepare("delete from anketa where idAnkete=:id");
        $izbrisi->bindParam(":id",$id);
        return $izbrisi->execute();
    function aktivirajAnketu($id){
        global $conn;
        $glasaj=$conn->prepare("update anketa set aktivna=1 where idAnkete=:id
```

```
$glasaj->bindParam(":id",$id);
        return $glasaj->execute();
    function deaktivirajAnketu($id){
        global $conn;
        $glasaj=$conn->prepare("update anketa set aktivna=0 where idAnkete=:id
 );
        $glasaj->bindParam(":id",$id);
        return $glasaj->execute();
    function izbrisiPorudzbinu($id){
        global $conn;
        $izbrisi=$conn->prepare("delete from porudzbina where korisnikID=:id");
        $izbrisi->bindParam(":id",$id);
        return $izbrisi->execute();
    function insertPoruke($ime, $email, $poruka){
        global $conn;
        $vreme=date("Y-m-d H:i:s",time());
        $insertuj=$conn->prepare("insert into
kontaktiranje(ime,email,poruka,datum) values(:ime,:mejl,:poruka,:datum)");
        $insertuj->bindParam(":ime",$ime);
        $insertuj->bindParam(":mejl",$email);
        $insertuj->bindParam(":poruka",$poruka);
        $insertuj->bindParam(":datum",$vreme);
        return $insertuj->execute();
    function izbrisiPoruku($id){
        global $conn;
        $izbrisi=$conn->prepare("delete from kontaktiranje where
idKontaktiranje=:id");
        $izbrisi->bindParam(":id",$id);
        return $izbrisi->execute();
    function seenujPoruku($id){
        global $conn;
        $seenuj=$conn->prepare("update kontaktiranje set seen=1 where
idKontaktiranje=:id");
        $seenuj->bindParam(":id",$id);
        return $seenuj->execute();
```

ADMIN

PRODUCTS

1)DELETE.PHP

```
<?php
   ob start();
   session_start();
   if(isset($_POST["delete"])){
       require_once("../../config/connection.php");
       require_once("../../functions.php");
       $id=$_POST["idProiz"];
       try{
           izbrisiProizvod($id);
           header("Location:../../index.php?page=admin-products");
       catch (PDOException $e) {
           $_SESSION["greske"]=$e->getMessage();
           header("Location:../../index.php?page=admin-products");
       }
   else{
       header("Location:../../index.php?page=admin-products");
```

2)INSERT.PHP

```
<?php
  ob_start();
  require_once("../../config/connection.php");
  require_once("../../functions.php");
  if(isset($_POST["insert"])){
    $naziv = trim($_POST['naziv']);
    $cena = trim($_POST['cena']);
    $opis = trim($_POST['opis']);
    $kategorija = $_POST['kategorije'];
    $vel = isset($_POST['velicine'])? $_POST['velicine']:null;
    $stanje=$_POST['stanje'];
    $putanja=$_POST['putanja'];
    $opislike=$_POST['slikopis'];</pre>
```

```
$greske = [];
   reNaziv = "/^[A-Z][A-z]{0,99}$/";
   reCena = "/^[\d]{1,25}\.[\d]{2}$/";
   $rePutanje="/^(http(s?):)*([\/|\.|\w|\s|\-])+\.(?:jpg|gif|png)$/";
   if($naziv==""){
        array_push($greske, "Name is required!");
   else if (!preg match($reNaziv, $naziv)) {
        array_push($greske, "Gotta start with an uppercase(dont-forget:only 100
letters");
    if($cena==""){
        array_push($greske, "Price is required!");
    else if (!preg match($reCena, $cena)) {
        array_push($greske, "Numbers only(with 25 digit limit) and 2 digits after
fullstop...like this: 27.00");
    if($putanja==""){
        array_push($greske, "Src is required!");
    else if (!preg_match($rePutanje, $putanja)) {
        array_push($greske, "It can be link or name with only these extensions:
jpg|gif|png");
    if (count($greske)>0) {
        $_SESSION["greske"] = $greske;
       header("Location:../../index.php?page=new-product");
    } else {
       try {
                $conn->beginTransaction();
                $slika=$conn->prepare("insert into slika(putanja,opis)
values(:putanja,:opis)");
                $slika->bindParam(":putanja",$putanja);
                $slika->bindParam(":opis",$opislike);
                $slika->execute();
                $idS=$conn->lastInsertId();
```

```
$insertuj=$conn->prepare("insert into
proizvod(naziv,cena,opis,kategorijeID,slikeID)
values(:naziv,:cena,:opis,:kategorija,:idSlike)");
                $insertuj->bindParam(":naziv",$naziv);
                $insertuj->bindParam(":cena",$cena);
                $insertuj->bindParam(":opis",$opis);
                $insertuj->bindParam(":kategorija",$kategorija);
                $insertuj->bindParam(":idSlike",$idS);
                $insertuj->execute();
                $idP=$conn->lastInsertId();
                print_r($vel);
            if($stanje=="Yes"){
                    $ima=$conn->prepare("insert into stanjeproizvoda
(proizvodID, naStanju) values(:idP,1)");
                        $ima->bindParam(":idP",$idP);
                        $ima->execute();
                if($stanje=="No"){
                    $ima=$conn->prepare("insert into stanjeproizvoda
(proizvodID, naStanju) values(:idP,0)");
                        $ima->bindParam(":idP",$idP);
                        $ima->execute();
                if(isset($ POST["velicine"])){
                    foreach($vel as $v){
                        $ima=$conn->prepare("insert into stanjeproizvoda
(proizvodID, velicinaID, naStanju) values(:idP,:idV,1)");
                        $ima->bindParam(":idP",$idP);
                        $ima->bindParam(":idV",$v);
                        $ima->execute();
                        $osimovih[]=$v;
                $sve=$conn->query("select idVelicine from velicina")->fetchAll();
                // 1,2,3,4,5 s
                // 2,3,4 ov
                if(isset($_POST["velicine"])){
                    foreach($sve as $s){
                        $vel=$s->idVelicine:
                        if(!in_array($vel,$osimovih)){
```

```
$nemaovih[]=$vel;//1,5?
               if(isset($ POST["velicine"])){
                   foreach($nemaovih as $no){
                        $fali=$conn->prepare("insert into stanjeproizvoda
(proizvodID, velicinaID, naStanju) values(:idP,:idV,0)");
                       $fali->bindParam(":idP",$idP);
                       $fali->bindParam(":idV",$no);
                       $fali->execute();
                }
               $conn->commit();
               header("Location:../../index.php?page=admin-products");
       } catch (PDOException $e) {
           array_push($greske, $e->getMessage());
            $_SESSION["greske"]= $greske;
           header("Location:../../index.php?page=new-product");
   else{
       header("Location:../../index.php?page=new-product");
```

3)UPDATE.PHP

```
    ob_start();
    session_start();
    if(isset($_POST["update"])){
        require_once("../../config/connection.php");
        require_once("../../functions.php");
        sidP=$_POST["idProiz"];
        $idS=$_POST["idSlike"];
        $name=$_POST["naziv"];
        $price=$_POST["cena"];
        $desc=$_POST["opis"];
}
```

```
$cat=$_POST["kategorije"];
        $vel=$ POST["velicine"];
       $stanje=$_POST["stanje"];
        $putanja=$ POST['putanja'];
        $opislike=$_POST['slikopis'];
        try{
            updatujProizvod($idP,$name,$price,$desc,$cat);
            $slika=$conn->prepare("update slika set putanja=:putanja,opis=:opis
where idSlike=:id");
            $slika->bindParam(":putanja",$putanja);
            $slika->bindParam(":opis",$opislike);
            $slika->bindParam(":id",$idS);
            $slika->execute();
            if($vel){
                foreach($vel as $v){
                    $ima=$conn->prepare("update stanjeproizvoda set naStanju=1
where velicinaID=:idV and proizvodID=:idP");
                    $ima->bindParam(":idV",$v);
                    $ima->bindParam(":idP",$idP);
                    $ima->execute();
                    $osimovih[]=$v;
                $sve=$conn->query("select idVelicine from velicina")->fetchAll();
                    foreach($sve as $s){
                         $velicina=$s->idVelicine;
                        if(!in_array($velicina,$osimovih)){
                             $nemaovih[]=$velicina;//1,5?
                    foreach($nemaovih as $no){
                        $fali=$conn->prepare("update stanjeproizvoda set
naStanju=0 where velicinaID=:idV and proizvodID=:idP");
                        $fali->bindParam(":idP",$idP);
                        $fali->bindParam(":idV",$no);
                        $fali->execute();
```

```
if($stanje=="Yes"){
                $ima=$conn->prepare("update stanjeproizvoda set naStanju=1 where
proizvodID=:idP");
               $ima->bindParam(":idP",$idP);
               $ima->execute();
           else{
               $ima=$conn->prepare("update stanjeproizvoda set naStanju=0 where
proizvodID=:idP");
               $ima->bindParam(":idP",$idP);
               $ima->execute();
            header("Location:../../index.php?page=admin-products");
        }
       catch(PDOException $e){
           $_SESSION["greske"]=$e->getMessage();
           header("Location:../../index.php?page=products-update");
   else{
       header("Location:../../index.php?page=admin-products");
```

USERS

1) DELETE. PHP

```
<?php
  ob_start();
  session_start();
  if(isset($_POST["delete"])){
     require_once("../../config/connection.php");
     require_once("../../functions.php");
     $id=$_POST["idKoris"];

     try{
        izbrisiKorisnika($id);
        header("Location:../../index.php?page=admin-users");
     }
     catch (PDOException $e) {
        $_SESSION["greske"]=$e->getMessage();
}
```

```
header("Location:../../index.php?page=admin-users");
}
else{
   header("Location:../../index.php?page=admin-users");
}
```

2)UPDATE.PHP

```
<?php
   ob start();
   session start();
   if(isset($_POST["update"])){
       require_once("../../config/connection.php");
       require_once("../../functions.php");
       $id=$_POST["id"];
       $ime=$ POST["ime"];
       $prezime=$_POST["prezime"];
       $username=$_POST["username"];
       $email=$_POST["email"];
       $uloga=$_POST["uloga"];
       $active=$_POST["active"];
       try{
           updatujKorisnika($id,$ime,$prezime,$username,$email,$uloga,$active);
           header("Location:../../index.php?page=admin-users");
       catch(PDOException $e){
           $_SESSION["greske"]=$e->getMessage();
           header("Location:../../index.php?page=users-update");
       }
   else{
       header("Location:../../index.php?page=admin-users");
```

1)INSERT.PHP

```
<?php
   ob_start();
if (isset($_POST['send'])) {
    require_once("../../config/connection.php");
    require_once("../../functions.php");
    header("Content-type:application/json");
    $pitanje = trim($_POST['pitanje']);
    $odgovori = trim($_POST['odgovori']);
    $greske = [];
    code = 404;
    $data = null;
    $rePitanje = "/^[\w\d\/\.\_\-]+(\s[\w\d]+)*\?$/";
    $reOdgovori = "/^[\w\d]+(\/[\w\d]+){1,}$/";
    if($pitanje==""){
        array_push($greske, "Question is required!");
    else if (!preg_match($rePitanje, $pitanje)) {
        array_push($greske, "End with question mark");
    if($odgovori==""){
        array_push($greske, "Answers are required!");
    if (!preg_match($reOdgovori, $odgovori)) {
        array_push($greske, "At least two of them(and separate them with slashes
 /' !!! geez...)");
    if (count($greske)>0) {
        $data = $greske;
        $code = 422;
    } else {
        try {
            $odgovori=explode("/",$odgovori);
            if(count($odgovori)<2){</pre>
                $data[]="Less then two made answers!";
```

```
else{
                $conn->beginTransaction();
                $anketa=$conn->prepare("insert into anketa(pitanje,aktivna)
values(:pitanje,0)");
                $anketa->bindParam(":pitanje",$pitanje);
                $anketa->execute();
                $id=$conn->lastInsertId();
                $parametri=[];
                $vrednosti=[];
                foreach($odgovori as $odgovor){
                $parametri[]="(?,?)";
                $vrednosti[]=$id;
                $vrednosti[]=$odgovor;
                $upit=$conn->prepare("insert into odgovor(anketaID,odgovor)
values" .implode(",",$parametri));
                $upit->execute($vrednosti);
                $conn->commit();
                $code=201;
        } catch (PDOException $e) {
            $code = 500;
            $data=["greska"=>$e->getMessage()];
    http response code($code);
    echo json_encode($data);
else{
    header("Location:../../index.php?page=admin-surveys");
```

2)CHANGE.PHP

```
<?php
  ob_start();
  session_start();
  if(isset($_POST["izbrisi"])){
     require_once("../../config/connection.php");
     require_once("../../functions.php");
     $id=$_POST["anketa"];

     try{
        izbrisiAnketu($id);
        header("Location:../../index.php?page=admin-surveys");</pre>
```

```
$ SESSION["uspeh"]="Successfully deleted!";
    catch (PDOException $e) {
        $ SESSION["greske"]=$e->getMessage();
       header("Location:../../index.php?page=admin-surveys");
else{
   header("Location:../../index.php?page=admin-surveys");
if(isset($ POST["aktiviraj"])){
    require_once("../../config/connection.php");
    require_once("../../functions.php");
   $id=$ POST["anketa"];
   try{
        $provera=$conn->query("select * from anketa where aktivna=1");
        if($provera->rowCount()==0){
           aktivirajAnketu($id);
           header("Location:../../index.php?page=admin-surveys");
           $ SESSION["uspeh"]="Successfully activated!";
        else{
           $ SESSION["greske"]="Only one can be currently activated!";
           header("Location:../../index.php?page=admin-surveys");
    catch (PDOException $e) {
       $ SESSION["greske"]=$e->getMessage();
       header("Location:../../index.php?page=admin-surveys");
else{
   header("Location:../../index.php?page=admin-surveys");
if(isset($ POST["deaktiviraj"])){
    require_once("../../config/connection.php");
    require_once("../../functions.php");
   $id=$_POST["anketa"];
   try{
       deaktivirajAnketu($id);
        header("Location:../../index.php?page=admin-surveys");
        $_SESSION["uspeh"]="Successfully deactivated!";
```

```
catch (PDOException $e) {
          $_SESSION["greske"]=$e->getMessage();
          header("Location:../../index.php?page=admin-surveys");
    }
} else{
    header("Location:../../index.php?page=admin-surveys");
}
```

ORDERS

1)CHANGE.PHP

```
<?php
   ob start();
   session_start();
   //brisi porudzbinu
   if(isset($ POST["delete"])){
       require_once("../../config/connection.php");
       require_once("../../functions.php");
       $id=$_POST["idKoris"];
       try{
           izbrisiPorudzbinu($id);
           header("Location:../../index.php?page=admin-orders");
           $_SESSION["uspeh"]="Successfully deleted!";
       }
       catch (PDOException $e) {
           $_SESSION["greske"]=$e->getMessage();
           header("Location:../../index.php?page=admin-orders");
   else{
       header("Location:../../index.php?page=admin-orders");
   header("Content-type:application/json");
   //dohvati detalje porudzbine
   if(isset($_POST["send"])){
       require_once("../../config/connection.php");
       require_once("../../functions.php");
       $id=$_POST["idKorisnika"];
       $code=404;
       $data=null;
```

```
try{
            $dohvati=$conn->prepare("select *,v.skracenica as vnaz,p.naziv as
pnaz from porudzbina pr left outer JOIN velicina v on pr.velicinaID=v.idVelicine
inner join proizvod p on pr.proizvodID=p.idProizvoda inner join slika s on
p.slikeID=s.idSlike where pr.korisnikID=:id");
            $dohvati->bindParam(":id",$id);
            $dohvati->execute();
            if($dohvati){
                $rezultati=$dohvati->fetchAll();
               $data=$rezultati;
               $code=200;
       catch (PDOException $e) {
            $code=500;
            $data=["greska"=>$e->getMessage()];
            header("Location:../../index.php?page=admin-orders");
   http_response_code($code);
    echo json_encode($data);
    else{
       header("Location:../../index.php?page=admin-orders");
```

MESSAGES

1) CHANGE.PHP

```
<?php
  ob_start();
  session_start();
  //brisi poruku
  if(isset($_POST["delete"])){
     require_once("../../config/connection.php");
     require_once("../../functions.php");
     $id=$_POST["idPoruke"];
     try{
        izbrisiPoruku($id);
        header("Location:../../index.php?page=admin-contact");</pre>
```

```
$ SESSION["uspeh"]="Successfully deleted!";
    catch (PDOException $e) {
        $ SESSION["greske"]=$e->getMessage();
        header("Location:../../index.php?page=admin-contact");
else{
    header("Location:../../index.php?page=admin-contact");
//oznaci kao procitano
if(isset($ POST["seenuj"])){
    require_once("../../config/connection.php");
    require once("../../functions.php");
    $id=$_POST["idPoruke"];
    try{
        seenujPoruku($id);
        header("Location:../../index.php?page=admin-contact");
        $ SESSION["uspeh"]="Successfully seen!";
    }
    catch (PDOException $e) {
        $_SESSION["greske"]=$e->getMessage();
        header("Location:../../index.php?page=admin-contact");
else{
    header("Location:../../index.php?page=admin-contact");
```

CONFIG

1) CONNECTION.PHP

**Promenjeno (of) skroz prilikom hostovanja!

ASSETS

CSS

1)STYLE.CSS

```
@import url("https://fonts.googleapis.com/css?family=Baloo+Da+2&display=swap");
 text-transform: uppercase;
  font-family: 'Baloo Da 2', cursive;
* a {
 text-decoration: none !important;
 a:hover {
  color: whitesmoke !important;
 a:hover img:not(.nopa) {
  opacity: 0.5 !important;
#slajder {
 background-image: url("../img/Kevin-Hart-HD.jpg");
 width: 100%;
 height: 100vh;
 background-size: cover;
#navigacija {
  background-color: transparent !important;
  position: absolute !important;
  top: 0;
  right: 0;
 left: 0;
  font-size: 1.2em !important;
.omotac {
 margin: 0px auto;
 width: 90%;
```

```
.breadcrumb {
 background-color: transparent !important;
input, textarea {
  margin: 5% 0%;
  text-transform: initial;
 width: 100%;
 height: 40px !important;
  border-radius: 0% !important;
  background-color: transparent !important;
  color: red !important;
select {
 height: 40px;
 padding-left: 2%;
 color: red;
 background-color: #000;
 width: 50%;
#ddlAnketaActivate {
 width: 100% !important;
textarea {
 height: 100% !important;
input[type=submit], input[type=button] {
 width: 25%;
input[type=radio], input[type=checkbox] {
 width: 10% !important;
 height: 20px !important;
input[type=number] {
 width: 15% !important;
  color: red !important;
```

```
.smanji {
 height: 100px;
table {
 width: 100%;
body, .btn {
 background-color: #000;
  color: whitesmoke;
body a, body i, .btn a, .btn i {
  color: whitesmoke !important;
.btn {
 border: 2px solid white;
.btn:hover {
 border: 2px solid #ca0606;
 background-color: transparent;
  font-weight: bold;
.bojaReda {
 background-color: rgba(202, 6, 6, 0.5);
.crveno {
  color: red !important;
.crno {
 background-color: #000 !important;
.dropdown-menu {
 padding: 0% !important;
.dropdown-menu .dropdown-item:hover {
 background-color: red !important;
```

```
color: #000 !important;
  font-weight: bold;
.slikeKorpe {
 height: 150px !important;
 width: 100%;
 padding-left: 25% !important;
.slikeKorpe img {
 height: 100% !important;
.modal-dialog {
 width: 800px !important;
  color: red;
.modal-dialog .modal-content {
 width: 100% !important;
 background-color: #000 !important;
 border: 2px solid whitesmoke;
.nodec {
 list-style-type: none !important;
.poquito {
 width: 20% !important;
 border-radius: 5% !important;
.uvuci {
 text-indent: 5%;
@media screen and (max-width: 1500px) {
 #slajder{
      background-position:center center !important;
#stanje{
  display: none;}
/*# sourceMappingURL=style.css.map */
```

1)MAIN.JS

```
window.onload = function () {
    let url = location.href;
    console.log(url)
    sviProizvodi=dohvatiSveProizvodeIzKorpe();
    if(!sviProizvodi){
        sviProizvodi=[];
        localStorage.setItem("products", JSON.stringify(sviProizvodi));
    ispisMreza();
    prebrojUkorpi();
    if (url.indexOf("register") != -1) {
        $("#btnkreirajnalog").click(proveraRegistracije)
    if (url.indexOf("survey") != -1) {
        $("#glasaj").click(proveraGlasa);
        $("#rezultati").click(dohvatiRezultate);
        $("#unosAnkete").click(ubaciNovuAnketuUbazu);
        $("#ddlAnketaResults").change(dohvatiRezultate);
    if (url.indexOf("contact") != -1) {
        $("#kontaktiraj").click(proveraPoruke)
    if (url.indexOf("orders") != -1) {
        $(".detalji").click(dohvatiDetaljePorudzbine)
    if ((url.indexOf("product") != -1) || (url.indexOf("home") != -1)) {
        $("#dodajUkorpu").click(dodajUkorpu);
    if (url.indexOf("cart") != -1) {
        prespiKorpu();
        $("#kupi").hide();
        $("#kupi").click(naruci);
    $("table tr:not(:first)").hover(function () {
        $(this).addClass("bojaReda")
    }, function () {
        $(this).removeClass("bojaReda")
    });
    $(".procitajPoruku").hover(function () {
        $(this).html("See")
```

```
}, function () {
        $(this).html("New")
    });
   $("#velicine").change(imaIlnema);
    $("#ddlKategorije").change(treballneTreba);
//provere
function proveraRegistracije() {
    let validno = true;
    let ime = $("#ime").val().trim();
    let prezime = $("#prezime").val().trim();
    let username = $("#username").val().trim();
    let mejl = $("#mejl").val().trim();
    let sifra = $("#sifra").val().trim();
    let reImePrezime = /^[A-Z][a-z]+(\s[A-Z][a-z]+)*$/;
    let remejl = /^[A-z0-9\.\_-]+\@[A-z0-9\.\_-]+(\.[A-z]{2,})+$/;
    let reSifra = /^[A-z0-9]{7,50}$/;
    let reUser = /^[\w\d\.\-\@\]{7,50}$/;
    if (ime == "") {
        validno = false;
        $("#ime").css("border-bottom", "2px solid red");
    else if (!reImePrezime.test(ime)) {
       validno = false;
        $("#ime").css("border-bottom", "2px solid red");
        $("#ime").next().html("Gotta start with an uppercase letter!");
   else {
        $("#ime").css("border-bottom", "2px solid green");
        $("#ime").next().html("");
    if (prezime == "") {
        validno = false;
        $("#prezime").css("border-bottom", "2px solid red");
    else if (!reImePrezime.test(prezime)) {
       validno = false;
        $("#prezime").css("border-bottom", "2px solid red");
        $("#prezime").next().html("Gotta start with an uppercase letter!");
    else {
```

```
$("#prezime").css("border-bottom", "2px solid green");
        $("#prezime").next().html("");
    }
    if (sifra == "") {
        validno = false;
        $("#sifra").css("border-bottom", "2px solid red");
    else if (!reSifra.test(sifra)) {
       validno = false;
        $("#sifra").css("border-bottom", "2px solid red");
        $("#sifra").next().html("At least 7 characters!<br/>>**Only letters and
numbers!");
   else {
       $("#sifra").css("border-bottom", "2px solid green");
       $("#sifra").next().html("");
    if (username == "") {
        validno = false;
        $("#username").css("border-bottom", "2px solid red");
    else if (!reUser.test(username)) {
        validno = false;
        $("#username").css("border-bottom", "2px solid red");
        $("#username").next().html("At least 7 characters!");
    }
    else {
        $("#username").css("border-bottom", "2px solid green");
       $("#username").next().html("");
    if (mejl == "") {
        validno = false;
        $("#mejl").css("border-bottom", "2px solid red");
   else if (!remejl.test(mejl)) {
       validno = false;
        $("#mejl").css("border-bottom", "2px solid red");
        $("#mejl").next().html("Gotta have @ in it!<br/> Like this:
try.again@gmail.com");
    }
    else {
       $("#mejl").css("border-bottom", "2px solid green");
```

```
$("#mejl").next().html("");
    if (validno) {
        var obj = {
            ime: ime,
            prezime: prezime,
            username: username,
            mejl: mejl,
            sifra: sifra,
            send: true
        };
        $.ajax({
            url: "modules/register.php",
            method: "POST",
            data: obj,
            success: function (data) {
                $("#poruka").html("Successfully made!");
                console.log(data)
            },
            error: function (xhr, status, error) {
                var poruka = "Oops, an error occurred...";
                console.log(xhr)
                console.log(xhr.responseJSON)
                var i;
                switch (xhr.status) {
                    case 404: poruka = "Page not found!"; break;
                    case 409: poruka = "Username or email already exists!";
break;
                    case 422: poruka = "Values are not valid!"; break;
                    case 500: poruka = "Error"; break;
                $("#poruka").css("border","2px solid red");
                $("#poruka").html(poruka + "<br/>");
                for( i of xhr.responseJSON){
                    $("#poruka").append(i);
       })
function proveraGlasa() {
    var glas = $("input[name=glas]:checked").val();
    var korisnikId = $("#hiddenIDuser").val();
```

```
console.log(glas)
    console.log(korisnikId)
    if (glas == undefined) {
        $("#glas").html("Gotta vout (wance!)")
    else {
        $("#glas").html("")
        $.ajax({
            url: "modules/vote.php",
            method: "POST",
            data: {
                korisnikId: korisnikId,
                glas: glas,
                send: true
            },
            success: function (data) {
                $("#glas").html("<img src='assets/img/slika1.jpg'/ alt='Really?'</pre>
class='poquito ml-3'>");
                $("#glas").prepend("Wow...Really dawg?");
                console.log(data)
            },
            error: function (xhr, status, error) {
                var poruka = "Oops, an error occurred...";
                console.log(xhr)
                console.log(xhr.responseJSON)
                var i;
                switch (xhr.status) {
                    case 404: poruka = "Page not found!"; break;
                    case 409: poruka = "Already took a vote man!"; break;
                    case 422: poruka = "Values are not valid!"; break;
                    case 500: poruka = "Error"; break;
                $("#glas").css("color","red");
                $("#glas").html(poruka);
                $("#glas").html(poruka + "<br/>");
                for( i of xhr.responseJSON){
                    $("#glas").append(i);
        })
function proveraPoruke() {
    let validno = true;
```

```
let ime = $("#ime").val().trim();
   let mejl = $("#mejl").val().trim();
   let poruka = $("#poruka").val().trim();
   let reIme = /^[A-Z][a-z]+(\s[A-Z][a-z]+)*$/;
   let remejl = /^[A-z0-9\.\_-]+\@[A-z0-9\.\_-]+(\.[A-z]{2,})+$/;
   if (ime == "") {
       validno = false;
       $("#ime").css("border-bottom", "2px solid red");
   else if (!reIme.test(ime)) {
       validno = false;
       $("#ime").css("border-bottom", "2px solid red");
       $("#ime").next().html("Gotta start with an uppercase letter!");
   else {
       $("#ime").css("border-bottom", "2px solid green");
       $("#ime").next().html("");
   if (mejl == "") {
       validno = false;
       $("#mejl").css("border-bottom", "2px solid red");
   else if (!remejl.test(mejl)) {
       validno = false;
       $("#mejl").css("border-bottom", "2px solid red");
       $("#mejl").next().html("Gotta have @ in it!<br/> Like this:
try.again@gmail.com");
   else {
       $("#mejl").css("border-bottom", "2px solid green");
       $("#mejl").next().html("");
   if (poruka == "") {
       validno = false;
       $("#poruka").css("border-bottom", "2px solid red");
       $("#poruka").next().html("Write something");
   else {
       $("#poruka").css("border-bottom", "2px solid green");
       $("#poruka").next().html("");
```

```
}
    if (validno) {
        var obj = {
            ime: ime,
            email: mejl,
            poruka: poruka,
            send: true
        };
        $.ajax({
            url: "modules/contact.php",
            method: "POST",
            data: obj,
            success: function (data) {
                $("#odgovor").html("Successfully sent!");
                console.log(data)
            },
            error: function (xhr, status, error) {
                var poruka = "Oops, an error occurred...";
                console.log(xhr)
                console.log(xhr.responseJSON)
                var i;
                switch (xhr.status) {
                    case 404: poruka = "Page not found!"; break;
                    case 422: poruka = "Values are not valid!"; break;
                    case 500: poruka = "Error"; break;
                $("#odgovor").css("color","red");
                $("#odgovor").html(poruka + "<br/>");
                for( i of xhr.responseJSON){
                    $("#odgovor").append(i);
       })
function proveraLogina() {
    let validno = true;
    let mejl = $("#mejl").val().trim();
    let sifra = $("#sifra").val().trim();
    let remej1 = /^[A-z0-9\.\_-]+\@[A-z0-9\.\_-]+(\.[A-z]{2,})*$/;
```

```
let reSifra = /^[A-z0-9]{7,50}$/;
    if (mejl == "") {
        validno = false;
        $("#mejl").css("border-bottom", "2px solid red");
    else if (!remejl.test(mejl)) {
       validno = false;
        $("#mejl").css("border-bottom", "2px solid red");
        $("#mejl").next().html("Gotta have @ in it!<br/> Like this:
try.again@gmail.com");
    else {
        $("#mejl").css("border-bottom", "2px solid green");
        $("#mejl").next().html("");
    if (sifra == "") {
        validno = false;
        $("#sifra").css("border-bottom", "2px solid red");
   else if (!reSifra.test(sifra)) {
        validno = false;
       $("#sifra").css("border-bottom", "2px solid red");
       $("#sifra").next().html("At least 7 characters!<br/>**Only letters and
numbers!");
   else {
        $("#sifra").css("border-bottom", "2px solid green");
       $("#sifra").next().html("");
    if (validno) {
        return true;
   else {
       return false;
//dohvatanja
function dohvatiRezultate() {
   var idAnkete;
    if (location.href.indexOf("admin-surveys") != -1) {
        idAnkete = $("#ddlAnketaResults").val();
```

```
else {
        idAnkete = $("#hiddedIDsurvey").val();
    }
    console.log(idAnkete)
    $.ajax({
        url: "modules/voteresults.php",
        method: "POST",
        data: {
            idAnkete: idAnkete,
            send: true
        },
        success: function (data) {
            $("#svirezultati").html(ispisRezultata(data));
            if (location.href.indexOf("page=survey") != -1) {
                $("#svirezultati").css("border","2px solid white");
            console.log(data)
        },
        error: function (xhr, status, error) {
            var poruka = "Oops, an error occurred...";
            console.log(xhr.responseJSON)
            switch (xhr.status) {
                case 404: poruka = "Page not found!"; break;
                case 500: poruka = "Error"; break;
            $("#svirezultati").html(poruka);
    })
function dohvatiSveProizvodeIzKorpe() {
    return JSON.parse(localStorage.getItem("products"));
function dohvatiDetaljePorudzbine() {
    var idKorisnika = $(this).data("idkorisnika");
    console.log(idKorisnika)
    $.ajax({
        url: "modules/admin/orders/change.php",
        method: "POST",
        data: {
            idKorisnika: idKorisnika,
            send: true
        },
        success: function (data) {
```

```
$(".modal-body").html(ispisPorudzbina(data));
           console.log(data)
       ,error: function (xhr, status, error) {
           var poruka = "Oops, an error occurred...";
           console.log(xhr.responseJSON)
           switch (xhr.status) {
               case 404: poruka = "Page not found!"; break;
              case 500: poruka = "Error"; break;
           $("#detalji-por").html(poruka);
   })
//ispisi
function ispisRezultata(data) {
   let ispis = "";
   data.forEach(element => {
       ispis += `
           ${element.odgovor}
               ${element.ukupno}
           });
   return ispis;
function ispisMreza() {
   let ispis = "";
   var mreze = ["facebook", "instagram", "twitter"];
   for (let i = 0; i < mreze.length; i++) {</pre>
       ispis += `<a href="https://${mreze[i]}.com" target="_blank" ><i</pre>
class="crveno fa fa-${mreze[i]} mx-2" aria-hidden="true"></i></a>;
   $(".mreze").append(ispis);
function ispisPorudzbina(data) {
   let ispis = `
   Product
       Size
       Quantity
   `;
   data.forEach(element => {
```

```
ispis +=
       ${element.pnaz}
           <img src="assets/img/${element.putanja}" alt="${element.opis}"</pre>
class="smanji"/>
           >`;
       if (element.vnaz == null) {
           ispis += "";
       else {
           ispis += `${element.vnaz}`;
       ispis+=`
           ${element.kolicina}
       });
   ispis += "";
   return ispis;
//korpa
function prebrojUkorpi() {
   let suma = dohvatiSveProizvodeIzKorpe();
   let ukupno = 0;
   suma.forEach(element => {
       ukupno += Number(element.kolicina);
   });
   console.log(suma)
   $("#ukorpi").html(ukupno);
   return ukupno;
function dodajUkorpu() {
   var idP = $(this).data("idproizvoda");
   var velicina = $("#velicine option:selected").val();
   var kolicina = $("#kolicinski").val();
   var sviProizvodi = dohvatiSveProizvodeIzKorpe();
   console.log(velicina)
   if (kolicina == undefined) {
       kolicina = 1;
   if (sviProizvodi) {
```

```
if (sviProizvodi.filter(p => p.idP == idP && p.velicina ==
velicina).length) {
            for (let p of sviProizvodi) {
                if (p.idP == idP && p.velicina == velicina) {
                    p.velicina = velicina;
                    p.kolicina = Number(p.kolicina) + Number(kolicina);
                    break;
            localStorage.setItem("products", JSON.stringify(sviProizvodi));
        else {
            sviProizvodi.push({
                idP: idP,
                velicina: velicina,
                kolicina: kolicina
            });
            localStorage.setItem("products", JSON.stringify(sviProizvodi));
    else {
        let products = [];
        products[0] = {
            idP: idP,
            velicina: velicina,
            kolicina: kolicina
        console.log(sviProizvodi)
        localStorage.setItem("products", JSON.stringify(products));
    var povecaj = prebrojUkorpi();
    $("#ukorpi").html(povecaj);
function prespiKorpu() {
    var sviProizvodi = dohvatiSveProizvodeIzKorpe();
    if (sviProizvodi && sviProizvodi.length) {
        $.ajax({
            url: "modules/cartproducts.php",
            method: "POST",
            success: function (data) {
                data = data.filter(p => {
                    for (let proizvod of sviProizvodi) {
                        if (proizvod.idP == p.idProizvoda && proizvod.velicina ==
p.idVelicine) {
```

```
p.kolicina = proizvod.kolicina;
                        p.velicina = proizvod.velicina;
                        return true;
                     else if (proizvod.idP == p.idProizvoda && p.idVelicine ==
null) {
                        p.kolicina = proizvod.kolicina;
                        p.velicina = proizvod.velicina;
                        //quee?
                        return true;
                 return false;
              });
              ispisiKorpu(data);
          ,error: function (xhr, status, error) {
              var poruka = "Oops, an error occurred...";
              console.log(xhr.responseJSON)
              switch (xhr.status) {
                 case 404: poruka = "Page not found!"; break;
                 case 500: poruka = "Error"; break;
              $("#proizvodiKorpe").html(poruka);
       })
   else {
       let ispis = `Your cart is currently empty!Continue browsing <a</pre>
href="index.php?page=categories" class="crveno">here</a>`;
       $("#proizvodiKorpe").html(ispis)
function ispisiKorpu(data) {
   console.log(data)
   let sve = dohvatiSveProizvodeIzKorpe();
   let ispis = `
       Products
          Price
          Quantity
          Total
       data.forEach(element => {
```

```
ispis +=
         <figure class="slikeKorpe">
               <img src="assets/img/${element.putanja}"</pre>
alt="${element.opis}" class="manje"/>
               </figure>
            ${element.naziv}`;
      sve.forEach(p => {
         if (p.idP == element.idProizvoda && p.velicina == element.idVelicine
&& element.idVelicine != null) {
            ispis += element.velicinaziv + "-(" + element.skracenica + ")" +
"<br/><br/>";
      });
      ispis += `
               <a href="#" data-idproizv="$" class="crveno removeItem"</pre>
onclick="izbrisilzKorpe(event,${element.idProizvoda},${element.idVelicine})">Remo
ve</a>
            $${element.cena}
            ${element.kolicina}
            $${Number(element.cena) *
});
   ispis += `
      $`
   var ukupno = 0
   data.forEach(element => {
      ukupno += Number(element.cena) * Number(element.kolicina);
   });
   ispis += ukupno;
   ispis += `
      $("#proizvodiKorpe").html(ispis);
```

```
$("#kupi").show();
function izbrisiIzKorpe(e, idP, idV) {
    var sviProizvodi = dohvatiSveProizvodeIzKorpe();
    e.preventDefault();
    console.log(idP, idV)
    var ostali = sviProizvodi.filter(p => p.velicina != idV || p.idP != idP);
    localStorage.setItem("products", JSON.stringify(ostali));
    location.reload();
//ubacivanja u bazu
function naruci() {
    var id = $(this).data("idkorisnika");
    console.log(dohvatiSveProizvodeIzKorpe())
    var svizabrani = dohvatiSveProizvodeIzKorpe();
    var sviIp = [], svaKolicina = [], svaVelicina = [];
    svizabrani.forEach(element => {
        sviIp.push(element.idP)
        svaKolicina.push(element.kolicina)
        if (element.velicina == null) {
            svaVelicina.push("null")
        else {
            svaVelicina.push(element.velicina)
    });
    console.log(id + " korisnik| " + sviIp.toString() + " idP|",
svaKolicina.toString() + " kol", svaVelicina.toString() + " vel")
    if (dohvatiSveProizvodeIzKorpe().length) {
        $.ajax({
            url: "modules/order.php",
            method: "post",
            dataType: "json",
            data: {
                id: id,
                idP: sviIp.toString(),
                kol: svaKolicina.toString(),
                vel: svaVelicina.toString(),
                send: true,
            },
            success: function (data, status, xhr) {
                if (xhr.status == 201) {
                    $("#jel-naruceno").html("Successfully ordered!");
```

```
localStorage.setItem("products", JSON.stringify([]));
                ispisiKorpu();
            ,error: function (xhr, status, error) {
                var poruka = "Oops, an error occurred...";
                console.log(xhr.responseJSON)
                switch (xhr.status) {
                    case 404: poruka = "Page not found!"; break;
                    case 500: poruka = "Error"; break;
                $("#detalji-por").html(poruka);
        });
function ubaciProizvodUbazu() {
    let validno = true;
    let naziv = $("#naziv").val().trim();
    let cena = $("#cena").val().trim();
    let opis = $("#opis").val().trim();
    let kategorija = $("#ddlKategorije").val();
   let src = $("#putanja").val();
    let alt = $("#slikopis").val();
    var selected = [];
   $('input[type=checkbox]:checked').each(function () {
        selected.push($(this).val());
    });
    console.log(selected)
   let reNaziv = /^[A-Z][A-z]{0,99}$/;
    let reCena = /^[\d]{1,25}\.[\d]{2}$/;
    let rePutanje = /^(http(s?):)*([\/|\.|\w|\s|\-])+\.(?:jpg|gif|png)$/;
    if (naziv == "") {
        validno = false;
        $("#naziv").css("border-bottom", "2px solid red");
    else if (!reNaziv.test(naziv)) {
        validno = false;
        $("#naziv").css("border-bottom", "2px solid red");
        $("#naziv").next().html("Gotta start with an uppercase(dont-forget:only
100 letters)!");
```

```
else {
       $("#naziv").css("border-bottom", "2px solid green");
       $("#naziv").next().html("");
    }
   if (cena == "") {
       validno = false;
       $("#cena").css("border-bottom", "2px solid red");
   else if (!reCena.test(cena)) {
       validno = false;
       $("#cena").css("border-bottom", "2px solid red");
       $("#cena").next().html("Numbers only(with 25 digit limit) and 2 digits
after fullstop...like this: 27.00");
   else {
       $("#cena").css("border-bottom", "2px solid green");
       $("#cena").next().html("");
   if (opis == "") {
       validno = false;
       $("#opis").css("border-bottom", "2px solid red");
   else {
       $("#opis").css("border-bottom", "2px solid green");
   if (kategorija == "0") {
       validno = false;
       $("#ddlKategorije").css("border-bottom", "2px solid red");
   else {
       $("#ddlKategorije").css("border-bottom", "2px solid green");
    }
   if (src == "") {
       validno = false;
       $("#putanja").css("border-bottom", "2px solid red");
   else if (!rePutanje.test(src)) {
       validno = false;
       $("#putanja").css("border-bottom", "2px solid red");
       $("#putanja").next().html("It can be link or name with only these
extensions: jpg|gif|png");
```

```
else {
        $("#putanja").css("border-bottom", "2px solid green");
        $("#putanja").next().html("");
    if (alt == "") {
       validno = false;
        $("#slikopis").css("border-bottom", "2px solid red");
    else {
        $("#slikopis").css("border-bottom", "2px solid green");
    if (selected.length == 0) {
       $("input[type=checkbox").next().css("border-bottom", "2px solid red");
   else {
        $("input[type=checkbox").next().css("border-bottom", "2px solid green");
    if (validno) {
       return true;
   else {
        return false;
function ubaciNovuAnketuUbazu() {
    let validno = true;
    let pitanje = $("#pitanje").val().trim();
    let odgovori = $("#odgovori").val().trim();
    let rePitanje = /^[\w\d\/\.\_\-]+(\s[\w\d]+)*\?$/;
    let reOdgovori = /^[\w\d\.\_\-]+(\/[\w\d]+){1,}$/;
    if (pitanje == "") {
       validno = false;
        $("#pitanje").css("border-bottom", "2px solid red");
    else if (!rePitanje.test(pitanje)) {
        validno = false;
        $("#pitanje").css("border-bottom", "2px solid red");
        $("#pitanje").next().html("Gotta End with question mark!");
```

```
else {
       $("#pitanje").css("border-bottom", "2px solid green");
       $("#pitanje").next().html("");
   if (odgovori == "") {
       validno = false;
       $("#odgovori").css("border-bottom", "2px solid red");
   else if (!reOdgovori.test(odgovori)) {
       validno = false;
       $("#odgovori").css("border-bottom", "2px solid red");
       $("#odgovori").next().html("At least two of them(and separate them with
slashes ' / ' !!! geez...");
    }
   else {
       $("#odgovori").css("border-bottom", "2px solid green");
       $("#odgovori").next().html("");
   if (validno) {
       var obj = {
            pitanje: pitanje,
            odgovori: odgovori,
            send: true
        };
        $.ajax({
            url: "modules/admin/surveys/insert.php",
            method: "POST",
            data: obj,
            success: function (data) {
                $("#rizalt").html("Successfully added!");
                $("#pitanje").val("");
                $("#odgovori").val("");
                location.reload();
            },
            error: function (xhr, status, error) {
                var poruka = "Oops, an error occurred...";
                console.log(xhr)
                console.log(xhr.responseJSON)
                var i;
                switch (xhr.status) {
                    case 404: poruka = "Page not found!"; break;
```

```
case 422: poruka = "Values are not valid!"; break;
                    case 500: poruka = "Error"; break;
                }
                $("#rizalt").css("border","2px solid red");
                $("#rizalt").html(poruka + "<br/>");
                for( i of xhr.responseJSON){
                    $("#rizalt").append(i);
                }
        })
function imallnema() {
   var idV = $(this).val();
   var idP = $("#velicine").data("idproizvoda");
   $.ajax({
        url: "modules/cartproducts.php",
        method: "POST",
        success: function (data) {
            data = data.filter(p => {
                if (p.idProizvoda == idP && p.idVelicine == idV) {
                    if (p.naStanju == 1) {
                        $("#dodajUkorpu").html("Add to cart");
                        $("#dodajUkorpu").removeAttr("disabled");
                    else {
                        $("#dodajUkorpu").attr("disabled", "disabled");
                        $("#dodajUkorpu").html("Sold out");
            });
        ,error: function (xhr, status, error) {
            var poruka = "Oops, an error occurred...";
            console.log(xhr.responseJSON)
            switch (xhr.status) {
                case 404: poruka = "Page not found!"; break;
                case 500: poruka = "Error"; break;
            $("#dodajUkorpu").html(poruka);
```

```
})

function treballneTreba() {
    let kategorija = $("#ddlKategorije").val();

    if ((kategorija == "3") || (kategorija == "5")) {
        $("#sizes").hide();
        $("#stanje").show();
    }
    else {
        $("#sizes").show();
        $("#stanje").hide();
    }
}
```

-THE END-