# DOKUMENTACIJA SAJTA

Student:Dijana Lazic 19/18

Iskljucivo za potrebe predmeta Web Programiranje 1...dobro,da,I da se pohvalim mojima

Iskljucivo za potrebe predmeta Web Programiranje 1...dobro,da,I da se pohvalim mojima

## Sadrzaj

Uvod	1
Korisceni programski jezici	2
Opis funkcionalnosti	3
Template	4
Organizacija	4
Organizaciona sema	5
Mapa sajta	6
Slike stranica I opisi funkcionalnosti	7
Kodovi	8
HTML	9
CSS	10
JAVASCRIPT	11
iQuery	12

#### Uvod

#### Korisceni programski jezici:

- 1. HTML
- 2. CSS
- 3. JAVASCRIPT
- 4. JQUERY + plugins
- 5. BOOTSTRAP

#### **Opis funkcionalnosti:**

Kreiran sa ciljem da korisnicima pruzi sav sadrzaj na jednoj stranici(index.html),pozadina ovog sajta funkcionise na sledeci nacin:


Dinamicko ucitavanje I ispisivanje(JS-om) prilikom ucitavanja stranice:


- Linkovi drusvenih mreza u meniju
- Blok sa trima slikama( koje nude opis nacina usluga)
- Blok sa sest slika(kategorija usluga)
- Blokovi (tipa Card) u okviru bootstrapovog slajdera
- Blok sa trima slikama, medju kojima je centralni dinamicki ispisan slajder
- Unutar plugina-a simpleLightBox –slike
- Sadrzaj unutar forme(ddl liste)sa drzavama I godinama
- Dodeljuju se dogadjaji tekstualnim poljima I sumbit dugmetu(kojima se kasnije proverava ispravnost forme)


#### Zahvaljujuci jQuery-ju se:


- Otvara podmeni klikom na strelicu
- Klikom na dugme ili otkriva ili sakriva sadrzaj nekog teksta
- Skrolovanjem menja boja menija I velicina, a dodaje mali pomocnik u uglu(strelica koja vodi do vrha stranice)
- Slajder okrece tri slike unete JS-om(kao sto je I napomenuto ranije, osim cinjenice da se odnosi na onaj pod naslovom 'Top categories',preostalim dvoma upravljao je Bootstrap)
- Iskakajuca galerija prikazuje(simpleLightBox plugIn)
- Broji kolicina izabranih artikala klikom na +/- I povecava broj unutar polja
- Hover efektom ili na srpskom- prelaskom misa- preko slike se sklanja I dodaje klasa koja cini sadrzaj prozirnim kako bi se prikazao tekst
- Otkriva identitet umetnika sajta ukoliko se klikne na link Author nakon kojeg se pokrece jQueryjev modal plug-in


## **Template**











Iskljucivo za potrebe predmeta Web Programiranje 1...dobro,da,I da se pohvalim mojima



## Organizacija


## Organizaciona sema

S obzirom na to da je single page stranica, njena sema izgleda ovako:


INDEX.HTML

## Mapa sajta


## Slika stranica I opisi funkcionalnosti



Koristeci boostrap, prva implementacija njihovog koda se realizovala kroz slajder(e) koji se nalazi u pozadini menija ispisanog rucno, a kojem jQuery omogucava ,klikom na strelicu, da otvori podmeni koji vodi do nizeg dela pocetne(a I jedine) stranice.




Ova sekcija je dinamicki ispisana kroz JS, a suptilan CSS kod se izvrsava prelaskom misa na slicice kategorija,u kojima se prikazuje tekst koristeci funkciju napisanu jQuery-jem.



Nakon odredjene duzine(650) skrolovanja misom, prikazuje se drugacija verzija menija(sa pozadinskom prozirnom bojom I nazivom sajta u sredini),a u desnom donjem uglu stranice, viri strelica koja vraca na vrh stranice ako se na nju klikne(jQuery).

Za izgled kartica se I ovog puta pobrinuo Bootstrap,a uz malu pomoc autora I dinamicki ispisali. Takodje, koristeci jQuery funkciju, klikom na link "Check the smell" se *reveal*-uje miris sveca sa slike. U slucaju da se korisnik opredeli za to I klikne Shop, izaci ce mu obavestenje u vidu alert() metode koja ga upozorava da je to jedino moguce uradili ukoliko se pritom ulogovao na stranicu.











Premda golim printscreenom oku nevidljiva, u sredini ove dinamicki ispisane sekcije, se pokrece niz slika(3) koje stvaraju efekat slajdera(radjene JS-om),a kad bismo kliknuli na dugme Find out, pozvala bi se jQury funkcija koja bi prikazala,pa potom istim pozivom odgovorila sa skrivanjem (this) teksta.




Naizgled spaljeni deo stranice, dozvoljava korisnicima da, ukoliko kliknu na "mini-galeriju" uzivaju u simpleLightBox jQuery plugin-u koji omogucava iskakanje I veci prikaz slike, iza koje se zaledi(ironija) ostatak stranice sve dok se ne klikne na X u cosku,a mali deadDemo izgleda ovako:




Boostrapov poslednji put(na ovom sajtu) iskoriscen slajder u kojem se pomeraju proizvodi, nudi vise ponuda ukoliko se klikne na strelice sa strane. Odabirom kolicine proizvoda klikom na + ili -, se povecava odnosno smanjuje broj unutar input taga. Ukoliko neko(nadamo se slucajno) smanji broj tj klikne – kad je 0 proizvoda izabrano, radjeno jQueryjem se obavestava korisnik alert() metodom.

U formi se od korisnika trazi da je pre svega ispostuje I popuni sva navedena polja, a ukoliko to ne uradi,



upozorava se na sledece nacine: krece se od prva 4 polja nakon kojih kad se izadje iz njih se ispod ili pojavi da nije u dobrom formatu ili da nije uneseno;godina rodjenja kad se izabere se proverava da li je korisnik punoletan(tj stariji od 18),a za sve ostalo vazi da ispisuju ispod gresku ukoliko je ima kad pokusa da se posalje forma.



Za detalje o autoru se klikom na taj link otvara modal(jQuery plugin) u kojem se nalaze dodatne informacije.

#### Kodovi

#### **HTML**

```
<!DOCTYPE html>
<html lang="en">
<head>
    <!--metagovi-->
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta name="keywords" content="candles,categories,scents,holidays"/>
    <meta name="author" content="Dijana Lazic" target=" blank"/>
    <meta name="description" content="Your favourite smells gathered in one</pre>
product"/>
    <title>Les candLes</title>
    <!--linkovi-->
    <link rel="stylesheet" type="text/css" href="bootstrap-4.3.1-</pre>
dist/css/bootstrap.min.css"/>
    <link rel="stylesheet" type="text/css" href="css/style1.css"/>
    <link rel="shortcut icon" href="img/icona.ico"/>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/jquery-</pre>
modal/0.9.1/jquery.modal.min.css" />
    <link href="https://fonts.googleapis.com/css?family=Solway&display=swap"</pre>
rel="stylesheet">
    <link rel="stylesheet" type="text/css" href="js/simpleLightbox-</pre>
master/dist/simpleLightbox.min.css"/>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
</head>
<body>
    <!--menislajder-->
        <div class="container-fluid">
            <div class="row fixed-top" id="meni">
                <div class="col-lg-12">
                    <nav class="navbar navbar-expand-md navbar-light">
                          <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navbarTogglerDemo02" aria-
controls="navbarTogglerDemo02" aria-expanded="false" aria-label="Toggle
navigation">
```

```
<span class="navbar-toggler-icon"></span>
                 </button>
                 <div class="collapse navbar-collapse"</pre>
id="navbarTogglerDemo02">
                    <a class="nav-link" href="index.html">Home
<span class="sr-only">(current)</span></a>
                       <a href="#" class="nav-link "</pre>
id="goreDole">Shop<i class="fa fa-arrow-down mx-2" aria-hidden="true"></i></a>
                       <a href="index.html" class="nav-link text-dark mx-</pre>
auto" id="logo">LEScandLES</a>
                 <div id="mreze" class=""></div>
              </nav>
           </div>
           <div class="col-lg-5 my-3 bg-transparent" id="otvori">
              <a href="#1" class="text-dark">Products</a>
                 <a href="#2" class="text-dark">Best of</a>
                 <a href="#3" class="text-dark">Account</a>
              </div>
BOOTSTRAPOV KOD ZA SLAJDER
        <div id="carouselExampleCaptions" class=" carousel row slide" data-</pre>
ride="carousel">
           class="active">
               to="1">
              to="2">
           <div class="carousel-inner">
              <div class="carousel-item active">
                 <img src="img/doi.jpeg" class="d-block w-100" alt="Slika</pre>
slajdera" />
                 <div class="carousel-caption d-none border border-dark d-</pre>
md-block">
                    <h5>Fragrances of the season</h5>
```

```
<button type="button" class="btn my-5 alertuj border</pre>
border-dark btn-lg text-danger">SHOP NOW</button>
                            Give your loved ones something special for
upcoming holidays!
                    </div>
                    <div class="carousel-item">
                        <img src="img/slajduj1.jpeg" class="d-block w-100"</pre>
alt="Slika slajdera 2" />
                        <div class="carousel-caption d-none border border-dark d-</pre>
                            <h5>Stockings</h5>
                            <button type="button" class="btn my-5 alertuj border</pre>
border-dark btn-lg text-danger">SHOP NOW</button>
                            Fill them in with food, money and love.
                    </div>
                    <div class="carousel-item">
                        <img src="img/ovo.jpg" class="d-block w-100" alt="Slika</pre>
slajdera 3"/>
                        <div class="carousel-caption d-none border border-dark d-</pre>
md-block">
                            <h5>Just relaaaax....</h5>
                            <button type="button" class="btn my-5 alertuj border</pre>
border-dark btn-lg text-danger">SHOP NOW</button>
                            Enjoy everything that these days bring upon
them
                    </div>
                </div>
                <a class="carousel-control-prev" href="#carouselExampleCaptions"</pre>
role="button" data-slide="prev">
                    <span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
                    <span class="sr-only">Previous</span>
                <a class="carousel-control-next" href="#carouselExampleCaptions"</pre>
role="button" data-slide="next">
                    <span class="carousel-control-next-icon" aria-</pre>
hidden="true"></span>
                    <span class="sr-only">Next</span>
            </div>
        </div>
    <!--sadrzaj-->
```

```
<div class="container">
            <div class="row slicke"></div>
        </div>
    <!--Vrste proizvoda-->
        <div class="container-fluid px-5 mb-5">
            <div class="row " id="kategorije">
                <div class="col-12 text-center mb-5">
                    <a name="1"><h1>All categories</h1></a>
                </div>
            </div>
        </div>
    <!--kartice+slajder sneg-->
        <div class="container-fluid py-5 mt-5" id="sneg">
            <div class="container">
                <div class="row">
                    <div class="col-12 text-center my-3">
                         <h1>Find your holiday scent</h1>
                    </div>
                </div>
                <div class="row mt-3"></div> BOOTSTRAPOV KOD ZA SLAJDER
                <div id="karauseltice" class="carousel slide" data-</pre>
ride="carousel">
                    <div class="carousel-inner">
                         <div class="carousel-item active">
                             <div class="row kartice" ></div>//JS moj kod se zove
                         </div>
                         <div class="carousel-item">
                             <div class="row kartice"></div>//JS moj kod se zove
                         <div class="carousel-item">
                             <div class="row kartice"></div>//JS moj kod se zove
                         <a class="carousel-control-prev" href="#karauseltice"</pre>
role="button" data-slide="prev">
                            <span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
                             <span class="sr-only">Previous</span>
                         <a class="carousel-control-next" href="#karauseltice"</pre>
role="button" data-slide="next">
                             <span class="carousel-control-next-icon" aria-</pre>
hidden="true"></span>
                             <span class="sr-only">Next</span>
```

```
</div>
    <!--topkategorije-->
        <div class="container my-5">
            <div class="row" id="mirisi">
                <div class="col-12 text-center my-3">
                    <a name="2"><h1 class="text-">Top categories</h1></a>
                    <h2>#ThisMonth</h2>
                </div>
            </div>
        </div>
    <!--slikefanova-->
        <div class="container-fluid">
            <div class="row" id="favorito">
                <div class="col-12 text-center mt-5">
                    <h1>You've sent us:</h1>
                    <h2>#MostRecent</h2>
                </div>
            </div>
        </div>
    <!--slike opisa-->
        <div class="container">
            <div class="row slicke" ></div>
        </div>
    <!--kupovina-->
        <div class="container text-center" id="kupi">
            <div class="col-12 mb-5">
                <h1>It's time to buy</h1>
            </div> BOOTSTRAPOV KOD ZA SLAJDER
           <div id="karauselpa" class="carousel col-lg-12 slide" data-</pre>
ride="carousel">
                <div class="carousel-inner">
                    <div class="carousel-item active">
                        <div class="row korpa" ></div>//JS moj kod se zove
                    </div>
                    <div class="carousel-item">
                        <div class="row korpa"></div>//JS moj kod se zove
                    </div>
                    <div class="carousel-item">
                        <div class="row korpa"></div>//JS moj kod se zove
                    </div>
                </div>
                <a class="carousel-control-prev" href="#karauselpa" role="button"</pre>
data-slide="prev">
```

```
<span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
                     <span class="sr-only">Previous</span>
                 <a class="carousel-control-next" href="#karauselpa" role="button"</pre>
data-slide="next">
                     <span class="carousel-control-next-icon" aria-</pre>
hidden="true"></span>
                     <span class="sr-only">Next</span>
        </div>
    <!--forma-->
        <div class="container-fluid" id="izaForme">
          <div class="container">
                <div class="row" >
                     <div class="col-lg-8 text-light col-md-10 col-sm-12 offset-</pre>
lg-2 my-5 ">
                         <a name="3"><h1 class="text-center mb-5">Create your
account!</h1></a>
                         <form action="#" method="post" class="text-light text-</pre>
center" id="forma">
                             <div class="form-row mb-3">
                                  <div class=" col-sm-12 col-md-6">
                                      <label for="ime">First Name</label>
                                      <input type="text" class="form-control</pre>
tekstPolja" id="ime" placeholder="First name">
                                      <span id="greskaIme"></span>
                                  </div>
                                  <div class=" col-sm-12 col-md-6 mt-sm-3 mt-lg-0</pre>
mt-md-0">
                                      <label for="prezime">Last Name</label>
                                      <input type="text" id="prezime" class="form-</pre>
control tekstPolja" placeholder="Last name">
                                      <span id="greskaPrezime"></span>
                                  </div>
                                  </div>
                                  <div class="form-group">
                                      <label for="exampleInputEmail1">Email
address</label>
                                      <input type="email" class="form-control</pre>
tekstPolja bg-" id="mejl" placeholder="email@example.com" aria-
describedby="emailHelp">
                                      <span id="greskaMejl"></span>
                                 </div>
```

```
<div class="form-group">
                                     <label
for="exampleInputPassword1">Password</label>
                                     <input type="password" class="form-control</pre>
bg- tekstPolja" placeholder="password" id="sifra" autocomplete="on" />
                                     <span id="greskaSifre"></span>
                                 </div>
                                 <div class="form-row">
                                     <div class="col-sm-12 col-md-6">
                                          <div class="form-group" id="upisiGodine">
                                              <label
for="exampleFormControlSelect1">Year of birth:</label>
                                          </div>
                                          </div>
                                     <div class="col-sm-12 col-md-6">
                                          <div class="form-group" id="upisiDrzave">
for="exampleFormControlSelect1">Country?</label>
                                          </div>
                                     </div>
                                 </div>
                                 <div class="row ">
                                     <div class="col-6">
                                         Gender:
                                              <div class="custom-control col</pre>
custom-radio">
                                                  <input type="radio" name="pol"</pre>
id="muski" class="custom-control-input">
                                                  <label class="custom-control-</pre>
label" for="muski">Male</label>
                                              </div>
                                              <div class="custom-control col</pre>
custom-radio">
                                                               <input type="radio"</pre>
name="pol" id="zenski" class="custom-control-input">
                                                               <label class="custom-</pre>
control-label" for="zenski">Female</label>
                                              </div>
                                              <span id="greskaPola"></span>
                                     </div>
                                          <div class="col-6">
                                              Keep up:
                                                  <div class="custom-control col</pre>
custom-radio">
```

```
<input type="radio"</pre>
name="vesti" id="salji" class="custom-control-input">
                                                      <label class="custom-control-</pre>
label" for="salji">Send news</label>
                                                  </div>
                                                  <div class="custom-control col</pre>
custom-radio">
                                                      <input type="radio"</pre>
name="vesti" id="nesalji" class="custom-control-input">
                                                      <label class="custom-control-</pre>
label" for="nesalji">Dont even try</label>
                                                  </div>
                                                  <span id="greskaVesti"></span>
                                          </div>
                                 </div>
                                 <div class="form-check form-row my-5 text-</pre>
center">
                                      <input class="form-check-input"</pre>
type="checkbox" value="" id="uslov">
                                         <label class="form-check-label"</pre>
for="invalidCheck3">Agree to terms and conditions</label></br>
                                          <span id="greskaUslova"></span>
                                 </div>
                                 <div id="kraj" class="mb-3"></div>
                                 <button type="button" id="saljiDalje" class="btn</pre>
py-2 btn-lg ">Submit</button>
                         </form>
                         </div>
                   </div>
          </div>
        </div>
        <!--futer-->
        <div class="container-fluid py-4" id="bojaFutera">
                <div class="container">
                     <div class="row " id="futer">
                         <div class="col-lg-3">
                             © allRightsOnTheLeftByDL
                         </div>
                         <div class="col-lg-4 offset-1">
                             <a href="#"><h5>Documentation</h5></a>
                         </div>
                         <div class="col-lg-4">
                             <div id="ex1" class="modal text-center">
                                <figure>
```

```
<img src="img/ja.jpg" class="rounded-top"</pre>
rounded-bottom rounded-lg" alt="Autor"/>
                                </figure>
                                 Well hello! Didn't see you there...Wanna know
something about me, huh? Why? Are you working for the police? If not, nice to
meet you, my name is Dijana, I'm 20 years old and I live in a house. In Belgrade.
                                    </br>After successfully finishing
kindergarten, elementary school and high school, I realized I needed a new
challenge...I always wanted to talk to the machines and the best way to do that
is by learning computer languages. I will be able to speak to my laptop,
right?
                               JQUERY-JEV PLUGIN ZA MODAL
                             <a href="#ex1" rel="modal:close">Close</a>
                            </div>
                            <!-- Link to open the modal --><a href="#ex1"
rel="modal:open"><h5>Author</h5></a>
                        </div>
                    </div>
                </div>
                <div id="strelica">
                    <a href="#"><i class="fa fa-arrow-up mx-2" aria-
hidden="true"></i></a>
                </div>
        </div>
    <!--scriptagovi-->
    <script src="https://code.jquery.com/jquery-3.4.1.js"></script>
    <script type="text/javascript" src="bootstrap-4.3.1-</pre>
dist/js/bootstrap.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-</pre>
modal/0.9.1/jquery.modal.min.js"></script>
    <script type="text/javascript" src="js/simpleLightbox-</pre>
master/dist/simpleLightbox.min.js"></script>
    <script type="text/javascript" src="js/script1.js"></script>
</body>
</html>
```

### **JAVASCRIPT**

```
window.onload = function(){
    // plugin JQUERY-jev za galeriju
    new SimpleLightbox({
    elements: '.gallery a',
    // more options here
```

```
});
    //dogadjaji
    let zgrabiSve=document.querySelectorAll(".tekstPolja");
    for(let i=0;i<zgrabiSve.length;i++){</pre>
        zgrabiSve[i].addEventListener("blur", zaTekstPolja);
    document.querySelector("#saljiDalje").addEventListener("click",
zaOstatakForme);
function ispisMenija(){
    var asocijala=document.querySelector("#mreze");
    var mreze=["facebook","instagram","twitter","user ml-4","shopping-cart"];
    for(let i=0;i<mreze.length;i++){</pre>
        if(i==3 || i==4){
            asocijala.innerHTML+=`<a href="#" class="text-dark"><i class="fa fa-
${mreze[i]} mx-2" aria-hidden="true"></i></a>`;
            continue;
        asocijala.innerHTML+=`<a href="https://${mreze[i]}.com" target=" blank"</pre>
class="text-dark"><i class="fa fa-${mreze[i]} mx-2" aria-hidden="true"></i></a>`;
function ispisSlicki(){
    var ispodSlicki=["Free Shipping with $75 Purchase","50th Anniversary
Celebration","100% Happiness Guarantee"];
    for(let j=0;j<2;j++){
    for(let i=0;i<ispodSlicki.length;i++){</pre>
        document.getElementsByClassName("slicke")[j].innerHTML+=`
        <div class="col-lg-4 col-md-6 py-5 col-sm-12">
            <figure class=" border-right border-left" >
                <img src="img/slicka${i}.gif" class="mx-auto d-block"</pre>
alt="Slicka${i}" />
                <figcaption class="text-center mt-</pre>
4">${ispodSlicki[i]}</figcaption>
            </figure>
        </div>`;
    }}
function ispisKartica(){
```

```
var nasloviKartica=["Personalized candles", "The most amazing candle", "Holiday
gift guide"];
    var teksticiKartica=["CO2","Coconut","Chocolate"];
    for(let j=0;j<3;j++){
    for(let i=0;i<nasloviKartica.length;i++){</pre>
        document.getElementsByClassName("kartice")[j].innerHTML+=`
        <div class="col-lg-4 col-md-6 my-2 d-flex justify-content-center text-</pre>
center">
            <div class="card" style="width: 25rem;">
                <img src="img/kendl${i}.jpg" class="rounded-top rounded-bottom"</pre>
card-img-top" alt="Kendl${i}"/>
            <div class="card-body">
                <h5 class="card-title">${nasloviKartica[i]}</h5>
                ${teksticiKartica[i]}
                <a href="#" class="btn revealer mb-3 ">Check the smell</a></br>
                <button type="button" class="btn btn-block alertuj">Shop</button>
        </div>
      </div>`;
    }}
function ispisKategorija(){
    var kategorije=["Candles", "Gelstins", "Accessories", "Home fragrance", "NEW
Collection","Gifts&Gift card"];
   for(let i=0;i<6;i++){
        document.getElementById("kategorije").innerHTML+=`
            <div class="col-lg-2 col-md-4 mx-auto col-sm-6 text-center">
                <figure class="prosoHover">
                    <img src="img/kategorija${i}.jpg" class="w-100 rounded-top</pre>
rounded-bottom rounded-lg slikaIspod" alt="Kategorija${i}"/>
                    <div class="srednje">
                        <figcaption</pre>
class="tekstPreko">${kategorije[i]}</figcaption>
                    </div>
                </figure>
            </div>
function ispisMirisa(){
    var tekstMirisa=["Shop by fragrance family", "Fragrance quiz", "Pick your
tree"];
```

```
for(let i=0;i<tekstMirisa.length;i++){</pre>
            document.getElementById("mirisi").innerHTML+=`<div class="col-lg-4")</pre>
col-md-6 py-5 col-sm-12">
                <figure class="grliSlike">
                </figure>
                <h5 class="text-center mirisniTekst mt-4">${tekstMirisa[i]}</h5>
                <button type="button" class="btn togluj btn-block btn-outline-</pre>
">Find out</button>
            </div>`;
            if(i==1){
                for(let j=0;j<3;j++){
                    document.getElementsByClassName("grliSlike")[i].innerHTML+=`
                    <img src="img/miris${j}.jpg" class="rounded-top rounded-</pre>
bottom rounded-lg mx-auto w-100 d-block" alt="Miris${j}" />
document.getElementsByClassName("grliSlike")[i].setAttribute("id", "jelRadiOvo");
            else{
                document.getElementsByClassName("grliSlike")[i].innerHTML+=`
                    <img src="img/cesvica${i}.jpg" class="rounded-top rounded-</pre>
bottom rounded-lg mx-auto w-100 d-block" alt="Miris${i}" />
        }
function ispisaFavorita(){
    for(let i=0;i<6;i++){
        document.getElementById("favorito").innerHTML+=`
        <div class="col-lg-2 col-md-4 col-sm-6 my-3">
              <div class="gallery card bg-dark text-white text-center">
                    <a title="Fan number ${i}" href="img/sendas${i}.jpeg">
                    <img src="img/sendas${i}.jpeg" class="card-img"</pre>
alt="Fan${i}"/>
                    </a>
                </div>
        </div>`;
function ispisKorpa(){
    var naslovKorpi=["Christmas breath", "Stormy", "Bad&&Bougie"];
    var cena=["20.00e","39.2e","80.00e"]
```

```
for(let j=0;j<3;j++){
    for(let i=0;i<naslovKorpi.length;i++){</pre>
        document.getElementsByClassName("korpa")[j].innerHTML+=`
        <div class="col-lg-4 col-sm-12 mb-4">
             <div class="card">
            <img src="img/rito${i}.jpg" class="rounded-top rounded-bottom</pre>
rounded-lg card-img-top" alt="Slika proizvoda${i}"/>
                <div class="card-body">
                    <h5 class="card-title">${naslovKorpi[i]}</h5>
                     ${cena[i]}
                        <div class="povecaj text-center">
                        <div class="minus">-</div>
                        <input type="text" class="kolicina" value="0"/>
                        <div class="plus">+</div>
                        </div>
                        <div class="dodaj text-center pt-2">Add</div>
                </div>
            </div>
        </div>`;
    }}
function ispisUnutarForme(){
   var listaG="<select name='ddlListaG' class='form-control bg-' id='godine'>";
    listaG+=`<option value="0">Choose carefully</option>`;
    for(let i=1970;i<=2019;i++){
        listaG+=`<option value="${i}">${i}</option>`;
    listaG+="</select>";
    document.getElementById("upisiGodine").innerHTML+=listaG + `<span</pre>
id="greskaGodine"></span>`;
nizDrzava=["Austria","Italy","Belgium","Latvia","Bulgaria","Lithuania","Croatia",
Luxembourg","Cyprus","Malta","Czechia","Netherlands","Denmark","Poland"
"Estonia", "Portugal", "Finland ", "Romania"
 "France", "Slovakia", "Germany", "Slovenia"
 "Greece", "Spain", "Hungary", "Sweden", "Ireland", "United Kingdom"];
    var listaD="<select name='ddlListaD' class='form-control bg-' id='drzave'>";
    listaD+=`<option value="0">Choose carefully</option>`;
   for(let i=0;i<nizDrzava.length;i++){</pre>
        listaD+=`<option value="${nizDrzava[i]}">${nizDrzava[i]}</option>`;
   listaD+="</select>";
```

```
document.getElementById("upisiDrzave").innerHTML+=listaD +`<span</pre>
id="greskaDrzave"></span>`;
function zaTekstPolja(){
    let ime,prezime,mejl,sifra;
    ime = document.querySelector("#ime").value.trim();
    prezime = document.querySelector("#prezime").value.trim();
   mejl=document.querySelector("#mejl").value.trim();
    sifra = document.querySelector("#sifra").value.trim();
    let reImePrezime,reMejl,reSifra;
    reImePrezime = /^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,25})+$/;
    reMejl= /^[a-z][a-z\d-\_]+\@[a-z\d]+(\.[a-z]{2,4})+(\.[a-z]{2,4})*$/;
    reSifra=/^[A-Z][0-9a-zA-Z]{10,}$/;
    let greskaIme,greskaPrezime,greskaMejl,greskaSifre
    greskaIme = document.querySelector("#greskaIme");
    greskaPrezime = document.querySelector("#greskaPrezime");
    greskaMejl = document.querySelector("#greskaMejl");
    greskaSifre = document.querySelector("#greskaSifre");
    if(ime == ""){
        greskaIme.innerHTML = "You have to fill in!"
    else{
        if(!reImePrezime.test(ime)){
            greskaIme.innerHTML = "Bad format";
        }else{
            greskaIme.innerHTML = "";
    if(prezime == ""){
        greskaPrezime.innerHTML = "You have to fill in!"
   else{
        if(!reImePrezime.test(prezime)){
            greskaPrezime.innerHTML = "Bad format";
        }else{
           greskaPrezime.innerHTML = "";
```

```
}
    if(mejl == ""){
        greskaMejl.innerHTML = "You have to fill in!"
   else{
        if(!reMejl.test(mejl)){
            greskaMejl.innerHTML = "Ime nije u dobrom formatu...";
            document.querySelector("#mejl").style.border="5px solid red";
       else{
            greskaMejl.innerHTML = "";
            document.querySelector("#mejl").classList.remove("tekst-sivo");
        }
    }
    if(sifra == ""){
        greskaSifre.innerHTML = "You have to fill in!"
   else{
        if(!reSifra.test(sifra)){
            greskaSifre.innerHTML = "Ime nije u dobrom formatu...";
            document.querySelector("#spantbEmail").classList.add("tekst-sivo");
        else{
            greskaSifre.innerHTML = "";
            document.querySelector("#spantbEmail").classList.remove("tekst-
sivo");
function zaOstatakForme(){
        let sve0k=true;
     //hvatanje vrednosti forme
      let ime = document.querySelector("#ime").value.trim();
      let prezime = document.querySelector("#prezime").value.trim();
      let mejl=document.querySelector("#mejl").value.trim();
      let sifra = document.querySelector("#sifra").value.trim();
    let godinaRodjenja=document.querySelector("#godine").value;
    let drzavaBoravka = document.querySelector("#drzave").value;
    let pol = document.getElementsByName("pol");
```

```
let slanjeVesti = document.getElementsByName("vesti");
   let uslovi = document.querySelector("#uslov");
   //regexovi
     let reImePrezime = /^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,25})+$/;
     let reMejl= /^[a-z][a-z\d-\.]+\@[a-z\d]+(\.[a-z]{2,4})+(\.[a-x]{2,4})
z]{2,4})*$/;
     let reSifra=/^[A-Z][0-9a-zA-Z]{10,}$/;
   //hvatanje za ispis gresaka
   let greskaIme = document.querySelector("#greskaIme");
   let greskaPrezime = document.querySelector("#greskaPrezime");
   let greskaMejl = document.querySelector("#greskaMejl");
   let greskaSifre = document.querySelector("#greskaSifre");
   let greskaGodine = document.querySelector("#greskaGodine");
   let greskaDrzave = document.querySelector("#greskaDrzave");
   let greskaPola = document.querySelector("#greskaPola");
   let greskaVesti = document.querySelector("#greskaVesti");
   let greskaUslova = document.querySelector("#greskaUslova");
       if(ime == ""){
           sveOk = false;
            greskaIme.innerHTML = "You have to fill in!"
        else{
           if(!reImePrezime.test(ime)){
               sveOk = false;
               greskaIme.innerHTML = "Bad format";
               greskaIme.innerHTML = "";
       if(prezime == ""){
            sveOk = false;
           greskaPrezime.innerHTML = "You have to fill in!"
       else{
           if(!reImePrezime.test(prezime)){
```

```
sveOk = false;
            greskaPrezime.innerHTML = "Bad format";
        }else{
            greskaPrezime.innerHTML = "";
    if(mejl == ""){
        sve0k = false;
        greskaMejl.innerHTML = "You have to fill in!"
   else{
        if(!reMejl.test(mejl)){
            sve0k=false;
            greskaMejl.innerHTML = "Bad format";
        else{
            greskaMejl.innerHTML = "";
    if(sifra == ""){
        sve0k = false;
        greskaSifre.innerHTML = "You have to fill in!"
    else{
        if(!reSifra.test(sifra)){
            sveOk = false;
            greskaSifre.innerHTML = "Bad format";
        else{
            greskaSifre.innerHTML = "";
if(godinaRodjenja == "0"){
    sveOk = false;
    greskaGodine.innerHTML = "You have to choose";
else if(godinaRodjenja>datum.getFullYear()-18){
    sve0k = false;
    greskaGodine.innerHTML = "You have to be older then 18";
else{
```

```
greskaGodine.innerHTML = "";
if(drzavaBoravka =="0"){
    sveOk = false;
    greskaDrzave.innerHTML = "You have to choose";
else{
    greskaDrzave.innerHTML = "";
//radiola
let biranPol = "";
for(let i = 0; i < pol.length; i++){</pre>
    if(pol[i].checked){
        biranPol = pol[i].value;
        break;
}
if(biranPol == ""){
    sveOk = false;
    greskaPola.innerHTML = "This is required too!";
}
else{
    greskaPola.innerHTML = "";
}
let biranOdobrenje = "";
for(let i = 0; i < slanjeVesti.length; i++){</pre>
    if(slanjeVesti[i].checked){
        biranOdobrenje = slanjeVesti[i].value;
        break;
if(biranOdobrenje == ""){
    sveOk = false;
    greskaVesti.innerHTML = "This is required too!";
else{
    greskaVesti.innerHTML = "";
```

```
if(!uslovi.checked){
    sveOk = false;
    greskaUslova.innerHTML = "You know it...";
}
else{
    greskaUslova.innerHTML = "";
}
if(sveOk) {
    document.querySelector('#kraj').innerHTML = `Finally`;
}
else{
    document.querySelector('#kraj').innerHTML = `All fields are required`;
}
}
```

#### *iQUERY*

```
var datum=new Date();
$(document).ready(function() {
    ispisMenija();
    ispisSlicki();
    ispisKartica();
    ispisKategorija();
    ispisMirisa();
    ispisaFavorita();
    ispisKorpa();
    ispisUnutarForme();
    brojiKolicinu();
    sakrij();
    alertovati();
    hoveruj();
    vrtiSlike(1);
    skroler();
    otvoriMeni();
    toglovati();
});
function vrtiSlike(slika) {
    var ukupnoSlika = $('#mirisi .grliSlike:eq(1) img').length;
    slika = slika % ukupnoSlika;
    $('#mirisi .grliSlike:eq(1) img').eq(slika).fadeOut(function() {
          // re-order the z-index
      $('#mirisi .grliSlike:eq(1) img').each(function(i) {
        $(this).css(
          'zIndex', ((ukupnoSlika - i) + slika) % ukupnoSlika
```

```
);
      });
      $(this).show();
      setTimeout(function() {vrtiSlike(++slika);}, 3000);
    });
function brojiKolicinu(){
    let broj=1;
        $('.minus').click(function(){
            $(this).next().val(--broj);
            let stanje=$(this).next().val();
            if(stanje<0){</pre>
                alert("Heey!!!It's a mistake");
                stanje=$(this).next().val("0");
                broj=1
        });
        $('.plus').click(function(){
            let stanje=$(this).prev().val(broj++);
        });
function sakrij(){
            $('.spoiler').hide();
            $('.revealer').click(function(e){
                e.preventDefault();
              $(this).hide();
              $(this).prev().fadeIn();
            });
function otvoriMeni(){
    var ispodMeni= $('#otvori').hide();
    $('#goreDole').click(function(e){
        e.preventDefault();
        ispodMeni.slideToggle('fast');
    })
function alertovati(){
    $('.alertuj').click(function(e){
        alert("Sorry, you have to log in first!");
    });
function toglovati(){
    $('.mirisniTekst').hide();
        $('.togluj').click(function(){
         $(this).prev().slideToggle("slow");
```

```
});
function hoveruj(){
        $('.prosoHover').hover(function(){
            $(this).find(".srednje").toggleClass("opasiti");
            $(this).find("img").toggleClass("opasitiSlike");
        }, function(){
            $(this).find(".srednje").toggleClass("opasiti");
            $(this).find("img").toggleClass("opasitiSlike");
        });
function skroler(){
    var strelica=$('#strelica').hide();
    var logo=$('#logo').hide();
    strelica.on('click',function() {
        $('html').animate({scrollTop: 0}, 'slow');
    });
    $(window).scroll(function(){
        if($(this).scrollTop() > 650) {
            $('#meni').css('background-color','rgba(255, 255, 255, 0.7');
            $('#meni a').css({ "font-size": "25px"});
            logo.show();
        } else {
            $('#meni').css('backgroundColor','transparent');
            $('#meni a').css({ "font-size": "27px"});
            logo.hide();
        if($(this).scrollTop() > 1000) {
            strelica.fadeIn();
        } else strelica.fadeOut(0);
    })
```

#### **CSS**

```
font-size: 17px;
 font-family: 'Solway', serif;
  scroll-behavior: smooth;
a {
 text-decoration: none !important;
#carouselExampleCaptions .carousel-caption {
 background-color: rgba(255, 255, 255, 0.5);
 margin-bottom: 20%;
 border-radius: 20px;
#carouselExampleCaptions h5 {
 color: #1d0b0b;
 font-size: 35px;
#carouselExampleCaptions p {
  color: #000000;
 font-size: 30px;
#meni a {
 font-size: 27px;
  color: #8D5A97 !important;
#kategorije h1::after, #mirisi h1::after, #kupi h1::after {
 display: block;
 height: 5px;
 content: " ";
 text-shadow: none;
 background-color: #8D5A97;
 width: 30%;
 margin-left: 35%;
 border-radius: 5px;
  margin-top: 10px;
label {
```

```
color: #000;
  font-size: 25px;
#sneg {
 background-image: url("../img/sneg.gif");
 background-size: cover;
#sneg .kartice .card img, #sneg .korpa .card img {
 height: 250px;
#sneg .kartice a, #sneg .korpa a {
 border: 1px solid #907F9F;
#sneg button {
 background-color: #BCC4DB;
.btn:hover {
 background-color: rgba(255, 255, 255, 0.5);
#mirisi button, #forma button {
 background-color: #BCC4DB;
#favorito {
 background-image: url("../img/slajduj0.jpeg");
 background-size: cover;
 background-attachment: fixed;
 min-height: 550px;
#izaForme {
  background-image: url("../img/zis.jpg");
 background-size: cover;
 background-position: center;
.povecaj {
 border: 0.5px solid #d1a8a8;
 display: table;
```

```
width: 50%;
 float: left;
.povecaj input[type="text"] {
 display: inline-block;
 text-align: center;
 width: 100%;
 height: 40px;
.povecaj .minus, .povecaj .plus {
 font-size: 2em;
 display: table-cell;
 cursor: pointer;
 line-height: 1;
 vertical-align: middle;
 width: 30px;
 background-color: #d1a8a8;
.dodaj {
 width: 30%;
 border: 0.5px solid #d1a8a8;
 float: left;
 height: 40px;
 cursor: pointer;
.prosoHover {
 position: relative;
.slikaIspod {
 opacity: 1;
 display: block;
 -webkit-transition: .5s ease;
 transition: .5s ease;
 -webkit-backface-visibility: hidden;
         backface-visibility: hidden;
.srednje {
 -webkit-transition: .5s ease;
transition: .5s ease;
```

```
opacity: 0;
  position: absolute;
  top: 50%;
 left: 50%;
  -webkit-transform: translate(-50%, -50%);
          transform: translate(-50%, -50%);
 -ms-transform: translate(-50%, -50%);
  text-align: center;
.tekstPreko {
 background-color: #8D5A97;
 color: white;
 font-size: 16px;
 padding: 16px 32px;
.opasiti {
 opacity: 1;
.opasitiSlike {
 opacity: 0.3;
#jelRadiOvo {
 position: relative;
 height: 86%;
#jelRadiOvo img {
  position: absolute;
#strelica {
 position: fixed;
 bottom: 2%;
 right: 2%;
 z-index: 1;
#strelica i {
 color: #8D5A97;
 font-size: 2rem;
```

```
#bojaFutera {
 background-color: #B98EA7;
#bojaFutera a {
  color: black;
#forma span {
  color: #db2d2d;
@media screen and (max-width: 980px) {
  #carouselExampleCaptions .carousel-caption {
   background-color: rgba(255, 255, 255, 0.2);
   margin-bottom: 10%;
 #carouselExampleCaptions h5 {
   color: #54255e;
   font-size: 30px;
  #carouselExampleCaptions p {
   color: #000000;
   font-size: 25px;
  #karauselpa img {
   height: 350px;
 #kategorije, .kartice, #mirisi, #karauselpa, #favorito.slicke {
   display: -webkit-box;
   display: -ms-flexbox;
   display: flex;
   -webkit-box-pack: center;
        -ms-flex-pack: center;
           justify-content: center;
@media screen and (max-width: 770px) {
 #kategorije, .kartice, #mirisi, #karauselpa, #favorito {
   padding: 50px;
 #futer {
  text-align: center;
```

```
#jelRadiOvo {
    height: 350px;
}
#jelRadiOvo img {
    height: 100%;
}
.slicke .col-md-6 {
    padding: 0% !important;
}
.slicke figure {
    border: 1px solid #BCC4DB;
    padding: 20px 0px;
}
}

@media screen and (max-width: 570px) {
    #kategorije h1, #sneg h1 {
        font-size: 2em;
    }
}
/*# sourceMappingURL=style1.css.map */
```