

1.

```
SELECT name, address
FROM MovieStar
WHERE <'1945-08-15';
```
2.

```
SELECT Movies.title, Movies.year, MovieStar.name, MovieStar.birthdate
FROM Movies
INNER JOIN StarsIn ON Movies.title = StarsIn.movieTitle
INNER JOIN MovieStar ON StarsIn.starName = MovieStar.name
WHERE StarsIn.pay > 40000000;
```
3.

```
SELECT DISTINCT MovieStar.name
FROM MovieStar
INNER JOIN StarsIn ON MovieStar.name = StarsIn.starName
INNER JOIN Movies ON StarsIn.movieTitle = Movies.title
WHERE Movies.studioName = 'MGM'
AND MovieStar.name NOT IN (
SELECT DISTINCT MovieStar.name
FROM MovieStar
INNER JOIN StarsIn ON MovieStar.name = StarsIn.starName
INNER JOIN Movies ON StarsIn.movieTitle = Movies.title
WHERE Movies.studioName = 'Universal'
);
```
4.

```
SELECT AVG(length)
FROM Movies
WHERE ProducerName = 'Kevin Costner';
```
5.

```
SELECT genre, COUNT(*) as num_movies
FROM Movies
GROUP BY genre
HAVING COUNT(*) >= 5;
```

6. SELECT DISTINCT MovieStar.name
FROM MovieStar
JOIN StarsIn ON MovieStar.name = StarsIn.starName
JOIN Movies ON StarsIn.movieTitle = Movies.title
JOIN MovieExecutive ON Movies.ProducerName = MovieExecutive.name
WHERE MovieExecutive.name = 'Spielberg'
AND Movies.year BETWEEN 1990 AND 1995
AND NOT EXISTS (
SELECT
FROM Movies m
WHERE m.ProducerName = 'Spielberg'
AND m.year BETWEEN 1990 AND 1995
AND NOT EXISTS (
SELECT
FROM StarsIn s
WHERE s.starName = MovieStar.name
AND s.movieTitle = m.title
)
)

7. SELECT Movies.ProducerName
FROM Movies
WHERE Movies.year = 2009
GROUP BY Movies.ProducerName
HAVING COUNT(*) = 3;

8. SELECT name
FROM MovieExecutive
ORDER BY networth DESC
LIMIT 1 OFFSET 1;

9. SELECT name

FROM (

SELECT starName as name, movieTitle

FROM StarsIn

UNION

SELECT ProducerName as name, title as movieTitle

FROM Movies

)

AS combined

GROUP BY name

HAVING COUNT (DISTINCT movieTitle) >= 1;

10. SELECT starName AS name, SUM (pay * 135) AS total_pay_ipy

FROM StarsIn

GROUP BY starName

ORDER BY total_pay_ipy DESC;