

```
<!DOCTYPE html>

<html>

<head>

<title>Student Result System</title>

<style>

body {

font-family: Arial;

background-color: #f2f2f2;

text-align: center;

}

.container {

width: 300px;

margin: auto;

padding: 20px;

background: white;

border-radius: 10px;

box-shadow: 0px 0px 10px gray;

}

input {

width: 90%;

padding: 8px;

margin: 5px;

}

button {padding: 10px;

background-color: blue;

color: white;
```

```
border: none;

cursor: pointer;

}

button:hover {

background-color: darkblue;

}

</style>

</head>

<body>

<div class="container">

<h2>Student Result System</h2>

<input type="text" id="name" placeholder="Enter Name"><br>

<input type="number" id="sub1" placeholder="Subject 1"><br>

<input type="number" id="sub2" placeholder="Subject 2"><br>

<input type="number" id="sub3" placeholder="Subject 3"><br>

<input type="number" id="sub4" placeholder="Subject 4"><br>

<input type="number" id="sub5" placeholder="Subject 5"><br>

<button onclick="calculateResult()">Calculate Result</button><h3 id="result"></h3>

</div>

<script>

function calculateResult() {

let name = document.getElementById("name").value;

let s1 = Number(document.getElementById("sub1").value);

let s2 = Number(document.getElementById("sub2").value);

let s3 = Number(document.getElementById("sub3").value);

let s4 = Number(document.getElementById("sub4").value);
```

```
let s5 = Number(document.getElementById("sub5").value);

let total = s1 + s2 + s3 + s4 + s5;

let percentage = total / 5;

let grade;

if (percentage >= 90) grade = "A+";

else if (percentage >= 75) grade = "A";

else if (percentage >= 60) grade = "B";

else if (percentage >= 50) grade = "C";

else grade = "Fail";

document.getElementById("result").innerHTML =

"Name: " + name + "<br>" +

"Total: " + total + "<br>" +

"Percentage: " + percentage.toFixed(2) + "%<br>" + "Grade: " + grade;

}

</script>

</body>

</html>
```