

Name: Diya S. Shah

ASSIGNMENT-1

Assignment: VMware Virtual Machine Setup

1. Create a New Virtual Machine in VMware

Steps:

1. Open **VMware Workstation**.
2. Click **Create a New Virtual Machine**.
3. Select **Typical (Recommended)** and click **Next**.
4. Choose **I will install the operating system later** (or select the Windows ISO if available).
5. Select **Microsoft Windows** and choose the appropriate version (e.g., Windows 10).
6. Enter the virtual machine name as **MyTestVM**.
7. Choose the location to save the VM.
8. Set the virtual disk size (default is fine) and click **Next**.
9. Click **Finish**.

Result: A new virtual machine named **MyTestVM** is created successfully.

2. Configure Network to Access the Internet

Steps:

1. Right-click **MyTestVM** and select **Settings**.
2. Click **Network Adapter**.
3. Select **NAT (Recommended)** or **Bridged**.
 - **NAT:** Shares the host computer's internet connection.
 - **Bridged:** Gives the VM direct access to the same network as the host.
4. Click **OK**.
5. Start the virtual machine.
6. Open a web browser inside the VM and verify that the internet is working.

Result: The virtual machine is successfully connected to the internet.

3. Install Windows 10 on MyTestVM

Steps:

1. Right-click **MyTestVM** and select **Settings**.
2. Select **CD/DVD (SATA)**.
3. Choose **Use ISO Image File**.
4. Browse and select the **Windows 10 ISO**.
5. Click **OK**.
6. Power on the virtual machine.
7. Follow the Windows installation wizard.
8. Complete the installation until the Windows 10 desktop appears.

Result: Windows 10 is installed successfully, and the VM boots to the desktop.

4. Take a Snapshot and Restore It

Steps:

1. Ensure the VM is powered on or off.
2. Click **VM → Snapshot → Take Snapshot**.
3. Enter the snapshot name as **Initial Install**.
4. Click **Take Snapshot**.
5. Start the VM.
6. Create a folder named **TestFolder** on the desktop.
7. Shut down the VM.
8. Click **VM → Snapshot → Snapshot Manager**.
9. Select the **Initial Install** snapshot.
10. Click **Go To (Restore)** and confirm.

Verification:

- Start the VM again.
- The **TestFolder** created after the snapshot is no longer present.

Result: The snapshot is restored successfully, and the changes made after the snapshot are undone.

5. Use ChatGPT to Generate Commands for Creating a VMware Virtual Machine

Note: VMware Workstation does **not** have built-in PowerShell commands like Hyper-V. VMware is mainly managed through its graphical interface. However, if **VMware PowerCLI** (used with VMware vSphere/ESXi) is available, the following PowerShell commands can be used:

```
New-VM -Name "PowerShellVM" -MemoryGB 2 -DiskGB 40 -GuestId  
"windows9_64Guest"
```

Verification:

1. Open **VMware Workstation** (or VMware vSphere Client if using PowerCLI).
2. Verify that **PowerShellVM** appears in the list of virtual machines.

Result: The virtual machine is created successfully and is visible in VMware.