

Distribución: 1: 947, 2: 150, 3: 22 | n_min=22 | k_outer=5

EXPERIMENTO/MODELO	F1 MACRO	BALACC	RECALL	PRECISIÓN	ESTAB	ICN	ESTADO
grid_all / Bagging	0.687 +/- 0.033	0.743	0.743	0.659	1.000	0.497	clf_estimator_max_depth...
Hiperparámetros más frecuentes: clf_estimator_max_depth=None, clf_max_samples=0.7, clf_n_estimators=50 (3/5)							
grid_all / AdaBoost	0.676 +/- 0.086	0.713	0.713	0.669	0.000	0.211	clf_estimator_max_depth...
Hiperparámetros más frecuentes: clf_estimator_max_depth=3, clf_learning_rate=0.5, clf_n_estimators=25 (3/5)							
grid_all / Stacking	0.666 +/- 0.059	0.784	0.784	0.620	0.517	0.616	clf_final_C=1.0, clf_n...
Hiperparámetros más frecuentes: clf_final_C=1.0, clf_n_neighbors=3, clf_tree_max_depth=2 (2/5)							
grid_all / Gradient Boo...	0.726 +/- 0.066	0.720	0.720	0.754	0.379	0.554	clf_learning_rate=0.1, c...
Hiperparámetros más frecuentes: clf_learning_rate=0.1, clf_max_depth=3, clf_n_estimators=50, clf_subsample=0.8 (1/5)							
random_all / Bagging	0.672 +/- 0.047	0.731	0.731	0.648	0.728	0.336	clf_estimator_max_depth...
Hiperparámetros más frecuentes: clf_estimator_max_depth=None, clf_max_samples=0.8446612641953124, clf_n_estimators=149 (1/5)							
random_all / AdaBoost	0.663 +/- 0.061	0.737	0.737	0.634	0.473	0.313	clf_estimator_max_depth...
Hiperparámetros más frecuentes: clf_estimator_max_depth=3, clf_learning_rate=0.5115312125207079, clf_n_estimators=115 (2/5)							
random_all / Stacking	0.639 +/- 0.041	0.765	0.765	0.591	0.859	0.371	clf_final_C=3.8003292140...
Hiperparámetros más frecuentes: clf_final_C=3.800329214045199, clf_n_neighbors=9, clf_tree_max_depth=2 (2/5)							
random_all / Gradient B...	0.727 +/- 0.053	0.716	0.716	0.767	0.632	0.553	clf_learning_rate=0.0602...
Hiperparámetros más frecuentes: clf_learning_rate=0.0602906674791436, clf_max_depth=2, clf_n_estimators=149, clf_subsample=0.7428600453765822 (2/5)							

Distribución: 1: 649, 2: 298, 3: 172 | n_min=172 | k_outer=5

EXPERIMENTO/MODELO	F1 MACRO	BALACC	RECALL	PRECISIÓN	ESTAB	ICN	ESTADO
grid_all / Bagging	0.619 +/- 0.040	0.625	0.625	0.622	0.130	0.006	clf_estimator_max_depth...
Hiperparámetros más frecuentes: clf_estimator_max_depth=2, clf_max_samples=0.7, clf_n_estimators=50 (2/5)							
grid_all / AdaBoost	0.645 +/- 0.033	0.652	0.652	0.642	0.523	0.556	clf_estimator_max_depth...
Hiperparámetros más frecuentes: clf_estimator_max_depth=3, clf_learning_rate=0.5, clf_n_estimators=25 (3/5)							
grid_all / Stacking	0.651 +/- 0.026	0.663	0.663	0.645	1.000	0.767	clf_final_C=1.0, clf_n...
Hiperparámetros más frecuentes: clf_final_C=1.0, clf_n_neighbors=7, clf_tree_max_depth=None (1/5)							
grid_all / Gradient Boo...	0.673 +/- 0.040	0.650	0.650	0.713	0.116	0.802	clf_learning_rate=0.1, c...
Hiperparámetros más frecuentes: clf_learning_rate=0.1, clf_max_depth=3, clf_n_estimators=50, clf_subsample=1.0 (1/5)							
random_all / Bagging	0.662 +/- 0.035	0.661	0.661	0.671	0.400	0.819	clf_estimator_max_depth...
Hiperparámetros más frecuentes: clf_estimator_max_depth=4, clf_max_samples=0.7783331011414365, clf_n_estimators=111 (2/5)							
random_all / AdaBoost	0.643 +/- 0.033	0.647	0.647	0.642	0.541	0.483	clf_estimator_max_depth...
Hiperparámetros más frecuentes: clf_estimator_max_depth=3, clf_learning_rate=0.5282057895135501, clf_n_estimators=112 (3/5)							
random_all / Stacking	0.648 +/- 0.031	0.658	0.658	0.643	0.661	0.655	clf_final_C=0.1329291894...
Hiperparámetros más frecuentes: clf_final_C=0.132929189433162169, clf_n_neighbors=10, clf_tree_max_depth=2 (2/5)							
random_all / Gradient B...	0.668 +/- 0.042	0.645	0.645	0.712	0.000	0.700	clf_learning_rate=0.0451...
Hiperparámetros más frecuentes: clf_learning_rate=0.0451659424678903, clf_max_depth=3, clf_n_estimators=102, clf_subsample=0.7692681476866446 (1/5)							

Distribución: 1: 947, 3: 172 | n_min=172 | k_outer=5

EXPERIMENTO/MODELO	F1 MACRO	BALACC	RECALL	PRECISIÓN	ESTAB	ICN	ESTADO
grid_all / Bagging	0.754 +/- 0.043	0.818	0.818	0.732	0.508	0.356	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=2, clf__max_samples=0.7, clf__n_estimators=50 (3/5)							
grid_all / AdaBoost	0.799 +/- 0.039	0.802	0.802	0.800	0.602	0.703	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=2, clf__learning_rate=0.5, clf__n_estimators=25 (3/5)							
grid_all / Stacking	0.791 +/- 0.021	0.842	0.842	0.763	0.988	0.825	clf__final_C=0.1, clf__n...
Hiperparámetros más frecuentes: clf__final_C=0.1, clf__n_neighbors=3, clf__tree_max_depth=2 (2/5)							
grid_all / Gradient Boo...	0.795 +/- 0.062	0.763	0.763	0.844	0.104	0.483	clf__learning_rate=0.1, c...
Hiperparámetros más frecuentes: clf__learning_rate=0.1, clf__max_depth=3, clf__n_estimators=100, clf__subsample=1.0 (2/5)							
random_all / Bagging	0.769 +/- 0.021	0.838	0.838	0.738	1.000	0.611	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=4, clf__max_samples=0.7783331011414365, clf__n_estimators=111 (3/5)							
random_all / AdaBoost	0.803 +/- 0.044	0.800	0.800	0.809	0.485	0.724	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=2, clf__learning_rate=0.8982714934301164, clf__n_estimators=39 (2/5)							
random_all / Stacking	0.779 +/- 0.026	0.824	0.824	0.759	0.886	0.635	clf__final_C=0.0149365685...
Hiperparámetros más frecuentes: clf__final_C=0.014936568554617643, clf__n_neighbors=10, clf__tree_max_depth=2 (3/5)							
random_all / Gradient B...	0.787 +/- 0.067	0.752	0.752	0.856	0.000	0.373	clf__learning_rate=0.0120...
Hiperparámetros más frecuentes: clf__learning_rate=0.012002827428180858, clf__max_depth=4, clf__n_estimators=111, clf__subsample=0.7271819303598462 (2/5)							

Distribución: 1: 149, 2: 906, 3: 64 | n_min=64 | k_outer=5

EXPERIMENTO/MODELO	F1 MACRO	BALACC	RECALL	PRECISIÓN	ESTAB	ICN	ESTADO
grid_all / Bagging	0.600 +/- 0.032	0.657	0.657	0.598	0.505	0.800	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=None, clf__max_samples=0.7, clf__n_estimators=50 (4/5)							
grid_all / AdaBoost	0.535 +/- 0.040	0.703	0.703	0.520	0.000	0.575	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=3, clf__learning_rate=1.0, clf__n_estimators=25 (2/5)							
grid_all / Stacking	0.530 +/- 0.039	0.722	0.722	0.525	0.101	0.605	clf__final_C=0.1, clf__n...
Hiperparámetros más frecuentes: clf__final_C=0.1, clf__n_neighbors=7, clf__tree_max_depth=2 (2/5)							
grid_all / Gradient Boo...	0.525 +/- 0.033	0.527	0.527	0.542	0.474	0.213	clf__learning_rate=0.05, ...
Hiperparámetros más frecuentes: clf__learning_rate=0.05, clf__max_depth=3, clf__n_estimators=100, clf__subsample=1.0 (2/5)							
random_all / Bagging	0.609 +/- 0.031	0.661	0.661	0.610	0.577	0.852	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=None, clf__max_samples=0.6092249700165663, clf__n_estimators=115 (3/5)							
random_all / AdaBoost	0.498 +/- 0.034	0.655	0.655	0.482	0.394	0.331	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=3, clf__learning_rate=0.9692763545078751, clf__n_estimators=26 (2/5)							
random_all / Stacking	0.518 +/- 0.024	0.715	0.715	0.517	1.000	0.584	clf__final_C=3.8003292140...
Hiperparámetros más frecuentes: clf__final_C=3.800329214045199, clf__n_neighbors=9, clf__tree_max_depth=2 (1/5)							
random_all / Gradient B...	0.505 +/- 0.025	0.505	0.505	0.544	0.998	0.124	clf__learning_rate=0.1123...
Hiperparámetros más frecuentes: clf__learning_rate=0.11236195345220405, clf__max_depth=4, clf__n_estimators=113, clf__subsample=0.8400288679743939 (2/5)							

Distribución: 1: 149, 2: 798, 3: 172 | n_min=149 | k_outer=5

EXPERIMENTO/MODELO	F1 MACRO	BALACC	RECALL	PRECISIÓN	ESTAB	ICN	ESTADO
grid_all / Bagging	0.542 +/- 0.038	0.617	0.617	0.532	0.304	0.694	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=None, clf__max_samples=0.7, clf__n_estimators=25 (4/5)							
grid_all / AdaBoost	0.520 +/- 0.048	0.626	0.626	0.527	0.004	0.533	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=2, clf__learning_rate=1.0, clf__n_estimators=25 (2/5)							
grid_all / Stacking	0.539 +/- 0.026	0.657	0.657	0.554	0.662	0.866	clf__final_C=0.1, clf__n...
Hiperparámetros más frecuentes: clf__final_C=0.1, clf__n_neighbors=3, clf__tree_max_depth=2 (3/5)							
grid_all / Gradient Boo...	0.504 +/- 0.015	0.509	0.509	0.518	1.000	0.103	clf__learning_rate=0.1, c...
Hiperparámetros más frecuentes: clf__learning_rate=0.1, clf__max_depth=3, clf__n_estimators=100, clf__subsample=0.8 (2/5)							
random_all / Bagging	0.556 +/- 0.040	0.614	0.614	0.550	0.254	0.828	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=None, clf__max_samples=0.6092249700165663, clf__n_estimators=115 (5/5)							
random_all / AdaBoost	0.520 +/- 0.048	0.619	0.619	0.529	0.000	0.517	clf__estimator__max_depth...
Hiperparámetros más frecuentes: clf__estimator__max_depth=3, clf__learning_rate=0.6831809216468459, clf__n_estimators=86 (1/5)							
random_all / Stacking	0.536 +/- 0.029	0.652	0.652	0.553	0.580	0.820	clf__final_C=0.0817949947...
Hiperparámetros más frecuentes: clf__final_C=0.08179499475211674, clf__n_neighbors=8, clf__tree_max_depth=2 (2/5)							
random_all / Gradient B...	0.499 +/- 0.015	0.502	0.502	0.527	0.985	0.076	clf__learning_rate=0.3931...
Hiperparámetros más frecuentes: clf__learning_rate=0.3931632352373656, clf__max_depth=3, clf__n_estimators=113, clf__subsample=0.9976634677873653 (1/5)							