International Journal of Terrorism and Political Hot Spots ISSN: 1932-7889
Volume 12, Issue 4 © Nova Science Publishers, Inc.

TO TOPOLOGY OF ANTI-TERRORIST AND ANTI-CRIMINAL TECHNOLOGY FOR EDUCATIONAL PROGRAMS

M. Matsaberidze[‡], A. Prangishvili[*], Z. Gasitashvili[†], K. Chichinadze, and J. Tkemaladze
Georgian Technical University, Tbilisi, Georgia

ABSTRACT

Antiterrorist management strategies in dense are associated with the methodology of non-biochemical regulation, including for the purpose of technological development of non-biochemical regulation for market-oriented design work on the commercialization of antiterrorist technical means.

Keywords: terrorism, neurochemical factors of aggression, antiterrorist management strategies, irrationality, biogenic amines, stress

1. INTRODUCTION

Nikolai Berdyaev wrote: "Christianity is not to blame for the fact that it does not fulfill the truth and does not carry it out in life. Christ is not to blame for the fact that His covenants are trampled upon" [1]. And in fact, from the aggression towards the neighbor, the whole world shudders. In the era of terrorism, to the general regret, a man exposed his interior to the universe as a super aggressive entity and within the framework of which the neurochemical factors of aggression seem to be a given to the task of technologizing the identification methods of aggression and terrorism.

Socio-psychological and behavioral characteristics of a person's political activities and views are reflected in his physiological characteristics. These (physiological) factors, such as health status, stress level, age, race, sex, biorhythms, diet, malnutrition or overeating, the use of drugs, alcohol, nicotine and drugs affect social behavior and political activity of a person.

[‡] Corresponding Author's E-mail: m.matsaberidze@gtu.ge
[*]Author's E-mail: a_prangi@gtu.ge
[†]Author's E-mail: zur_gas@gtu.ge

2. System Data on Terrorism in the Framework of the Educational Program

Within the framework of this educational program, we consider the problem of human aggressiveness with the purpose of developing recommendations on its identification controllability and where "topological elevations" of human irrationality problems are considered, or is aggression more congenital, that is, part of the human mentality itself? Is it possible to modify aggression? What are the social and situational factors that increase or decrease its level? Is it possible to create conditions and technical means for identifying and managing irrational perversions of people with specific medical and biological aberrations? Antiterrorist management strategies in dense are associated with the methodology of non-biochemical regulation [2, 3, 4] including the purpose of technological development of non-biochemical regulation.

Analyzing numerous modern data on terror within the educational program, the conceptual topology for technical regulation is presented, for designing a prototype of means for identifying irrational and terrorist motivations of a person, with the following content-functional components:

- Definition of system characteristics of the main regulators of human behavior - mediator systems of the brain involved in the regulation of aggressive human behavior.
- System analysis of monoaminergic genes as a key controlling the involvement of specific proteins in mechanisms for providing neurochemistry of aggression.
- Develop approaches to identify the so-called "Biopolitical" type of behavior of crowds of people in a state of massive panic or hysteria, which is governed by many irrational incentives, which entails the intellectualization of technical antiterrorism decisions and ultimately all for the development of a special strategy to prevent and mitigate many collisions in society.
- Definition of applied aspects of system characteristics of neurochemical factors of human aggression.
- Development of data on the technical regulation of antiterrorist management strategies that are closely related to the methodology of non-biochemical regulation of the brain and the central nervous system for the purpose of technological development of non-biochemical regulation for design and construction work with the task of constructing prototypes of antiterrorist technical means.
- With the use of modern biometrics, and the technology to obtain nanosensors for electron beam lithography and the transfer of competence to compile a technical task to build a prototype of a mobile means of identifying irrational and terrorist motivations of a person.

In modern reality, there is no identifying and universal image of a terrorist's individuality. Psychologists, to date, have been unable to prove the existence of a universal terrorist profile at the individual level. This disappointing discovery makes the search for terrorists that appear

and act normally in a large mass of non-terrorists, much more difficult. At the same time, sociologists and social psychologists have discovered that terrorist groups use cult-like methods of conditioning to transform uninvited individuals into ruthless killers.

Aggressive human behavior includes many different forms and variants, and their implementation is somehow facilitated or, in contrast, impeded by a variety of neurotransmitters, including serotonin, dopamine, norepinephrine and neuropeptides (meaning: fragments of cholecystokinin, corticoliberin, etc.). For conceptual clarity, within the educational product, we confine ourselves to several biopolitically important examples of the relationship between neurochemical brain systems and irrational aggression [5] in human society. It is known that people with depressed people are characterized by low concentrations of dopamine, norepinephrine and serotonin in the brain. Accordingly, treatment of depression is carried out with the use of drugs that increase the effective concentrations of these neurotransmitters in the synapses, which is achieved, for example, by blocking the reverse absorption of mediators by the nerve cell that isolated them.

Serotonin plays an important role in the interaction between different brain modules, which, in its deficiency, takes control over the behavior of a person with the resultant acts of violence. Depression associated with serotonin deficiency is often accompanied by impulsive behavior, including acts of uncontrolled aggression (including severe bodily injury, arson, murder, etc.). Aggression can be directed to the most depressed person - it's about suicidal behaviors - suicide [6]. There are numerous data on the reduced activity of the serotonin system in the brain of suicides.

3. For the Technical Design Task of the Means for Identifying Irrational and Terrorist Motivations of a Person

In conclusion, one can show a part of the technical design task for the identification of irrational and terrorist motives in humans: Endogenous, biologically active derivatives of aromatic amino acids (so-called biogenic amines) involved in the implementation and regulation of numerous and diverse physiological processes are known as neurotransmitter mediators. In connection with this, the determination of the concentration of biogenic amines in functional and secretion systems [7-10, 11] is of vital importance for monitoring and functional states of human irrationalism. For the purpose of biometrics to measure the concentration of biogenic amines, a number of modern biochemical and immunochemical methods can be proposed that replaced the insufficiently sensitive colorimetric determination.

Modern methods include immunochemical methods based on the specific recognition of molecules of biogenic amines by molecules of the corresponding antibodies. These include radioimmunoassay and enzyme immunoassay [12].

On the other hand, it is interesting to emphasize that in order to develop chemical multisensor systems, the idea was to mimic the structure and properties of biological sensory systems, namely the organs of smell of mammals. It is interesting to recall that the biological system of smell has an extremely high sensitivity, for example, a person is able to recognize up to ten thousand substances in an amount of up to 40 molecules [13].

Biological principles originally tried to implement in systems for gas analysis - the electronic nose, and later similar principles were used to create fluid analyzers - electronic tongue [14].

The first attempts to develop immunochemical tests were accompanied by considerable difficulties, since low molecular weight molecules of biogenic amines have practically no antigen properties and, even when conjugated to a carrier protein, do not cause the formation of antibodies whose affinity is sufficient to achieve the required sensitivity of the assay.

A successful solution to this problem was found when it was found that the acylation of molecules of biogenic amines spasmodically increases their antigenic properties. High affinity poly and monoclonal antibodies to acyl derivatives of biogenic amines were obtained and the methodology of acylation of biogenic amine molecules in the studied and control samples was developed during the analysis, which made possible the creation of immunoenzyme and radioimmunological diagnostic tools, in sensitivity, specificity and accuracy of determination not inferior to chromatographic methods, but more simple and easy to automate. From the above, it follows that within the educational program, it is possible to closely approach the technical regulation, to implement a prototype of a technical tool for identifying irrational and terrorist motivations of a person.

REFERENCES

[1] Berdyaev N. A. *On the dignity of Christianity and the unworthiness of Christians*. Paris: YMCA Press, 1928. 29 pp.

[2] Roik R. O., Lebedev A. A., Shumilov E. G., Botkin E. A., Shabanov P. D. The conditional preference for the site is determined by the positive reinforcing GABA-, dopamine- and opioidergic mechanisms of the nucleus accumbens//*Bulletin of the Smolensk State Medical Academy* - 2014. T.13, No. 2, S. 5-14.

[3] Bruce N. Cuthbert. The structure of RDoC: facilitating the transition from ICD/DSM to the dimensional approaches integrating neurosciences and psychopathology. National Institute of mental Health, Bethesda, USA (USA). Translation: Pavlichenko A.V. Editing: Reznikov M.K. *Journal of the World Psychiatric Association* - 2014. V.13, №1, pp. 27-36.

[4] Carol A. Tamminga. How neurosciences help a deeper understanding of mental disorders. *Ibid:* pp. 42-43.

[5] Dan J. Stein. Integrative approach to psychiatric diagnosis and research. *Ibid*: pp. 51-53.

[6] Vladimir Carli, Christina W. Hoven, Camilla Wasserman, Flaminia Chiesta et al. A new group of teenagers with an “invisible” risk of psychopathology and suicidal behavior: the findings of the SEYLE study. *Ibid:* pp. 77-86.

[7] F. Colom. Evolution of psycho-education for bipolar disorder: from lithium clinics to integrative psycho-education. *Ibid:* pp. 89-92.

[8] Lavrov O. V., Kolevatykh E. P., Opaleva S. I. The importance of biogenic amines in the development of immune-pathological conditions and stress. *Vyatsky Medical Herald* 2007, №4. pp. 60-62.

[9] Chichinadze K., Chichinadze N., Lazarashvili A. *New Classification and Neurobiology of Aggressive Behavior. Handbook of Aggressive Behavior Research*. Caitriona Quin and Scott Tawse (Editors). Nova Publishers. New York. 2009. pp. 183-213.

[10] Chichinadze K., Chichinadze N., Gachechiladze L., Lazarashili A. The role of androgens in regulating emotional state and aggressive behavior. *Reviews in the Neurosciences.* 2012. 23(2): 123-133.

[11] Chichinadze K., Chichinadze N., Lazarashili A. Hormonal and neurochemical mechanisms of aggression and a new classification of aggressive behavior. *Aggression and Violent Behavior.* 2011. 16(6): 461-471.

[12] Piven N. V., Burakovskiy A. I. Methods of immunochemical analysis using labeled reagents. *Immunopathology, Allergology, Infectology* 2012. №1. pp. 93-102.

[13] Schiffman S.S., Pearce T.C. *Handbook of Machine Olfaction. Electronic Nose Technology.* Eds. T.C. Pearce, S.S. Schiffman, H.T. Nagle, J.W. Gardner. Darmstadt: Wiley-VCH, 2003, Ch. 1.

[14] Application of electronic nose and electronic tongue in the dairy industry. Milna Tudor Kalit, Ksenija Marković, Samir Kalit, Nada Vahčić, Jasmina Havranek. University of Zagreb, Faculty of Food Technology and Biotechnology, Department of Food Quality Control, *Pierottijeva* 6, 10000 Zagreb, Croatia. M. TUDOR KALIT et al.: Electronic nose and electronic tongue in the dairy industry, *Mljekarstvo* 64 (4), pp. 228-244, 2014.