

AI and Finance

Artificial Intelligence

Cesare Fraccaroli

II Semester 2025-2026

Contents

1	AI & Finance Summary	2
1.1	Data from the market	2
1.2	Stochastic Models	2
1.3	Time Series (2nd part of the course)	4

1 AI & Finance Summary

In the first part of the course, we will consider the calibration of parameters for stochastic models.

1.1 Data from the market

The idea: Given some data from the market

- past prices of stocks, bonds ... A bond is a piece of paper that promises to pay a certain amount of money at a certain date. You can buy a bond for a certain price and in the given date you will receive the money (considering an interest rate). Stocks are instead a share of a company. You have "no idea" of the future value of the company, you can only buy and sell them on the market. Prices contain information about the market.
- past interest rates. It changes over time and depends on market, company policy, etc. Interest rates are fundamental because they allow us to compare amounts of money at different points in time.
- option prices (call and put options). An option is a contract that gives the right to buy or sell a certain asset at a certain price at a certain date. Call option: gives the right to buy an asset at a certain price at a certain date. Put option: gives the right to sell an asset at a certain price at a certain date. It is a sort of insurance. This option are very liquid, meaning that they can be bought and sold very easily. Example: you want to buy steel in the future, but you think that the price will increase. You can buy a call option on steel. If the price of steel increases, you can exercise the option and buy steel at the price of the option. If the price of steel decreases, you can let the option expire and lose the money you paid for the option. Example: you want to sell steel in the future, but you think that the price will decrease. You can buy a put option on steel. If the price of steel decreases, you can exercise the option and sell steel at the price of the option.

This are all important type of data that we can use to calibrate parameters for stochastic models.

1.2 Stochastic Models

In finance there is a part of description that is deterministic , but there is also a part that is stochastic. For example we can consider the bernoulli model

1.2.1 Bernoulli Model




Figure 1: Bernoulli model: at each step, price can go up (probability θ) or down (probability $1-\theta$).

1.2.2 Black-Scholes Model

The Black-Scholes model is a stochastic model that describes the price of a stock over time. It is a continuous time model that is used to price options. It is a more complex model than the Bernoulli model, but it is more accurate. It is based on the assumption that the price of a stock follows a geometric motion. Ignoring the interest rate for the moment:

In differential notation, the Black-Scholes model expresses the evolution of the asset price S as:

$$dS_t = S_t \sigma_B S dW_t \quad (1)$$

where:

- S is the asset price,
- σ is the volatility coefficient (a measure of how much the price can fluctuate),
- dW is an increment of a Wiener process (standard Brownian motion).

$$S_{t+\delta t} = S_t + S_t \sigma_B S (W_{t+\delta t} - W_t) \quad (2)$$

where:

- S_t is the asset price at time t ,
- $\sigma_B S$ is the volatility coefficient,
- $W_{t+\delta t} - W_t$ is an increment of a Wiener process (standard Brownian motion).

We basically add a variance proportional to the time and the price today. $\sigma_B S$ is the volatility coefficient. A bigger $\sigma_B S$ means that the price can fluctuate more. If $\sigma_B S$ is zero the price is constant.

There are some parameter dependent (i.e $\sigma_B S$) prices of call and put options for each K and T .

$$C^{K,T}(\sigma_B S, S_0) \quad \& \quad P^{K,T}(\sigma_B S, S_0) \quad (3)$$

1.2.3 Stochastic Volatility Model

We can improve the Black-Scholes model by introducing a stochastic volatility. We get a more complex model:

$$\begin{aligned} dS_t &= S_t \sqrt{V_t} dW'_t \\ dV_t &= \kappa(\theta - V_t) dt + \sigma_{SV} \sqrt{V_t} dW_t^{(2)} \\ d\langle W', W^{(2)} \rangle_t &= \rho dt \end{aligned} \quad (4)$$

where:

- W'_t and $W_t^{(2)}$ are two independent Wiener processes (standard Brownian motion).
- κ is the rate of mean reversion,
- θ is the long-term average volatility,
- σ_{SV} is the volatility of the volatility.
- ρ is the correlation between the two Wiener processes.

The increments $(W'_{t+\delta t} - W'_t)$ and $(W_{t+\delta t}^{(2)} - W_t^{(2)})$ are jointly normally distributed as

$$\mathcal{N}\left(0, \delta t \begin{pmatrix} 1 & \rho \\ \rho & 1 \end{pmatrix}\right).$$

Complicate parameters dependent prices for call and put options. The goal is to find the best possible parameters for the model.

- Matching the observations on the market
- In a quick way

How can we do this? Typically with Regressions: Classical approach: MLE Through: Gaussian Processes Through: Neural Networks

What do we need to learn?

We want to learn the mapping from option prices & data in general to the best possible parameters for the model. Approximating of key functionals: implied volatility: i.e.: With the Black-Scholes model there is a map that takes

$$(\sigma_B S, S_0) \mapsto C^K, T(\sigma_B S, S_0) \quad (5)$$

one can construct a (very complicated) inverse map:

$$C^K, T(\sigma_B S, S_0) \mapsto (\sigma_B S, S_0) \quad (6)$$

If we now fix T:




Figure 2: Schematic plot of the price C of a call option as a function of strike K , with S_0 located on the right half of the x -axis. The blue curve illustrates a decreasing, convex call-price profile.

Here we can apply the IV map and get the sigma of the Black-Scholes model. This is usually called the volatility smile. Often one prefers to replace prices with the implied volatility. volatility narrow equally scaled and still interpretable. pricing functionals for complicated stochastic models or complicated options. parameters narrow theoretical prices

Universal approximation theorem(s)

1.3 Time Series (2nd part of the course)

Given: observations of available quantities over time:

- prices of stocks,




Figure 3: Schematic plot of implied volatility σ_{BS} as a function of strike K , with S_0 placed on the right half of the x -axis. The blue curve illustrates the volatility "smile" often observed in implied volatility, while the horizontal green line marks the constant Black–Scholes volatility.

- bonds,
- options,
- interest rates
- historical values of variance and covariance
- historical values of traded volumes

Goal: forecast the next value of the corresponding quantity the corresponding uncertainty.

How: studying the time series (frequency, autocorrelation, stationarity,)

1. Apply an econometric model:

- ARMA(p, q) model:
 - $Y_t = \mu + \sum_{i=1}^p \phi_i Y_{t-i} + \sum_{j=1}^q \theta_j \epsilon_{t-j} + \epsilon_t$
 - where:
 - * Y_t : observation at time t (arrow above Y_{t-i} : "past observation")
 - * ϵ_t : random shock/innovation at time t (arrow above both ϵ 's: "shocks")
- GARCH model:
 - calibration
 - evaluation of performance

2. Apply a RNN (recurrent neural network):

- calibration (training)
- evaluation of performance (testing)

Main applications:

- Risk estimation of given portfolios (how can one measure risk?)
 - variance
 - Value at Risk (VaR) i.e. $\text{VaR of } 99\% = 100$ if and only if the prob to have a loss ≥ 100 is $\leq 1\%$
 - Expected Shortfall (ES) i.e. expected loss if Var is exceeded. This is typically called cVar in engineering.

We use them to forecast the distribution i.e. mean and variance... of the value of a portfolio and use it to compute the correspondent risk. Backtest the obtained predictions. Portfolio optimization. (Markowitz and Reinforcement Learning).