Multipoly: A Toolbox for Multivariable Polynomials
Version 2.01

Pete Seiler
`pseiler@umich.edu`

Sachin Shivakumar
`sshivak8@asu.edu`

September 13, 2021

Abstract

Multipoly is a Matlab toolbox for the creation and manipulation of polynomials with one or more variables. This document briefly describes the use and functionality of this toolbox. Section 1 describes the installation of the toolbox. Section 2 gives a brief introduction on the basic functionality of the toolbox. More advanced functionality is descrbied in Section 3 shows more advanced functionality. Full documentation for all toolbox functions is provided in Section 5.

1   Installation

The toolbox was tested with MATLAB versions R2009a and R2009b. The multipoly objects have been constructed using Matlab's new object oriented programming syntax. As a result, the toolbox will not function correctly in R2007b and earlier versions of Matlab. To install the toolbox:

- Download the zip file and extract the contents to the directory where you want to install the toolbox.

- Add the mulitpoly directory to the Matlab path, e.g. using Matlab's `addpath` command. Note that the toolbox will not work if you are currently in the @polynomial directory. This is due to MATLAB's handling of object methods.

- As described below, the `subs` command can be used to evaluate polynomials at specific values of the variables. The toolbox contains one lower level mex function, `peval.c`, which can be compiled to greatly speed up evaluation of polynomials. To compile this mex file, change to the multipoly\@polynomial\private folder. Type `mex peval.c` in this folder to compile the mex function. There is a m-file version of this function which will be called if the mex version is not compiled but polynomial evaluations will be significantly slower than the compiled mex function.

2   Basic Functionality

Polynomial objects are most easily constructed by performing basic operations on polynomial variables. Use the `pvar` command to create polynomial variables, e.g.

```
>> pvar x1 x2 x3
```

A multivariable polynomial object can be created from these variables using addition, multiplication, and exponentiation:

```
>> p = x3^4+5*x2+x1^2
p =
  x3^4 + x1^2 + 5*x2
```

Matrices of polynomials can be created from polynomials using horizontal/vertical concatenation and block diagonal augmentation:

```
>> p = x3^4+5*x2+x1^2
p =
  x3^4 + x1^2 + 5*x2

>> M1=[p 2*x2]
M1 =
  [ x3^4 + x1^2 + 5*x2 , 2*x2 ]

>> M2=[p; 2*x1*x2*x3]
M2 =
  [ x3^4 + x1^2 + 5*x2 ]
  [        2*x1*x2*x3 ]

>> M3 = blkdiag(p,x1-5)
M3 =
  [ x3^4 + x1^2 + 5*x2 ,      0 ]
  [                   0 , x1 - 5 ]
```

Elements of a polynomial matrix can be referenced and assigned using the standard MATLAB referencing notation:

```
>> M3
M3 =
  [ x3^4 + x1^2 + 5*x2 ,      0 ]
  [                   0 , x1 - 5 ]

>> M3(2,2)
ans =
  x1 - 5

>> M3(1,:)
ans =
  [ x3^4 + x1^2 + 5*x2 , 0 ]

>> M3(1,2) = (x1+2)^2
M3 =
  [ x3^4 + x1^2 + 5*x2 , x1^2 + 4*x1 + 4 ]
  [                   0 ,         x1 - 5 ]
```

3   Advanced Functionality

This section describes some of the additional features of the multipoly toolbox. A complete list of implemented functions can be found in Section 5.

3.1   Creating Polynomials

The toolbox contains several functions to construct polynomials of specialized form. The mpvar function can be used to create a polynomial matrix variable:

```
>> P = mpvar('p',[4 2])
P =
  [ p_1_1, p_1_2]
  [ p_2_1, p_2_2]
  [ p_3_1, p_3_2]
```

```
  [ p_4_1, p_4_2]

>> P = mpvar('p',[4 4],'s')
P =
  [ p_1_1, p_1_2, p_1_3, p_1_4]
  [ p_1_2, p_2_2, p_2_3, p_2_4]
  [ p_1_3, p_2_3, p_3_3, p_3_4]
  [ p_1_4, p_2_4, p_3_4, p_4_4]
```

The first argument of `mpvar` specifies the prefix for the variable names in the matrix and the the second argument specifies the matrix size. The `'s'` option in the second example is used to construct square, symmetric polynomial matrix variables.

The `monomials` function is used to construct a vector list of monomials:

```
>> pvar x1 x2
>> Z1 = monomials([x1;x2],0:2)
Z1 =
  [      1]
  [     x1]
  [     x2]
  [   x1^2]
  [ x1*x2]
  [   x2^2]
```

The first argument of `monomials` specifies the variables used to construct the monomials vector. The second argument specifies the degrees of monomials to include in the monomials vector. In the example above, the vector `Z1` returned by `monomials` contains all monomials in variables `x1` and `x2` of degrees 0,1, and 2.

The toolbox contains two functions to compute least squares polynomial fits. `pdatafit` computes a polynomial fit to given input/output data. `pfunctionfit` computes a polynomial fit to a specified function. Syntax and examples for these functions is provided in Section 5.

The toolbox also contains functions to convert between the multipoly and symbolic toolboxes. `s2p` converts from a polynomial from a symbolic toolbox object to a multipoly object. `p2s` converts a polynomial from a multipoly to a symbolic object. The two toolboxes have different functionality and it can be useful to convert back and forth depending on the desired functionality.

Finally, it is possible to directly create a multivariable polynomial by calling the `polynomial` constructor. The data structure used by the multipoly toolbox to represent polynomials must be understood in order to use this constructor. The coefficients, monomials degrees, and variables names are stored for each polynomial. A simple scalar example illustrates the data structure:

```
>> pvar x1 x2 x3
>> p = 3*x3^4+5*x2*x3+7*x1^2
p =
  3*x3^4 + 7*x1^2 + 5*x2*x3
>> full(p.coefficient)
ans =
     3
     7
     5
>> full(p.degmat)
ans =
     0     0     4
     2     0     0
     0     1     1
>> p.varname
ans =
    'x1'
```

```
    'x2'
    'x3'
```

Each row of the degree matrix describes one term in the polynomial. The columns of the degree matrix correspond to the listing of the variables in `p.varname`. In this example, the rows of the degree matrix correspond to the monomials x_3^4, x_1^2, and x_2x_3, respectively. The rows of the coefficient matrix provide the coefficients for the monomial specified by the corresponding row of the degree matrix. In this example, the rows of the coefficient and degree matrices specify the terms $3x_3^4$, $7x_1^2$, and $5x_2x_3$.

Next consider an $N \times M$ polynomial in V variables consisting of T terms. This polynomial is stored as an $T \times NM$ sparse coefficient matrix, a $T \times V$ degree matrix and a $V \times 1$ cell array of variable names. It might be more natural to represent the coefficient matrix as an NxMxT array of coefficients. However, MATLAB does not support 3D sparse arrays. To exploit sparsity, the coefficient matrix is stored as an TxNM array. Below is an example showing the data structure information for a polynomial matrix.

```
>> pvar x1 x2

>> M = [x1^2+7*x1*x2 -3*x1*x2; 0 2*x2+5]
M =
  [ x1^2 + 7*x1*x2, -3*x1*x2]
  [              0, 2*x2 + 5]

>> full(M.coefficient)
ans =
     1     0     0     0
     7     0    -3     0
     0     0     0     2
     0     0     0     5

>> full(M.degmat)
ans =
     2     0
     1     1
     0     1
     0     0

>> M.varname
ans =
     'x1'
     'x2'

>> M.matdim
ans =
     2     2
```

The field `matdim` gives the dimensions of the matrix polynomial. The rows of the degree matrix represent the four monomials x_1^2, x_1x_2, x_2 and 1. Each row of the coefficient matrix can be reshaped into a 2×2 coefficient matrix. For example, the second row of the coefficient matrix is reshaped to:

```
full( reshape(M.coefficient(2,:),M.matdim) )
ans =
     7    -3
     0     0
```

Thus the second row of the coefficient and degree matrices specifies the term $\begin{bmatrix} 7 & -3 \\ 0 & 0 \end{bmatrix} x_1 x_2$.

The `polynomial` constructor directly constructs a polynomial given the coefficient, monomial degree matrix, variable names, and matrix dimensions. The constructor synatx is:

```
P=polynomial(Coefficient,Degmat,Varname,Matdim)
```

3.2 Polynomial Manipulations

The toolbox contains functions to easily manipulate and evaluate polynomial expressions. The `subs` function can be used to replace polynomial variables with either symbolic or numeric expressions. A simple example is shown below:

```
>> pvar x1 x2 y1

>> x=[x1;x2];

>> p=2*x1^4+2*x1^3*x2-x1^2*x2^2+5*x2^4
p =
  2*x1^4 + 2*x1^3*x2 - x1^2*x2^2 + 5*x2^4

>> subs(p,x,[1;2])
ans =
  82

>> subs(p,x,[0 1 1; 1 0 2])
ans =
  [ 5, 2, 82]

>> subs(p,x,[y1;0])
ans =
  2*y1^4
```

Numeric substitions, as in the first two examples of `subs` above, are performed with the private function `peval`. These substitutions are performed much more efficiently if the mex version of `peval.c` is compiled as described in Section 1. The last example of `subs` above demonstrates a symbolic substitution.

The are a variety of other functions to group polynomial terms. The `cleanpoly` remove terms based on value of coefficient and degree. The `poly2basis` projects the polynomial coefficients onto a basis of monomials. The `collect` function collects coefficients of specified variables monomials. Finally, the `monomials` function can also be used to extract all monomials the exist in a polynomial.

```
>> pvar x1 x2;

>> p = [x1^2-9, 5*x1+3*x1*x2-4*x2^2];

>> cleanpoly(p,[],2)
ans =
  [ x1^2, 3*x1*x2 - 4*x2^2]

>> m = monomials(p)
m =
  [      1]
  [     x1]
  [   x1^2]
  [  x1*x2]
  [   x2^2]


>> R = [x1^2; x2^2];
```

```
>> [V,R,e] = poly2basis(p,R);

>> [V R]
ans =
  [ 1,  0, x1^2]
  [ 0, -4, x2^2]

>> e
e =
  [ -9, 3*x1*x2 + 5*x1]
```

In the example above, the `cleanpoly` function retains only the quadratic terms in the polynomial `p`. The `monomials` function extracts all monomials that exist in `p`. The `poly2basis` function projects the polynomial of `p` onto the monomials listed in `R`. Each row of `V` provides the coefficients of the monomial in the corresponding row of `R`. In this example, the second row of `V` is $\begin{bmatrix} 0 & -4 \end{bmatrix}$ representing the coefficient of x_2^2 in `p`. `poly2basis` also returns the difference between the input polynomial `p` and the projection `R'*V`, i.e. `e = p-R'*V`.

The toolbox contains functions `diff` and `jacobian` to compute derivatives of a polynomial. There are also functions `pcontour` and `pcontour3` to plot 2d and 3d contours of a polynomial. Finally, there are functions to linearize (`plinearize`), trim (`ptrim`), sample (`psample`), and simulate (`psim`) polynomials.

3.3 Simulink Interface

`polylib.mdl` contains a Simulink block for polynomial objects. A polynomial object and its input variables are specified in the dialog box of the object. The block output is the polynomial evaluated at the input of this block. This block can be used to integrate polynomial objects into Simulink models.

4 Acknowledgments

5 List of Functions

The list of functions for polynomials is given below. This function list can be displayed in Matlab by typing `help multipoly`. The remainder of this section describes the purpose and syntax of most polynomial functions. This information can be displayed in Matlab by typing `help functioname`. Documentation for overloaded function operations, e.g. `plus`, is not provided here but can be obtained at the Matlab prompt using `help`.

```
Multivariate Polynomial Toolbox
  Version 2.00, 23 November 2010.

  Creating polynomial objects
     pvar          - Construct a polynomial variable
     mpvar         - Construct a matrix or vector polynomial variable
     polynomial    - Construct a polynomial object
     monomials     - Construct list of monomials
     pdatafit      - Compute a polynomial least squares fit to data
     pfunctionfit  - Compute a polynomial least squares fit to a function

  Simulink:
     polylib.mdl   - Simulink block for polynomial objects

  Polynomial plotting:
     pcontour      - Plot 2d polynomial contours
     pcontour3     - Plot 3d polynomial contours

  Polynomial functions:
     poly2basis    - Project polynomial onto a basis of monomials
     plinearize    - Linearize a vector polynomial function
     ptrim         - Find trim conditions for a polynomial dynamical system
     psolve        - Find roots of a system of polynomials
     pvolume       - Estimate the volume of a polynomial set
     psample       - Draw random samples from a polynomial set
     psim          - Simulate a polynomial dynamical system
     pplanesim     - Plot the phase plane for a polynomial dynamical system
     int           - Element-by-element integration of a polynomial
     diff          - Element-by-element differentiation of a polynomial
     jacobian      - Compute Jacobian matrix of a polynomial vector
     collect       - Collect coefficients of specified variables
     subs          - Symbolic substitution
     cleanpoly     - Remove terms based on value of coefficient and degree

  Polynomial characteristics:
     isdouble      - True for arrays of doubles
     ispvar        - True for arrays of pvars
     ismonom       - True for arrays of monomials
     isempty       - True for empty monomials
     isequal       - Element by element polynomial comparisons
     size          - Size of a polynomial matrix
     length        - Length of a polynomial matrix
     fieldnames    - Get properties of a polynomial object

  Conversions:
     p2s           - Convert from multipoly to symbolic toolbox
     s2p           - Convert from symbolic toolbox to multipoly
     double        - Convert constant polynomial to a double
     char          - Converts a polynomial to its string representation.
```

```
Overloaded arithmetic operations:
   plus, +      - Add polynomials
   minus, -     - Subtract polynomials
   mtimes, *    - Multiply polynomials
   mpower, ^    - Power of a polynomial
   horzcat, [,] - Horizontal concatentation of polynomials
   vertcat, [;] - Vertical concatentation of polynomials
   diag         - Diagonal poly matrices and diagonals of poly matrices
   tril         - Extract lower triangular part of a polynomial matrix
   triu         - Extract upper triangular part of a polynomial matrix
   blkdiag      - Block diagonal concatenation of polynomial matrices
   ctranspose, ' - Non-conjugate transpose of a polynomial
   transpose, .' - Non-conjugate transpose of a polynomial
   reshape      - Reshape a polynomial matrix
   repmat       - Replicate and tile an array of polynomials
   uplus        - Unary plus of a polynomial
   uminus       - Unary minus of a polynomial
   times, .*    - Element-by-element multiply of polynomials
   power, .^    - Element-by-element power of a polynomial
   sum          - Sum of the elements of a polynomial array
   prod         - Product of the elements of a polynomial array
   trace        - Sum of the diagonal elements
   det          - Determinant of a polynomial matrix
```

5.1 PVAR

```
function p = pvar(varargin)

  DESCRIPTION
    Create variables (i.e. monomials of degree 1).

  INPUTS
    X1,X2,...: Character strings used to name variables.

  OUTPUTS
    p: pvar

  SYNTAX
    pvar('x1','x2','x3')
    pvar x1 x2 x3
      Both of these function calls create monomials of degree 1 in the
      caller workspace with the given names. Any number of pvars can be
      created.
    p1 = pvar('x1')
      Creates a pvars named x1 and assigns it to the output variable p1.
    [p1,p2,...] = pvar('x1','x2',...)
      Creates many pvars and assigns them to the output variables.

  See also mpvar
```

5.2 MPVAR

```
function P = mpvar(cstr,N,M,opt);

   DESCRIPTION
     Create a polynomial matrix or vector variable

   INPUTS
     cstr: Character string to be used in creating the coefficient vector.
     N,M: row and column dimensions of polynomial matrix.
     opt: If N==M, then set opt = 's' to generate a symmetric
          matrix variable.

   OUTPUTS
     P: polynomial matrix

   SYNTAX
     P = mpvar('c',N)
         Creates an NxN polynomial matrix with entries c_i_j.
     P = mpvar('c',N,M)
     P = mpvar('c',[N,M])
         Creates an NxM polynomial matrix with entries c_i_j.
     P = mpvar('c',N,N,'s')
         Creates an NxN symmetric polynomial matrix with entries c_i_j.
     P = mpvar('c',[N,1])
     P = mpvar('c',[1,N])
         Creates an Nx1 or 1xN polynomial vector with entries c_i if
         N>1.  If N=1 then this creates a pvar named c.
     mpvar(cstr,N,M)
         Equivalent to calling eval([cstr '=mpvar(cstr,N,M);']).

   EXAMPLE
     P = mpvar('p',[2,3])

P =
  [ p_1_1, p_1_2, p_1_3]
  [ p_2_1, p_2_2, p_2_3]

   See also pvar
```

5.3 POLYNOMIAL

```
function P = polynomial(Coefficient,Degmat,Varname,Matdim);
```

```
  DESCRIPTION
    Creates a polynomial or a matrix of polynomials.

  INPUTS
    Coefficient: coefficients of each monomial.
    Degmat: degrees of each monomial
    Varname: names of variables
    Matdim: dimensions of the polynomial matrix

  OUTPUT
    P: polynomial object

  SYNTAX
    P=polynomial
      Creates an empty polynomial object.
    P=polynomial(Coefficient)
      If Coefficient is a real matrix of dimension NxM, then P is
      an NxM constant polynomial.
    P=polynomial(Varname)
      If Var is an NxM cell array of strings, then P is an NxM polynomial
      whose entries are the variables specified in Var.
    P=polynomial(Coefficient)
      If Coefficient is a polynomial object, then P=Coefficient.
    P=polynomial(Coefficient,Degmat,Varname,Matdim)
      If P is an NxM polynomial that is the sum of T terms in V
      variables, the inputs should be specified as:
        Coefficient is a Tx(N*M) sparse matrix.
          The coefficients of the (i,j) entry of the polynomial
          matrix are a Tx1 vector stored in the i+*N*(j-1) column of
          Coefficient.
        Degmat is a TxV sparse matrix of natural numbers.  Row t
          gives the degrees of each variable for the t^th term.
        Varname is a Vx1 cell array with entry v giving the name of
          variable v. For a constant polynomial, varname is an
          empty 1x1 cell.
        Matdim is a 1x2 vector of the matrix dimensions, [N M].
```

5.4 MONOMIALS

```
function Z=monomials(p,deg)

  DESCRIPTION
    Construct list of monomials

  INPUTS
    p: A polynomial, vector of pvars or a non-negative integer.
    deg: A vector of non-negative integers specifying the degrees
          of monomials to be included Z.

  OUTPUTS
    Z: lz-by-1 list of monomials

    Z: If p is a polynomial (deg is not specified) then Z will be a
       lz-by-1 vector of all monomials in p. If p is a vector of pvars
       then Z will be a lz-by-1 vector of all monomials of the specified
       degrees in the given pvars. If vars is a non-negative integer then
       Z will be the lz-by-var degree matrix with each row specifying the
       degrees of one of the monomials.

  SYNTAX
    Z=monomials(p)
        If p is a polynomial then Z is the vector of monomials in p.
    Z=monomials(vars,deg)
        If vars is a vector of pvars then Z is a vector of all monomials
        in the variables listed in vars and degrees listed in deg.
    Z=monomials(nvar,deg)
        If nvar is a non-negative integer then Z is the degree matrix
        corresponding to all monomials in nvar variables and degrees deg.

  EXAMPLE
    pvar x1 x2
    Z1 = monomials([x1;x2],0:2)

Z1 =
  [      1]
  [     x1]
  [     x2]
  [   x1^2]
  [ x1*x2]
  [   x2^2]

    p = x1^2+5*x1*x2-6*x2^3;
    Z2 = monomials(p)

Z2 =
  [   x1^2]
  [ x1*x2]
  [   x2^3]

  See also poly2basis
```

5.5 PDATAFIT

```
function [pfit,cfit,info] = pdatafit(p,x,Xdata,Ydata,W)
```

    DESCRIPTION
      This function finds the coefficients of a multivariate polynomial that
      best fits given data in a least-squares cost. The data is fit
      with a linear combination of polynomial basis functions:
          p(x,c) = c1*f1(x)+c2*f2(x) + ... + ck*fk(x)
      where f1, f2, ..., fk are the polynomial basis functions. pdatafit
      computes the coefficients c1, c2, ..., ck that minimize the fitting
      error in a weighted squares cost:
          min_c sum_i (W(i)*e(i))^2
      where e(i) is the fitting error of the i^th data point, i.e.
      e(i) := p(Xdata(i,:),c) - Ydata(i).

    INPUTS
      p: 1-by-1 polynomial.
      x: Nx-by-1 vector of pvars that specifies the independent variables
          in p. All other variables in p are considered to be coefficients.
      Xdata: Nx-by-Npts matrix of input data values. The i^th row of Xdata
          gives the data values associated with x(i).
      Ydata: 1-by-Npts vector of output data values
      W (Optional): 1-by-Npts weighting vector [Default: W=ones(1,Npts)]

    OUTPUTS
      pfit: Least-squares polynomial fit
      cfit: Nc-by-2 cell array of the optimal coefficients. The first
            column contains the coefficients (as chars) and the second
            column contains the optimal values. The subs command can be
            be used to replace the coefficients in any polynomial with
            their optimal values, e.g. pfit = subs(p,cfit).
      info: Data structure containing the matrices in the least squares
            problem. info has the fields A, b, cfit, W, e. This gives
            the data of the least squares problem in the form:
                    min_c || diag(W)*(A*c-b) ||_2.
            e = A*cfit-b is the fitting error.

    SYNTAX
      [pfit,cfit,info] = pdatafit(p,x,Xdata,Ydata)
      [pfit,cfit,info] = pdatafit(p,x,Xdata,Ydata,W)

    EXAMPLE
     Xdata = linspace(100,200);
     Ydata = 1./Xdata;
     pvar c0 c1 c2 x;
     p=c0+c1*x+c2*x^2;
     [pfit,cfit,info] = pdatafit(p,x,Xdata,Ydata)
     plot(Xdata,Ydata,'bx',Xdata,double(subs(pfit,x,Xdata)),'r--')
     legend('1/X','pfit'); xlabel('x');

pfit =
  3.2808e-007*x^2 - 0.00014616*x + 0.0212
cfit =
    'c0'   [0.0212]
    'c1'   [-1.4616e-004]
```

```
     'c2'    [ 3.2808e-007]
info =
       A: [100x3 double]
       b: [100x1 double]
    cfit: [3x1 double]
       W: [100x1 double]
       e: [100x1 double]


  See also pfunctionfit
```


Figure 1: Polynomial fit of $1/x$ using `pdatafit`

5.6 PFUNCTIONFIT

```
function [pfit,cfit,fiterr] = pfunctionfit(p,x,Xdata,fnc,W)
```

    DESCRIPTION:
      This function finds the coefficients of a multivariate polynomial that
      best fits a function fnc in a least-squares cost. The function is fit
      with a linear combination of polynomial basis functions:
          p(x,c) = c1*f1(x)+c2*f2(x) + ... + ck*fk(x)
      where f1, f2, ..., fk are the polynomial basis functions. pfunctionfit
      samples the function fnc and computes the coefficients c1, c2, ..., ck
      that minimize the fitting error on these samples in a weighted squares
      squares cost. See pdatafit for more detail.

    INPUTS:
      p: 1-by-1 polynomial.
      x: Nx-by-1 vector of pvars that specifies the independent variables
             in p. All other variables in p are considered to be coefficients
      Xdata (Optional): Nx-by-Npts matrix of input data values at which to
             evaluate fnc for fitting. Alternatively, Xdata can be a
             structure with fields specying how to construct the data:
             fields to construct the Nvars-by-Npts input data set.
              - range:= Nx-by-2 matrix containing the data range [min max] of
                the variables defined in vars. Default is [-1 1]
              - sample:=defines the sampling technique. Choices are: 'grid',
                'uniform' ,'lhs'. Default is 'grid'. 'grid' generates
                linearly spaced data along each direction. 'uniform' draws
                random samples from the range using a uniform distribution.
                'lhs' uses the Latin Hypercube sampling technique. 'lhs'
                 requires the Statistics Toolbox.
              - Npts: If sample='grid' then Npts is a Nvar-by-1 vector
                defining the number of points to be sampled along each
                direction. The total # of points is prod(Npts). For 'lhs'
                or 'uniform', Npts is a 1-by-1 defining the total
                number of sampled points.
      fnc : Function to fit with inputs x and 1-by-1 output. fnc can be
             a function handle, string expression, or polynomial.
      W (Optional): 1-by-Npts weighting vector . Alternatively W can be
             a function handle, string expression, or polynomial.
             [Default: W=ones(1,Npts)]

    OUTPUTS:
      pfit: Least-squares polynomial fit
      cfit: Nc-by-2 cell array of the optimal coefficients. The first
            column contains the coefficients (as chars) and the second
            column contains the optimal values. The subs command can be
            be used to replace the coefficients in any polynomial with
            their optimal values, e.g. pfit = subs(p,cfit).
      info: Data structure containing the matrices in the least squares
            problem. info has the fields A, b, cfit, W, e as described
            in pdatatfit help. It also contains Xdata and Ydata. Xdata are
            the input data samples and Ydata gives the values of fnc
            evaluated at Xdata. Sample information is stored in the fields
            sample, range, and Npts.

    SYNTAX

```
   [pfit,cfit,info] = pfunctionfit(p,vars,Xdata,fnc)
   [pfit,cfit,info] = pfunctionfit(p,vars,fnc)
   [pfit,cfit,info] = pfunctionfit(p,vars,Xdata,fnc,W)

EXAMPLE
 fnc = @(x) sin(x);
 pvar c0 c1 c2 c3 x;
 vars = x;
 p = c0 + c1*x + c2*x^2 + c3*x^3;
 Xdata.sample ='uniform';
 Xdata.Npts = 20;
 [pfit,cfit,info] = pfunctionfit(p,vars,Xdata,fnc);
 ezplot(fnc,[info.range(1) info.range(2)]); hold on;
 xx = linspace(info.range(1),info.range(2),10);
 plot(xx,double(subs(pfit,vars,xx)),'r--'); hold off;
 legend('Original Function','Polynomial Fit'); xlabel('x');

See also pdatafit, lhsdesign
```


Figure 2: Polynomial fit of $\sin(x)$ using `pfunctionfit`

5.7 POLYLIB

`POLYLIB.MDL` - Simulink block for polynomial objects

Figure 3: Polynomial Simulink Block (left) and dialog box (right)

5.8 PCONTOUR

```
function [C,h] = pcontour(p,v,domain,linespec,npts,var)
```

  DESCRIPTION
    Plots contours of p(x,y) at the contour values specified by the vector
    v. The contours are generated numerically by evaluating p on a grid of
    values of x and y and then calling the CONTOUR function.

  INPUTS
    p: 1-by-1 polynomial of two variables
    v: N-by-1 vector of contour values (Default: v=1)
    domain: 1-by-4 vector specifying the plotting domain,
              [Xmin Xmax Ymin Ymax]
         (Default: domain = [-1 1 -1 1])
    linespec: Color and linetype. (Default: linespec='b')
    npts: 1-by-2 vector specifying the number of grid points along
          each axis, [Num of X pts, Num of Y pts]
          (Default: npts = [100 100])
    var: 1-by-2 vector of pvars specifying the x/y axis variables,
              [Variable for X axis, Variable for Y axis]
          (Default var = p.var)

  OUTPUTS
    C,h: Contour matrix and contour handle object returned by CONTOUR

  SYNTAX
   pcontour(p)
   pcontour(p,v)
   pcontour(p,v,domain)
   pcontour(p,v,domain,linespec)
   pcontour(p,v,domain,linespec,npts)
   pcontour(p,v,domain,linespec,npts,var)
   [C,h] = pcontour(p,v,domain,linespec,npts,var)

  EXAMPLE
   pvar x y
   p = (x-2)^2-(x-2)*y+y^2;
   domain = [0 4 -2 2];
   [C,h]=pcontour(p,[0.5 1 2],domain);
   clabel(C,h);

  See also contour, clabel, pcontour3
```

Figure 4: 2-d contours of a quadratic polynomial using `pcontour`

## 5.9  PCONTOUR3

```
function [F,V,C] = pcontour3(p,v,domain,npts,var)

  DESCRIPTION
    Plots contour surfaces of p(x,y,z) at the values specified by the
    vector v. The contours are generated numerically by evaluating p on a
    grid of values of x,y,z and then calling the ISOSURFACE function.

  INPUTS
    p: 1-by-1 polynomial of three variables
    v: N-by-1 vector of contour values (Default: v=1)
    domain: 1-by-6 vector specifying the plotting domain,
              [Xmin Xmax Ymin Ymax Zmin Zmax]
          (Default: domain = [-1 1 -1 1 -1 1])
    npts: 1-by-3 vector specifying the number of grid points along
          each axis, [Num of X pts, Num of Y pts, Num of Z pts]
          (Default: npts = [50 50 50])
    var: 1-by-3 vector of pvars specifying the x/y/z axis variables,
          [Variable for X axis, Variable for Y axis, Variable for Z axis]
          (Default var = p.var)

  OUTPUTS
    F,V,C: Faces, vertices, and facevertexcdata generated by ISOSURFACE.
          The 1,2, and 3 variable outputs are the same as those generated
          by ISOSURFACE.

  SYNTAX
   pcontour3(p)
   pcontour3(p,v)
   pcontour3(p,v,domain)
   pcontour3(p,v,domain,npts)
   pcontour3(p,v,domain,npts,var)
   [F,V,C] = pcontour3(p,v,domain,npts,var)

  EXAMPLE
   pvar x y z
   domain = [-3.5 3.5 -1.5 1.5 -1.5 1.5];
   p1 = x^2+y^2+z^2;
   ph1= patch(pcontour3(p1,2,domain));
   set(ph1, 'FaceColor', 'none', 'EdgeColor', 'red');
   p2 = x^2/4+2*y^2+3*z^2;
   ph2= patch(pcontour3(p2,2,domain));
   set(ph2, 'FaceColor', 'blue', 'EdgeColor', 'none');
   view(3); axis equal

  See also pcontour, isosurface
```

Figure 5: 3-d contours of quadratic polynomials using `pcontour3`

## 5.10 POLY2BASIS

```
function [V,R,e] = poly2basis(p,R)
```

```
DESCRIPTION
  Projects a vector of polynomials p onto the span of the monomials
  contained in the vector R.

INPUTS
  p: 1-by-lp vector of polynomials.
  R [Optional]: lr-by-1 basis of monomials. [ Default: R=monomials(p) ]

OUTPUTS
  V: lr-by-lp matrix expressing the projection of the polynomial p
     on the monomials in R. The projection of p on to the span of
     R is given by R'*V.
  R: Vector of monomials
  e: Difference between the input polynomial p and the projection
     R'*V, i.e. e = p-R'*V.  If R contains all monomials in p then e=0.

SYNTAX
  [V,R,e] = poly2basis(p,R);

EXAMPLE
  pvar x1 x2;
  p = [x1^2-9, 5*x1+3*x1*x2-4*x2^2];
  [V,R,e] = poly2basis(p,monomials(p));
  [V R]
ans =
  [ -9,  0,      1]
  [  0,  5,     x1]
  [  1,  0,  x1^2]
  [  0,  3, x1*x2]
  [  0, -4,  x2^2]

  p-R'*V
ans =
  [ 0, 0]

See also monomials
```

5.11 PLINEARIZE

```
function [A,B,f0] = plinearize(f,x,u,x0,u0)
```

  DESCRIPTION
    This function linearizes the vector polynomial function f(x,u) about
    the trim point x=x0 and u=u0. The linearizaztion is
        f(x,u) = f(x0,u0) + A*z + B*w + Higher Order Terms
    where z:=x-x0 and w:=u-u0 are the deviations from the trim values.

  INPUTS
    f: Vector field of polynomial system (Ns-by-1 polynomial)
    x: State (Ns-by-1 vector of pvars)
    u: Input (Nu-by-1 vector of pvars) [Optional]
    x0: Trim state [Optional, Default: x0=0]
    u0: Trim input [Optional, Default: u0=0]

  OUTPUTS
    A: State matrix
    B: Input matrix
    f0: f evaluated at (x0,u0)

  SYNTAX
    [A,f0] = plinearize(f,x)
    [A,f0] = plinearize(f,x,x0)
    [A,B,f0] = plinearize(f,x,u)
    [A,B,f0] = plinearize(f,x,u,x0)
    [A,B,f0] = plinearize(f,x,u,x0,u0)

  EXAMPLE
    pvar x1 x2 u;
    x = [x1;x2];
    f = [-2*x1+x2+x1^2-7; x1-3*x2+u+u^2+3];
    x0 = [3;4];
    u0 = 2;
    [A,B,f0] = plinearize(f,x,u,x0,u0)

A =
     4   1
     1   -3
B =
     0
     5
f0 =
     0
     0

  See also jacobian, ptrim
```

## 5.12 PTRIM

```
function [xt,ut,ft,ht,flg] = ptrim(f,x,u,x0,u0,h,opts)
```

    DESCRIPTION
      This function solves for trim states and inputs for the polynomial
      dynamical system
          dx/dt = f(x,u)
      The trim values (xt,ut) satisfy f(xt,ut)=0. FSOLVE is used to
      solve these nonlinear equations. Initial guesses for the trim
      state/input can be passed to FSOLVE. Additional equality
      constraints on the trim condition can be specified in the form
      h(x,u)=0 where h is a polynomial vector.

    INPUTS
      f: Vector field of polynomial system (Nx-by-1 polynomial)
      x: State (Nx-by-1 vector of pvars)
      u: Input (Nu-by-1 vector of pvars)
      x0: Initial guess for trim state [Optional, Default: x0=0]
      u0: Initial guess for trim input [Optional, Default: u0=0]
      h: Equality constraints (Nh-by-1 polynomial) [Optional]
      opts: Options for fsolve. See fsolve help [Optional]

    OUTPUTS
      xt: Trim state (Nx-by-1 vector)
      ut: Trim input (Nu-by-1 vector)
      ft: f evaluated at (xt,ut) (Nx-by-1 vector)
      ht: h evaluated at (xt,ut) (Nh-by-1 vector)
         If ptrim was successful finding a trim point then ft:=f(xt,ut)
         and ht:=h(xt,ut) will both be equal to zero
      flg: Exit flag returned by fsolve

    SYNTAX
      [xt,ut,ft,ht,flg] = ptrim(f,x,u)
      [xt,ut,ft,ht,flg] = ptrim(f,x,u,x0,u0)
      [xt,ut,ft,ht,flg] = ptrim(f,x,u,x0,u0,h)
      [xt,ut,ft,ht,flg] = ptrim(f,x,u,x0,u0,h,opts)

    EXAMPLE
      pvar x1 x2 u;
      x = [x1;x2];
      f = [-2*x1+x2+x1^2-7; x1-3*x2+u+u^2+3];

      % Find a trim condition
      [xt,ut,ft] = ptrim(f,x,u)
xt =
    -1.7369
    0.5092
ut =
    0.2173
ft =
  1.0e-013 *
    0.0799
    0.1865

      % Find a trim condition with x2=4
```

```
    h = x2-4;
    x0 = []; u0 = [];
    [xt,ut,ft,ht] = ptrim(f,x,u,x0,u0,h)
xt =
   -1.0000
    4.0000
ut =
    2.7016
ft =
  1.0e-013 *
    0.0089
    0.5329
ht =
     0
```

  See also fsolve, plinearize

5.13   PSOLVE

```
function [xt,ft,flg] = psolve(f,x0,opts)
```

```
DESCRIPTION
  This function solves for roots of the polynomial equation
     f(x)=0
  FSOLVE is used to solve these nonlinear equations.
  Initial guesses for the trim state/input can be passed to FSOLVE.

INPUTS
  f: System of polynomial equations  (Nx-by-1 polynomial)
  x0: Initial guess for solution [Optional, Default: x0=0]
  opts: options structures may be passed to fsolve [Optional]

OUTPUTS
  xt: Trim state (Nx-by-1 vector)
  ft: f evaluated at (xt) (Nx-by-1 vector)
     If psolve was successful finding a trim point then ft:=f(xt,ut)
     will be equal to zero
  flg: Exit flag returned by fsolve

SYNTAX
  [xt,ft,flg] = psolve(f)
  [xt,ft,flg] = psolve(f,x0)
  [xt,ft,flg] = psolve(f,x0,opts)

EXAMPLE
  pvar x1 x2 u;
  f = [-2*x1+x2+x1^2-7; x1-3*x2+3];

  % Find a root of the polynomial system
  [xt,ft] = psolve(f)

  % Find a root using opts structure
  x0 = []; opts=optimset('Display','On');
  [xt,ft] = psolve(f,x0,opts)

See also fsolve, plinearize
```

5.14 PVOLUME

```
function [vol,volstd] = pvolume(p,v,domain,npts)
```

  DESCRIPTION
    Estimate the volume contained in the set {x : p(x)<=v} using Monte
    Carlo sampling. npts are drawn uniformly from a hypercube and the
    number of points, nin, contained in the set { x : p(x) <= v} is
    counted. The volume is estimated as vol = nin/npts. An estimate
    of the standard deviation of this volume is also computed.

  INPUTS
    p: 1-by-1 polynomial of n variables
    v: scalar specifying the sublevel of the polynomial (Default: v=1)
    domain: n-by-3 array specifying the sampling hybercube. domain(i,1)
            is a pvar in p and domain(i,2:3) specifies the min and max
            values of the cube along the specified variable direction,
                [X1, X1min, X1max; ...; Xn, Xnmin, Xnmax]
          (Default: domain = [-1 1] along all variable directions)
    npts: scalar specifying the number of sample points
            (Default: npts = 1e4)

  OUTPUTS
    vol: Volume estimate of { x : p(x)<= v}
    stdvol: Standard deviation of the volume estimate.

  SYNTAX
   pvolume(p)
   pvolume(p,v)
   pvolume(p,v,domain)
   pvolume(p,v,domain,npts)
   [vol,stdvol] = pvolume(p,v,domain,npts)

  EXAMPLE
   pvar x1 x2
   p = x1^2 + x2^2;
   r = 2;
   domain = [x1, -r, r; x2, -r, r];
   [vol,stdvol] = pvolume(p,r^2,domain);
   truevol = pi*r^2;
   [truevol, vol]
ans =
   12.5664   12.5232

   [abs(truevol-vol) stdvol]
ans =
    0.0432   0.0660
```

## 5.15  PSAMPLE

```
function [xin,xon]=psample(p,x,x0,N)
```

  DESCRIPTION
    This function draws random samples from a set described by a
    single polynomial inequality:
            S:={ x : p(x)<=0 }
    A gas dynamics model is used to generate the random samples. This
    method requires an initial feasible point x0 in S. The function also
    assumes that S is closed and bounded.

  INPUTS
    p: 1-by-1 polynomial of x used to describe the set S.
    x: Nx-by-1 vector of pvars. These are the variables in p.
    x0: Initial point in the set S (Nx-by-1 double). The values in x0
        should correspond to the ordering of variables in x.
    N: Number of random samples to generate. (default: N=1)

  OUTPUTS
    xin: Nx-by-N matrix with each column specifying an element in S.
    xon: Nx-by-N matrix with each column specifying an element on the
        boundary of S, i.e. p(xon(:,i))==0 for each i.

  SYNTAX
    [xin,xon]=psample(p,x,x0)
    [xin,xon]=psample(p,x,x0,N)

  EXAMPLE
    % Sample unit disk
    pvar x1 x2;
    x = [x1;x2];
    p = x'*x-1;
    [xin,xon]=psample(p,x,zeros(2,1),1e3);
    plot(xon(1,:),xon(2,:),'rx'); hold on;
    plot(xin(1,:),xin(2,:),'bo');hold off;
    legend('Samples on Boundary','Samples in Interior')
    axis equal;
```

Figure 6: Samples on the boundary and in the interior of a unit disk obtained with `psample`

## 5.16 PSIM

```
function [xtraj,xconv]=psim(f,x,x0,tfinal,event_params,opts)
```

```
  DESCRIPTION
    Simulates non-autonomous polynomial systems of the form:
                dx/dt = f(x),    x(t) = x0

  INPUTS
    f: Vector field  (Ns-by-1 polynomial)
    x: State  (Ns-by-1 vector of pvars)
    x0: Initial Conditions (Ns-by-N0 array of doubles)
    tfinal: Final simulation time unless the simulation is terminated
      by one of the event parameters  (scalar)
    event_params (Optional):  Event parameters for stopping the
      simulation.  This is a structure with the following fields:
       *nbig: Terminate if norm(x) is greater than nbig*norm(x0)
       *nsmall: Terminate if norm(x) is less than nsmall*norm(x0)
       *xbig: Terminate if any abs(x(i)) is greater than xbig(i)
       *xsmall: Terminate if all abs(x(i)) are less than xsmall(i)
       *funchandle:  Handle to a user specified event function.
       *Additional fields can be used to pass parameter data to the
           user defined event function
       (Default: nbig = 1e6, nsmall = 1e-6, xbig =0, xsmall=0,
           funchandle = [])
    opts (Optional): Options structure passed to ODE solver. See
        odeset and odeget for more details.  opts can have the additonal
        field 'Solver' to specify the ode solver.  The 'Solver' field
        can be ode45 or ode15s.

  OUTPUTS
    xtraj: N0-by-2 cell array with the i^th row containing the simulation
       results starting from x0(:,i).  xtraj{i,1} is an Nt-by-1 vector
       of simulation times and xtraj{i,2} is an Nt-by-Ns matrix of
       the state trajectories.
    xconv: N0-by-1 logical vector with the i^th element = 1 if the
       corresponding trajectory converged to the origin and = 0 otherwise.
       A trajectory is considered to have converged to the origin if
       either the nsmall or xsmall event occured.

  SYNTAX
    [xtraj,xconv]=psim(f,x,x0,tfinal)
    [xtraj,xconv]=psim(f,x,x0,tfinal,event_params)
    [xtraj,xconv]=psim(f,x,x0,tfinal,event_params,opts)

  See also:
   ODE solvers: ode45, ode23, ode113, ode15s, ode23s, ode23t, ode23tb
   Options handling: odeset, odeget
```

5.17 PPLANESIM

```
function [Xsimdata] = pplanesim(f,x,figno,x0,psimopts)
```

```
DESCRIPTION
   Draws the phase plane for a non-autonomous polynomial system:
             dx/dt = f(x),    x(t) = x0

INPUTS:
   f: Vector field  (2-by-1 polynomial or function handle)
   x: State  (2-by-1 vector of pvars
   figno: Figure number for plotting
   x0: 2-by-Npts array of initial conditions. Alternatively, the initial
      conditions options can be specified as a structure with fields:
      - range: 2-by-2 matrix with the i^th row specifying the min and
        max value of the i^th state. default is [-1 1; -1 1]
      - Npts: Number of initial conditions.  The actual number of points
        depends on the sampling type (see sample below). (default is 100)
      - conv: True to plot only convergent trajectories (Default is false)
      - div: True to plot only divergent trajectories (Default is false)
      - sample: Sampling technique to be specified.  Choices are:
         - 'grid': Generates ceil(sqrt(Npts)) points linearly spaced
             along each direction.
         - 'bndry': Samples ceil(Npts/4) points along each of the
             boundary specified by range.
     psimopts:  Options structure passed to ODE solver.

OUTPUTS:
    if no argument is invoked then only plot will be generated. However,
    if one argument is invoked, then it will also return the simulation data.
    For more information on the output refer to psim. The two outputs xtraj and
    xconv will be bundled in the output argument as a cell array object.

SYNTAX
 pplanesim(f,x,figno,x0,psimopts)
    Generate phase plane plot
 Xsimdata = pplanesim(f,x,figno,x0,psimopts)
    Output all simulation data.
```

5.18 INT

```
function B = int(A,X,L,U)

  DESCRIPTION
    Element-by-element integration of a polynomial with respect
    to a single variable.

  INPUTS
    A: polynomial
    X: Scalar polynomial variable [Optional with default X = A.varname{1}]
    L: Lower limit of definite integral
    U: Upper limit of definite integral

  OUTPUTS
    B: polynomial

  SYNTAX
    B = int(A,X)
      Indefinite integral of the polynomial, A, with respect to X.
      X should be a polynomial variable or string.   Integration is done
      element-by-element if A is a matrix.
    B = int(A,X,L,U)
      Definite integral of A with respect to X from lower limit L to
      upper limit U.
    B = int(A,X,[L U]);
      Equivalent to B = diff(A,X,L,U)

  EXAMPLE
    pvar x y z;
    a = 2*x^3 - 2*x*z^2 + 5*y*z;
    b = int(a,x)
b =
  0.5*x^4 - x^2*z^2 + 5*x*y*z

    diff(b,x)-a
ans =
  0

    c = int(a,[0 1])
c =
  5*y*z - z^2 + 0.5

  See also: diff, jacobian
```

5.19 DIFF

```
function B=diff(A,X)
```

  DESCRIPTION
    Element-by-element differentiation of a polynomial with respect
    to a single variable.

  INPUTS
    A: polynomial
    X: Differentiate with respect to the (single) variable X.

  OUTPUTS
    B: polynomial

  SYNTAX
    B = diff(A,X);
      Differentiate the polynomial, A, with to X. A should be a
      polynomial and X should be a polynomial variable or a string.
      Differentiation is done element-by-element if A is a matrix.

  EXAMPLE
    pvar x y z;
    f = 2*x^3+5*y*z-2*x*z^2;
    df = diff(f,x)
df =
  6*x^2 - 2*z^2

  See also: jacobian

5.20 JACOBIAN

```
function J = jacobian(F,X)

  DESCRIPTION
    Compute the Jacobian matrix. The (i,j)-th entry of J is dF(i)/dX(j).

  INPUTS
    F: Polynomial to differentiate (N-by-1 polynomial)
    X: Variable for differentiation (V-by-1 vector of pvars
         or cell array of strings)

  OUTPUTS
    J: Jacobian of F with respect to X (N-by-V polynomial)

  SYNTAX
    J = jacobian(F);
      Computes the Jacobian of F with respect to F.varname
    J = jacobian(F,X);
      Computes the Jacobian of F with respect to X

  EXAMPLE
    pvar x y z;
    f = [x^3+5*y*z; 2*x*z; 3*x+4*y+6*z];
    J = jacobian(f,[x;y;z])
J =
  [ 3*x^2, 5*z, 5*y]
  [   2*z,   0, 2*x]
  [     3,   4,   6]

  See also: diff
```

5.21 COLLECT

```
function [g0,g,h] = collect(p,x);

  DESCRIPTION
    Collect p(x,y) into the form g0(x)+g(x)*h(y) where h(y) is a vector
    of unique monomials in y.

  INPUTS
    p: M-by-1 polynomial in variables x and y.
    x: variables of p to collect into polynomials with coefficients given
       by monomials in y. x can either be a polynomial vector or
       a cell array of strings of variable names.

  OUTPUTS
    g0: M-by-1 polynomial in x.
    g: M-by-N vector of polynomials in x.
    h: N-by-1 vector of monomials in y.

  SYNTAX
    [g0,g,h] = collect(p,x);
       g0, g, and h satisfy p(x,y) = g0(x)+ g(x)*h(y)

  EXAMPLE
    pvar x1 x2 y1 y2;
    p = 13+x1^2*y1-5*x1^2*y2^3+6*x1*x2*y1+8*x1;
    x = [x1;x2];
    [g0,g,h] = collect(p,x)
g0 =
  8*x1 + 13
g =
  [ x1^2 + 6*x1*x2, -5*x1^2]
h =
  [    y1]
  [ y2^3]

    p-(g0+g*h)
ans =
  0
```

5.22 SUBS

```
function B = subs(A,Old,New);
```

  DESCRIPTION
    Symbolic Substitution.

  INPUTS
    A: Nr-by-Nc polynomial array
    Old: No-by-1 array of polynomial variables or No-by-1 cell array
        of characters. The entries of Old must be unique.
    New: No-by-Npts array of polynomials or doubles. If Npts>1 then
        A must be a column or row vector.

  OUTPUTS
    B: polynomial. B is always returned as a polynomial. Use 'double'
        to convert B to a double when the final result is a constant.
        If Npts=1 then B is Nr-by-Nc. If Npts>1, B is Nr-by-Npts when
        Nc=1 and Npts-by-Nc otherwise.

  SYNTAX
    B = subs(A,Old,New);
      Replaces variables in Old with the corresponding entries in New.
    B = subs(A);
      Replaces all variables in A with values in the BASE workspace.
    B = subs(A,New);
      If New is an 1-by-1 polynomial array then this is equivalent
      B=subs(A,A.varname{1},New). Otherwise, this is equivalent to
      B=subs(A,New(:,1),New(:,2:end)).

  EXAMPLE
   pvar x1 x2 y
   x=[x1;x2];
   p=2*(x1+x2)^2+5;
   subs(p,x,[1;2])
ans =
  23

   subs(p,x,[0 1 1; 1 0 2])
ans =
  [7, 7, 23]

   subs(p,x1,y)
ans =
  2*x2^2 + 4*x2*y + 2*y^2 + 5

  See also double
```

## 5.23  CLEANPOLY

```
function B = cleanpoly(A,tol,deg)
```

   DESCRIPTION
     Cleans up the input polynomial. The output polynomial includes only
     terms whose coefficients have magnitude greater than or equal to TOL
     and whose monomial degree is specified by DEG.

   INPUTS
     A: polynomial
     tol: scalar double specifying the coefficient tolerance
     deg: vector of non-negative integers specifying the degrees of
          mononmials to retain. Alternatively deg can be an N-by-2
          cell array with deg{i,1} specifying a variable and
          deg{i,2} specifying a vector of non-negative integers.
          This will retain only monomials whose degree in variable
          deg{i,1} is specified in deg{i,2}.

   OUTPUTS
     B: polynomial which only contains the terms of A whose coefficients
        have magnitude greater than or equal to tol and whose monomial
        degree is listed in deg.

   SYNTAX
     B=cleanpoly(A,tol);
     B=cleanpoly(A,[],deg);
     B=cleanpoly(A,tol,deg);

   EXAMPLE
     pvar x1 x2 u;
     p = 9*u^3 + u*x1^2 + 1e-6*u^2*x1*x2 + 1e-5*u*x2^2 + 2*x1^3 ...
           - x1*x2 + 3*u + x1 + 2*x2;

     % Remove terms whose coefficients has magnitude < tol
     tol = 1e-4;
     p1 = cleanpoly(p,tol)
p1 =
  9*u^3 + u*x1^2 + 2*x1^3 - x1*x2 + 3*u + x1 + 2*x2

     % Retain linear and quadratic terms
     p2 = cleanpoly(p,[],1:2)
p2 =
  -x1*x2 + 3*u + x1 + 2*x2

     % Retain terms linear in u but of degree 0,1,2,3 in x1 and x2
     p3 = cleanpoly(p,[],{x1, 0:3; x2, 0:3; u 1})
p3 =
  u*x1^2 + 1e-005*u*x2^2 + 3*u
```

5.24   P2S

```
function s=p2s(p)
```

```
DESCRIPTION
  Converts from a multipoly polynomial to a symbolic math toolbox polynomial.

INPUTS
  p: Polynomial created using the multipoly toolbox

OUTPUTS
  s: Polynomial created using the symbolic math toolbox

SYNTAX
  s = p2s(p)

See also s2p
```

5.25 S2P

```
function p=s2p(s)

DESCRIPTION
  Converts from a symbolic math toolbox polynomial to a multipoly polynomial.

INPUTS
  s: Polynomial created using the symbolic math toolbox

OUTPUTS
  p: Polynomial created using the multipoly toolbox

SYNTAX
  p = s2p(s)

See also p2s
```