


Name: Danny Jay M. Flores  
Jovie P. Senining

Course & Section: BSIT-3D

## IT 304 Unit 1 – Activity 3

### Web Output

#### Registration Page



The registration form is titled "PENTAGON" and "Costumer Registration". It includes fields for Username, Password, Confirm Password, First Name, Last Name, Gender (a dropdown menu with "female" selected), Contact Number, Email Address, and Address (House No./Building Name, Street, Barangay, Municipality, Province, and Zip Code). A "Register" button is at the bottom.

PENTAGON

Costumer Registration

Username  Password  Confirm Password


First Name  Last Name

Gender  Contact Number  Email Address

Address:  
House No./Building Name  Street  Barangay   
Municipality  Province  Zip Code

Register

#### Log in Page



The log in page features the "PENTAGON" logo and a "Log in" title. It has input fields for "Email or Phone number" and "Password", a "Log in" button, and links for "Forgot password?", "or", and "Don't have an account? Register".

PENTAGON

Log in


Email or Phone number:

Password:

Log in

[Forgot password?](#)  
or  
[Don't have an account? Register](#)

#### Forgot Password Page



The forgot password page features the "PENTAGON" logo and a "Forgot Password" title. It includes a text prompt, an input field for "Email or Phone number", and a "Submit" button.

PENTAGON

Forgot Password

Enter your email, phone, or username  
and we'll send you a link to get back into  
your account.

Email or Phone number:

Submit

PENTAGON

HOME

SERVICES


CART

ACCOUNT


CATEGORIES

LIVE SELLING


Popular




Jupiter M200 High Speed Gaming Mouse  
\$14.99  
★★★★★ 5.5k Sold



Cosmic Byte Ersu Gaming Headset  
\$80.99  
★★★★★ 25k Sold



Playstation 4 Dualshock 4 Wireless Controller  
\$250.99  
★★★★★ 70k Sold




Steel Series RGB Gaming Keyboard  
\$139.99  
★★★★★ 123.5k Sold


SPECIAL OFFER

50% OFF on selected items.

SHOP NOW



Product Rating



\$139.99  
Steel Series RGB Gaming Keyboard  
3.5 ★★★★★

Quality: 

5 4 3 2 1

Material Used: 

5 4 3 2 1

Price: 

5 4 3 2 1

Durability: 

5 4 3 2 1

Aesthetics: 

5 4 3 2 1

123.5k Sold

SUBMIT RATING

For educational purposes only.

by  
Danny Jay M. Flores  
Jovie P. Senining

IT 304 – Activity 3 (BSIT-3D)

```
<!DOCTYPE html>
<html>
  <head>
    <title>Costumer Registration</title>
    <style>
      *{
        margin: 0;
        padding: 0;
        box-sizing: border-box;
        font-family: 'Inter', sans-serif;
        color: #533E85;
      }
      body {
        display: flex;
        height: 100vh;
        justify-content: center;
        align-items: center;
        padding: 10px;
        position: absolute;
        background: url("assets/bg.png");
        top: 0px;
        left: 250px;
      }
      .container {
        max-width: 1000px;
        width: 100%;
        background: #fff;
        padding: 25px 30px;
        border-radius: 5px;
      }
      .container form .user-details{
        display: flex;
        flex-wrap: wrap;
        justify-content: space-between;
      }
      .container .title{
        font-size: 25px;
        font-weight: 500px;
        position: relative;
      }
      .logo img {
        position: absolute;
        width: 310px;
        height: 40px;
        left: 350px;
        top: 45px;
      }
    </style>
  </head>
  <body>
  </body>
</html>
```

```

form .user-details .input-box{
    margin: 30px 0 22px 0;
    width: calc(200% / 2 - 20px);
}

.user-details .input-box label{
    display: inline-flex;
    font-weight: 500;
    margin-bottom: 20px;
    margin-left: 10px;
}

.user-details .input-box input{
    height: 25px;
    width: 20%;
    outline: none;
    border-radius: 5px;
    border: 1px solid #488FB1;
    padding-left: 15px;
    font-size: 15px;
}

form .button {
    height: 100px;
    width: 300px;
}

form .button input {
    outline: none;
    color: #fff;
    border: none;
    padding: 10px 0 25px 0;
    font-size: 18px;
    font-weight: 500px;
    border-radius: 5px;
    letter-spacing: 1px;
    margin-top: 20px;
    margin-left: 350px;
    background: #0E4560;
}

span.add{
    font-weight: 500px;
    font-size: 18px;
    color: #0E4560;
    margin-top: 10px;
    margin-left: 10px;
}

</style>
</head>
<body>
<div class="container">
    <div class="title">Costumer Registration</div>
    <div class="topnav">

```

```
<a href="#" class="logo"></a>
</div>
<form action="login.html" method="post">
  <div class="user-details">
    <div class="input-box">
      <label for="uname">Username</label>
      <input type="text" name="uname" id="uname" placeholder="Enter your username" required>
      <label for="pword">Password</label>
      <input type="password" name="pword" id="pword" placeholder="Enter your password" required>
      <label for="cpword">Confirm Password</label>
      <input type="password" name="cpword" id="cpword" placeholder="Enter your password" required>
      <br>
      <label for="fname">First Name</label>
      <input type="text" name="fname" id="fname" required>
      <label for="lname">Last Name</label>
      <input type="text" name="lname" id="lname" required> <br>
      <label for="gender"> Gender </label>
      <select name="gender" id="gender">
        <option value="male"> Male </option>
        <option selected="female"> female </option>
        <option value="none"> Prefer not to say </option>
      </select>
      <label for="cpnum"> Contact Number </label>
      <input type="number" name="cpnum" required>
      <label for="email"> Email Address </label>
      <input type="text" name="email" id="email" required> <br>
      <span class="add">Address:</span> <br>
      <label for="hnum"> House No./Building Name </label>
      <input type="text" name="hnum" id="hnum" required>
      <label for="strt"> Street </label>
      <input type="text" name="strt" id="strt" required>
      <label for="brgy"> Barangay </label>
      <input type="text" name="brgy" id="brgy" required> <br>
      <label for="city"> Municipality </label>
      <input type="text" name="city" id="city" required>
      <label for="province"> Province </label>
      <input type="text" name="province" id="province" required>
      <label for="zip"> Zip Code </label>
      <input type="text" name="zip" id="zip" required>
      <span class="button">
        <input type="submit" value="Register">
      </span>
    </div>
  </div>
</form>
</div>
</body>
</html>
```

## login.html

```
<!DOCTYPE html>
<html>
  <head>
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">
    <title> Pentagon - Log in </title>
    <style>
      *{
        margin: 0;
        padding: 0;
        box-sizing: border-box;
        font-family: 'Poppins', sans-serif;
        color: #fff;
      }
      body {
        display: flex;
        height: 100vh;
        justify-content: center;
        align-items: center;
        padding: 10px;
        background: #F5EFE6;
        left: 550px;
        position: absolute;
      }
      .container {
        max-width: 1000px;
        width: 100%;
        background: linear-gradient(91.44deg,#03577A80 , #0CF87B80);
        padding: 18px 20px;
        border-radius: 5px;
      }
      .container form .user-info {
        display: flex;
        flex-wrap: wrap;
        justify-content: space-between;
      }
      form .user-info .user-input {
        margin: 10px 0 22px 0;
        width: 340px;
      }
      .user-info .user-input label {
        display: inline-flex;
        font-weight: 500px;
        margin-bottom: 5px;
        margin-top: 10px;
      }
      .user-info .user-input input {
        height: 30px;
```

```
width: 100%;
outline: none;
border-radius: 5px;
border: 1px solid #533E85;
padding-left: 10px;
font-size: 15px;
color: #533E85;
```

```
}
```

```
form .button {
```

```
height: 60px;
```

```
width: 120px;
```

```
}
```

```
form .button input{
```

```
outline: none;
```

```
color: #fff;
```

```
border: none;
```

```
padding: 4px 5px 28px 0;
```

```
font-size: 18px;
```

```
font-weight: 500px;
```

```
border-radius: 5px;
```

```
letter-spacing: 1px;
```

```
margin-top: 20px;
```

```
margin-left: 100px;
```

```
background: #F2F2F2
```

```
}
```

```
.user-input h1 {
```

```
margin-left: 100px;
```

```
margin-bottom: 10px;
```

```
font-size: 40px;
```

```
letter-spacing: 2px;
```

```
}
```

```
p {
```

```
margin: auto;
```

```
text-align: center;
```

```
}
```

```
.logo img {
```

```
position: absolute;
```

```
width: 310px;
```

```
height: 40px;
```

```
left: 50px;
```

```
top: 50px;
```

```
}
```

```
a: hover {
```

```
color: #533E85;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<div class="topnav">
```

```

        <a href="#" class="logo"></a>
    </div>
    <form action="home.html" method="post">
        <div class="user-info">
            <div class="user-input">
                <h1> Log in </h1>
                <label for="uname"><b>Email or Phone number:</b></label>
                <input type="email" name="uname" id="uname" placeholder="Enter your username" required>
                <label for="pword"><b>Password:</b></label>
                <input type="text" name="pword" id="pword" placeholder="Enter your password" required>
                <div class="button">
                    <input type="submit" value="Log in">
                </div>
            </div>
            <br>
            <p><a href="forgot.html" target="_self">Forgot password?</a></p>
            <p>or</p>
            <p><a href="registration.html" target="_self">Don't have an account? Register</a>
        </p>
    </div>
</div>
</form>
</div>
</body>
</html>

```

## forgot.html

```

<!DOCTYPE html>
<html>
    <head>
        <link rel="preconnect" href="https://fonts.googleapis.com">
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
        <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">
        <title> Forgot Password</title>
        <style>
            *{
                margin: 0;
                padding: 0;
                box-sizing: border-box;
                font-family: 'Poppins', sans-serif;
            }
            body {
                display: flex;
                height: 100vh;
                justify-content: center;
                align-items: center;
                padding: 10px;
                background: #F5EFE6;
                color: white;
                left: 550px;
            }
        </style>
    </head>
    <body>
        <div class="forgot-form">
            <h2>Forgot Password</h2>
            <input type="text" placeholder="Email or Phone number" required>
            <input type="password" placeholder="Password" required>
            <input type="password" placeholder="Confirm Password" required>
            <input type="submit" value="Reset Password">
        </div>
    </body>
</html>

```



```
        position: absolute;
    }
    .container {
        max-width: 900px;
        width: 100%;
        background: linear-gradient(91.44deg,#03577A80 , #0CF87B80);
        padding: 25px 30px;
        border-radius: 5px;
    }
    .container form .user-info {
        display: flex;
        flex-wrap: wrap;
        justify-content: space-between;
    }
    form .user-info .user-input {
        margin: 10px 0 22px 0;
        width: 340px;
    }
    .user-info .user-input label {
        display: inline-flex;
        font-weight: 500px;
        margin-bottom: 10px;
        margin-top: 10px;
    }
    .user-info .user-input input {
        height: 30px;
        width: 100%;
        outline: none;
        border-radius: 5px;
        border: 1px solid #533E85;
        padding-left: 10px;
        font-size: 15px;
    }
    form .button {
        height: 50px;
        width: 120px;
    }
    form .button input{
        outline: none;
        color: #fff;
        border: none;
        padding: 4px 2px 28px 0;
        font-size: 18px;
        font-weight: 500px;
        border-radius: 5px;
        letter-spacing: 1px;
        margin-top: 20px;
        margin-left: 100px;
        background: #0E4560;
    }
}
```

```
.user-input h1 {  
    margin-left: 25px;  
    margin-bottom: 30px;  
    letter-spacing: 2px;  
}  
  
.user-input p {  
    margin-left: 15px;  
    margin-bottom: 25px;  
    font-size: 15px;  
}  
  
.logo img {  
    position: absolute;  
    width: 310px;  
    height: 40px;  
    left: 50px;  
    top: 70px;  
}  
  
</style>  
</head>  
<body>  
    <div class="container">  
        <div class="topnav">  
            <a href="#" class="logo"></a>  
        </div>  
        <form action="login.html" method="post">  
            <div class="user-info">  
                <div class="user-input">  
                    <h1>Forgot Password</h1>  
                    <p>      Enter your email, phone, or username and we'll send you a link to get back  
into your account.</p>  
                    <label for="pwd"><b>Email or Phone number:</b></label>  
                    <input type="text" name="pwd" id="pwd" placeholder="Enter your email or phone number"  
required>  
                    <div class="button">  
                        <input type="submit" value="Submit">  
                    </div>  
                </div>  
            </div>  
        </form>  
    </div>  
</body>  
</html>
```

## home.html

```
<!DOCTYPE html>
<html>
  <head>
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link href="https://fonts.googleapis.com/css2?family=Poppins&display=swap" rel="stylesheet">
    <title>Pentagon - Home</title>

    <style>
      body {
        margin: 0;
        font-family: 'Poppins', sans-serif;
      }
      .topnav {
        position: relative;
        overflow: hidden;
      }
      .logo img {
        position: absolute;
        width: 310px;
        height: 40px;
        left: 17px;
        top: 22px;
      }
      .topnav a {
        float: right;
        color: #533E85;
        text-align: right;
        padding: 25px 35px;
        text-decoration: none;
        text-transform: uppercase;
        font-size: 20px;
        letter-spacing: 1.5px;
      }
      ul {
        list-style-type: none;
        margin: 0;
        padding: 0;
      }
      .topnav a.active {
        color: #488FB1;
        font-weight: 600;
      }
      a:hover {
        color: #488FB1;
        font-weight: 600;
      }

      .search {
```

```
    position: relative;
    border: none;
    padding: 0.8em;
    border-radius: 1em;
    background: #E5E5E5 url("assets/search.svg") no-repeat right 0.8em center;
    width: 100%;
    font-size: 15px;
    font-family: 'Poppins', sans-serif;
}

.search:focus {
    outline: solid #533E85;
}

.searchbar {
    display: flex;
    width: 500px;
    height: 50px;
    justify-content: space-between;
    margin-top: 1em;
    margin-left: 3em;
}

.button1, .button2, .button3, .button4 {
    position: absolute;
    left: 46px;
    top: 165px;
    width: 245px;
    border: none;
    padding: 0.8em;
    background-color: #488FB1;
    border-radius: 1em;
    color: white;
    text-transform: uppercase;
    font-family: 'Poppins', sans-serif;
    font-size: 15px;
    transition: background .3s;
    cursor: pointer;
}

.button2 {
    left: 307px;
}

button:hover {
    background-color: #533E85;
}

.offer {
    position: absolute;
    width: 1010px;
    height: 230px;
    left: 540px;
    top: 55px;
}
```

```
.button3 {
  left: 630px;
  top: 205px;
  width: 550px;
  background-color: #533E85;
}

.button3:hover {
  background: linear-gradient(-90deg, #C1F8CF, #4FD3C4);
  color: #533E85;
  font-weight: 600;
  letter-spacing: 2px;
}
```

```
.items p {
  position: absolute;
  width: 187px;
  height: 52px;
  left: 46px;
  top: 220px;
  font-size: 30px;
  font-weight: 600;
  line-height: 10px;
  color: #533E85;
}

.item1, .item2, .item3, .item4 {
  position: absolute;
  width: 195.59px;
  height: 268.94px;
  left: 83px;
  top: 290px;
  cursor: pointer;
}

.item2 {
  left: 330px;
}

.item3 {
  top: 600px;
}

.item4 {
  left: 330px;
  top: 600px;
}

.item1:hover {
  background: url("assets/item1trans.svg");
}

.item2:hover {
  background: url("assets/item2trans.svg");
}

.item3:hover {
  background: url("assets/item3trans.svg");
}
```

```
}

.rating {
  position: absolute;
  width: 799px;
  height: 650px;
  left: 610px;
  top: 310px;
}

.quality, .material, .price, .durability, .aesthetics {
  position: absolute;
  left: 817px;
  top: 715px;
  accent-color: #533E85;
  cursor: pointer;
}

.material {
  top: 780px;
}

.price {
  top: 850px;
}

.durability {
  left: 1180px;
  top: 715px;
}

.aesthetics {
  left: 1180px;
  top: 780px;
}

input[type="radio"]{
  margin: 0 5px 0 7px;
}

.button4 {
  left: 1150px;
  top: 900px;
}

.footer {
  position: absolute;
  bottom: 0;
  top: 1000px;
  width: 100%;
  height: 300px;
  color: white;
  background-color: #424648;
  text-align: center;
  letter-spacing: 1.5px;
}
```

</style>

```
</head>
<body>
  <div class="topnav">
    <a href="#" class="logo"></a>
    <nav>
      <ul>
        <li><a href="#">Account</a></li>
        <li><a href="#">Cart</a></li>
        <li><a href="#">Services</a></li>
        <li><a href="#" class="active">Home</a></li>
      </ul>
    </nav>
  </div>
  <div class="searchbar">
    <input type="text" class="search">
    <button type="button" class="button1">Categories</button>
    <button type="button" class="button2">Live Selling</button>
  </div>
  <div class="specialoffer">
    
    <button type="button" class="button3">Shop Now</button>
  </div>
  <div class="items">
    <p>Popular</p>
    
    
    
    
  </div>
  <div class="productrating">
    
    <form class="quality" action="">
      <input type="radio" name="opt">
      <input type="radio" name="opt">
      <input type="radio" name="opt">
      <input type="radio" name="opt">
      <input type="radio" name="opt">
    </form>
    <form class="material" action="">
      <input type="radio" name="opt">
      <input type="radio" name="opt">
      <input type="radio" name="opt">
      <input type="radio" name="opt">
      <input type="radio" name="opt">
    </form>
    <form class="price" action="">
      <input type="radio" name="opt">
      <input type="radio" name="opt">
      <input type="radio" name="opt">
      <input type="radio" name="opt">
```

```
        <input type="radio" name="opt">
    </form>
    <form class="durability" action="">
        <input type="radio" name="opt">
        <input type="radio" name="opt">
        <input type="radio" name="opt">
        <input type="radio" name="opt">
        <input type="radio" name="opt">
    </form>
    <form class="aesthetics" action="">
        <input type="radio" name="opt">
        <input type="radio" name="opt">
        <input type="radio" name="opt">
        <input type="radio" name="opt">
        <input type="radio" name="opt">
    </form>
    <button class="button4" type="button">Submit Rating</button>
</div>
<div class="footer">
    <footer>
        <p>For educational purposes only.</p><br>
        <p>by</p>
        <p><strong>Danny Jay M. Flores</strong></p>
        <p><strong>Jovie P. Senining</strong></p><br>
        <p>IT 304 - Activity 3 (BSIT-3D)</p>
    </footer>
</div>
</body>
</html>
```