PLOVER

Political Language Ontology for Verifiable Event Records Event, Actor and Data Interchange Specification

Open Event Data Alliance

http://openeventdata.org/

DRAFT Version: 0.8

July 2021





This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

Acknowledgments

Contributors to the development of PLOVER include, in alphabetical order, Benjamin Bagozzi, John Beieler, Liz Boschee, Patrick T. Brandt, Andrew Halterman, Jill Irvine, Jennifer S. Holmes, Javier Osorio, Grace Scarborough, and Philip Schrodt.

The Open Event Data Alliance is an educational and open research corporation chartered in the Commonwealth of Virginia, United States.

The PLOVER logo is based on a drawing found at

http://www.rspb.org.uk/discoverandenjoynature/discoverandlearn/birdguide/name/r/ringedplover/

Funding for PLOVER was initially provided in part by the U. S. National Science Foundation award SBE-1539302, "RIDIR: Modernizing Political Event Data for Big Data Social Science Research". Any opinions, findings, conclusions or recommendations in this document are those of [at least one of] the authors and do not necessarily reflect the views of the National Science Foundation, or any company or government agency employing or funding the authors or otherwise contributing to the document.

Additional work was sponsored by the Political Instability Task Force (PITF). The PITF is funded by the Central Intelligence Agency. The views expressed in this codebook are the authors' alone and do not represent the views of the US Government.

GitHub repository: https://github.com/openeventdata/PLOVER

This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

Copyright © 2021 by the Open Event Data Alliance

Latest update: Thursday 29th July, 2021 (UTC)

Chapter 1

Introduction

During the twentieth century, two coding frameworks dominated event data research: Charles McClelland's WEIS (McClelland, 1967, 1976) and the Conflict and Peace Data Bank (COPDAB) developed by Edward Azar (Azar and Sloan, 1975; Azar, 1980, 1982). Both were created during the Cold War and assumed a "Westphalian-Clausewitzian" political world in which sovereign states reacted to each other primarily through official diplomacy and military threats. While innovative when first created, these coding systems were less than optimal for dealing with contemporary issues such as ethnic conflict, low-intensity violence, internal conflict and repression, and multilateral intervention.

During the early 2000s, the CAMEO framework—Conflict and Mediation Event Observations—was developed (Schrodt et al., 2009) to support an NSF-funded project on the study of inter-state conflict mediation, not as a general-purpose event ontology. Nonetheless, it was gradually adopted as a "next generation" coding scheme, notably for the DARPA-funded Integrated Conflict Early Warning System (ICEWS) project (O'Brien, 2010) because it corrected some of the long-recognized ambiguities in WEIS and COPDAB, and was explicitly designed both for automated coding and for the detailed coding of sub-state actors. It was continued in the widely-used public ICEWS data (https://dataverse.harvard.edu/dataverse/icews) coded using the BBN SERIF/ACCENT coder, with BBN doing considerable additional work on various details of the system.

As event data came into wider use in the 2010s, several problems with CAMEO became apparent, largely dealing with the complexity of the system, the absence of a standard formats beyond the original date-source-target-event fields (for example, representing geographical location), and continuing interest on coding substate activities not present in the earlier systems.

To address these concerns, an informal group of academic, government and private sector producers and users of event data met and circulated drafts during the fall of 2016 to develop a new, simplified and more flexible event data specification to replace CAMEO, which became PLOVER and the basis of this document: Section 6.2 summarizes the major changes. This version incorporates additional extensive work in 2021 as PLOVER was adopted as the coding system for the Political Instability Task Force event data coding.

Because PLOVER is generally a simplification of CAMEO our expectation is that it will be relatively easy to splice existing CAMEO data sets to PLOVER equivalents by simply collapsing the two- and three-digit categories. The scaled "PLOVER scores" are also designed for splicing with time series generated from the CAMEO "Goldstein scores." The standardization of the JSON field names—as well as adoption of JSON as the data interchange format—will allow the development of general-purpose utilities that can work with all formats, in contrast with the current proliferation of incompatible and error-prone CSV and tab-delimited formats.

Compared to the Kansas and BBN CAMEO manuals—though curiously, consistent with the public documentation for WEIS and COPAB in the ICPSR archive—at this point we have provided only general guidance on the content of the various categories, modes, and contexts. With the current state of automated natural language processing, any coding system will almost certainly be implemented using machine learning systems trained on a labeled set of news texts and those training cases effectively are the detailed examples. This differs from the older systems which classified events using dictionaries which were abstracted, by human developers, from the texts. We eventually hope to provide a set of training cases, possibly synthetic, that will be free of intellectual property constraints; a small set of cases extracted from the Kansas CAMEO manual is available on the PLOVER GitHub site https://github.com/openeventdata/PLOVER but it is not sufficient for training a system, at least with 2021 technologies.

1.1 Why "PLOVER"?

Plovers (*Charadriidae*) are a globally-distributed family of short-billed gregarious wading birds who spend their lives frantically poking through endless stretches of sand and muck trying to find something of interest. It is difficult to imagine a better analogy to the process of coding event data.

Chapter 2

Event, Mode, and Context

2.1 Overview

A major difference between PLOVER and the earlier widely-used event coding systems is moving the information in detailed, hierarchical in the 3- and 4-digit categories of CAMEO into three components: "event - mode - context" generally corresponding to "what - how - why." We anticipate at least five advantages to this

- 1. The three "what how why" components are now distinct, whereas various CAMEO subcategories inconsistently used the how and why to distinguish between subcategories.
- 2. Because contexts can be applied to any event category and, where relevant, any mode, PLOVER has far more combinations of codes for describing events than the fixed hierarchy of CAMEO.
- 3. We are probably increasing the ability of general machine-learning classifiers—as distinct from the older customized parser/coders—to assign mode and context compared to their ability to assign subcategories.
- 4. In initial experiments, it appears that the approach *much* is easier for humans to code than the hierarchical structure of CAMEO because a human coder can hold most of the relevant categories in working memory. More generally, *event mode context* coding uses words, not numerical codes, so coders will probably be using the parts of the brain (Broca's area) which are specialized for processing words. No known specialized cognitive facility exists for handling some 250 2-to-4-digit codes.
- 5. Because the words used in differentiate *mode* and *context* are generally very basic, translations of the coding protocols into languages other than English is likely to be easier than translating the subcategory descriptions found in CAMEO.

While both *mode* and *context* will usually take a single value, in some instances multiple values will be appropriate and this is allowed. Both fields are optional, and unless an "other" category is explicitly specified—this has been provided in a couple of the event categories to provide compatibility with other coding systems—if no existing values seem appropriate, the field should be left null, though perhaps with some details provided in the **comment** field, particularly when the record is generated using human coding.

In general, verbal activities only have a *context* since their *mode* is just "verbal." The exceptions are CONSULT where the mode indicates how the consultation was done, and THREATEN where the mode indicates what action is being threatened.

2.2 Context codes that can be used with any category

How these contexts are used in practice will depend on how a coder implements them. If they are applied using document-level classifiers, researchers/analysts could mis-interpret the meaning of contexts. For example, an ASSAULT event with an "elections" context does not necessarily imply electoral violence. It could be an article about, for instance, violence in Afghanistan in the context of an article on US election politics. Thus, the interpretation of "context" may depend on how it's implemented in practice. Certain types of events, particularly general protests and meetings, will also have multiple contexts: this is a feature, not a bug.

Based on our past experience developing event-oriented data sets, we are almost certain to find some additional contexts as we start coding data, so this list is likely to change somewhat.

Table 2.1: General contexts

Name	Content
military	military, including military assistance
intelligence	intelligence or information
peacekeeping	peacekeepingtypically multilateral operations
economic	trade, finance and economic development
diplomatic	diplomacy
resource	territory and natural resources
disease	disease outbreaks and epidemics
enviro_disaster	environment, climate change; disasters including both "natural" and
	accidents/spills etc.
migration	migration, refugees, and displaced people
humanitarian	humanitarian assistance generally
asylum	discussions of seeking or granting asylum
legal	courts and judiciary; national and international law, not including human rights
human_rights	explicit mentions of the term human rights
rights_freedoms	discussions of political rights and freedoms, restrictions on civil rights, movement, gathering etc.
gender	mentions of gender, women's issues, gender equality, etc.
lgbt	LGBTQ
terrorism	terrorism
human_security	access to water, food, housing, energy, land tenure, etc.
religion_ethnicity	mentions of specific religions or ethnic groups,
	or religion and ethnicity more broadly
executive	executive agencies and bureaucracies; governmental issues other than elections and legislative
election	elections and campaigns
legislative	legislative debate, parliamentary coalition formation
cbrn	chemical, biological, radiation, and nuclear weapons or attacks
cyber	cyber attacks and crime
political_institutions	Mentions of norms, political institutions, democratic backsliding, political parties, etc.
corruption	anything relating to mentions of corruption, i.e. illegally using public office
	for private gain
crime	Any discussion of crimes or criminals
illegal_drugs	criminal possession, distribution, sale, or manufacturing of illegal drugs

2.3 Special contexts

Four special *context* categories are **historical**, **future**, **hypothetical**, and **negation**: PLOVER assumes that the coding engine will be able to resolve these and put that information in the *context*. Negated events can be excluded from the final event dataset. Examples:

- historical: "During the decolonization struggle, Angolan forces..."
- future: "Members of the G-7 will meet in Ottawa next month..."
- hypothetical: "If Russian forces were to cross the border, that would represent a major..."
- negation: "Thus far, fighting has not re-emerged in the tense region."

Theoretically, some event types can be represented as other event types plus a special context: AGREE could be SUPPORT + **future** or THREATEN could be ASSAULT + **hypothetical**. In situations like these, the coder should always return the single event category, not a category+context.

We anticipate that in general—and consistent with earlier event coding schemes—it will be possible to code *mode* from the same sentence used to code the event, or possibly that sentence and one before it. *context*, in contrast, will often need to be coded at the paragraph- or document-level: this differs from earlier automated coding, though probably is similar to human-coded data such as COPDAB and BCOW where *context*-like fields were coded.

2.4 Numeric conflict/cooperation scores

Researchers and analysts often want to represent events along a conflict/cooperation scale. In CAMEO, these scores were Goldstein scores that mapped specific CAMEO codes to a -10 to +10 scale (though in fact the most cooperative action had score of only +8.5. The "PLOVER numeric scores" given in Table 2.4 provide numeric conflict/cooperation scores for PLOVER. They were created by taking a weighted average of the CAMEO/Goldstein scores for each PLOVER category, with the weights being the empirical frequency of the CAMEO event type in an 18 month sample of events. Two changes were made based on our knowledge of the categories: COERCE and MOBILIZE were flipped, so COERCE was increased in magnitude from -5.3 to -7.2 and MOBILIZE moved from -7.2 to -5.3.

Table 2.2: PLOVER conflict-cooperation scores

PLOVER category	PLOVER scores
ASSAULT	-9.3
COERCE	-7.2
PROTEST	-6.6
MOBILIZE	-5.3
SANCTION	-5.2
THREATEN	-5.1
DEMAND	-5.0
REJECT	-4.2
ACCUSE	-2.0
CONSULT	+2.1
AGREE	+4.2
SUPPORT	+4.6
CONCEDE	+5.0
COOPERATION	+6.8
AID	+7.4
RETREAT	+7.6

Chapter 3

Event Categories

3.1 AGREE

Agree to, offer, promise, or otherwise indicate willingness or commitment to cooperate, including promises to sign or ratify agreements. All cooperative actions reported in future tense are also taken to imply intentions.

3.1.1 Potential ambiguities

There's the potential for some events to fit both the definition of AGREE and SUPPORT + a "future" special context. For example, "Russia and the United States will sign an agreement limiting certain kinds of weapons...". When situations like this occur, the coder should always return the single event category that fits, rather than a category+special context.

3.1.2 Requires recipient: No

3.1.3 Supplementary fields: None

3.1.4 Quad category: VERBAL COOPERATION

3.2 CONSULT

All consultations and meetings: this includes visiting and hosting visits, as well as meeting at a neutral location, and consultation by phone or other media. Other useful keywords: "Holding talks" and "discussions", "negotiations, bargaining, or discussions". See the discussion in Section 4.2.1 on the treatment of actors in CONSULT events.

3.2.1 Requires recipient: No

In CONSULT events where there is no clear distinction between whether an actor is hosting or visiting, all participants are coded as source actors. In events where one side is hosting and one is visiting, the visitor will always be coded as the source actor and the host will be the recipient.

3.2.2 Supplementary fields: modes

Table 3.1: CONSULT modes

Name	Content
visit	Source actor is visiting, recipient is hosting.
third-party	Meeting is hosted by a third party
multilateral	Meeting occurs in a multilateral context, typically an alliance or IGO
phone	Consultation occurs via phone or some other remote medium

Adapted from CAMEO.

3.2.3 Quad category: VERBAL COOPERATION

3.3 SUPPORT

Initiate, resume, improve, or expand diplomatic, non-material cooperation; express support for, commend, approve policy, action, or actor, or ratify, sign, or finalize an agreement or treaty. Use this code only for political, diplomatic, and non-material support, including recognition of newly independent states, new governments that might have come to power through unconventional means, and initiation of diplomatic ties with an entity for the first time.

SUPPORT is distinct from the CAMEO APPEAL category, where the actor simply requested support from the recipient: these events, like comments generally, are not coded in PLOVER.

3.3.1 Requires recipient: No

3.3.2 Potential ambiguities

In general, SUPPORT is a somewhat ambiguous term. It seems to imply a material event, but this category should only be used for verbal cooperation.

- Formal pardons and amnesties of arrested persons should be coded as CONCEDE; the actual release or exchange of prisoners should be coded as RETREAT.
- Expressions of regret or remorse for an action or situation should be coded as CONCEDE.
- Promises to sign or ratify agreements and treaties are coded as AGREE
- Military cooperation or defense should be coded as COOPERATE with a military context.

3.3.3 Supplementary fields: None

3.3.4 Quad category: VERBAL COOPERATION

3.4 CONCEDE

This covers verbal concessions which have no immediate material consequences, including promised of future concessions, including easing of administrative or legal restrictions on persons and organizations, remove curfews, suspending protests, declarations (but not implementations) of ceasefires and withdrawals from territory.

CONCEDE, like the verbal components CAMEO/WEIS predecessor YIELD, is inherently problematic since many concessions deal with promises that certain things will *not* happen, or will happen in the distant future (e.g. many policy changes). So, for example, the lifting of a curfew is, effectively, a promise that people will not be arrested for violating the curfew, which itself is not an event. We're treating such concessions as verbal rather than material even though sometimes they have material consequences, e.g. people coming out in the streets after a curfew is lifted. But only if they believe the government. As noted in Section 6.5, PLOVER isn't really set up to deal with these levels of event dependence.

- 3.4.1 Requires recipient: No
- 3.4.2 Supplementary fields: None
- 3.4.3 Quad category: VERBAL COOPERATION

3.5 COOPERATE

Initiate, resume, improve, or expand mutual material cooperation or exchange, including

- Initiate, resume, improve, or expand economic exchange or cooperation.
- Military exchanges such as joint military games and maneuvers.
- Cooperation on judicial matters, such as extraditions and war crimes.
- Voluntary exchanges or sharing of intelligence and other significant information .

COOPERATE is distinguished from AID because the activity is generally understood to directly benefit both parties, whereas AID is understood to primarily benefit only the recipient.

- 3.5.1 Requires recipient: Yes
- 3.5.2 Supplementary fields: None
- 3.5.3 Quad category: MATERIAL COOPERATION

3.6 AID

All provisions of providing material aid whose material benefits primarily accrue to the recipient. Examples include:

- Monetary aid and financial guarantees, grants, gifts and credit.
- Military and police assistance including arms and personnel.
- Humanitarian aid such as emergency assistance.
- Asylum, both to persons in its territories (territorial asylum) and diplomatic asylum on the premises of an embassy.
- 3.6.1 Requires recipient: Yes
- 3.6.2 Supplementary fields: None
- 3.6.3 Quad category: MATERIAL COOPERATION

3.7 RETREAT

RETREAT covers any events—not just military "retreat" from territory—which have an immediate (not simply promised) material consequences, such as the release of prisoners and hostages, repatriation of refugees, the return of confiscated property, allowing the entry of observers, peacekeepers, or humanitarian workers, disarming, observing a ceasefire or otherwise ending active conflicts, and, of course, a military retreat from, or ceding, territory. RETREAT also covers resignations of government officials.

3.7.1 Requires recipient: No

3.7.2 Supplementary fields: modes

Table 3.2: RETREAT modes

Name	Content
withdraw	retreat from territory or withdraw forces from an area
release	release captives
return	return property
disarm	disarm militarily or give up weapons
ceasefire	implement ceasefire
access	allow third party (e.g., observers, peacekeepers, humanitarian workers) access
resign	official resignation

3.7.3 Quad category: MATERIAL COOPERATION

3.8 DEMAND

VERBAL CONFLICT

All demands and orders. Demands are stronger or more forceful than a request and potentially carry more serious repercussions, although not as much as threats. Coding will need to rely primarily on the language used by reporters to make this distinction. All demands are verbal acts.

3.8.1 Requires recipient: No

3.8.2 Potential ambiguities

- This category only applies to verbal demands: demands that take the form of demonstrations, protests, etc. are coded as PROTEST.
- When one or more parties to a conflict call for ending the conflict, that is taken to be an expression of intent on the part of that source actor and is thus coded as AGREE.

3.8.3 Supplementary fields: modes

Table 3.3: DEMAND modes. These modes are shared with REJECT.

Name	Content
assist	any form of exchange, relations, or assistance
change	any changes in policy, government, or institutions that are not concessions
yield	release of prisoners, ending sanctions, easing curfews and boycotts, ceasefires
meet	meetings and negotiations

3.8.4 Quad category: VERBAL CONFLICT

3.9 ACCUSE

- Express disapprovals, objections, and complaints; condemn, decry a policy or an action; criticize, defame, denigrate responsible parties.
- Accuse, allege, or charge, both judicially and informally
- Sue or bring to court
- All investigations, including those of historical cases. Examples include investigations of criminal activity (theft, killing, etc) and corruption, human rights abuses, war crime, and violations of basic freedoms, military activities such as violations of ceasefire, seizures, and invasions.

3.9.1 Requires recipient: No

3.9.2 Supplementary fields: modes

Table 3.4: ACCUSE modes

Name	Content
disapprove	express disapproval; condemn; complain
investigate	any investigation, including commissions, grand juries, judicial or political
allege	formally or informally accuse; sue, indict, or charge; bring to trial

3.9.3 Quad category: VERBAL CONFLICT

3.10 REJECT

All rejections and refusals.

3.10.1 Requires recipient: No

3.10.2 Potential ambiguities

Rejection to provide military aid is coded as SANCTION.

3.10.3 Supplementary fields: modes

Table 3.5: REJECT modes. These modes are shared with DEMAND.

Name	Content
assist	any form of exchange, relations, or assistance
change	any changes in policy, government, or institutions that are not concessions
yield	release of prisoners, ending sanctions, easing curfews and boycotts, ceasefires
meet	meetings and negotiations

3.10.4 Quad category: VERBAL CONFLICT

3.11 THREATEN

VERBAL CONFLICT

All threats, coercive or forceful warnings with serious potential repercussions. Threats are generally verbal acts except for purely symbolic material actions such as having an unarmed group place a flag on some territory.

3.11.1 Requires recipient: No

3.11.2 Supplementary fields: mode

Note that in THREATEN the mode is the *content* of the threat, rather than how it has been expressed.

Table 3.6: THREATEN modes

Name	Content
restrict	restrict movement of people or goods, including boycotts, strikes,
	blockades, and curfews
ban	threaten to ban political activities of particular parties or individuals
arrest	arrest, detain, imprison
relations	threaten to suspend relations, talks
	such as speech, expression, and assembly
expel	expel diplomats, peacekeepers, NGOs
territory	threaten to occupy, seize control of the whole or part of a territory
violence	threaten violence

3.11.3 Quad category: VERBAL CONFLICT

3.12 PROTEST

MATERIAL CONFLICT

All civilian demonstrations and other collective actions carried out as protests against the recipient: Dissent collectively, publicly show negative feelings or opinions; rally, gather to protest a policy, action, or actor(s).

3.12.1 Requires recipient: No

3.12.2 Supplementary fields:

mode: Mode of protest: see Table 3.7

event_loc: Location of event

Table 3.7: PROTEST modes

Name	Content
demo	Organized demonstration. Distinct, continuous, and largely peaceful action
	directed toward members of a distinct 'other' group or government authorities.
riot	Violent riot. Distinct, continuous and violent action directed toward members
	of a distinct 'other' group or government authorities. The participants intend
	to cause physical injury and/or property damage.
general	General strike. Members of an organization or union engage in a total aban-
	donment of workplaces and public facilities.
strike	Limited Strike. Members of an organization or union engage in the abandon-
	ment of workplaces in limited sectors or industries.
hunger	Hunger strike
boycott	Boycott
obstruct	Obstruct passage

 $\label{lem:adapted} A dapted from Salehyan and Hendix, \textit{Social Conflict Analysis Database} \ (SCAD) \ Version \ 3.2: \\ \texttt{https://www.strausscenter.org/images/codebooks/SCAD} \ 32_Codebook.pdf$

3.12.3 Quad category: MATERIAL CONFLICT

3.13 SANCTION

All reductions in normal, routine, or cooperative relations not otherwise specified. Note that this is not confined to formal "sanctions"—SANCTION was just the best word we could find for WEIS and CAMEO's "REDUCE RELATIONS"

3.13.1 Requires recipient: Yes

3.13.2 Potential ambiguities

- Expulsions or deportations of individuals—typically a legal matter—are coded as COERCE
- Cancellation of meetings are REJECT and therefore verbal conflict.

3.13.3 Supplementary fields: mode

Table 3.8: SANCTION modes

Name	Content
convict	find guilty or liable in a court of law
cancel	cancel meetings, summits, dialogues
expel	expel an actor from a group, organization or country; excluding individual
	deportations
withdraw	withdraw oneself or one's non-military resources (e.g., aid, observers, diplo-
	mats, peacekeepers) from a group, mediation activity, organization, or country
sever	curtail, decrease, break, or terminate diplomatic, commercial, or material ex-
	changes in manners not specified above

3.13.4 Quad category: MATERIAL CONFLICT

3.14 MOBILIZE

All military or police moves that fall short of the actual use of force.

This category is different from ASSAULT and FIGHT, as they refer to uses of force, while military posturing falls short of actual use of force and is typically a demonstration of military capabilities and readiness. MOBILIZE is also distinct from THREAT in that the latter is typically verbal, and does not involve any activity that is undertaken to demonstrate military power. Source actors are not necessarily militaries affiliated with states but any organized armed groups. Recipients are actors against whom the source mobilizes its military capabilities in a threatening manner if that is clear, but a group may mobilize with no specific recipient stated.

3.14.1 Potential ambiguities

Joint military operations are coded as COOPERATE but single-country exercises should be coded as MOBILIZE.

3.14.2 Requires recipient: No

3.14.3 Supplementary fields: modes

Table 3.9: MOBILIZE modes

Name	Content
troops	Mobilize armed personnel or units
weapons	Increase readiness of weapons systems (can occur with a cyber context)
police	Mobilize or increase readiness of police or security units

Adapted from CAMEO category 15x

3.14.4 Quad category: MATERIAL CONFLICT

3.15 COERCE

Repression or restrictions on rights.

3.15.1 Requires recipient: No

3.15.2 Supplementary fields:

Table 3.10: COERCE modes

Name	Content
confiscate	confiscate property
restrict	impose restrictions on political freedoms or movement
ban	ban individuals or organizations
censor	censor, ban or restrict access to publications
curfew	impose curfew
martial-law	impose state of emergency or martial law
arrest	arrest, detain, or charge with legal action
deport	expel or deport individuals
withhold	withhold public goods/services, e.g. shut off power/internet/water/utilities
	or withhold food/medical supplies

Adapted from CAMEO category 17x

3.15.3 Quad category: MATERIAL CONFLICT

3.16 ASSAULT

ASSAULT events are deliberate actions which can potentially result in substantial physical harm.

3.16.1 Requires recipient: No

In ASSAULT events where the violence is two-sided, all participants are coded as source actors. In one-sided violence, the perpetrator is coded as the source and the victim as the recipient.

3.16.2 Supplementary fields:

Table 3.11: ASSAULT modes

Name	Content
abduct	abduct, kidnap, hijack
beat	physically assault
torture	torture
execute	judicially-sanctioned execution
sexual	sexual violence
assassinate	targeted assassinations with any weapon
destroy	destroy property
primitive	primitive weapons: fire, edged weapons, rocks, farm implements
firearms	rifles, pistols, light machine guns
explosives	any explosive not incorporated in a heavy weapon: mines, IEDS, car bombs
suicide-attack	individual and vehicular suicide attacks
heavy-weapons	crew-served weapons
cleansing	mass expulsions or deportations, ethnic cleansing
massacre	instances of mass killing or massacres
unconventional	chemical, biological, radiation, and nuclear weapons

Adapted from Political Instability Task Force Atrocities Database:

http://eventdata.parusanalytics.com/data.dir/atrocities.html.

mode: Mode of violence: see Table 3.11

dead: number killed (integer or code)

injured: number injured (integer or code)

size: used when total casualties are reported, combining dead and wounded

event_loc: Location of event

3.16.3 Quad category: MATERIAL CONFLICT

Chapter 4

Actor and Sector Codes

CAMEO employed a hierarchical actor coding structure based on 3-character coding elements which allowed nearly unlimited complexity and, depending on the exact coding system, could be resolved down to the identity of individual groups or individuals. As with the event codes, typically only the first two or three of these elements were used. ICEWS modified this somewhat, while preserving most of the sub-state differentiations as "sectors"—the terminology we've adopted here over the CAMEO/IDEA "agents"—but also provided a very substantial amount of complexity at the sub-sector level.

As with the events, the PLOVER specification seeks to pare this down to the most commonly used actors and agent/sectors, while retaining the possibility of more specific information. In place of the pages of actor and agent specification found in the CAMEO manual, PLOVER has four rules:

- 1. The actor code—source/recipient—is either an ISO 3 letter country code or one of a small number of non-state codes such as IGO; see Table 4.1 below.
- 2. The sector code is a 3-character primary code with one optional secondary code
- 3. Identifiers for individual persons or organizations are coded in the Identifier and/or Text fields. Ideally, the ID would take the form of a Wikidata ID and the text would be the canonical English-language name of the Wikidata entry. Including this information will greatly help researchers who want to (1) track a particular actor or person, (2) need to make fine-grained distinctions that are currently subsumed within a single code (USA MIL = Army + Navy + Air Force + ... and USA GOV = the president + the State Department + the attorney general of Oklahoma + the city of Cambridge + ...) and (2) researchers who would like to assign different sector codes using the raw information provided by Wikidata/Wikipedia (e.g. who might like to make a new sector category for right-wing populist parties and politicians.
- 4. The Info JSON object is used for additional information beyond what can be coded in the sector secondary modifier¹ such as religion, ethnicity, official position, etc.

By effectively crowdsourcing details to Wikipedia, which is generally updated very quickly, often within minutes in the case of a death of a well-known figure, we deal with a major weak point in the CAMEO dictionary approach, which was the need to maintain coding teams to regularly update actor dictionaries, and in the absence of this, having information sometimes years out of

¹In other words, one item of information—typically it is religion, ethnicity, or position—can be coded in the tertiary code, but only one: this handles virtually all of the current use-cases we know of.

date. Wikipedia also has a fairly standardized format for biographical information which contains far more detail than a CAMEO entry, but can be parsed with relatively simple programs.

An example actor block is below:

```
{
  "raw_text": "Steinmeier",
  "entity_name": "Frank-Walter Steinmeier",
  "wikidata_id": "Q76658",
  "wiki_description": "Minister of Foreign Affairs",
  "country_code": "DEU",
  "sector_code": "GOV"
}
```

While the process of generating this block will depend on the specific nature of the coder, in general, the coder will (1) identify a source actor or recipient in text, in this case, "Steinmeier". (2) Using the context of the article, resolve the actor mention to its Wikipedia page and ID and report the Wikipedia role or description. (3) Using the information on the page, determine that Frank-Walter Steinmeier was the German Minister of Foreign Affairs and thus DEUGOV.

4.1 Actor codes

For nation-states and other entities for whom an ISO-3166 code exists.², use the alpha-3 code. Use the codes in Table 4.1 for non-state actors:

Code	Content
IGO	international governmental organization
NGO	non-governmental organization
ISM	international social movement
IMG	transnational militarized group
MNC	multi-national corporation

Table 4.1: Non-state actor codes

²https://en.wikipedia.org/wiki/ISO_3166-1_alpha-3 ISO codes are also available for dependencies such as the Åland Islands, and the list is updated fairly regularly to accommodate new states such as South Sudan.

4.2 Sector Primary Code

Table 4.2: Sector Primary Codes

Code	Frequently used codes	
GOV	Government: the executive, governing parties, coalitions partners, executive	
	divisions	
JUD	Judiciary: judges, courts	
LEG	Legislature: parliaments, assemblies, lawmakers	
MIL	Military: troops, soldiers, all state-military personnel/equipment	
COP	Police forces, officers, criminal investigative units, protective agencies	
OPP	Political opposition: opposition parties, individuals, anti-government activists	
PTY	Political parties not identified with government or opposition	
REB	Rebels: armed opposition groups or individuals (see Note 1)	
PRM	Paramilitary organizations not in opposition to government	
SPY	State intelligence services	
UAF	Unidentified armed forces ("unknown gunmen")	
	Less frequently used codes	
CVL	civilians: sometimes used as catch-all for individuals.	
BUS	business: individuals companies, and enterprises, not including MNCs	
EDU	educators, schools, students, or organizations dealing with education	
MED	individuals and organizations dealing with health (see Note 3)	
LAB	formally or informally organized labor in services or manufacturing	
AGR	formally or informally organized agricultural labor; peasants	
JRN	journalists, newspapers, radio, television, web sites (see Note 3)	
REF	refugees and internally displaced persons	
REL	religious organizations and institutions	
SOC	any organization or movement that is considered part of "civil society" not	
	otherwise covered here	
CRM	individual criminals and criminal gangs	

Notes:

- 1. For militarized groups, we are dropping the INS (insurgent) and SEP (separatist) distinctions incorporated into CAMEO during the research phase of ICEWS: these can be resolved on the basis of the group identity and group objectives are frequently ambiguous in any case.
- 2. The CAMEO "ELI" code for elites such as former government officials has been discontinued because it was ambiguous: these individuals are now CVL
- 3. Two modifications of CAMEO sector codes: in CAMEO 'MED' was "media" and 'HLH' was "medical" but no one could remember those.

4.2.1 Compound and Reciprocal Actors

Most CAMEO-based coders dealt with compound actors—"The United States and France accused Russia..."—by generating multiple events: this example would generate two events of the form

USA RUS 112 FRA RUS 112

This approach, however, gets very problematic in the not-uncommon situation where an alliance is involved and is expanded to all of its constituent members: a single reference to the G20 expands to at least twenty events, and a *meeting* of the G20, generating reciprocal events, expands to 380 events, which is one of the reasons "consult" events are so frequent in CAMEO-coded data.

In PLOVER, compound actors generate a single source or recipient, but with multiple members: the source and recipient are a list of actors rather than a single actor. Depending on the application, a user might expand this to multiple events with single actor codes following the earlier conventions, but the initial coding uses the list.

PLOVER also uses actor lists to deal with reciprocal events. In CAMEO, a meeting "President Obama met with Japanese Prime Minister Abe at the White House" generated two events

JAP USA 042 USA JAP 043

where 042 and 043 are the CAMEO codes for "visit" and "host" respectively. While the PLOVER CONSULT mode provides for a host/visit distinction, this is not required. In such instances, all of the actors are considered as the source and no recipient is included.

In ASSAULT events, reciprocal violence—as distinct from one-sided violence—is handled in a similar fashion, with both parties as source actors: this applies in any event where both sides are using force, even if one side "started it", an assessment often as not contested anyway. One-sided violence, such as assassinations or police firing on demonstrators, will have the perpetrator as the source and the victims as recipient.

³This example optimistically assumes the coding system was clever enough to recognize the significance of the phrase "at the White House."

Chapter 5

Data Fields

Note: This section is still under development and is not likely to be of interest to most readers.

In addition to providing a coding ontology, PLOVER is also intended to provide a standardized data exchange format using *named* data fields instead of the current system where the content of data fields is usually determined by *location* in some delimited format such as .csv. Standardizing these field names will simplify the merging and reuse of datasets, and the data are far easier for a human to read.

Despite the apparent complexity of the formats discussed here, note that the only required field we have added to "event data classic" is the id identifier, so the simplest form of an event record would look like

```
{
"id" : "PHOXv1-20160724-0042",
"date" : 2016-07-24,
"source" : [{"code":"USA"}],
"recipient" : [{"code":"CAN"}],
"event" : ["CONSULT"]
}
```

For ease of parsing and use, we suggest formatting PLOVER in newline-delimited JSON (JSONL) format, with each event formatted as one valid JSON entry, each on a separate row.

Except in the small number of cases where a standard format is specified, the content of the field is left open, and in particular "number" should be interpreted as "number or code": for example instead of providing the number of individuals killed, a dataset might use a set of categories giving ranges. Similarly, fields such as context can take multiple values: typically these would be formatted using a JSON "array" structure but responsibility for handling these details is left to the data provider and users. Providers should feel free to include named fields beyond those provided here but if a data set codes or extracts information corresponding to one of the existing fields, please use that name.

Name Content Note Required? id unique identifier 1 Y Ν has_event event has been coded (True/False) 5 Y date date in YYYY-MM-DD format 2 time ISO 8601-formatted time N date in YYYY-MM-DD format enddate N endtime ISO 8601-formatted time 2 N source list of actor objects Y list of actor objects N recipient Y event list of event categories location object for event Ν event_loc list of texts of event event_text Ν 1. 2. 3 or 4 N quad_code event_scale floating point scale value Ν list of modes mode 3 N list of contexts 3 Ν context link link identifier 4 N N text text from which the record was coded 6 $text_info$ textInfo object for text Ν cite_info citeInfo object for text N coder coder identification Ν coded date date of coding N time of coding in ISO 8601-formatted time 2 coded_time Ν comment Ν any text

Table 5.1: PLOVER JSON

- 1. The identifier should be unique within the data set; it is the responsibility of the user to reconcile identifiers across data sets
- 2. ISO 8601 allows a number of different formats for times depending on the level of detail. Formatting should be such that a string of the form date + 'T' + time should yield an ISO-8601 datetime.
- 3. event, mode and context fields can have multiple entries; they do not need to resolve to a single value, and in fact this is likely to occur fairly frequently in classifier-based systems which work with the general sense of a sentence, in contrast to dictionary-based systems which look for specific sets of words. Multiple event categories would be used in a single record if the source and recipient actors are the same; they would resolve to multiple records if the source and recipient actors are different, as might occur in a compound sentence.
- 4. This can be used to create a common reference across multiple related events, demonstrations in multiple locations organized by the same group.
- 5. This is typically set to False when the record is part of a pre-processing pipeline
- 6. This slot will only be filled when the creator of the record has appropriate intellectual property rights for the text: this tends to be the exception rather than the rule

Name Content 3-char top-level actor code (e.g., country) code sector 3- or 6-char sector (GOV, MIL, etc) actor_text extracted text for source $identifier_id$ unique identifier ID for source [see Note 1] unique identifier name for source [see Note 1] identifier_text $actor_loc$ location object religion religion (code or text) ethnicity ethnicity (code or text) office office or official position (code or text) gender gender (code or text) integer age

Table 5.2: Information object for actors

1. These fields would be used to resolve the name of an actor that occurs in multiple forms—for example "Islamic State", "IS", "ISIS", "Daesh"—into a single form or code. This should be the Wikidata ID for the actor. For example, the Islamic State's is https://www.wikidata.org/wiki/Q2429253 and its canonical Wikidata name is "Islamic State of Iraq and the Levant".

Table 5.3: Information object for text

Name	Content
sequence	sequence number of sentence
start	character offset for start of text
end	character offset for end of text
text_story	list of sentences from full story text

Table 5.4: Information object for size

Name	Content
dead	number killed
injured	number injured
arrested	number arrested

1. These fields are included as standard names because they are most likely to be used in event systems, but users should feel free to add additional fields for numbers that are not related to location.

Table 5.5: Information object for citations

Name	Content
corpus	name or other identifying information
citation	bibliographic citation or database identifier for text
url	URL for text
title	title for text
language	language of text (ISO 639-1 two-letter codes)
publication	name of text publisher
license	license covering text
copyright	copyright covering text
coder	identifying information for any event extraction system used
codebook	reference for the codebook used to code the text,
	e.g. plover-base-1.3.1 or plover-protest-0.3
version	version of data set

Table 5.6: Location object: identical to http://download.geonames.org/export/dump/readme.txt

Name	Content	
geonameid	integer id of record in geonames database	
name	name of geographical point (utf8)	
asciiname	name of geographical point in plain ascii characters	
alternatenames	alternatenames, comma separated, ascii names automati-	
	cally transliterated	
latitude	latitude in decimal degrees	
longitude	longitude in decimal degrees	
feature class	see http://www.geonames.org/export/codes.html	
feature code	see http://www.geonames.org/export/codes.html	
country code	ISO-3166 2-letter country code, 2 characters [see Note 1]	
cc3	ISO-3166 3-letter country code [see Note 1]	
cc2	alternate country codes, comma separated, ISO-3166 2-	
	letter country code,	
admin1 code	fipscode (subject to change to iso code)	
admin2 code	code for the second administrative division, a county in the US	
admin3 code	code for third level administrative division	
admin4 code	code for fourth level administrative division	
population	bigint (8 byte int)	
elevation	in meters, integer	
dem	digital elevation model: see geonames documentation for	
	details/ciat.	
timezone	the iana timezone id	

1. Geonames, alas, uses ISO-3166-alpha-2 rather than the more mnemonic alpha-3 codes used in most event data work. For purposes of compatibility, we're suggesting retaining this in the "country code" field but adding a "cc3" field (not found in geonames) for alpha-3 codes.

5.1 Adding to PLOVER: protest example

OEDA was founded on the principle that there should not be "one data set to rule them all": different implementations will have different strengths. As an example, a protest-specific coder could add more fields to the event record for things like the participant size (a numeric amount or size category), the number of people who were injured, the number of people arrested, etc. This section briefly outlines how PLOVER could be extended to code specific event types in greater detail. A protest-optimized coder could also include protest-specific contexts like the ones in Table 5.7.

Table 5.7: PROTEST contexts

Name	Content
election	elections
political	political and constitutional reforms
economic	economy, jobs
food	food, water, subsistence
env-disaster	environmental issues, disasters incl. earthquakes, floods, fires
discrimination	ethnic discrimination, ethnic issues
religion	religious discrimination, religious issues
education	education
foreign	foreign affairs/relations
war	domestic war, violence, terrorism
rights	human rights, democracy
pro-govt	pro-government
independence	independence or separatist movements

Adapted from Salehyan and Hendix, *Social Conflict Analysis Database* (SCAD) Version 3.2: https://www.strausscenter.org/images/codebooks/SCAD_32_Codebook.pdf

Chapter 6

CAMEO vs. PLOVER

The canonical citation for CAMEO is Schrodt et al. (2009), and the most recent version of the manual is found at http://eventdata.parusanalytics.com/data.dir/cameo.html. The original event framework was very much the work of Deborah Gerner and Ömür Yilmaz, with contributions by various coders in the Kansas Event Data System project. The CAMEO manual contains an extended discussion of the issues considered in transitioning from WEIS to CAMEO. Additional details on the development of the automated coding underlying CAMEO can be found in Schrodt (2006) or http://eventdata.parusanalytics.com/utilities.dir/KEDS.History.0611.pdf.

As noted in the introduction, considerable additional work on CAMEO was done in the early 2010s first in the context of the DARPA ICEWS research program, then later in the operational deployment of ICEWS by teams at BBN and Lockheed which was eventually incorporated into the Dataverse public data: details of this work on found in the internal documentation of that data.

6.1 Summary of changes

- A set of standardized names ("fields") for JSON (http://www.json.org/) records are specified for both the core event data fields and for extended information such as geolocation and extracted texts; most of these fields are optional and where available we use existing specifications, for example the http://geonames.org geographical location field names, ISO-3166 country identifiers and ISO-8601 date and time formats.
- Only the 2-digit event "cue categories" have been retained from CAMEO; these are defined in greater detail than they were in WEIS and CAMEO.
- The details in the 3- and 4-digit categories are now delegated to the optional mode and context fields: see Section 2.1 for further discussion of this.
- A set of scaled "PLOVER scores" has been systematically derived from the Goldstein-Reising scores found in the ICEWS data set.
- The CAMEO 01 and 02 categories dealing with comments have been eliminated.¹
- The CAMEO 08 "YIELD" category has been split into verbal (CONCEDE) and material (RETREAT) components.

 $^{^{1}}$ Ironically, this reverses a decision McClelland belatedly made—and later regretted—in the WEIS specification in the 1960s.

- The "target actor" event component was renamed "recipient" for clarity and to better match the terminology used in the NLP literature on event extraction (Halterman, 2020).
- Actor entries are now standardized using references to Wikipedia
- The complexity of substate actor codes has been limited, and the allowable substate modifiers have been substantially simplified.
- Standard optional fields have been defined for some categories, and the "recipient" is optional in some categories.

6.2 CAMEO to PLOVER translation

Table 6.1: PLOVER equivalents to CAMEO cue categories

CAMEO code	CAMEO text	PLOVER category
01	MAKE PUBLIC STATEMENT	dropped
02	APPEAL	dropped
03	EXPRESS INTENT TO COOPERATE	AGREE
04	CONSULT	CONSULT
05	ENGAGE IN DIPLOMATIC COOPERATION	SUPPORT
06	ENGAGE IN MATERIAL COOPERATION	COOPERATE
07	PROVIDE AID	AID
08	YIELD (081 to 083)	CONCEDE
08	YIELD (084 to 087)	RETREAT
09	INVESTIGATE	ACCUSE
10	DEMAND	DEMAND
11	DISAPPROVE	ACCUSE
12	REJECT	REJECT
13	THREATEN	THREATEN
14	PROTEST	PROTEST
15	EXHIBIT FORCE POSTURE	MOBILIZE
16	REDUCE RELATIONS	SANCTION
17	COERCE	COERCE
18	ASSAULT	ASSAULT
19	FIGHT	ASSAULT
20	USE UNCONVENTIONAL MASS VIOLENCE	FIGHT (see Note 1)

Notes:

- 1. For unconventional weapons, the *mode* in the FIGHT record would be set to unconventional.
- 2. Generally, everything at the 3- and 4-digit level should simply be reduced to the 2-digit cue category and converted accordingly. Depending on your specific application, you might want to make some exceptions to this—for example a CAMEO "015: Acknowledge or claim responsibility" might be considered AGREE and a CAMEO "016: Deny responsibility" might be considered REJECT—but we are not making general recommendations on this. Except

to suggest that for the benefit of those trying to replicate your work, you carefully document any such decisions.

6.3 PLOVER quad categories

Table 6.2: Quad categories in PLOVER

Quad category	PLOVER categories	Numeric
Verbal cooperation	AGREE, CONSULT, SUPPORT, CONCEDE	1
Material cooperation	COOPERATE, AID, RETREAT, INVESTIGATE	2
Verbal conflict	DEMAND, ACCUSE, REJECT, SANCTION, THREATEN	3
Material conflict	PROTEST, MOBILIZE, COERCE, ASSAULT	4

6.4 A note on CRIME

A separate event category for crime has been added and removed several times as PLOVER was being drafted. While criminal activity is important to capture in event data (Osorio, 2015; Osorio and Reyes, 2017), we have decided to not include a separate event category for it for several reasons:

- 1. Whether activity is criminal or not often depends on on the identity of the actor: actions undertaken by rebel groups may not fit within a definition of CRIME, while the same action taken by a drug cartel might. We have generally tried to avoid relying on the identities of actors in order to define events, due in part to the implementation of past coders, which did not use actor information to code event types.
- 2. Crime overlaps with other event categories, especially ASSAULT, which would make it difficult to train a CRIME classifier that did not pick up events that better belong in other categories.

That said, PLOVER still includes mechanisms for crime-type events to be coded. Researchers who are interested in criminal behavior have two primary options for locating it in PLOVER events:

- 1. Identify events taken by criminal actors. As coders move away from hand-constructed dictionaries to resolve actors, many more groups will be coded. Researchers will be able to subset events to those undertaken by specific criminal groups (e.g. the Sinaloa Cartel) or by using the CRM actor code.
- 2. Use the **crime** and **illegal_drugs** contexts: see Table 2.1).

6.5 Some residual issues

In the discussions leading to the development of PLOVER, several additional open issues were raised that we have decided to remain agnostic on:

Temporal markup: This is emerging as a major issue in event extraction, particular among users who are interested in the long-standing objective of automated chronology generators. While there are some significant efforts on this in the NLP community—http://www.timeml.org/—we don't feel we currently have the experience required to make recommendations.

De-duplication: There is no consensus on this beyond noting that the widely-used "one-a-day filtering" is probably not a good idea, ² and it is a topic where there is currently active research and experimentation, so we're leaving it alone.

Required actors: PLOVER, in contrast to CAMEO, makes recipient actors optional for some event types. One outstanding question is whether the *source actor* should also be optional for some event types. Some event types often leave the source actor implicit, for example, "4 people were arrested/killed in a suicide bombing/detained/etc." These have no explicit, named source actor so they will not be coded by PLOVER. Similarly, many natural disasters do not fit neatly into an actor-centric approach to coding ("mudslides destroyed dozens of houses"). We could consider relaxing this requirement to increase our recall, but at the potential cost of more false positives and greater conceptual complexity.

 $^{^2\}mathrm{See}$ http://eventdata.parusanalytics.com/papers.dir/Schrodt.TAD-NYU.EventData.pdf

Bibliography

Azar, E. E.

1980. The conflict and peace data bank (COPDAB) project. *Journal of Conflict Resolution*, 24:143–152.

Azar, E. E.

1982. The Codebook of the Conflict and Peace Data Bank (COPDAB). College Park, MD: Center for International Development, University of Maryland.

Azar, E. E. and T. Sloan

1975. Dimensions of Interaction. Pittsburgh: University Center for International Studies, University of Pittsburgh.

Bond, D., J. Bond, C. Oh, J. C. Jenkins, and C. L. Taylor

2003. Integrated data for events analysis (IDEA): An event typology for automated events data development. *Journal of Peace Research*, 40(6):733–745.

Halterman, A.

2020. Extracting Political Events from Text Using Syntax and Semantics. PhD thesis, MIT Political Science.

McClelland, C. A.

1967. World-event-interaction-survey: A research project on the theory and measurement of international interaction and transaction. University of Southern California.

McClelland, C. A.

1976. World Event/Interaction Survey Codebook (ICPSR 5211). Ann Arbor: Inter-University Consortium for Political and Social Research.

O'Brien, S. P.

2010. Crisis early warning and decision support: Contemporary approaches and thoughts on future research. *International Studies Review*, 12(1):87–104.

Osorio, J.

2015. The contagion of drug violence: spatiotemporal dynamics of the mexican war on drugs. *Journal of Conflict Resolution*, 59(8):1403–1432.

Osorio, J. and A. Reyes

2017. Supervised event coding from text written in spanish: Introducing Eventus ID. Social Science Computer Review, 35(3):406–416.

BIBLIOGRAPHY 39

Schrodt, P. A.

2006. Twenty years of the Kansas event data system project. The Political Methodologist, 14(1):2-8.

Schrodt, P. A., D. J. Gerner, and Ö. Yilmaz

2009. Conflict and mediation event observations (CAMEO): An event data framework for a post Cold War world. In *International Conflict Mediation: New Approaches and Findings*, J. Bercovitch and S. Gartner, eds. New York: Routledge.