

TATA Limited

18 Grosvenor Place,
London SW1X 7HS
Registered in England
No. 92560

Telephone : 020-7235 8281-8
FAX: 020-7235 6584
Email: orders@tata.co.uk
VAT Registration No. GB 239 2996 18

Order Date : 05.06.2026
Release Date : 09.06.2026
Validity End Date : 29.09.2026
Ref No.:
Order No. and Reference No. must appear
on all correspondence , Advices, Shipping
Specification, Invoices and Packages

To: **TATA LIMITED .**
18, GROSVENOR PLACE
LONDON SW1X 7HS
EXPORT
United Kingdom
E-Mail :- orders@tata.co.uk
Phone No :- 00442072358281
Fax No. :- 00442072358727

Sales Person :MR. Kamal Desai
Telephone No :004420723582

Please supply and deliver the following goods according to the terms,
conditions and instructions specified herewith

On Behalf of TATA STEEL LIMITED, INDIA

Header Details

The Party is presently not registered with SAP and does not have a
supplier code, you are requested to place order on behalf of Tata Steel:

Phoenix Tribology LTD

Registered Office: Worthy House, 14 Winchester Road, Basingstoke,
Hampshire, RG21 8UQ, UK

Mail Address: 29 Freemantle House, Kingsclere Park, Kingsclere,
Hampshire, RG20 4SW, UK.

Telephone: +44 1635 298279

Email: info@phoenix-tribology.com

BIS IS NOT APPLICABLE FOR THIS ORDER.

SPECIAL NOTE :

"TMILL is the clearing agent & Inland transportation agent for
transporting material from Port/Airport to Tata Steel Plants."

.

1. The invoice should be properly signed & stamped in case of a
manual invoice.
2. If it is computer generated invoice, then inv should mention that it
is computer generated & requires no signature.

User Contact Details:

Subho Chakraborty

Principal Scientist (R&D)

Tel 0657-66-48945/46/47 | Mobile +91-7033095046

subho.chakraborty@tatasteel.com

Procurement :

Name: Raj Vardhan

Designation: Manager Procurement MRO (Mechanical)

Department: MRO & Services

Tel: Not Available

Mobile: Personal :+91- 7368806038

E-Mail: raj.vardhan@tatasteel.com

=====
Packaging Standard:-

1. Material in loose, gunny bag, jute bags etc are not allowed to supply.

2. For material weighing less than 20 KG and having total no. of packets less than 25, carton box packing to be done. If no. of packets is more than 25, pallet packaging to be done ensuring mechanised handling. Dimension of pallet should not exceed 1M X 1M X 1M. Wooden pallets to be used for material weighing less than 20 KG weight with more than 25 packets.

3. Material weighing more than 20 KG, palletized box packing is required, which will ensure mechanised handling. Metallic pallets (ideally IS 2062:1999-GR:A.) or recyclable polypropylene pallets (ideally weighing more than 20 KG pallets).

4. Suitability for stacking:

Loading units must be put together so that they can be handled, transported, stacked, and stored as a unit. If loading units are made up of smaller containers/ boxes, then they must be organised properly to match and properly fit into pallets# standard dimensions. More than two different materials should not be packed together.

If two different materials are packed together, care should be taken that they should not get mixed. They may be placed next to one another, separated by intermediate layers (never on top of one another) to form a loading unit. Care must be taken that similar items are packed in the same loading unit, to avoid mistakes.

5. Securing Loads:

Packaging should always be selected so that it can be properly secured and remain stable during transportation/shifting. Goods can be secured using shrink covers, strapping and stretch film.

Edge protection strips must be used to prevent strapping from cutting into the cardboard. Pallet collars must be used to prevent stacked loads from slipping. The sender is responsible for ensuring the flawless technical state of the pallet collars.

When removing only part of a loading unit, it must be ensured that the remaining items are stable. To ensure that handling is possible using floor-level conveyors and automatic conveying equipment, there must be enough clearance between the pallet's runners.

6. Pipe Packaging:

The pipe bundle diameter should not exceed 0.8 Mtr (max.). Try to give a hexagonal shape of pipe bundle. Bundles should be properly strapped minimum 4 places; overall weight of bundle should not exceed more than 1 MT. Strapping load bearing capacity should be min 2 MT. Wooden dunnage to be provided at min 3 places at floor of truck/trailer for stable movement and mechanised loading /unloading.

All consignments should come in trailers with correct dunnage. No

#Punjab Dala# and truck is allowed inside the TSL works.

7. Levelling & Marking:

a. UMC # with description, Qty with UoM & Part # (if applicable),

Use best before date (if applicable) to be marked on each individual

ORDER CONTINUATION SHEET

items.

- b. UMC#, Part#, Qty with UoM on Box.
- c. Vendor Detail (Code & Name)
- d. PO# and Date
- e. ECCI # and Date
- f. Test Certificate & MSDS if applicable
- g. RFID (Wherever possible) of material no.
- h. Special handling precaution if applicable

Warranty/Guarantee period:

1. Unless indicated otherwise, warranty/guarantee period shall be twelve (12) months from the date of commissioning/use or eighteen (18) months from the date of receipt of Goods, whichever is earlier. However, for any "Generic defects" i.e. any defect that is not discoverable by reasonable or customary inspection arising out of a defect in design, materials, workmanship, or other reasons Supplier will be responsible even after warranty/guarantee period.

2. During the warranty/guarantee period, the Supplier shall, at his own expense, upon written demand by the Purchaser, promptly repair or replace the defective Goods or any part(s) thereof at the plant site, free of cost:

i. Which may not comply with Technical Specifications and the representations and warranties set forth in this General Conditions of Contract, or

ii. Which may be of defective or incorrect design, or

iii. Which under normal and proper use and maintenance proves defective in workmanship or materials or deficient in performance, subject to normal wear and tear.

"Clause: Supplier Responsibility for Stuffing, Lashing, Choking and Related Damage (FOB Shipments)

1. Supplier's Responsibility.

For all shipments on FOB terms, the Supplier shall be solely responsible for the proper packing, choking, lashing, bracing, blocking, and stuffing of cargo into containers or onto conveyances, in accordance with industry best practices, relevant carrier/port requirements, and all applicable laws and regulations.

2. Quality & Compliance.

The Supplier shall ensure the use of suitable materials and methods so that the cargo is safe and secure for road, rail, and port handling, ocean carriage, and onward movement, and does not cause damage to the container, equipment, vessel, terminal, or other property.

3. Liability for Damage and Claims.

The Supplier shall be liable for and shall bear all loss, damage, penalties, and costs (including third party claims) arising from or related to inadequate or improper packing, choking, lashing, bracing, blocking, or stuffing, including damage to cargo, container/equipment, infrastructure, and any consequential costs (e.g., survey fees, detention/demurrage, cleaning/repair, disposal, handling, administrative and legal costs).

4. Indemnity.

The Supplier shall defend, indemnify, and hold harmless Tata Steel (including its affiliates, directors, officers, employees, agents, and insurers) against any claims, losses, damages, liabilities, fines, and

ITEM No:-000001 Total Qty:- 200.000 NOS

Total Quantity(in words):- TWO HUNDRED NOS

Material Number :- 5967A3631
WBS No :-
Brief Description :- LINE CONTACT SPECIMEN ,TE 77/C6/1 ,PHOEN
Material Group :- 257
Material Group Desc :- LABORATORY APPARATUS
Doc Vers No:-

Detail Description
Short text:
LINE CONTACT SPECIMEN ,TE 77/C6/1 ,PHOEN

Long Text:
ITEM NAME:LINE CONTACT SPECIMEN
ITEM PART NUMBER:TE 77/C6/1
ITEM MAKE:PHOENIX TRIBOLOGY LTD
SPECIAL FEATURES:TE 77 CYLINDRICAL PIN LINE
SPECIAL FEATURES:CONTACT SPECIMEN
SPECIFICATION:6 MM DIAMETER X 16 MM LONG
SPECIFICATION:NITRIDED STEEL PIN

Custom Clarification:
Item Description :
Line Contact Specimen
Function of the Item :
Test Specimen
Material of construction of the Item :
Nitrided Steel
Name of the Main equipment where the Item is used :
TE 77 Reciprocating Tribometer
Function of the Main Equipment & Location of the Main Equipment :
Tribology equipment & ALRC Lab (R&D)

Item Details

Item text :
HSN -90249000

Info record PO text :
Try to supply at the earliest Delivery point: Lubrication Lab (ALRC),
R&D Main building For any query contact: Subho Chakraborty, mob. no.
7033095046, Email: subho.chakraborty@tatasteel.com or Subhasish Maiti
, mob. no. 9153981195, Email: subhasish.maiti@tatasteel.com

:
Shopping Cart No = 1004401716

:
Classification :-

HSN NO. :-

Characteristics[OTHERS] :- Are used in Plint Tribology Instrument to m
easure frictional coefficient with time and temperature.

Composition[OTHERS] :- Steel

End Use[OTHERS] :- Plint Tribology

Function[OTHERS] :- To measure frictional coefficient with time and temperature.

Class :

Delivery Requirments

Delivery date

14.07.2026

Item Charges -

Item Price @ 0.73 GBP Per 1 NOS

Quantity

200.000 NOS

146.00 GBP

ITEM No:-00002 Total Qty:- 100.000 NOS
Total Quantity(in words):- ONE HUNDRED NOS

Material Number :- 5967A3632

WBS No :-

Brief Description :- PLATE SPECIMEN ,TE 77/F1 ,PHOENIX TRIBOL

Material Group :- 257

Material Group Desc :- LABORATORY APPARATUS

Doc Vers No:-

Detail Description

Short text:

PLATE SPECIMEN ,TE 77/F1 ,PHOENIX TRIBOL

Long Text:

ITEM NAME:PLATE SPECIMEN

ITEM PART NUMBER:TE 77/F1

ITEM MAKE:PHOENIX TRIBOLOGY LTD

SPECIAL FEATURES:PLATE SPECIMEN 58X38X4(100895A

SPECIFICATION:NSOH B01 TOOL STEEL

SPECIFICATION:ANNEALED & GROUND

Custom Clarification:

Item Description :

Plate Specimen

Function of the Item :

Test Specimen

Material of construction of the Item :

NSOH B01 Tool Steel (Annealed & Ground)

Name of the Main equipment where the Item is used :

TE 77 Reciprocating Tribometer

Function of the Main Equipment & Location of the Main Equipment :

Tribology Equipment & ALRC Lab (R&D)

Item Details

Item text :

HSN -90249000

:

Shopping Cart No = 1004401716

:
Classification :-

HSN NO. :-

Characteristics :- Are used in Plint Tribology Instrument to measure frictional coefficient with time and temperature.

Composition[OTHERS] :- Steel

End Use[OTHERS] :- Plint Tribology

Function[OTHERS] :- To measure frictional coefficient with time and temperature.

Class :

Delivery Requirments

Delivery date

14.07.2026

Item Charges -

Item Price @ 54.60 GBP Per 1 NOS

Quantity

100.000 NOS

5,460.00 GBP

Packaging/Forwarding Charges

50.00 GBP

TOTAL PRICE INCLUDING PACKING/DELIVERY EXW EX- Works.

5,656.00 GBP

ANY COMMISSION PAYABLE TO AN INDIAN AGENT INCLUDED IN THE ABOVE PRICE MUST BE PAID IN INDIA IN INDIAN RUPEES.

PLEASE ENSURE THAT PACKING IS IN ACCORDANCE WITH INTERNATIONAL STANDARDS AND PROVIDE A CERTIFICATE ACCORDINGLY.

PLEASE ENSURE THAT YOUR INVOICE IS IN LINE WITH OUR PURCHASE ORDER. HOWEVER MATERIALS NOT LISTED IN OUR PURCHASE ORDER, BUT WHICH FORMS A PART OF THE SUPPLIED ITEM SHOULD BE MENTIONED IN YOUR INVOICE, AS A SEPARATE ITEM WITH ZERO VALUE AND WITH REFERENCE TO THE MATERIAL LISTED IN OUR ORDER.

IF THE MATERIAL IS REJECTED AT THE CUSTOMER DURING GUARANTY/ WARRANTY PERIOD, THE SUPPLIER WILL HAVE TO REPLACE THE ITEM(S) FREE OF CHARGE AND WILL ALSO HAVE TO BEAR THE CUSTOMS DUTY, FREIGHT AND INSURANCE APPLICABLE TO THE PARTICULAR CONSIGNMENT.

PLEASE INDICATE 'FREE OF COST' VALUE FOR CUSTOM PURPOSES FOR FREE OF COST SHIPMENTS ONLY, WHEN APPLICABLE .

THIS ORDER NEEDS TO BE ACKNOWLEDGED. PLEASE NOTE OUR CONDITIONS AND DELIVERY REQUIREMENTS AND CONFIRM YOUR AGREEMENT.

PLEASE ENSURE HANDING OVER A COPY OF YOUR COMMERCIAL INVOICE / PROFORMA INVOICE TO CONCERNED AGENCIES.

Clause with respect to Anti-bribery in contracts/POs

A.(The Service Provider/Vendor) acknowledges and agrees that it has not and will not, make or promise to make corrupt payments of money or anything of value, directly or indirectly, to any government or public international organization officials, political parties, or candidates for public office, or employee of a commercial customer or supplier, for the purpose of obtaining or retaining business or securing any improper advantage.(The Service Provider/Vendor) also agrees that it shall not engage in any activity that would expose TSL to a risk of penalties under the laws and regulations of any relevant jurisdiction, like the Prevention of Corruption Act 1988 and Prevention of Corruption(Amendment) Act 2018 or any applicable local laws, prohibiting improper payments, including but not limited to bribes to officials of any government or private agency.

B.(The Service Provider/Vendor) hereby represents that it has not and shall not itself or through any of its personnel or any other entity, by whatever name called, give or will give or promise to give any money or gift to any employee/official of TSL to influence their decision regarding this Agreement, nor shall it exert or utilize any unlawful influence through a promise to pay a commission, percentage, brokerage or contingent fee to secure or solicit any extension hereof.

C.(The Service Provider/Vendor) agrees that breach of this clause shall be sufficient ground for TSL to terminate this Agreement immediately without prejudice to the (The Service Provider/Vendor) liability under applicable laws. Further, breach of this clause shall also be sufficient ground for TSL to withhold any and all payments, which may be due to the(The Service Provider/Vendor) and for TSL to initiate appropriate legal actions against the (The Service Provider/Vendor).


1. Notwithstanding anything contained in the Contract/ P.O., acceptance of Goods shall be subject to inspection by the Buyer in order to determine its conformity with the quality and fitness standards underlined in the Contract/ P.O. Inspection shall be conducted at the premises of the Buyer or at any other place where final delivery to the

1. Notwithstanding anything contained in the Contract/ P.O., acceptance of Goods shall be subject to inspection by the Buyer in order to determine its conformity with the quality and fitness standards underlined in the Contract/ P.O. Inspection shall be conducted at the premises of the Buyer or at any other place where final delivery to the Buyer is made. The Buyer may conduct necessary testing and perform such acts it deems fit to determine fitness of the goods delivered.

2. Inspection shall be conducted within 60 days of the delivery of the goods at the place mutually agreed between the Parties or at the time of installation of the goods at Buyer place of business, whichever is later. Buyer shall give an intimation regarding rejection of goods to the Seller within 21 days of the inspection.

3. The Seller shall within 60 days of receiving notice regarding rejection remove goods from the place as specified in the rejection notice. In case, the Seller fails to remove goods from place specified in the rejection notice post expiry of 60 days, it shall be deemed abandonment of goods and Buyer may dispose off the same at expense of Seller, in manner it may deem fit. In addition to the any amount recoverable from the Seller, the Buyer shall be entitled to recover amount spent on safe keeping of the goods from the date of granting notice to the Seller regarding rejection of goods and cost of disposal of the goods out of proceed of such disposal of goods.

PLEASE NOTE THAT THE DESPATCH OF THIS ORDER WILL BE ARANGED BY OUR
FOLLOWING FREIGHT FORWARDING AGENT:



IF MORE THAN ONE ITEM IS BEING SUPPLIED, THESE MUST BE CLEARLY IDENTIFIED IN THE
CASE(S). THIS IS MOST IMPORTANT.

IMMEDIATELY THIS ORDER BECOMES AVAILABLE , PLEASE APPLY FOR DELIVERY INSTRUCTIONS
TO OUR ABOVE AGENT.

ALL PACKAGES AND PARCELS TO BE PLAINLY MARKED:

COUNTRY OF ORIGIN.....

TATA STEEL LIMITED

Please also forward 6 copies of invoice.

TATA STEEL/2200063147
WORKS REF: Miscellaneous Plant

C_NOADD

Import is covered by Licence No:
FREELY IMPORTABLE AS PER CHAPTER 2 PARA 2.01
OF FOREIGN TRADE POLICY (2015 - 2020)
W.E.F 01/04/2015 valid till 31/03/2020.

FINAL DESTINATION :

TATA STEEL/KOL/HAL/
GROSS WEIGHT..... NET WEIGHT.....

Terms of Payment :
Net 30 days - shipment date

Quotation Ref.: 5562R1
Quotation date: 27.04.2026

.....
TATA LIMITED Agents for
TATA STEEL LIMITED