



/api/open/documentation

Explore

Category 2.0 OAS3

[/api/open/documentation](#)

Category service

Servers

[http://localhost:8080 - Generated server url](http://localhost:8080)

Authorize



user-controller

[GET /api/open/confirm Confirm user account](#)

Parameters

Try it out

Name	Description
------	-------------

token * required

string

(query)

token

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

[Example Value](#)

[Schema](#)

{}

POST /api/open/confirm Confirm user account ^

Parameters

[Try it out](#)

Name	Description
token * required string (query)	token

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid #ccc; padding: 2px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>{}</p>	No links

POST /api/user/favorite/{productid} Add/remove favorite product to user ^

Parameters [Try it out](#)

Name	Description
productid * required integer(\$int64) (path)	productid
Authorization * required string (header)	Authorization

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>{}</p>	No links

DELETE /api/user/favorite/{productid} Add/remove favorite product to user ^

Parameters [Try it out](#)

Name	Description
productid * required integer(\$int64) (path)	productid
Authorization * required string (header)	Authorization

Responses		
Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>{}</p>	No links

POST /api/open/user/save Register a new user ^

Parameters

Try it out

No parameters

Request body **required**

application/json

[Example Value](#) [Schema](#)

```
{  
  "id": 0,  
  "name": "string",  
  "lastname": "string",  
  "username": "string",  
}
```

```
"favorites": [  
    0  
,  
    "enabled": true,  
    "password": "strings",  
    "roles": [  
        {  
            "id": 1,  
            "name": "string"  
        }  
    ]  
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value

Schema

{}

POST /api/login Login



Parameters

Try it out

Name	Description
username * required string (query)	username
password * required string (query)	password

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

[Example Value](#) [Schema](#)

{}

POST /api/admin/role/save Register a new role



Parameters

[Try it out](#)

No parameters

Request body required

application/json

[Example Value](#)[Schema](#)

```
{  
  "id": 1,  
  "name": "string"  
}
```

Responses

Code	Description	Links
200	OK	<i>No links</i>

Media type

/*

Controls Accept header.

[Example Value](#)

[Schema](#)

```
{  
  "id": 1,  
  "name": "string"  
}
```



POST /api/admin/role/addtouser Add role to user

Parameters

[Try it out](#)

No parameters

Request body required

application/json

[Example Value](#)

[Schema](#)

```
{  
  "username": "string",  
  "roleName": "string"  
}
```

Responses

[Code](#)

[Description](#)

[Links](#)

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>{}</p>	No links

GET /api/user Search a user by token ^

Parameters Try it out

Name	Description
Authorization * required	string (header) Authorization

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "name": "string", "lastname": "string", "username": "string", "favorites": [0], "enabled": true }</pre>	No links

DELETE /api/user Delete a user by token -- In progress... -- ^

Parameters [Try it out](#)

Name	Description
Authorization * required	Authorization
string (header)	

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p>{}</p>	No links

GET /api/token/refresh Refresh a token ^

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

GET /api/admin/users List all users ^

Parameters

No parameters

Responses

Code	Description	Links
200	OK	<i>No links</i>

Media type

/*

Controls Accept header.


[Example Value](#) [Schema](#)

```
[  
  {  
    "id": 0,  
    "name": "string",  
    "lastname": "string",  
    "username": "string",  
    "favorites": [  
      0  
    ],  
    "enabled": true  
  }  
]
```

product-controller



PUT /api/product/{id} Update a product



Parameters

Try it out

Name	Description
------	-------------

id * required

integer(\$int64)

(path)

Request body required

application/json

Example Value

Schema

```
{  
  "id": 0,  
  "name": "string",  
  "description": "string",  
  "features": [  
    {  
      "id": 0,  
      "name": "string",  
      "icon": "string",  
      "createAt": "2021-11-17T19:35:23.762Z"  
    }  
  ],  
  "images": [  
    {  
      "id": 0,  
      "title": "string",  
      "url": "string",  
    }  
  ]}
```




```
        "createAt": "2021-11-17T19:35:23.762Z"
    },
],
"category": {
    "id": 0,
    "title": "string",
    "description": "string",
    "imageURL": "string",
    "status": "string",
    "createAt": "2021-11-17T19:35:23.762Z"
},
}
```

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid #00AEEF; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "name": "string", "description": "string", "features": [{ "id": 0, "name": "string", "icon": "string", "createAt": "2021-11-17T19:35:23.763Z" }], "images": [{ "id": 0, "title": "string", "url": "string", "createAt": "2021-11-17T19:35:23.763Z" }], "category": { "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.764Z" }, }</pre>	No links

DELETE /api/product/{id} Delete a product



Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

integer(\$int64)

(path)

id

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid #00AEEF; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "name": "string", "description": "string", "features": [{ "id": 0, "name": "string", "icon": "string", "createAt": "2021-11-17T19:35:23.766Z" }], "images": [{ "id": 0, "title": "string", "url": "string", "createAt": "2021-11-17T19:35:23.766Z" }], "category": { "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.766Z" }, }</pre>	No links

POST	/api/product/save	Create a new product	 
-------------	-------------------	----------------------	---

Parameters

[Try it out](#)

No parameters

Request body required

[application/json](#)[Example Value](#) [Schema](#)

```
{  
    "id": 0,  
    "name": "string",  
    "description": "string",  
    "features": [  
        {  
            "id": 0,  
            "name": "string",  
            "icon": "string",  
            "createAt": "2021-11-17T19:35:23.769Z"  
        }  
    ],  
    "images": [  
        {  
            "id": 0,  
            "title": "string",  
            "url": "string",  
            "createAt": "2021-11-17T19:35:23.769Z"  
        }  
    ],  
    "category": {  
        "id": 0,  
        "title": "string",  
        "description": "string",  
        "imageURL": "string",  
        "status": "string",  
        "createAt": "2021-11-17T19:35:23.769Z"  
    },  
}
```

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid #8B9E7D; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "name": "string", "description": "string", "features": [{ "id": 0, "name": "string", "icon": "string", "createAt": "2021-11-17T19:35:23.770Z" }], "images": [{ "id": 0, "title": "string", "url": "string", "createAt": "2021-11-17T19:35:23.770Z" }], "category": { "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.770Z" }, }</pre>	No links

GET	/api/status	AWS Health check	^	🔒
---------------------	-------------	------------------	-------------------	-------------------

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	OK	<i>No links</i>

Media type


/*

Controls Accept header.

[Example Value](#) [Schema](#)

string

GET /api/open/products List all products



Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px; display: inline-block;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 0, "name": "string", "description": "string", "features": [{ "id": 0, "name": "string", "icon": "string", "createAt": "2021-11-17T19:35:23.773Z" }], "images": [{ "id": 0, "title": "string", "url": "string", "createAt": "2021-11-17T19:35:23.773Z" }], "category": { "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.773Z" } }]</pre>	<i>No links</i>

Parameters

Try it out

No parameters

Responses

Code	Description	Links

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid #8B4513; padding: 2px; width: fit-content;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 0, "name": "string", "description": "string", "features": [{ "id": 0, "name": "string", "icon": "string", "createAt": "2021-11-17T19:35:23.777Z" }], "images": [{ "id": 0, "title": "string", "url": "string", "createAt": "2021-11-17T19:35:23.777Z" }], "category": { "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.777Z" } }]</pre>	No links

GET	/api/open/products/page/{page} Get 8 products by page	
---------------------	---	-----------------------------------

Parameters

[Try it out](#)

Name	Description
------	-------------

page * required

integer(\$int32)

(path)

page

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "title": "string", "url": "string", "createAt": "2021-11-17T19:35:23.780Z" }, [{ "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.780Z" }, { "id": 0, "name": "string", "country": "string", "status": "string", "createAt": "2021-11-17T19:35:23.780Z" }], { "available": true, "latitude": 0, "longitude": 0 }</pre>	No links

GET /api/open/products/dates Get products available by city and / or date



Parameters

[Try it out](#)

Name	Description
------	-------------

startDate
string
(query)

endDate
string
(query)

city
string
(query)

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 5px; width: fit-content;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "title": "string", "url": "string", "createAt": "2021-11-17T19:35:23.783Z" }, [{ "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.783Z" }, { "id": 0, "name": "string", "country": "string", "status": "string", "createAt": "2021-11-17T19:35:23.783Z" }], { "available": true, "latitude": 0, "longitude": 0 }</pre>	No links

GET /api/open/products/city/{city} Get products by city



Parameters

[Try it out](#)

Name	Description
------	-------------

city * required

string

(path)

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid #8B4513; padding: 2px; width: fit-content;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 0, "name": "string", "description": "string", "features": [{ "id": 0, "name": "string", "icon": "string", "createAt": "2021-11-17T19:35:23.785Z" }], "images": [{ "id": 0, "title": "string", "url": "string", "createAt": "2021-11-17T19:35:23.785Z" }], "category": { "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.785Z" } }]</pre>	No links

GET /api/open/products/category/{category} Get products by category



Parameters

[Try it out](#)

Name	Description
------	-------------

category * required

string

(path)

category

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid #8B4513; padding: 2px; width: fit-content;">*/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 0, "name": "string", "description": "string", "features": [{ "id": 0, "name": "string", "icon": "string", "createAt": "2021-11-17T19:35:23.788Z" }], "images": [{ "id": 0, "title": "string", "url": "string", "createAt": "2021-11-17T19:35:23.788Z" }], "category": { "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.788Z" } }]</pre>	No links

GET	/api/open/product/{id} Get a product	 
------------	--------------------------------------	---

Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

integer(\$int64)

(path)

id

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>^{ "images": [{ "id": 0, "title": "string", "url": "string", "createAt": "2021-11-17T19:35:23.791Z" },], "category": { "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.791Z" }, "city": { "id": 0, "name": "string", "country": "string", "status": "string", "createAt": "2021-11-17T19:35:23.791Z" }, "available": true, "language": "en" }</pre>	No links

image-controller



PUT /api/image/{id} Update an image



Try it out

Parameters

Name	Description
------	-------------

id * required

integer(\$int64)

id

(path)

Request body required

application/json

Example Value

Schema

```
{  
  "id": 0,  
  "title": "string",  
  "url": "string",  
  "createAt": "2021-11-17T19:35:23.794Z"  
}
```

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid #ccc; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "title": "string", "url": "string", "createdAt": "2021-11-17T19:35:23.794Z" }</pre>	No links

DELETE /api/image/{id} Delete an image ^ 

Parameters [Try it out](#)

Name	Description
id * required	integer(\$int64) (path)

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.796Z" }</pre>	No links

POST /api/image/save Create a new image ^ 

Parameters [Try it out](#)

No parameters

Request body required application/json

[Example Value](#) [Schema](#)

```
{
  "id": 0,
  "title": "string",
  "url": "string",
  "createAt": "2021-11-17T19:35:23.797Z"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

[Example Value](#) [Schema](#)

```
{  
  "id": 0,  
  "title": "string",  
  "url": "string",  
  "createdAt": "2021-11-17T19:35:23.798Z"  
}
```

feature-controller

^

PUT /api/feature/{id} Update a feature



Parameters

[Try it out](#)

Name	Description
id * required integer(\$int64) (path)	id

Request body required	application/json
-----------------------	------------------

Example Value Schema

```
{  
  "id": 0,  
  "name": "string",  
  "icon": "string",  
  "createAt": "2021-11-17T19:35:23.800Z"  
}
```


Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "name": "string", "icon": "string", "createdAt": "2021-11-17T19:35:23.801Z" }</pre>	No links

DELETE /api/feature/{id} Delete a feature ^ 

Parameters [Try it out](#)

Name	Description
id * required	integer(\$int64) (path)

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createdAt": "2021-11-17T19:35:23.802Z" }</pre>	No links

POST /api/feature/save Create a new feature ^ 

Parameters [Try it out](#)

No parameters

Request body required application/json

[Example Value](#) [Schema](#)

```
{
  "id": 0,
  "name": "string",
  "icon": "string",
  "createdAt": "2021-11-17T19:35:23.803Z"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

[Example Value](#) [Schema](#)

```
{  
  "id": 0,  
  "name": "string",  
  "icon": "string",  
  "createAt": "2021-11-17T19:35:23.804Z"  
}
```

city-controller



PUT /api/city/{id} Update a city



Parameters

[Try it out](#)

Name	Description
id * required integer(\$int64) (path)	<input type="text" value="id"/>

Request body required	application/json
------------------------------	-------------------------

[Example Value](#) [Schema](#)

```
{  
  "id": 0,  
  "name": "string",  
  "country": "string",  
  "status": "string",  
  "createdAt": "2021-11-17T19:35:23.805Z"  
}
```


Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "name": "string", "country": "string", "status": "string", "createdAt": "2021-11-17T19:35:23.806Z" }</pre>	No links

DELETE /api/city/{id} Delete a city ^ 

Parameters [Try it out](#)

Name	Description
id * required integer(\$int64)	<input type="text" value="id"/> (path)

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "name": "string", "country": "string", "status": "string", "createdAt": "2021-11-17T19:35:23.807Z" }</pre>	No links

POST /api/city/save Create a new city ^ 

Parameters [Try it out](#)

No parameters

Request body required [application/json](#)

[Example Value](#) [Schema](#)

```
{
  "id": 0,
  "name": "string",
  "country": "string",
  "status": "string",
  "createdAt": "2021-11-17T19:35:23.809Z"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

[Example Value](#) [Schema](#)

```
{  
    "id": 0,  
    "name": "string",  
    "country": "string",  
    "status": "string",  
    "createAt": "2021-11-17T19:35:23.809Z"  
}
```

GET /api/open/city/namecity/{name} ^ 

Parameters

[Try it out](#)

Name	Description
name * required string (path)	<input type="text" value="name"/>

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

[Example Value](#) [Schema](#)

```
{  
    "id": 0,  
    "name": "string",  
    "country": "string",  
    "status": "string",  
    "createdAt": "2021-11-17T19:35:23.811Z"  
}
```

GET /api/open/cities List all cities ^ 

Parameters

[Try it out](#)

No parameters


Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px;"> */*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 0, "name": "string", "country": "string", "status": "string", "createdAt": "2021-11-17T19:35:23.812Z" }]</pre>	No links

category-controller



PUT /api/category/{id} Update a category



Parameters

[Try it out](#)

Name	Description

Name	Description
id * required integer(\$int64) (path)	<input type="text" value="id"/>

Request body required	application/json
------------------------------	-------------------------

[Example Value](#) [Schema](#)

```
{  
    "id": 0,  
    "title": "string",  
    "description": "string",  
    "imageURL": "string",  
    "status": "string",  
    "createdAt": "2021-11-17T19:35:23.813Z"  
}
```


Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createdAt": "2021-11-17T19:35:23.814Z" }</pre>	No links

DELETE /api/category/{id} Delete a category ^ 

Parameters [Try it out](#)

Name	Description
id * required integer(\$int64)	id (path)

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createdAt": "2021-11-17T19:35:23.815Z" }</pre>	No links

POST /api/category/save Create a new category ^ 

Parameters [Try it out](#)

No parameters

Request body required application/json

[Example Value](#) [Schema](#)

```
{
  "id": 0,
  "title": "string",
  "description": "string",
  "imageURL": "string",
  "status": "string",
}
```

```
    "createAt": "2021-11-17T19:35:23.816Z"  
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

[Example Value](#) [Schema](#)

```
{  
  "id": 0,  
  "title": "string",  
  "description": "string",  
  "imageURL": "string",  
  "status": "string",  
  "createAt": "2021-11-17T19:35:23.817Z"  
}
```

GET /api/open/category/{id} Find the specified category ^ 

Parameters

[Try it out](#)

Name	Description

Name	Description
id * required integer(\$int64) (path)	<input type="text" value="id"/>

Responses

Code	Description	Links
200	OK	No links

Media type

Controls Accept header.

[Example Value](#) [Schema](#)

```
{  
    "id": 0,  
    "title": "string",  
    "description": "string",  
    "imageURL": "string",  
    "status": "string",  
    "createdAt": "2021-11-17T19:35:23.818Z"  
}
```

GET /api/open/category/title/{title} Find by title

Parameters

[Try it out](#)

Name	Description
title * required string (path)	<input type="text" value="title"/>

Responses

Code	Description	Links
200	OK	No links

Media type

Controls Accept header.

[Example Value](#) [Schema](#)

```
{  
  "id": 0,  
  "title": "string",  
  "description": "string",  
  "imageURL": "string",  
  "status": "string",  
  "createdAt": "2021-11-17T19:35:23.819Z"  
}
```

GET /api/open/category/count/{title} Count by title

Parameters

[Try it out](#)

Name	Description
title * required string (path)	<input type="text" value="title"/>

Responses

Code	Description	Links
200	OK	No links

Media type

`*/*`

Controls Accept header.

[Example Value](#) [Schema](#)

0

GET /api/open/categories List all categories ^ 

Parameters [Try it out](#)

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

[Example Value](#) [Schema](#)

```
[  
  {  
    "id": 0,  
    "title": "string",  
    "description": "string",  
    "imageURL": "string",  
    "status": "string",  
    "createdAt": "2021-11-17T19:35:23.821Z"  
  }  
]
```

score-controller



POST /api/score/{idproduct}/{score} Create a new score



Parameters

[Try it out](#)

Name	Description

Name	Description
Authorization * required	Authorization
string (header)	
idproduct * required	idproduct
integer(\$int64) (path)	
score * required	score
integer(\$int64) (path)	

Responses

Code	Description	Links
200	OK	No links

Media type

/*

Controls Accept header.

[Example Value](#) [Schema](#)

```
{  
  "id": 0,  
  "product_id": 0,  
  "usuario_id": 0,  
  "score": 5,  
  "createAt": "2021-11-17T19:35:23.823Z"  
}
```

GET /api/open/score/{idproducto} Obtain the score of a product ^ 

Parameters **Try it out**

Name	Description
idproducto * required integer(\$int64) (path)	idproducto

Responses

Code	Description	Links
200	OK	No links

Media type /*


Controls Accept header.

Example Value Schema

0

RESERVATION-CONTROLLER

POST /api/reservation/save Create a new reservation



Parameters

Try it out

Name	Description
------	-------------

Authorization * required

string
(header)

Authorization

Request body required

application/json

Example Value Schema

```
{"id": 0,  
 "name": "string",  
 "icon": "string",  
 "createAt": "2021-11-17T19:35:23.827Z"  
 },  
 ],  
 "images": [  
 {  
 "id": 0,  
 "title": "string",  
 "url": "string",  
 "createAt": "2021-11-17T19:35:23.827Z"  
 },  
 ],  
 "category": {  
 "id": 0,  
 "title": "string",  
 "description": "string",  
 "imageURL": "string",  
 "status": "string",  
 "createAt": "2021-11-17T19:35:23.827Z"  
 },  
 "city": {  
 "id": 0,  
 "name": "string",  
 "country": "string",  
 "status": "string".  
 }
```

```
-----  
  "createAt": "2021-11-17T19:35:23.827Z"  
},
```



Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid #00AEEF; padding: 2px; display: inline-block;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre> "name": "string", "icon": "string", "createAt": "2021-11-17T19:35:23.831Z" }], "images": [{ "id": 0, "title": "string", "url": "string", "createAt": "2021-11-17T19:35:23.831Z" }], "category": { "id": 0, "title": "string", "description": "string", "imageURL": "string", "status": "string", "createAt": "2021-11-17T19:35:23.831Z" }, "city": { "id": 0, "name": "string", "country": "string", }</pre>	No links

GET /api/reservations Search reservations by user token



Parameters

[Try it out](#)


Name	Description
Authorization * required string (header)	Authorization

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid #8B4513; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 0, "checkIn": "2021-11-17", "checkOut": "2021-11-17", "eta": { "hour": 0, "minute": 0, "second": 0, "nano": 0 }, "ciudad": "string", "user": { "id": 0, "name": "string", "lastname": "string", "username": "string", "favorites": [0], "enabled": true }, "product": { "id": 0, "name": "string", "description": "string", "features": [{ "id": 0, "name": "string", "description": "string" }] } }]</pre>	No links

GET /api/reservationid/{id} Get a reservation by id



Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

integer(\$int64)

(path)

id

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid green; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 0, "checkIn": "2021-11-17", "checkOut": "2021-11-17", "eta": { "hour": 0, "minute": 0, "second": 0, "nano": 0 }, "ciudad": "string", "user": { "id": 0, "name": "string", "lastname": "string", "username": "string", "favorites": [0], "enabled": true }, "product": { "id": 0, "name": "string", "description": "string", "features": [{ "id": 0, "name": "string" }] } }</pre>	No links

[GET](#)

/api/open/reservations/{id} Search reservations by productId



Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

integer(\$int64)

(path)

id

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div style="border: 2px solid #ccc; padding: 5px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 0, "checkIn": "2021-11-17", "checkOut": "2021-11-17", "eta": { "hour": 0, "minute": 0, "second": 0, "nano": 0 }, "ciudad": "string", "user": { "id": 0, "name": "string", "lastname": "string", "username": "string", "favorites": [0], "enabled": true }, "product": { "id": 0, "name": "string", "description": "string", "features": [{ "id": 0, "name": "string", "description": "string" }] } }]</pre>	No links

Schemas

```
Category {  
    id           integer($int64)  
    title*       string  
    description  string  
    imageURL    string  
    status       string  
    createdAt   string($date-time)  
}
```

```
City {  
    id           integer($int64)  
    name*        string  
    country*     string  
    status       string  
    createdAt   string($date-time)  
}
```

```
Feature {  
    id           integer($int64)  
    name         string  
    icon         string  
    createdAt   string($date-time)  
}
```

```
Image {  
    id           integer($int64)  
    title        string  
    url          string  
    createdAt   string($date-time)  
}
```

```
Product  {
    id          integer($int64)
    name        string
    description string
    features    [...]
    images      [...]
    category    Category  {...}
    city        City     {...}
    available   boolean
    latitude    number($double)
    longitude   number($double)
    score       number($double)
                maximum: 5
                minimum: 0
}
```

```
Score  {
    id          integer($int64)
    product_id integer($int64)
    usuario_id integer($int64)
    score       number($double)
                maximum: 5
                minimum: 0
    createdAt  string($date-time)
}
```

```
LocalTime  {
    hour        integer($int32)
    minute      integer($int32)
    second      integer($int32)
    nano        integer($int32)
}
```

```
Reservation {
    id          integer($int64)
    checkIn     string($date)
    checkOut    string($date)
    eta         LocalTime {...}
    ciudad      string
    user        User {...}
    product     Product {...}
}
```

```
Role {
    id          integer($int64)
    maximum: 1
    minimum: 1
    name        string
}
```

```
User {
    id          integer($int64)
    name*       string
    lastname    string
    username*   string
    favorites   [...]
    enabled     boolean
    password*   string
                maxLength: 2147483647
                minLength: 7
                writeOnly: true
    roles       [...]
}
```

```
RoleToUserForm {
    username      string
    roleName      string
}
```