GMERS MEDICAL COLLEGE, GODHRA · DEPARTMENT OF ANATOMY

Anatomy Museum

Digital Catalogue of Preserved Specimens

A living digital index of the teaching museum — every jar scanned, numbered, and annotated for study.


Museum of Anatomy
DEPT. OF ANATOMY · GMERS MEDICAL COLLEGE, GODHRA
CATALOGUE
PLATE
ANAT 00105

DIGESTIVE SYSTEM

HUMAN STOMACH

STOMACH · ANAT 00105 · 10% Formalin

The stomach is a J-shaped, muscular, hollow organ of the gastrointestinal tract situated mainly in the epigastrium and left hypochondrium. It lies between the oesophagus and duodenum and serves as an important reservoir and mixing chamber for ingested food. The stomach has two surfaces–anterior and posterior; two curvatures–lesser and greater; and two openings–cardiac and pyloric. It is conventionally divided into the cardia, fundus, body and pyloric part. The pyloric part consists of the pyloric antrum and pyloric canal, terminating at the pylorus. The lesser curvature forms the shorter concave border and gives attachment to the lesser omentum. The greater curvature is longer and convex and gives attachment to the greater omentum, gastrosplenic ligament and gastrophrenic ligament. Internally, the gastric mucosa forms longitudinal folds called rugae, which allow the stomach to expand after a meal. The pylorus contains a thickened circular layer of smooth muscle forming the pyloric sphincter, which regulates passage of gastric contents into the duodenum. The stomach has important anatomical relations. Its anterior surface is related mainly to the diaphragm, left lobe of the liver and anterior abdominal wall. Its posterior surface forms part of the stomach bed, which includes structures such as the pancreas, spleen, left kidney, left suprarenal gland, transverse mesocolon and diaphragm. The stomach receives a rich arterial supply predominantly from branches of the coeliac trunk. The major arteries include the left and right gastric arteries and the left and right gastro-omental arteries, with additional supply from short gastric arteries. Venous blood ultimately drains into the portal venous system, principally through the gastric and gastro-omental veins and short gastric veins. The stomach is supplied by both parasympathetic and sympathetic nerves. Parasympathetic supply is mainly through the anterior and posterior vagal trunks, while sympathetic fibres arise from the thoracic sympathetic system and reach the stomach through the coeliac plexus.

Admin sign-in · admin@anatomy.edu.in

INTRODUCTION

A Museum That Lives Online

- The Anatomy Museum at GMERS Medical College, Godhra holds preserved anatomical specimens used for teaching and examination.
- This project digitises the entire collection into a searchable web catalogue.
- Every specimen gets a unique plate number, a photograph, a labelled diagram, and an MBBS-level anatomical description.
- Students scan a QR label on the jar to open the full record on their phone.
- Curators manage the whole collection from a dedicated admin portal.



CAPABILITIES

Features at a Glance

01 Public Catalogue

Every specimen indexed with plate number, organ, system, and preservation method.

02 Search & Filter

Instant search across names, organs, systems, and plate numbers.

03 Rich Records

Photo, labelled diagram, functions, clinical relevance, donor notes.

04 Admin Portal

Secure sign-in with dashboard, stats, and full specimen management.

05 QR Labels

Print-ready QR label per jar — scan to open the specimen record.

06 Custom Settings

Control headings and which sections visitors see on each page.

Secure Sign-In

- The catalogue opens with a clean, branded sign-in screen.
- Only registered "keepers" (curators) can enter the management portal.
- Email + password authentication with secure sessions.
- **Demo account for the presentation: admin@anatomy.edu.in / password123.**



Register a Keeper

- First-time curators can set up the account that manages the collection.
- Full name, institutional email, and a secure password (min. 8 characters).
- One click creates the account and signs you straight into the dashboard.



PUBLIC EXPERIENCE

The Catalogue

- The heart of the site: every preserved specimen, numbered and indexed.
- Cards show the photograph, plate number, organ, and preservation method.
- Organised by body system — cardiovascular, digestive, and more.
- LIVE site currently holds 5 specimens across 3 body systems, all with photos.



PUBLIC EXPERIENCE

Search the Collection

- Instant, type-ahead search across the whole collection.
- Matches by specimen name, organ, body system, or plate number.
- Example: typing "heart" filters straight to the Human Heart record.



PUBLIC EXPERIENCE

The Specimen Record

- Each specimen has its own dedicated page — the digital version of the jar.
- Plate header: number, body system, and preservation fluid (10% formalin).
- Photograph of the actual specimen, zoomable for close study.
- A labelled diagram alongside, sourced from standard texts.


Museum of Anatomy
DEPT. OF ANATOMY · GMERS MEDICAL COLLEGE, GODHRA
CATALOGUE
PLATE
ANAT 00105

DIGESTIVE SYSTEM

HUMAN STOMACH

STOMACH · ANAT 00105 · 10% Formalin

The stomach is a J-shaped, muscular, hollow organ of the gastrointestinal tract situated mainly in the epigastrium and left hypochondrium. It lies between the oesophagus and duodenum and serves as an important reservoir and mixing chamber for ingested food. The stomach has two surfaces—anterior and posterior; two curvatures—lesser and greater; and two openings—cardiac and pyloric. It is conventionally divided into the cardia, fundus, body and pyloric part. The pyloric part consists of the pyloric antrum and pyloric canal, terminating at the pylorus. The lesser curvature forms the shorter concave border and gives attachment to the lesser omentum. The greater curvature is longer and convex and gives attachment to the greater omentum, gastrosplenic ligament and gastrophrenic ligament. Internally, the gastric mucosa forms longitudinal folds called rugae, which allow the stomach to expand after a meal. The pylorus contains a thickened circular layer of smooth muscle forming the pyloric sphincter, which regulates passage of gastric contents into the duodenum. The stomach has important anatomical relations. Its anterior surface is related mainly to the diaphragm, left lobe of the liver and anterior abdominal wall. Its posterior surface forms part of the stomach bed, which includes structures such as the pancreas, spleen, left kidney, left suprarenal gland, transverse mesocolon and diaphragm. The stomach receives a rich arterial supply predominantly from branches of the coeliac trunk. The major arteries include the left and right gastric arteries and the left and right gastro-omental arteries, with additional supply from short gastric arteries. Venous blood ultimately drains into the portal venous system, principally through the gastric and gastro-omental veins and short gastric veins. The stomach is supplied by both parasympathetic and sympathetic nerves. Parasympathetic supply is mainly through the anterior and posterior vagal trunks, while sympathetic fibres arise from the thoracic sympathetic system and reach the stomach through the coeliac plexus.

IMG 5164

PUBLIC EXPERIENCE

Physiological Functions

- A dedicated, bulleted section explains what each organ does.
- Written at MBBS level — ideal for quick revision before viva and exams.
- Example (Stomach): storage of food, mechanical mixing, secretion of gastric juice, and chyme formation.



PUBLIC EXPERIENCE

Clinical Relevance

- High-yield clinical and surgical points tied to each specimen.
- Conditions such as peptic ulcer, carcinoma of the stomach, and gastritis.
- Bridges anatomy to the ward — what students will see in practice.



ADMIN PORTAL

Curator Dashboard

- At-a-glance statistics: total specimens, body systems, and how many have photos.
- Every specimen listed with its photo, number, and system.
- Quick actions on each card: QR Code, View, Edit, and Delete.
- Add Specimen button starts a new record instantly.



ADMIN PORTAL

Add a Specimen

- A guided form captures everything about a new jar.
- Required: specimen number, display name, organ, body system, method, description, functions, clinical relevance.
- Optional: jar size, collection year, sex, age, donor notes, and additional notes.
- Upload the jar photograph and a labelled diagram for the record.



ADMIN PORTAL

Edit a Specimen

- Every record stays editable — curators can refine content any time.
- The same rich form, pre-filled with the current data.
- Update photos, correct descriptions, or add new clinical points.



ADMIN PORTAL

Safe Removal

- Deletion is never accidental — a confirmation dialog always appears.
- The curator confirms or cancels before a record is removed.
- Keeps the curated collection free of errors and duplicates.



ADMIN PORTAL

QR Label — for the Jar

- One click generates a print-ready QR label for any specimen.
- The label shows the museum, specimen number, organ, and preservation method.
- "SCAN WITH PHONE CAMERA TO LEARN MORE" — opens the full record.
- Download PNG or Print directly for laminating onto the jar.



Public Page Settings

- Curators rename section headings shown on every public specimen page.
- Toggle which sections visitors see — images, functions, clinical, donor info, notes, footer.
- Changes apply globally to the whole catalogue with one save.



KEY TAKEAWAYS

Anatomy, Catalogue, QR — a complete workflow

- **5** — Specimens live on the catalogue today
- **3** — Body systems represented
- **5** — Records with photographs
- **1** — Click from jar to QR label to record