VISOKA ŠKOLA STRUKOVNIH STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE



DOKUMENTACIJA

Web programiranje 2

Đurđina Radisavljević 10/22

Koriščeni alati

Za izradu sajta su korišćeni HTML, CSS, Bootstrap, XML, JavaScript, jQuery bibliotela i JSON.

Radno okruženje: Visual Studio Code


Opis funkcionalnosti

- Dinamičko ispisivanje navigacije u header-u i footer-u, proizvoda, pogodnosti shopa, kupci iz JSON-a
- Dinamičko ispisivanje socijalnih mreža u footer-u
- Dinamički ispisan slajder na index strani
- Hvatanje grešaka ako podaci ne stignu iz JSON-a
- Read more/Read less- inicijalno sakriven paragraf koji se klikom na dugme Read more prikazuje sa blagim efektom uz pomoć metoda slideToggle, kada je prikazan inicijalno sakriven paragraf tekst dugmeta se menja na Read less.
- Na index strani prikazivanje samo prva 4 prozvoda koja zadovoljavaju odeređeni uslov,
- Korišćenje iste funkcije na više mesta
- Dinamičko ispisivanje godine u footer-u
- Sortiranje, filtriranje
- Paginacija
- U navigaciji se vidi broj proizvoda u korpi u ukupna cena
- Za korpu korišćen Local Storage. U korpi se nalaze podaci o količini proizvoda i ukupnoj ceni, poništavanje i naručivanje dodatih proizvoda
- Validacija forme, ako nisu ispravno popunjeni podaci prikazuje se greška, a ako su pravilno popunjeni prikazuje se toast u donjem levom uglu da je uspešno poručeno, nakon čega se brišu proizvodi iz Local Storage-a

Template

Nije korišćen template.


Organizaciona šema



Mapa sajta

```
<?xml version="1.0"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
    <url>
        <loc>https://djina00.github.io/bambino/</loc>
        <lastmod>2023-03-05</lastmod>
       <changefreq>weekly</changefreq>
        <priority>0.9</priority>
   </url>
   <url>
        <loc>https://djina00.github.io/bambino/shop.html</loc>
       <lastmod>2023-03-04</lastmod>
        <changefreq>monthly</changefreq>
       <priority>0.8</priority>
   </url>
   <url>
        <loc>https://djina00.github.io/bambino/cart.html</loc>
        <lastmod>2023-03-04</lastmod>
       <changefreq>yearly</changefreq>
       <priority>0.7</priority>
   </url>
   <url>
        <loc>https://djina00.github.io/bambino/author.html</loc>
        <lastmod>2023-03-01</lastmod>
        <changefreq>yearly</changefreq>
        <priority>0.7</priority>
   </url>
</urlset>
```


Slike stranica i opis funkcionalnosti



Linkovi dinamički ispisani iz JSON-a, pored se nalazi ikonica korpe na kojoj piše broj proizvoda i ukupna cena. Klik na ikonicu vodi na cart.html gde se prikazuje korpa.




Dinamički ispisan slajder uz pomoć Bootstrap-a.



Dinamički ispisane pogodnosti iz JSON-a. Uz pomoć iste funkcije isti blokovi su ispisani na drugom mesto samo drugačije stilizovani. Svaki objekat ima ikonicu,naslov,tekst.




Svaki proizvod ima različitu sliku. Neki proizvod je Organic Cotton, a neki nije. Neki proizvod ima popust kada je precrtana stara cena, a nova obojena u crveno. Svaki proizvod je ocenjen sa različitim brojem zvezdica. Ispod svakog proizvoda se nalazi dugme ADD TO CART koje uz pomoć data atributa šalje informaciju da je baš na njega kliknuto. Ispod dugmeta se nalazi različit opis (naslov) proizvoda.



Klikom na bilo koji proizvod se otvara modal, gde se dodatno prikazuju dostupne veličine. Takođe i iz modala je moguće dodati proizvod u korpu.







Funkcijom su isfiltrirana prva 4 nova proizvoda (oni prozvodi koji imaju narandžastu etiketu new in).



Read More/Read Less uz pomoć jQuery-ja. Inicijalno se prikazuje sakriven paragraf i dugme Read More, klikom na dugme se prikazuje sakriveni paragraf,a na dugmetu se menja tekst u Read Less.



Pikazuju se prva 4 najbolje ocenjena proizvoda od strane kupaca. Funkcijom koja upoređuje broj zvezdica.




Za ovaj blok je korišćena ista funkcija za ispisivanje kao i za blok na početku, samo je drugačije stilizovan.



Dinamički ispisani korisnici iz JSON-a, gde svaki ima svoju sliku, ime i komentar.




Dinamički ispisane ikonice socijalnih mreža, gde se svaka sastoji od ikonice i href-a. Dinamički ispisane kategorije proizvoda, navigacija, ikonice i tekst za kontakt.




Sortiranje po ceni rastuće, po ceni opadajuće, po popularnosti, po imenu rastuće, po imenu opadajuće. Vrednosti iz select-a su ispisane dinamički

Pretraživanje po imenu proizvoda. Korisnikov unos se po prihvatanju sa toLowerCase funkcijom prebaca na mala slova, da mogla da se izjednače sa malim slovima iz JSON-a.

Filtriranje se vrši po kategoriji i veličini, čije su vrednosti ispisane dinamički.




Paginacija na stranici shop.html





Prikaz korpe, koja se izvlači iz LocalStorage-a. Prikazuje se ukupna cena za svaki proizvod i količina. Klikom na ikonicu za brisanje briše se proizvod na koji je kliknuto iz korpe. Na kraju se u bloku prikazuje ukupna cena. Klikom na dugme Cancel brišu se svi proizvodi.



Kada je korpa prazna prikazuje se ovaj blok.







Klikom na order se prikazuje modal sa formom. Mora se uneti ime i prezime koje počinju velikim slovom, sa najmanje 3 slova. Email i broj imaju svoj format koji se ispisuje ispod njih, ako korsnik ne unose dobro. Mora se izabrati način dostave iz opadajuće lista, koja je ispisana dinamički. Datum isporuke je ispisan dinamički, tako što se na trenutni datum dodaju 3 dana. Ako su svi podaci ispravno uneti prikazuje se toast i iz LocalStorage-a se brise korpa.



Poruka koja se ispisuje u donjem levom uglu kada se ispravno unesu podaci u formu.

Kodovi Index.html

```
<!DOCTYPE html>
<html lang="en">
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
   <title>Bambino</title>
   <link rel="shortcut icon" href="assets/img/favicon.png" type="image/x-icon">
   <script src="https://kit.fontawesome.com/646dd2caa7.js" crossorigin="anonymous"></script>
   integrity="sha384-T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmg1MXxSR1GAsXEV/Dwwykc2MPK8M2HN" crossorigin="anonymous" />
   <link rel="stylesheet" href="assets/css/style.css" type="text/css" />
   <link rel="stylesheet" href="assets/css/responsive.css" type="text/css" />
      <nav class="navbar navbar-expand-lg shadow-sm fixed-top">
         <h1><a class="navbar-brand fs-4 logo" href="#">Bambino</a></h1>
         <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent"</pre>
         aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
           <a href="cart.html" class="text-black">
               <span class="ms-3" id="sumPrice"></span>
                <i class="fa-solid fa-cart-shopping"></i>
<span class="cart-item-count" id="number">0</span>
```

```
<
```

```
<div class="bg-grey my-5 py-3">
     <div class="col-5 d-none d-md-block">
      <img src="assets/img/girl.jpg" alt="Girl" class="rounded img-fluid" />
     <div class="col-12 col-md-5 text-center">
      <h2 class="dark-green fw-bold">What We Offer</h2>
       From cozy onesies and soft bodysuits to cute dresses and trendy sets, we have everything you need
      to dress your baby in style. Our collection features high-quality fabrics that are gentle on your
      baby's delicate skin.
      perfect blend of style, quality, and practicality. Our clothes are made from the highest quality
      materials, providing a gentle touch on your baby's skin and ensuring freedom of movement through all
      the important stages of development.
      <button type="button" id="readMore" class="readMore rounded">Read More</button>
 <div class="row mb-3">
    <h3>Most Loved by the Customers</h3>
     <a href="shop.html" class="button-style">SHOP NOW</a>
```

Shop.html

Style.css

```
@import url("https://fonts.googleapis.com/css2?
   padding: 0;
   margin: 0;
   box-sizing: border-box;
   font-family: "Cabin", sans-serif;
   text-decoration: none;
    --grey: ■#f7f7f9;
   --1green: ■#89b382;
   --dgreen: □#555c50;
   --superlight: ■#e4f5e1;
    --yellow: ■#fabb46;
   background-color: var(--grey);
.bg-yellow{
   background-color: var(--yellow);
.bg-green{
   background-color: var(--lgreen);
.dark-green{
   color: var(--dgreen);
.yellow-text{
   color: var(--yellow);
.logo, .logo:hover{
   color: var(--lgreen);
   background-color: var(--grey);
.height{
   margin-top: 5rem;
.cart-icon-container {
   position: relative;
   display: inline-block;
.cart-item-count {
   position: absolute;
   top: -10px;
   right: -10px;
   background-color: var(--lgreen);
   color: □white;
```

```
.block-benefits{
    background-color: var(--dgreen);
    padding: 0.1rem 0.8rem;
.block-benefits h5{
    color: var(--yellow);
.block-benefits:nth-child(2){
    margin: 0.5rem 0;
.button-style, #readMore:hover{
   border: 1px solid var(--dgreen);
    padding: 0.5rem;
    border-radius: 5px;
    color: var(--dgreen);
.button-style:hover, .add-to-cart:hover, #readM
    background-color: var(--lgreen);
    border: none;
    color: var(--grey);
.item{
    border: none;
.item img:hover{
    cursor: pointer;
.add-to-cart{
    border: none;
    width: 100%;
    background-color: var(--superlight);
.new-in p{
    background-color: var(--yellow);
    padding: 0.5rem;
    color: var(--grey);
#hiddenMainP{
    display: none;
#readMore{
    padding: 0.5rem;
.block-benefits-second p:first-child i{
    background-color: white;
    padding: 1rem;
    border-radius: 50%;
    margin-bottom: 0.5rem;
```

```
.new-in p{
   background-color: var(--yellow);
   padding: 0.5rem;
   color: var(--grey);
#hiddenMainP{
   display: none;
#readMore{
   padding: 0.5rem;
.block-benefits-second p:first-child i{
   background-color: white;
   padding: 1rem;
   border-radius: 50%;
   margin-bottom: 0.5rem;
.block-benefits-second h5{
   color: var(--dgreen);
input[type="range"] {
   height: 20px;
   border-radius: 10px;
   background-color: □black;
#search{
   border-color: ■white;
#filterItems form:first-child{
   margin-bottom: 1rem;
input[type='checkbox'], #subscribe {
   accent-color: var(--yellow);
select{
   border:none;
.delete{
   border: none;
   background-color: white;
.btn.bg-green:hover{
   background-color: var(--lgreen);
```

```
@media screen and (max-width: 992px){
    #benefits{
        margin-top: 1rem;
    }
    .block-benefits:nth-child(2){
        margin: 0 0.5rem;
    }
}
@media screen and (max-width: 768px){
    .block-benefits:nth-child(2){
        margin: 0.5rem 0;
    }
}
```

JSON

Clothes.json

```
"id": 1,
"src": "flower-body.webp",
"price":{
    "new": 47.99
"description": "Spring rose bodysuit",
"category": 1,
"new": true,
"cotton": true,
"sizes":[2],
"stars": 4
"id": 2,
"src": "white-body.webp",
"price":{
    "old": 33.99,
    "new": 29.99
"description": "Beige ribbed bodysuit",
"category": 1,
"new": false,
"cotton": true,
"sizes":[3, 4],
"stars": 3
"id": 3,
"src": "bear-body.webp",
"price":{
    "old": 33.99,
    "new": 30.99
"description": "Bear comfy bodysuit",
"category": 1,
"new": false,
"cotton": false,
"sizes":[1, 2, 3],
"stars": 5
```

Categories.json

Sizes.json

```
"id":1,
    "name":"0-3 Months"
},
{
    "id":2,
    "name":"3-6 Months"
},
{
    "id":3,
    "name":"6-9 Months"
},
{
    "id":4,
    "name":"9-12 Months"
}
```

Benefits.json

```
"icon": "fa-solid fa-truck",
    "title": "Fast Delivery",
    "description": "All orders over $49 are free"

},

{
    "icon": "fa-solid fa-percent",
    "title": "Action Discount",
    "description": "Every month we have a new offer"

},

{
    "icon": "fa-solid fa-credit-card",
    "title": "Purchase in Installments",
    "description": "Deferred payment for 5 installments"
}
```

Customers.json

```
"id": 1,
    "name": "Dane Wiles",
    "comment": "The softest fabric and adorable designs - we're thrilled with how our baby looks in this clothing!",
    "stars": 5,
    "img":"dane.jpg"
},
{
    "id": 2,
    "name": "Klara Zares",
    "comment": "The quality is top-notch, and the designs are simply delightful. Couldn't be happier with our purchase!",
    "stars": 5,
    "img": "klara.jpg"
}
```

Orders.json

Menu.json

Footer.json

```
"products":["Bodysuits", "Jackets", "Bodyswim", "Dresses"],
"contact":[
       "icon": "fas fa-home me-3",
       "text": "New York, NY 10012, US"
       "icon":"fas fa-envelope me-3",
       "text": "bambin@example.com"
       "icon": "fas fa-phone me-3",
       "text": " + 01 234 567 88"
       "icon": "fas fa-print me-3",
       "text": " + 01 910 111 23"
"social":[
       "href": "https://www.facebook.com/",
       "icon": "fab fa-facebook-f"
       "href": "https://twitter.com/",
       "icon": "fab fa-twitter"
       "href": "https://instagram.com/",
       "icon": "fab fa-instagram"
```

Main.js

```
$(document).ready(function(){
    const srcPath = 'assets/img/';
    asynFunctionCallsGlobal();
    let CLOTHES;
    let SIZES;
    async function getData(endpoint) {
      const asynPath = 'assets/data/';
      try {
         let response = await fetch(asynPath + endpoint);
         if (!response.ok) {
          let data = await response.json();
         return data;
      } catch (error) {
         alert('Error fetching data:', error);
  async function asynFunctionCallsGlobal() {
      let menu = await getData('menu.json');
      let footer = await getData('footer.json');
      let sizes = await getData('sizes.json');
      let clothes = await getData('clothes.json');
      CLOTHES = clothes;
      SIZES = sizes;
      displayMenu(menu, '#navbarSupportedContent');
      displayFooter(footer);
      displayMenu(menu, "#menu");
      setLocalStorage("allProducts", clothes);
  async function asynFunctionCallIndex() {
    let benefits = await getData('benefits.json');
    let clothes = await getData('clothes.json');
    let customers = await getData('customers.json');
    let sizes = await getData('sizes.json');
    SIZES = sizes;
      displayBenefits(benefits, '#benefits', 'block-benefits');
      displayNewArrival(clothes);
      displayMostPopular(clothes);
      displayBenefits(benefits, '#benefitsSecond', 'block-benefits-second');
      displayCustomers(customers);
```

```
async function asynFunctionCallShop() {
 let categories = await getData('categories.json');
 let sizes = await getData('sizes.json');
let clothes = await getData('clothes.json');
 let sort = await getData('sort.json');
   CLOTHES = clothes;
   SORT = sort;
    displayDropDownForSorting(sort);
   displayFilterItems('Category', categories);
displayFilterItems('Size', sizes);
displayProducts(clothes, '#allProducts');
async function asynFunctionCallCart(){
 let orders = await getData('orders.json');
  displayOrderTypes(orders);
  function displayMenu(data, element){
      let display = '';
for(let item of data){
          display+=`
          <a class="nav-link" href="${item.href}">${item.title}</a>
      display+='';
      $(element).html(display);
```

```
function displayProducts(product, element){
  let display='';
  product.forEach(x=>{
      let id= x.src.substring(0,x.src.indexOf('.'));
display+= `<div class="card item position-relative" style="width: 18rem;"><div data-bs-toggle="modal" data-bs-target="#${id}">
      ${isNewIn(x)}
      <img src="${srcPath}${x.src}" alt="${id}" class="card-img-top" alt="${x.description}">
    ${isOrganicCotton(x)}
    ${processPrice(x)}
    ${processStars(x)}
     ${x.description}
    <div class="modal fade" id="${id}" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
      <div class="modal-dialog modal-dialog-centered modal-dialog-scrollable">
           <h1 class="modal-title fs-5 dark-green" id="exampleModalLabel">\${x.description}</h1>
          <div class="modal-body">
           <img src="${srcPath}${x.src}" alt="${id}" class="img-fluid"> <br>
               Sizes:
               ${processSizes(x.sizes)}
               <div class="col-6 text-end">
                 ${processPrice(x)}
          <div class="modal-footer">
           <button type="button" class="btn add-to-cart" data-product="${x.id}">Add To Cart</button>
  $(element).html(display);
```

```
function isNewIn(product){
   if(product.new){
      return `<div class="position-absolute new-in">
function isOrganicCotton(product){
   if(product.cotton){
     return `Organic Cotton`
   return '';
function processPrice(product){
   if(product.price.old === undefined){
     return `$${product.price.new}
   return `<del>&dollar;${product.price.old}</del><span class="ms-1 text-danger">&dollar;${product.price.new}</span>
function processStars(product){
  let display='';
   for(let i=0; iiioduct.stars; i++){
      display+='<span class="dark-green fs-5">&starf;</span>';
  return display;
function processSizes(sizes){
 let display = '';
 sizes.forEach(sizeId => {
    let sizeName = SIZES.find(size => size.id === sizeId).name;
       display += `${sizeName}`;
 return display;
```

```
function displayFooter(data){
   let display=`<section class="d-flex justify-content-center justify-content-lg-between p-4 border-bottom">
    <span>Get connected with us on social networks:</span>
   data.social.forEach(x=>{
     display+=` <a href="${x.href}" target="_blank" class="me-4 text-reset">
  <i class="${x.icon}"></i>
   display+=
       <div class="col-md-3 col-lg-4 col-xl-3 mx-auto mb-4">
        Explore our delightful collection of baby clothing, designed for comfort and cuteness.
   data.products.forEach(x=>{
      display+=` ${x}`;
   display+= `</div>
   <div class="col-md-3 col-lg-2 col-x1-2 mx-auto mb-4">
      Useful links
    <div id="menu">
   <div class="col-md-4 col-lg-3 col-xl-3 mx-auto mb-md-0 mb-4">
  <h6 class="text-uppercase fw-bold mb-4">Contact</h6>`;
   data.contact.forEach(x=>{
     display+=`<i class="${x.icon}"></i>${x.text}`
   display+=`</div>
```

```
function currentYear(){
    let date= new Date();
     console.log(date.getFullYear())
     return date.getFullYear();
function setLocalStorage(name, data){
 localStorage.setItem(name, JSON.stringify(data));
function getFromLocalStorage(name){
 return JSON.parse(localStorage.getItem(name));
function displayTotalPrice(){
 let productsInLS = getFromLocalStorage('cart');
 let sum = 0;
 if(productsInLS){
   productsInLS.forEach(x=>{
     let price = Number(x.price);
     sum+= price;
   sum = sum.toFixed(2);
 let spanPrice = `$${sum}`;
 $('#sumPrice').html(spanPrice);
 return spanPrice;
function displayNumberOfProducts(){
 let productsInCart = getFromLocalStorage('cart');
 let productsNumber = 0;
  if(productsInCart){
   productsNumber = productsInCart.length;
 $('#number').html(productsNumber);
displayTotalPrice();
displayNumberOfProducts();
```

```
/ADD TO CART
  $(document).on('click', '.add-to-cart', function() {
    let productId = $(this).data('product');
    addToCart(productId);
function addToCart(productId){
  let allProducts = getFromLocalStorage('allProducts');
  let productsInCart = getFromLocalStorage('cart');
  let productPrice = allProducts.find(p=>p.id==productId).price.new;
  productPrice = productPrice.toFixed(2);
  if(productsInCart){
    if(productAlreadyInCart()){
        updateQuantity();
      addNewProductInCart();
      displayNumberOfProducts();
    addFirstProductInCart();
    displayNumberOfProducts();
  function addFirstProductInCart(){
    let products=[];
    products[0] = {
      id: productId,
      qty: 1,
      price: productPrice
    setLocalStorage('cart', products);
    displayTotalPrice();
  function productAlreadyInCart(){
    return productsInCart.filter(p=>p.id==productId).length;
```

```
function updateQuantity(){
 let productsInLS = getFromLocalStorage('cart');
 let productPrice = allProducts.find(p=>p.id==productId).price.new;
 for(let product of productsInLS){
   if(product.id == productId){
     product.qty++;
     price = product.qty * productPrice;
     price = price.toFixed(2);
     product.price = price;
     break;
 setLocalStorage('cart', productsInLS);
 displayTotalPrice();
function addNewProductInCart(){
 let productsInLS = getFromLocalStorage('cart');
 productsInLS.push({
   id:productId,
   qty: 1,
   price: productPrice
 setLocalStorage('cart', productsInLS);
 displayTotalPrice();
```

```
let url = window.location.pathname;
if (url == "/bambino/" || url.includes("index.html")){
 asynFunctionCallIndex();
   displayCarousel();
   function displayCarousel(){
       let coverSrc = ['clothes-cover.jpg', 'mum-cover.jpg', 'shoes-cover.jpg'];
       let coverAlt = ['Baby clothes', 'Pregnant women', 'Shoes'];
       let carouselInner = document.querySelector('.carousel-inner');
       //Append before this child
       let firstCarouselItem = carouselInner.firstChild;
       coverSrc.forEach((src, index) => {
       let carouselItem = document.createElement('div');
       carouselItem.classList.add('carousel-item');
       if (index === 0) {
           carouselItem.classList.add('active');
       let img = document.createElement('img');
       img.src = srcPath + src;
       img.classList.add('d-block', 'w-100');
       img.alt = coverAlt[index];
       carouselItem.appendChild(img);
       carouselInner.insertBefore(carouselItem, firstCarouselItem);
   function displayBenefits(data,element, style){
       let display= '';
       for(let benefit of data){
           display+=`<div class="${style} text-center rounded">
           <i class="{benefit.icon}"></i>
           <h5 class="mb-1">${benefit.title}</h5>
           ${benefit.description}
       $(element).html(display);
```

```
function displayNewArrival(data){
    let newData = data.filter(x => x.new).slice(0, 4);
   displayProducts(newData, '#new-arrival')
function toggleReadMore(button, text) {
   $(`${button}`).click(function () {
    $(`${text}`).slideToggle('slow');
       if ($(`${button}`).text() === "Read More") {
           $(this).text("Read Less");
           $(this).removeClass("readMore");
       else {
           $(this).text("Read More");
           $(this).addClass("readMore");
toggleReadMore('#readMore', '#hiddenMainP');
function displayMostPopular(data){
    let newData = data.sort(function(a,b){
       return b.stars-a.stars;
    }).slice(0, 4);
   displayProducts(newData, '#mostLoved');
function displayCustomers(data){
   let display = '';
   data.forEach(x=>{
       display+=`<div class="customer text-center col-5">
       <img src="{srcPath}(x.img)" alt="{x.name}" class="rounded-circle shadow mb-2"/>
<i class="fa-solid fa-quote-left fs-3 text-body-tertiary">
       ${x.name}
       ${processStars(x.stars)}
       "${x.comment}"
    $('#customers').html(display);
```

```
if(url.includes('shop.html')){
 asynFunctionCallShop();
  function displayFilterItems(title, object){
           let container = document.createElement('form');
           container.innerHTML = `<h5>${title}</h5>`;
           object.forEach(item => {
           let checkbox = document.createElement('input');
           checkbox.type = 'checkbox';
           checkbox.id = `${item.id}`;
           let label = document.createElement('label');
           label.htmlFor = `${item.id}`;
           label.classList.add('ms-2');
           label.appendChild(document.createTextNode(item.name));
           let div = document.createElement('div');
           div.appendChild(checkbox);
           div.appendChild(label);
           container.appendChild(div);
       $('#filterItems').append(container);
 function displayDropDownForSorting(data){
 display = `<option value="0">Default sorting</option>`;
 data.forEach(x=>{
   display+=`<option value="${x.id}">${x.sorting}</option>`;
 $('#sort').html(display);
```

```
function sortProducts(property, order) {
let products = CLOTHES;
if(property == 'price'){
  products.sort(function (el1, el2) {
    if (order === 'asc') {
      if (el1.price.new > el2.price.new) {
      if (el1.price.new < el2.price.new) {</pre>
         return -1;
      return 0;
   } else if (order === 'desc') {
      if (el1.price.new < el2.price.new) {</pre>
         return 1;
      if (el1.price.new > el2.price.new) {
      return 0;
});
}else{
  products.sort(function (el1, el2) {
    if (order === 'asc') {
        if (el1[property] > el2[property]) {
            return 1;
        if (el1[property] < el2[property]) {</pre>
        return 0;
    } else if (order === 'desc') {
        if (el1[property] < el2[property]) {</pre>
        if (el1[property] > el2[property]) {
        return 0;
```

```
$('#filterItems').on('change', 'input[type="checkbox"]', function() {
  let selectedCategories = [];
  let selectedSizes = [];
  $('#filterItems input[type="checkbox"]').each(function() {
      if ($(this).is(':checked')) {
          if ($(this).parent().parent().find('h5').text() === 'Category') {
              selectedCategories.push($(this).attr('id'));
          if ($(this).parent().parent().find('h5').text() === 'Size') {
            let selectedId= $(this).attr('id');
            selectedId = Number(selectedId);
            selectedSizes.push(selectedId);
  let filteredProducts = CLOTHES.filter(function(product) {
      if (selectedCategories.length > 0 && !selectedCategories.includes(product.category.toString())) {
      if (selectedSizes.length > 0) {
        let hasSelectedSize = selectedSizes.some(sizeId => product.sizes.includes(sizeId));
          if (!hasSelectedSize) {
  if(filteredProducts.length){
    displayProducts(filteredProducts, '#allProducts');
    $('#allProducts').html('No products found.');
// End shop.html
```

```
displayProducts(products, '#allProducts');
$(document).on('change', '#sort', function(){
 let sortValue = $('#sort option:selected').index();
 if(sortValue == 0){
   displayProducts(CLOTHES, '#allProducts');
   switch (sortValue) {
       case 1:
           sortProducts('price', 'asc');
           break;
       case 2:
          sortProducts('price', 'desc');
          break;
       case 3:
           sortProducts('stars', 'desc');
           break;
       case 4:
           sortProducts('description', 'asc');
           break;
           sortProducts('description', 'desc');
           break;
       default:
         break;
$('#search').on('input', function() {
 let searchText = $(this).val().toLowerCase();
 let filteredProducts = CLOTHES.filter(function(product) {
     return product.description.toLowerCase().includes(searchText);
 if (filteredProducts.length > 0) {
   displayProducts(filteredProducts, '#allProducts');
} else {
   $('#allProducts').html('No products found.');
```

```
if(url.includes('cart.html')){
   let productsInLS = getFromLocalStorage('cart');
  let allProducts = getFromLocalStorage('allProducts');
  if(productsInLS){
    displayCart(productsInLS);
   }else{
    displayEmptyCart();
  $(document).on('click', '#cancel', function(){
    localStorage.removeItem('cart');
    displayEmptyCart();
  $(document).on('click', '.delete', function(){
    let productsInLS = getFromLocalStorage('cart');
    let idProduct = $(this).data('delete-id');
    let productsAfterDelete = productsInLS.filter(x=>x.id != idProduct);
    if(!productsAfterDelete.length){
      localStorage.removeItem('cart')
      displayEmptyCart();
    } else{
      setLocalStorage('cart', productsAfterDelete);
      displayCart(productsAfterDelete);
   function displayEmptyCart(){
    let display = `<div class="bg-grey py-5 rounded">
    <div class="text-center py-3 mb-2">
        <h4 class="mb-0 dark-green">Cart is Empty</h4>
    <div class="text-center">
        <a href="shop.html" class="button-style bg-yellow border-white px-3 rounded">SHOP NOW</a>
    $('#cart').html(display);
```

```
function displayCart(productsInLS){
 let display = `<div class="table-responsive">
    <div class="p-2 px-3 text-uppercase">Product</div>
    <div class="py-2 text-uppercase">Quantity</div>
    <div class="py-2 text-uppercase">Remove</div>
  </thead>
  productsInLS.forEach(x=>{
   display+=`
     <img src="${srcPath}${allProducts.find(a=> a.id == x.id).src}" alt="${proccessDescription(x.id)}" width="70" class="img-fluid rounded shadow-sm me-2">
     <div class="ml-3 d-inline-block align-middle">
      <h5 class="mb-0"> <a href="#" class="text-dark d-inline-block align-middle">${proccessDescription(x.id)}</a></h5>
   <strong>$${x.price}</strong>
   <strong>${x.qty}</strong>
   display+=`
```

```
<div class="bg-yellow text-center py-3">
   <h4 class="mb-0">Total price: ${displayTotalPrice('')}</h4>
<div class="text-end mt-3">
    <br/>
<
        <div class="modal-dialog modal-dialog-centered modal-dialog-scrollable">
                  <div class="modal-header">
                       <h1 class="modal-title fs-5" id="exampleModalLabel">Order</h1>
                  <div class="modal-body">
                             <div class="row">
                                <div class="col">
                                    <div class="col">
                                    <input type="text" class="form-control" placeholder="Last name" id="lname">
                                     <div class="form-group mt-3">
                                <div class="form-group mt-3">
                                <input type="text" class="form-control" placeholder="Number" id="phone">
                                <div class="form-group mt-3">
                              <select id="orderType" class="form-control">
                              <div class="form-group mt-3">
                                 <label class="form-check-label" for="subscribe">
```

```
<span class="text-secondary">Delivery date: ${processOrderDate()}</span>
                    <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Close</button>
<button type="button" class="btn bg-green text-white" id="orderButton">Order</button>
                     <div class="toast text-bg-success" id="orderToast" role="alert" aria-live="assertive" aria-atomic="true">
                                 <br/>
<
$('#cart').html(display);
  asynFunctionCallCart();
   function displayOrderTypes(orders){
        let display = `<option value="0">Choose delivery method</option>`;
        orders.forEach(x=>{
                     display +=`<option value="${x.id}">${x.name}</option>`;
        $('#orderType').html(display);
   function proccessDescription(id){
     return allProducts.find(x=> x.id == id).description;
  function processOrderDate(){
       let today = new Date();
        let futureDate = new Date(today.getTime() + 3 * 24 * 60 * 60 * 1000);
        let formattedDate = formatDate(futureDate);
   function formatDate(date) {
                          let day = date.getDate();
                          let month = date.getMonth() + 1;
                          let year = date.getFullYear();
                          return day + '.' + month + '.' + year;
              return formattedDate;
```

```
let regExName = /^[A-ZČĆŠĐŽ][a-zčćšďž]{2,}$/;
let regExEmail = /^[a-z0-9]{3,}([\.][a-z0-9\-\$\*\_]+)*[\@](gmail.com|yahoo.com|edu.rs)$/;
let regExPhone = /^06[0-9]\/[0-9]{7}$/;
var error = false;
function validateRegEx(regEx, element, requiredText, exampleText) {
 if ($(element).val() == 0) {
      $(element).addClass('border-danger');
      $(element).next().text(requiredText + ' is required.');
      error = true;
     return;
  if (!$(element).val().match(regEx)) {
      $(element).addClass('border-danger');
      $(element).next().html(exampleText);
     error = true;
  else {
      $(element).removeClass('border-danger');
      $(element).addClass('border-success');
      $(element).next().text('');
```

```
$('#fname').blur(function () {
     validateRegEx(regExName, '#fname', 'First name', 'Example: Ana');
 $('#lname').blur(function () {
     validateRegEx(regExName, '#lname', 'Last name', 'Example: Smith');
 $('#email').blur(function () {
     validateRegEx(regExEmail, '#email', 'Email', 'Example: example@gmail.com');
 $('#phone').blur(function () {
   validateRegEx(regExPhone, '#phone', 'Number', 'Format: 061/1234567');
$('#orderType').change(function(){
 if($('#orderType option:selected').index() == 0){
   $('#orderType').addClass('border-danger');
   $('#orderType').next().text('Please choose delivery');
   error = true;
   $('#orderType').removeClass('border-danger');
   $('#orderType').addClass('border-success');
   $('#orderType').next().text('');
$('#orderButton').click(validateOnSubmit);
```