

Covid19

David Jimeno

03/7/2020


En este estudio queremos tener una visión por escalas a nivel nacional para finalmente hacer un análisis internacional.

Queremos entender el virus, su comportamiento e incidencia por países y la visualización de datos de cada uno de ellos en el tiempo.

Ahora continuaremos con el analisis a nivel nacional.

Nuevos casos pcr diarios a nivel nacional.

```
ggplot(covsp,aes(x=fecha,y=Casos.nuevos),na.rm = TRUE)+geom_bar(stat="identity", position="dodge")+theme_ggtitle( "Nuevos casos diarios a nivel nacional")
```



```
total_cases <- sum(corona_latest$Confirmed)
```

Confirmados totales a nivel mundial.

```
confirmados <- sum(corona_latest$Confirmed) #computeContactRate()  
confirmados
```

```
## [1] 10475838
```

Recuperados mundiales totales.

```
recuperados <- sum(corona_latest$Recovered) #computeAverageRating()  
recuperados
```

```
## [1] 5353272
```

% Recuperados mundiales totales.

```
porcentaje_recuperados <- (recuperados/confirmados)*100  
porcentaje_recuperados
```

```
## [1] 51.10113
```

Fallecidos totales a nivel mundial.

```
mueritos <- sum(corona_latest$Deaths)  
mueritos
```

```
## [1] 511253
```

% Letalidad mundial.

```
porcentaje_letalidad <- (mueritos/confirmados)*100  
porcentaje_letalidad
```

```
## [1] 4.880306
```


Fallecidos por países.

```

corona28 <- corona_latest
corona28_country <- corona28 %>%
group_by(`Country/Region`) %>%
summarize(total_death = sum(Deaths),
          total_recovered = sum(Recovered),
          total_confirmed = sum(Confirmed), total_active=sum(Confirmed)-sum(Recovered)-sum(Deaths)) %>%
mutate(recovery_rate = round(total_recovered / total_confirmed,2))

corona28_country %>%
filter(!`Country/Region` %in% 'Others') %>%
arrange(desc(total_death)) %>%
head(20) %>%
ggplot() + geom_bar(aes(x=reorder(`Country/Region`, total_death), y= total_death), stat = "identity") +
geom_label(aes(`Country/Region`, total_death, label = total_death)) +
coord_flip() +
theme_minimal() +
labs(title = "Principales países por total de casos fallecidos", caption = "Fuente: Kaggle")

```




```

corona28_country %>%
filter(!`Country/Region` %in% 'Others') %>%
arrange(desc(total_active)) %>%
head(20) %>%
ggplot() + geom_bar(aes(x=reorder(`Country/Region`, total_active), y= total_active), stat = "identity") +

```

```
geom_label(aes(`Country/Region`, total_active, label = total_active)) +
coord_flip() +
theme_minimal() +
labs(title = "Principales países por total de casos activos", caption = "Fuente: Kaggle")
```



Letalidad descendente en países con más de 136 fallecidos.

```
filtered <- filter(df, df$Date==max(df$Date)) %>% group_by(Country) %>%
summarise(Confirmed = sum(Confirmed) , Deaths = sum(Deaths) , Recovered = sum(Recovered))
murder_rate <- filtered$Deaths / filtered$Confirmed * 100
filtered$murder_rate <- murder_rate
filtered<- filtered%>% filter (Deaths >= 136)
filtered <- filtered[order(filtered$murder_rate,decreasing = TRUE),]
filtered[0:10,]
```

```
## # A tibble: 10 x 5
##   Country      Confirmed Deaths Recovered murder_rate
##   <fct>         <dbl>   <dbl>     <dbl>     <dbl>
## 1 Yemen           1158     312       488       26.9
## 2 Belgium        61427    9747    16984      15.9
## 3 France       202063   29846    76399      14.8
## 4 Italy        240578   34767   190248      14.5
## 5 Hungary         4155     585     2692      14.1
```


```
## 6 UK          314160 43815      1370      13.9
## 7 Mexico      226089 27769     174538     12.3
## 8 Netherlands 50483   6132      186      12.1
## 9 Spain       249271 28355     150376     11.4
## 10 Canada     106097 8650       69120      8.15
```

```
filtered <- filtered[order(filtered$murder_rate),]
filtered[0:10,]
```

```
## # A tibble: 10 x 5
##   Country      Confirmed Deaths Recovered murder_rate
##   <fct>          <dbl>   <dbl>     <dbl>     <dbl>
## 1 Oman          40070     176     23425     0.439
## 2 Belarus       62118     392     46054     0.631
## 3 United Arab Emirates 48667     315     37566     0.647
## 4 Kuwait        46195     354     37030     0.766
## 5 Kazakhstan    22308     188     13558     0.843
## 6 Saudi Arabia  190823    1649    130766     0.864
## 7 Azerbaijan    17524     213      9715     1.22
## 8 Israel        25244     320     17341     1.27
## 9 Bangladesh    145483    1847     59624     1.27
## 10 Russia       646929    9306    411973     1.44
```

```
ggplot(data=filtered, aes(x=reorder(Country, -murder_rate), y=murder_rate)) +
  geom_bar(stat="identity", position="dodge") + theme(axis.text.x=element_text(angle=90,hjust=1,vjust=0))
ggtitle("Letalidad por país")
```

Letalidad por país



```

China <- filter(df, Country == "Mainland China") %>% group_by(Date) %>%
summarise(Confirmed = sum(Confirmed) , Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))


China2 <- filter(China, Cases == "Deaths",)
China2$Fallecimientos.nuevos <- c( NA, diff(China2$Count))

China_plot2<- ggplot(China2, aes(x= Date, y= Fallecimientos.nuevos ,fill = Cases, color = Cases , group=
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Fallecimientos diarios nuevos en China", fil
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1,face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))

China_plot2

```

Fallecimientos diarios nuevos en China



#Line Plot


```

China_plot<- ggplot(China, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "China COVID-19 Situación", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),

```

```
text = element_text(hjust = 1, face = "bold", size = 15),
axis.title.x = element_text(hjust = 0.5),
axis.title.y = element_text(hjust = 0.5))
```

China_plot




```
italy <- filter(df, Country == "Italy") %>% group_by(Date) %>%
summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
italy2 <- filter(italy, Cases == "Deaths",)
italy2$Fallecimientos.nuevos <- c( NA, diff(italy2$Count))
```

```
italy_plot2 <- ggplot(italy2, aes(x= Date, y= Fallecimientos.nuevos, fill = Cases, color = Cases, group = Cases)) +
  geom_line(aes(colour = Cases)) + geom_point() +
  scale_fill_manual(values = c("blue", "red", "green")) + scale_colour_manual(values = c("blue", "red", "green")) +
  labs(x = "Timeline", y = "Number of Cases", title = "Fallecimientos diarios nuevos en Italia", fill = "Cases", color = "Cases") +
  theme(plot.title = element_text(hjust = 0.5, face = "bold", size = 15),
        text = element_text(hjust = 1, face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```

italy_plot2


Fallecimientos diarios nuevos en Italia



#Line Plot

```
Italy_plot <- ggplot(italy, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Italia COVID-19 Situación", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

Italy_plot




```
US <- filter(df, Country == "US") %>% group_by(Date) %>%
  summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
  gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
US2 <- filter(US, Cases == "Deaths",)
US2$Fallecimientos.nuevos <- c( NA, diff(US2$Count))
```

```
US_plot2<- ggplot(US2, aes(x= Date, y= Fallecimientos.nuevos ,fill = Cases, color = Cases , group=Cases
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Fallecimientos diarios nuevos en US", fill =
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

```
US_plot2
```


Fallecimientos diarios nuevos en US



```
#Line Plot
US_plot <- ggplot(US, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "US COVID-19 Situación", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))

US_plot
```

US COVID-19 Situación



```
Spain <- filter(df, Country == "Spain") %>% group_by(Date) %>%
  summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered), Active = sum(Confirmed - Recovered - Deaths))
gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered, Active))
```

Media incrementos porcentuales diario confirmados semana antes confinamiento

```
Spain2.1 <- filter(Spain, Cases == "Confirmed",)
Spain2.1$Confirmados.nuevos <- c( NA, diff(Spain2.1$Count))
Spain2.1 <- Spain2.1 %>%
  mutate(pct_change = ((Confirmados.nuevos / lag(Count))) * 100)
sp <- subset(Spain2.1, Date >= "2020-03-07" & Date <= "2020-03-13")
ac <- sum(sp$pct_change) / 7
ac
```

```
## [1] 48.73085
```

Media incrementos porcentuales diario confirmados ultima semana

```
Spain2.1 <- filter(Spain, Cases == "Confirmed",)
Spain2.1$Confirmados.nuevos <- c( NA, diff(Spain2.1$Count))
Spain2.1 <- Spain2.1 %>%
```

```
mutate(pct_change = ((Confirmados.nuevos/lag(Count))) * 100)
sp <- subset(Spain2.1, Date>= "2020-06-18" & Date <= "2020-06-24")
ac<-sum(sp$pct_change)/7
ac
```


```
## [1] 0.139721
```

Incrementos porcentuales casos confirmados diarios

```
Spain2.3 <- filter(Spain, Cases == "Confirmed",)
Spain2.3$Casos.nuevos <- c( NA, diff(Spain2.3$Count))
Spain2.3<- Spain2.3 %>%
  mutate(pct_change = ((Casos.nuevos/lag(Count)*100)))

Spain2.3 <- na.omit(Spain2.3)

p1 <- ggplot(Spain2.3, aes(x=Date,y=pct_change)) +geom_bar(stat="identity", position="dodge")
p1
```




```
### Incrementos porcentuales casos confirmados diarios
```

```
Spain2.3 <- filter(Spain, Cases == "Confirmed",)
Spain2.3$Casos.nuevos <- c( NA, diff(Spain2.3$Count))
Spain2.3 <- Spain2.3 %>%
  mutate(pct_change = ((Casos.nuevos/lag(Casos.nuevos)) - 1) * 100)

Spain2.3 <- na.omit(Spain2.3)

p1 <- ggplot(Spain2.3, aes(x=Date,y=pct_change)) + geom_point(alpha=0.5) + theme_bw()
p1
```



Media incrementos porcentuales diario fallecidos semana antes confinamiento

```
Spain2.1 <- filter(Spain, Cases == "Deaths",)
Spain2.1$Fallecimientos.nuevos <- c( NA, diff(Spain2.1$Count))
Spain2.1 <- Spain2.1 %>%
  mutate(pct_change = ((Fallecimientos.nuevos/lag(Count))) * 100)
sp <- subset(Spain2.1, Date>= "2020-03-07" & Date <= "2020-03-13")
ac<-sum(sp$pct_change)/7
ac
```

```
## [1] 65.38023
```

Media incrementos porcentuales diario fallecidos ultima semana

```
Spain2.1 <- filter(Spain, Cases == "Deaths",)
Spain2.1$Fallecimientos.nuevos <- c( NA, diff(Spain2.1$Count))
Spain2.1 <- Spain2.1 %>%
  mutate(pct_change = ((Fallecimientos.nuevos/lag(Count))) * 100)
sp <- subset(Spain2.1, Date >= "2020-06-27" & Date <= "2020-07-03")
ac <- sum(sp$pct_change)/7
ac
```


```
## [1] 0.008568363
```

incrementos porcentuales diarios fallecidos

```
Spain2 <- filter(Spain, Cases == "Deaths",)
Spain2$Fallecimientos.nuevos <- c( NA, diff(Spain2$Count))
Spain2 <- Spain2 %>%
  mutate(pct_change = ((Fallecimientos.nuevos/lag(Fallecimientos.nuevos)) - 1) * 100)

Spain2 <- na.omit(Spain2)

p1 <- ggplot(Spain2, aes(x=Date,y=pct_change)) + geom_point(alpha=0.5) + theme_bw()
p1
```




Evolución activos diarios

```
Spain2.2 <- filter(Spain, Cases == "Active",)
Spain2.2$Activos.nuevos <- c( NA, diff(Spain2.2$Count))

Spain2.2 <- na.omit(Spain2.2)

p1 <- ggplot (Spain2.2, aes(x=Date,y=Count)) +geom_bar(stat="identity", position="dodge")
p1
```



```
Spain_plot2<- ggplot(Spain2, aes(x= Date, y= Fallecimientos.nuevos ,fill = Cases, color = Cases , group=
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Fallecimientos diarios nuevos en España", fi
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1,face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))


Spain_plot2
```



#Line Plot

```
Spain <- filter(df, Country == "Spain") %>% group_by(Date) %>%
  summarise(Confirmed = sum(Confirmed) , Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
  gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
Spain_plot <- ggplot(Spain, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))+
  labs(x="Timeline", y="Number of Cases", title = "España COVID-19 Situación", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1, face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```


Spain_plot



```
France <- filter(df, Country == "France") %>% group_by(Date) %>%
  summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
  gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
France2 <- filter(France, Cases == "Deaths",)
France2$Fallecimientos.nuevos <- c( NA, diff(France2$Count))
France_plot2 <- ggplot(France2, aes(x= Date, y= Fallecimientos.nuevos, fill = Cases, color = Cases, group = Cases)) +
  geom_line(aes(colour = Cases)) + geom_point() +
  scale_fill_manual(values = c("blue", "red", "green")) + scale_colour_manual(values = c("blue", "red", "green")) +
  labs(x="Timeline", y="Number of Cases", title = "Fallecimientos diarios nuevos en Francia", fill = Cases, color = Cases) +
  theme(plot.title = element_text(hjust = 0.5, face = "bold", size = 15),
        text = element_text(hjust = 1, face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```


```
France_plot2
```



#Line Plot

```
France_plot <- ggplot(France, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))+
  labs(x="Timeline", y="Number of Cases",title = "Francia COVID-19 Situacion", fill = 'Cases')
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

France_plot




```
Belgium <- filter(df, Country == "Belgium") %>% group_by(Date) %>%
summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
Belgium2 <- filter(Belgium, Cases == "Deaths",)
Belgium2$Fallecimientos.nuevos <- c( NA, diff(Belgium2$Count))
Belgium_plot2 <- ggplot(Belgium2, aes(x= Date, y= Fallecimientos.nuevos, fill = Cases, color = Cases, group = Cases)) +
  geom_line(aes(colour = Cases)) + geom_point() +
  scale_fill_manual(values = c("blue", "red", "green")) + scale_colour_manual(values = c("blue", "red", "green")) +
  labs(x="Timeline", y="Number of Cases", title = "Fallecimientos diarios nuevos en Belgica", fill = Cases, color = Cases) +
  theme(plot.title = element_text(hjust = 0.5, face = "bold", size = 15),
        text = element_text(hjust = 1, face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```

Belgium_plot2


Fallecimientos diarios nuevos en Belgica



#Line Plot

```
Belgium_plot <- ggplot(Belgium, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))+
  labs(x="Timeline", y="Number of Cases",title = "Belgica COVID-19 situación", fill = 'Cases')
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

Belgium_plot




```
Iran <- filter(df, Country == "Iran") %>% group_by(Date) %>%
summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
Iran2 <- filter(Iran, Cases == "Deaths",)
Iran2$Fallecimientos.nuevos <- c( NA, diff(Iran2$Count))
```

```
Iran_plot2 <- ggplot(Iran2, aes(x= Date, y= Fallecimientos.nuevos, fill = Cases, color = Cases, group=Cases)) +
  geom_line(aes(colour = Cases)) + geom_point() +
  scale_fill_manual(values = c("blue", "red", "green")) + scale_colour_manual(values = c("blue", "red", "green")) +
  labs(x="Timeline", y="Number of Cases", title = "Fallecimientos diarios nuevos en Iran", fill = Cases, color = Cases) +
  theme(plot.title = element_text(hjust = 0.5, face = "bold", size = 15),
        text = element_text(hjust = 1, face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```


```
Iran_plot2
```



#Line Plot

```
Iran_plot <- ggplot(Iran, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Iran COVID-19 Situación", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

Iran_plot




```
UK <- filter(df, Country == "UK") %>% group_by(Date) %>%
  summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
  gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
UK2 <- filter(UK, Cases == "Deaths",)
UK2$Fallecimientos.nuevos <- c( NA, diff(UK2$Count))
```


```
UK_plot2<- ggplot(UK2, aes(x= Date, y= Fallecimientos.nuevos ,fill = Cases, color = Cases , group=Cases
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Fallecimientos diarios nuevos en UK", fill =
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1,face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```

```
UK_plot2
```



```
#Line Plot
UK_plot <- ggplot(UK, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))+
  labs(x="Timeline", y="Number of Cases",title = "Reino Unido COVID-19 Situación", fill = 'Cases', color = 'Deaths')
theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
  text = element_text(hjust = 1,face = "bold", size = 15),
  axis.title.x = element_text(hjust = 0.5),
  axis.title.y = element_text(hjust = 0.5))


UK_plot
```

```
Germany <- filter(df, Country == "Germany") %>% group_by(Date) %>%
  summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
  gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
Germany2 <- filter(Germany, Cases == "Deaths",)
Germany2$Fallecimientos.nuevos <- c( NA, diff(Germany2$Count))
Germany_plot2 <- ggplot(Germany2, aes(x= Date, y= Fallecimientos.nuevos, fill = Cases, color = Cases, group = Cases)) +
  geom_line(aes(colour = Cases)) + geom_point() +
  scale_fill_manual(values = c("blue", "red", "green")) + scale_colour_manual(values = c("blue", "red", "green")) +
  labs(x="Timeline", y="Number of Cases", title = "Fallecimientos diarios nuevos en Alemania",
    theme(plot.title = element_text(hjust = 0.5, face = "bold", size = 15),
      text = element_text(hjust = 1, face = "bold", size = 15),
      axis.title.x = element_text(hjust = 0.5),
      axis.title.y = element_text(hjust = 0.5))
```


Germany_plot2



#Line Plot

```
Germany_plot <- ggplot(Germany, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))+
  labs(x="Timeline", y="Number of Cases",title = "Alemania COVID-19 Situación", fill = 'Cases', color = 'Cases')
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

Germany_plot




```
Israel <- filter(df, Country == "Israel") %>% group_by(Date) %>%
summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
Israel2 <- filter(Israel, Cases == "Deaths",)
Israel2$Fallecimientos.nuevos <- c( NA, diff(Israel2$Count))
```

```
Israel_plot2<- ggplot(Israel2, aes(x= Date, y= Fallecimientos.nuevos ,fill = Cases, color = Cases , group = Cases)) +
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))+
  labs(x="Timeline", y="Number of Cases", title = "Fallecimientos diarios nuevos en Israel", fill = Cases) +
  theme(plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1, face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```

```
Israel_plot2
```


Fallecimientos diarios nuevos en Israel



#Line Plot

```
Israel_plot <- ggplot(Israel, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))+
  labs(x="Timeline", y="Number of Cases",title = "Israel COVID-19 Situación", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1,face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```

Israel_plot




```
Russia <- filter(df, Country == "Russia") %>% group_by(Date) %>%
summarise(Confirmed = sum(Confirmed) , Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
Russia2 <- filter(Russia, Cases == "Deaths",)
Russia2$Fallecimientos.nuevos <- c( NA, diff(Russia2$Count))
Russia_plot2<- ggplot(Russia2, aes(x= Date, y= Fallecimientos.nuevos ,fill = Cases, color = Cases , group = Cases))
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))
  labs(x="Timeline", y="Number of Cases",title = "Fallecimientos diarios nuevos en Russia")
  theme(plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1,face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```

Russia_plot2


Fallecimientos diarios nuevos en Russia



#Line Plot

```
Russia_plot <- ggplot(Russia, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Rusia COVID-19 situación", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

Russia_plot




```
Brazil <- filter(df, Country == "Brazil") %>% group_by(Date) %>%
  summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
  gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
India <- filter(df, Country == "India") %>% group_by(Date) %>%
  summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
  gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
India2 <- filter(India, Cases == "Deaths",)
India2$Fallecimientos.nuevos <- c( NA, diff(India2$Count))
India_plot2 <- ggplot(India2, aes(x= Date, y= Fallecimientos.nuevos , fill = Cases, color = Cases , group = Cases)) +
  geom_line(aes(colour = Cases)) + geom_point() +
  scale_fill_manual(values = c("blue", "red", "green")) + scale_colour_manual(values = c("blue", "red", "green")) +
  labs(x="Timeline", y="Number of Cases", title = "Fallecimientos diarios nuevos en India", fill = 'Cases') +
  theme(plot.title = element_text(hjust = 0.5, face = "bold", size = 15),
        text = element_text(hjust = 1, face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```

```
India_plot2
```


Fallecimientos diarios nuevos en India



#Line Plot

```
India_plot <- ggplot(India, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "India COVID-19 situación", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

India_plot




```
Mexico <- filter(df, Country == "Mexico") %>% group_by(Date) %>%
  summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
  gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
Mexico2 <- filter(Mexico, Cases == "Deaths",)
Mexico2$Fallecimientos.nuevos <- c( NA, diff(Mexico2$Count))
Mexico_plot2<- ggplot(Mexico2, aes(x= Date, y= Fallecimientos.nuevos ,fill = Cases, color = Cases , group = Cases)) +
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green")) +
  labs(x="Timeline", y="Number of Cases", title = "Fallecimientos diarios nuevos en Mexico") +
  theme(plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1, face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```

Mexico_plot2


Fallecimientos diarios nuevos en Mexico



#Line Plot

```
Mexico_plot <- ggplot(Mexico, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Mexico COVID-19 situación", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```


Mexico_plot



```
Brazil2 <- filter(Brazil, Cases == "Deaths",)
Brazil2$Fallecimientos.nuevos <- c( NA, diff(Brazil2$Count))
Brazil_plot2<- ggplot(Brazil2, aes(x= Date, y= Fallecimientos.nuevos ,fill = Cases, color = Cases , group = Cases)) +
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))+
  labs(x="Timeline", y="Number of Cases",title = "Fallecimientos diarios nuevos en Brasil", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

Brazil_plot2


Fallecimientos diarios nuevos en Brasil



#Line Plot

```
Brazil_plot <- ggplot(Brazil, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Brazil COVID-19 situación", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

Brazil_plot




```
South_Korea <- filter(df, Country == "South Korea") %>% group_by(Date) %>%
summarise(Confirmed = sum(Confirmed) , Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
South_Korea2 <- filter(South_Korea, Cases == "Deaths",)
South_Korea2$Fallecimientos.nuevos <- c( NA, diff(South_Korea2$Count))
```

```
South_Korea_plot2<- ggplot(South_Korea2, aes(x= Date, y= Fallecimientos.nuevos ,fill = Cases, color = Cases)) +
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))+
  labs(x="Timeline", y="Number of Cases", title = "Fallecimientos diarios nuevos en Corea del Sur") +
  theme(plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1, face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```

```
South_Korea_plot2
```

Fallecimientos diarios nuevos en Corea del Sur




#Line Plot

```
South_Korea_plot <- ggplot(South_Korea, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases)) +
  geom_line(aes(colour = Cases)) + geom_point() +
  scale_fill_manual(values = c("blue","red","green")) + scale_colour_manual(values = c("blue","red","green")) +
  labs(x="Timeline", y="Number of Cases", title = "Corea del Sur COVID-19 Situación", fill = 'Cases', color = 'Deaths') +
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1, face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```

South_Korea_plot

Corea del Sur COVID-19 Situación



```
Japan <- filter(df, Country == "Japan") %>% group_by(Date) %>%
summarise(Confirmed = sum(Confirmed), Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
gather(key = Cases, value = Count, c(Confirmed, Deaths, Recovered))
```

```
Japan2 <- filter(Japan, Cases == "Deaths",)
Japan2$Fallecimientos.nuevos <- c( NA, diff(Japan2$Count))
```


```
Japan2 %>%
mutate(pct_change = (Fallecimientos.nuevos / lag(Fallecimientos.nuevos) - 1) * 100)
```

```
## # A tibble: 161 x 5
##   Date      Cases Count Fallecimientos.nuevos pct_change
##   <date>    <chr> <dbl>          <dbl>         <dbl>
## 1 2020-01-22 Deaths    0              NA            NA
## 2 2020-01-23 Deaths    0              0            NA
## 3 2020-01-24 Deaths    0              0           NaN
## 4 2020-01-25 Deaths    0              0           NaN
## 5 2020-01-26 Deaths    0              0           NaN
## 6 2020-01-27 Deaths    0              0           NaN
## 7 2020-01-28 Deaths    0              0           NaN
## 8 2020-01-29 Deaths    0              0           NaN
## 9 2020-01-30 Deaths    0              0           NaN
## 10 2020-01-31 Deaths    0              0           NaN
## # ... with 151 more rows
```

```
Japan_plot2<- ggplot(Japan2, aes(x= Date, y= Fallecimientos.nuevos ,fill = Cases, color = Cases , group=
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Fallecimientos diarios nuevos en Japón
    ", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

Japan_plot2


Fallecimientos diarios nuevos en Japón



```
#Line Plot
Japan_plot <- ggplot(Japan, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Japon COVID-19 situación", fill = 'Cases')+
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

Japan_plot

Japon COVID-19 situación



```
World <- df %>% group_by(Date) %>%
  summarise(Confirmed = sum(Confirmed) , Deaths = sum(Deaths), Recovered = sum(Recovered)) %>%
  gather(key = Cases, value = Count, c(Confirmed,Deaths,Recovered))
```

```
World1 <- filter(World, Cases == "Confirmed",)
World1$Confirmados.nuevos <- c( NA, diff(World1$Count))
World_plot<- ggplot(World1, aes(x= Date, y= Confirmados.nuevos ,fill = Cases, color = Cases, group=Cases))
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))
  labs(x="Timeline", y="Number of Cases",title = "Confirmados diarios nuevos en el Mundo", fill=Cases)
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1,face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```


World_plot



```
World2 <- filter(World, Cases == "Deaths",)
World2$Fallecimientos.nuevos <- c( NA, diff(World2$Count))
World_plot2<- ggplot(World2, aes(x= Date, y= Fallecimientos.nuevos ,fill = Cases, color = Cases , group=
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","r
  labs(x="Timeline", y="Number of Cases",title = "Fallecimientos diarios nuevos en el Mundo",
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
        text = element_text(hjust = 1,face = "bold", size = 15),
        axis.title.x = element_text(hjust = 0.5),
        axis.title.y = element_text(hjust = 0.5))
```

World_plot2


Fallecimientos diarios nuevos en el Mundo




#Line Plot

```
World_plot <- ggplot(World, aes(x= Date, y= Count ,fill = Cases, color = Cases , group=Cases ))+
  geom_line(aes(colour = Cases))+geom_point()+
  scale_fill_manual(values = c("blue","red","green"))+scale_colour_manual(values = c("blue","red","green"))+
  labs(x="Timeline", y="Number of Cases",title = "Situación mundial COVID-19 ", fill = 'Cases', color = 'Deaths')
  theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 15),
    text = element_text(hjust = 1,face = "bold", size = 15),
    axis.title.x = element_text(hjust = 0.5),
    axis.title.y = element_text(hjust = 0.5))
```

World_plot



```
data <- filter(df_deaths,df_deaths[,ncol(df_deaths)]>0)
world <- ggplot() +
  borders("world", colour = "gray85", fill = "gray80") +theme_map()
map_death <- world +
  geom_point(aes(x = data$Long, y = data$Lat, size = as.integer(unlist(data[,ncol(df_deaths)]))),
    data = data,
    colour = 'red', alpha = .5) +
  scale_size_continuous(range = c(1, 15),
    breaks = c(5000, 10000, 15000, 20000)) +
  labs(size = 'Fallecidos')+ theme( plot.title = element_text(hjust = 0.5 , face = "bold", size = 10)
    text = element_text(hjust = 1,face = "bold", size = 10))
map_death
```



Links

Gracias especialmente a datadista por mantener base de datos actualizada del

Ministerio de Sanidad.

Enlaces a bases de datos.

https://www.kaggle.com/sudalairajkumar/novel-corona-virus-2019-dataset/download/uMF6QnlPB7ScS6BxTw1I%2Fversions%2FXDJvWcErFIHv3R7zGrDD%2Ffiles%2Ftime__19__data.csv?datasetVersionNumber=56

https://www.kaggle.com/sudalairajkumar/novel-corona-virus-2019-dataset/download/uMF6QnlPB7ScS6BxTw1I%2Fversions%2FXDJvWcErFIHv3R7zGrDD%2Ffiles%2Ftime__series__covid__19__confirmed.csv?datasetVersionNumber=56

https://www.kaggle.com/sudalairajkumar/novel-corona-virus-2019-dataset/download/uMF6QnlPB7ScS6BxTw1I%2Fversions%2FXDJvWcErFIHv3R7zGrDD%2Ffiles%2Ftime__series__covid__19__deaths.csv?datasetVersionNumber=56

https://www.kaggle.com/sudalairajkumar/novel-corona-virus-2019-dataset/download/uMF6QnlPB7ScS6BxTw1I%2Fversions%2FXDJvWcErFIHv3R7zGrDD%2Ffiles%2Ftime__series__covid__19__recovered.csv?datasetVersionNumber=56

https://raw.githubusercontent.com/datadista/datasets/master/COVID%2019/ccaa__covid19__fallecidos__long.csv

https://raw.githubusercontent.com/datadista/datasets/master/COVID%2019/nacional__covid19.csv

https://raw.githubusercontent.com/datadista/datasets/master/COVID%2019/ccaa__covid19__uci__long.csv

- Map tracks coronavirus outbreak in near real time
- Coronavirus COVID-19 Global Cases by Johns Hopkins CSSE
- Coronavirus disease (COVID-19) outbreak - WHO
- coronavirus R package provides a tidy format dataset
- An AI Epidemiologist Sent the First Warnings of the Wuhan Virus