

Simple Plant Hydraulics

model development and implementation

Daniel Kennedy - djk2120@columbia.edu
Pierre Gentine - pg2328@columbia.edu

February 22, 2018

1 Model development

1.1 Recipe

1. Solve for maximum stomatal conductance based on the Medlyn model (involves iterating for intercellular CO_2).
2. Solve for the vegetation water potential (and associated stomatal conductance) that matches plant water supply with Penman-Monteith demand.
3. Calculate the photosynthesis based on the stomatal conductance solution (involves iterating for intercellular CO_2).

1.2 Plant Water Supply Equations

$$q = \int_{\psi_{soil}}^{\psi_{leaf}} \frac{K(\psi)}{z} d\psi \quad (1)$$

$$K(\psi) = \frac{\psi - p_2}{p_1 - p_2} \cdot K_{max} \quad (2)$$

$$q = \frac{K_{max}}{z} \cdot f(\psi) \cdot (\psi_{soil} - \psi_{leaf} - \rho g z) \quad (3)$$

$$f(\psi) = \frac{\frac{1}{2}(\psi_{soil} + \psi_{leaf}) - p_2}{p_1 - p_2} \quad (4)$$
$$0 \leq f \leq 1$$

1.3 Plant Water Demand Equations

$$g_{c,max} = g_0 + \left(1 + \frac{g_1}{\sqrt{D}}\right) \frac{A}{C_a} \quad (5)$$

$$C_i = C_a - \frac{A}{g_c} \quad (6)$$

$$A = \frac{j/4(C_i - \Gamma)}{C_i + 2\Gamma} \quad (7)$$

$$g_c = g_{c,max} \cdot h(\psi_{leaf}) \quad (8)$$

$$h(\psi_{leaf}) = \frac{1}{1 + \left(\frac{\psi_{leaf}}{p50}\right)^a} \quad (9)$$

$$g_w = 1.6g_c \quad (10)$$

$$E = \frac{\frac{\Delta}{\gamma} (R_{net} - G) + \rho L_v g_a dq}{L_v \left(1 + \frac{\Delta}{\gamma} + \frac{g_a}{g_w}\right)} \quad (11)$$

$$E = q \quad (12)$$

1.4 Bucket

$$\theta_1 = \theta_0 - \frac{q\Delta t}{z_r} \quad (13)$$

2 Why are tall Amazonian forests more resistant to precipitation variability?

2.1 Thread 1

Assume $\frac{dk}{d\psi} = 0$

$$q = k\Delta\psi \quad (14)$$

$$\Delta\psi = \psi_{soil} - \psi_{leaf} \quad (15)$$

$$q = k(\psi_{soil} - \psi_{leaf}) \quad (16)$$

$$\frac{dq}{d\psi_{soil}} = k \left(1 - \frac{d\psi_{leaf}}{d\psi_{soil}} \right) \quad (17)$$

$$\sigma = \frac{d\psi_{leaf}}{d\psi_{soil}} \quad (18)$$

$$\frac{dq}{d\psi_{soil}} = k(1 - \sigma) \quad (19)$$

Use a reference pressure drop and water flux (e.g. Day 1 of drydown) to infer k :

$$\begin{aligned} k &= \frac{q}{\Delta\psi} \\ k &= \frac{q_0}{\psi_{soil,0} - \psi_{leaf,0}} \end{aligned} \quad (20)$$

Then we have another way to express $\frac{dq}{d\psi}$

$$\frac{dq}{d\psi_{soil}} = q_0 \frac{(1 - \sigma)}{\psi_{soil,0} - \psi_{leaf,0}} \quad (21)$$

This shows that the loss of water supply depends is related to the absolute potential drop from soil-to-root. For taller trees, the potential drop from soil-to-root tends to be larger, whereby a given drop in soil potential due to drydown would have a smaller effect as compared to shorter trees.

Likewise the effect of transpiration demand will be larger for taller trees, because for a given increase in transpiration demand (dq), the effect on the potential drop ($\Delta\psi$) will be larger, due to the smaller conductance.

$$\Delta\psi = \frac{q}{k} \quad (22)$$

$$\frac{d\Delta\psi}{dq} = \frac{1}{k} = \frac{\psi_{soil,0} - \psi_{leaf,0}}{q_0} \quad (23)$$

2.2 Thread 2

Given the same precipitation sequence, soil potential variability is smaller for taller trees due to deeper roots,