



SQL Plus

```
SQL> SELECT * FROM dba_encrypted_columns;
```

| OWNER      | TABLE_NAME    | COLUMN_NAME    | ENCRYPTION_ALG   | SAL | INTEGRITY_ALG |
|------------|---------------|----------------|------------------|-----|---------------|
| FREESTYLE7 | BANK_ACCOUNTS | BANK_NAME      | AES 192 bits key | YES | SHA-1         |
| FREESTYLE7 | BANK_ACCOUNTS | ROUTING_NUM    | AES 192 bits key | YES | SHA-1         |
| FREESTYLE7 | BANK_ACCOUNTS | BANK_ACCT_NUM  | AES 192 bits key | YES | SHA-1         |
| FREESTYLE7 | CREDIT_CARDS  | CC_NUM         | AES 192 bits key | YES | SHA-1         |
| FREESTYLE7 | CREDIT_CARDS  | EXP_DATE       | AES 192 bits key | YES | SHA-1         |
| FREESTYLE7 | CREDIT_CARDS  | CVV            | AES 192 bits key | YES | SHA-1         |
| FREESTYLE7 | CREDIT_CARDS  | CC_FIRST       | AES 192 bits key | YES | SHA-1         |
| FREESTYLE7 | CREDIT_CARDS  | CC_LAST        | AES 192 bits key | YES | SHA-1         |
| FREESTYLE7 | NET_30        | BANK_CHECK_NUM | AES 192 bits key | YES | SHA-1         |
| FREESTYLE7 | TRANSACTIONS  | BANK_NAME      | AES 192 bits key | YES | SHA-1         |