



```
SQL> SELECT TO_CHAR(log_id, '9999') log_id,
2 TO_CHAR(log_date, 'YYYY-MM-DD HH12:MM:SS') timestamp, owner, job_name, status
3 FROM all scheduler job run details
```

4 WHERE owner = 'FREESTYLE7'

5 ORDER BY log\_date;

LOG_ID	TIMESTAMP		OWNER	JOB_NAME	STATUS
2854	2021-06-10	10:06:52	FREESTYLE7	UPDATE NET 30 AVAIL CRED	SUCCEEDED
2856	2021-06-10	10:06:46	FREESTYLE7	UPDATE NET 30 AVAIL CRED	SUCCEEDED
2858	2021-06-10	10:06:01	FREESTYLE7	UPDATE NET 30 AVAIL CRED	SUCCEEDED
2864	2021-06-10	11:06:12	FREESTYLE7	UPDATE NET 30 AVAIL CRED	SUCCEEDED
2874	2021-06-10	11:06:44	FREESTYLE7	UPDATE NET 30 AVAIL CRED	SUCCEEDED
2884	2021-06-11	11:06:22	FREESTYLE7	UPDATE NET 30 AVAIL CRED	SUCCEEDED
2904	2021-06-11	11:06:35	FREESTYLE7	UPDATE NET 30 AVAIL CRED	SUCCEEDED
2912	2021-06-11	12:06:52	FREESTYLE7	UPDATE NET 30 AVAIL CRED	SUCCEEDED
2922	2021-06-11	01:06:52	FREESTYLE7	UPDATE NET 30 AVAIL CRED	SUCCEEDED
2930	2021-06-11	02:06:52	FREESTYLE7	UPDATE NET 30 AVAIL CRED	SUCCEEDED

## SQL Plus

SQL Plus

```
SQL> SELECT TO_CHAR(start_date, 'YYYY-MM-DD HH12:MM:SS') timestamp, owner, job_name, job_class, state, repeat_interval, job_type
2 FROM all_scheduler_jobs
3 WHERE owner = 'FREESTYLE7';
```

TIMESTAMP	OWNER	JOB_NAME	JOB_CLASS	STATE	REPEAT_INTERVAL	JOB_TYPE
2021-06-10 10:06:52	FREESTYLE7	UPDATE NET 30 AVAIL CRED	DEFAULT JOB CLASS	SCHEDULED	FREQ=HOURLY	PLSQL BLOCK