

Djordje Petrovic 6/15 Internet Tehnologije

# Dokumentacija

# 1.Uvod

## 1.1 Korisceni programski jezici :

Prilikom izrade aplikacije korisceni su : HTML, CSS, Javascript, PHP. Koriscen je bootstrap CSS framework , AngularJS javascript framework, JQuery javascript biblioteka.

U development izradi koriscen MySQL server, I XAMP .

## 1.2 Opis funkcionalnosti

Sajt sadrzi dinamicki meni, galerije fotografija za svaki proizvod , prikaz proizvoda za svaku kategoriju, detalji prikaz svakog proizvoda , mogucnost glasanja I komentarisanja za svaki proizvod, anketa I prikazivanje rezultata ankete, dodavanje u korpu za svaki proizvod, narucivanje korpe, , prikaz korpe , dodavanje I brisanje proizvoda iz korpe, kontakt formu,dinamicku paginaciju, mogucnost registracije I logovanja, panel za administraciju.

## 1.3 Template



Dishonored 2 3900 din

[Dodaj u korpu](#)

Pre svega, Corvo Attano prestaje da bude nemi protagonist i...

0 glasova

0 komentara



PC Dead Rising 4 - 6100 din  
Steam Edition

[Dodaj u korpu](#)

Kao i u svakoj igri koja sadrži zombije, tako i u novom Dea...

0 glasova

0 komentara



Hitman The Complete First Season Steelbook Edition

[Dodaj u korpu](#)

Hitman: The Complete First Season će biti izdanje igre koje...

1 glasova

0 komentara



STYX - Shards of Darkness 4700 din

[Dodaj u korpu](#)


Styx: Shards of Darkness, novi nastavak šunjalice gde igate...

0 glasova

0 komentara

## Deo za sadrzaj

1 2 Sledeca



## Navigacija.php

```
<?php
$sql = "
    SELECT *
    FROM linkovi
    WHERE dozvola = 0
";

if ( !isset($_SESSION['id_korisnik']) ) {
```

```

    $sql .= "OR dozvola = 1";
} else if ( $_SESSION['dozvola'] == 2 ) {
    $sql .= "OR dozvola = 2";
} else {
    $sql .= "OR dozvola = 2 OR dozvola = 3";
}

$sql .= ' ORDER BY dozvola DESC';

$links = mysqli_query($connection,$sql);

$linksHTML = "";
$linksForFooter = array();

if ( !$links ) {
    echo mysqli_error($connection);
}

while ( $row = mysqli_fetch_array($links) ) {
    $name = $row['ime'];
    $link = $row['link'];

    $linksHTML .= "
        <li>
            <a href='$link'>$name</a>
        </li>
    ";

    $linksForFooter[] = "<a class='footer-links' href='$link'>$name</a>";
}
?>

```

```
<nav class="navbar navbar-inverse navbar-fixed-top" role="navigation">
  <div class="container">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="/index.php"><?php echo SITE_NAME; ?></a>
    </div>
    <!-- Collect the nav links, forms, and other content for toggling -->
    <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
      <ul class="nav navbar-nav">
        <?php echo $linksHTML; ?>
      </ul>
    </div>
    <!-- /.navbar-collapse -->
  </div>
  <!-- /.container -->
</nav>
```

# Footer.php

```
<div class="container">
  <div class="row">
    <hr>
    <div class="col-lg-12">
      <div class="col-md-8">
        <?php echo implode('|',$linksForFooter) ?>
      </div>
      <div class="col-md-4">
        <p class="muted pull-right">© 2017 <?php echo SITE_NAME; ?>. Sva prava zadržana.</p>
      </div>
    </div>
  </div>
</div>
```

## 1.4 Korisceni CSS

Template za index.php stranicu

Koriscen bootstrap framework. Navigacija I footer Iz template se koriste I na ostalim stranicama.

url template-a : <https://blackrockdigital.github.io/startbootstrap-shop-homepage/>

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="description" content="">
<meta name="author" content="">

<title>Shop Homepage - Start Bootstrap Template</title>

<!-- Bootstrap Core CSS -->
<link href="css/bootstrap.min.css" rel="stylesheet">

<!-- Custom CSS -->
<link href="css/shop-homepage.css" rel="stylesheet">

<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->
<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
<!--[if lt IE 9]>
<script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
<script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
<![endif]-->

</head>

<body>
```



```
<!-- Navigation -->
<nav class="navbar navbar-inverse navbar-fixed-top" role="navigation">
<div class="container">
<!-- Brand and toggle get grouped for better mobile display -->
<div class="navbar-header">
<button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#bs-example-navbar-collapse-1">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="#">Start Bootstrap</a>
</div>
<!-- Collect the nav links, forms, and other content for toggling -->
<div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
<ul class="nav navbar-nav">
<li>
<a href="#">About</a>
</li>
<li>
<a href="#">Services</a>
</li>
<li>
<a href="#">Contact</a>
</li>
```

```
</ul>
</div>
<!-- /.navbar-collapse -->
</div>
<!-- /.container -->
</nav>
```

```
<!-- Page Content -->
<div class="container">
```

```
<div class="row">
```

```
<div class="col-md-3">
<p class="lead">Shop Name</p>
<div class="list-group">
<a href="#" class="list-group-item">Category 1</a>
<a href="#" class="list-group-item">Category 2</a>
<a href="#" class="list-group-item">Category 3</a>
</div>
</div>
```

```
<div class="col-md-9">
```

```
<div class="row carousel-holder">
```

```
<div class="col-md-12">
<div id="carousel-example-generic" class="carousel slide" data-ride="carousel">
<ol class="carousel-indicators">
<li data-target="#carousel-example-generic" data-slide-to="0" class="active"></li>
<li data-target="#carousel-example-generic" data-slide-to="1"></li>
<li data-target="#carousel-example-generic" data-slide-to="2"></li>
</ol>
<div class="carousel-inner">
<div class="item active">

</div>
<div class="item">

</div>
<div class="item">

</div>
</div>
<a class="left carousel-control" href="#carousel-example-generic" data-slide="prev">
<span class="glyphicon glyphicon-chevron-left"></span>
</a>
<a class="right carousel-control" href="#carousel-example-generic" data-slide="next">
<span class="glyphicon glyphicon-chevron-right"></span>
</a>
</div>
```

</div>

</div>

<div class="row">

<div class="col-sm-4 col-lg-4 col-md-4">

<div class="thumbnail">



<div class="caption">

<h4 class="pull-right">\$24.99</h4>

<h4><a href="#">First Product</a>

</h4>

<p>See more snippets like this online store item at <a target="\_blank" href="http://www.bootsnipp.com">Bootsnipp -  
http://bootsnipp.com</a>.</p>

</div>

<div class="ratings">

<p class="pull-right">15 reviews</p>

<p>

<span class="glyphicon glyphicon-star"></span>

<span class="glyphicon glyphicon-star"></span>

<span class="glyphicon glyphicon-star"></span>

<span class="glyphicon glyphicon-star"></span>

<span class="glyphicon glyphicon-star"></span>

</p>

</div>

</div>

</div>

<div class="col-sm-4 col-lg-4 col-md-4">

<div class="thumbnail">



<div class="caption">

<h4 class="pull-right">\$64.99</h4>

<h4><a href="#">Second Product</a>

</h4>

<p>This is a short description. Lorem ipsum dolor sit amet, consectetur adipiscing elit.</p>

</div>

<div class="ratings">

<p class="pull-right">12 reviews</p>

<p>

<span class="glyphicon glyphicon-star"></span>

<span class="glyphicon glyphicon-star"></span>

<span class="glyphicon glyphicon-star"></span>

<span class="glyphicon glyphicon-star"></span>

<span class="glyphicon glyphicon-star-empty"></span>

</p>

</div>

</div>

</div>

```
<div class="col-sm-4 col-lg-4 col-md-4">
<div class="thumbnail">

<div class="caption">
<h4 class="pull-right">$74.99</h4>
<h4><a href="#">Third Product</a>
</h4>
<p>This is a short description. Lorem ipsum dolor sit amet, consectetur adipiscing elit.</p>
</div>
<div class="ratings">
<p class="pull-right">31 reviews</p>
<p>
<span class="glyphicon glyphicon-star"></span>
<span class="glyphicon glyphicon-star"></span>
<span class="glyphicon glyphicon-star"></span>
<span class="glyphicon glyphicon-star"></span>
<span class="glyphicon glyphicon-star-empty"></span>
</p>
</div>
</div>
</div>
```

```
<div class="col-sm-4 col-lg-4 col-md-4">
<div class="thumbnail">
```

```

<div class="caption">
<h4 class="pull-right">$84.99</h4>
<h4><a href="#">Fourth Product</a>
</h4>
<p>This is a short description. Lorem ipsum dolor sit amet, consectetur adipiscing elit.</p>
</div>
<div class="ratings">
<p class="pull-right">6 reviews</p>
<p>
<span class="glyphicon glyphicon-star"></span>
<span class="glyphicon glyphicon-star"></span>
<span class="glyphicon glyphicon-star"></span>
<span class="glyphicon glyphicon-star-empty"></span>
<span class="glyphicon glyphicon-star-empty"></span>
</p>
</div>
</div>
</div>
```

```
<div class="col-sm-4 col-lg-4 col-md-4">
<div class="thumbnail">

<div class="caption">
<h4 class="pull-right">$94.99</h4>
```

```
<h4><a href="#">Fifth Product</a>
</h4>
<p>This is a short description. Lorem ipsum dolor sit amet, consectetur adipiscing elit.</p>
</div>
<div class="ratings">
<p class="pull-right">18 reviews</p>
<p>
<span class="glyphicon glyphicon-star"></span>
<span class="glyphicon glyphicon-star"></span>
<span class="glyphicon glyphicon-star"></span>
<span class="glyphicon glyphicon-star"></span>
<span class="glyphicon glyphicon-star-empty"></span>
</p>
</div>
</div>
```

```
<div class="col-sm-4 col-lg-4 col-md-4">
<h4><a href="#">Like this template?</a>
</h4>
<p>If you like this template, then check out <a target="_blank" href="http://maxoffsky.com/code-blog/laravel-shop-tutorial-1-building-a-review-system/">this tutorial</a> on how to build a working review system for your online store!</p>
<a class="btn btn-primary" target="_blank" href="http://maxoffsky.com/code-blog/laravel-shop-tutorial-1-building-a-review-system/">View Tutorial</a>
</div>
```



</div>

</div>

</div>

</div>

<!-- /.container -->

<div class="container">

<hr>

<!-- Footer -->

<footer>

<div class="row">

<div class="col-lg-12">

<p>Copyright &copy; Your Website 2014</p>

</div>

</div>

</footer>

</div>

<!-- /.container -->

```
<!-- jQuery -->
```

```
<script src="js/jquery.js"></script>
```

```
<!-- Bootstrap Core JavaScript -->
```


```
<script src="js/bootstrap.min.js"></script>
```

```
</body>
```

```
</html>
```

## 2.Organizacija

### 2.1 Organizaciona sema



### 2.1 Mapa sajta

```
<?xml version="1.0"?>
  <urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
    <url>
```

```
<loc>prodavnica.krunislavaboskovic.rs/index.php</loc>
<lastmod>2017-14-03</lastmod>
<changefreq>yearly</changefreq>
<priority>1</priority>
</url>
<url>
  <loc>prodavnica.krunislavaboskovic.rs/admin.php</loc>
  <lastmod>2017-14-03</lastmod>
  <changefreq>yearly</changefreq>
  <priority>1</priority>
</url>
<url>
  <loc>prodavnica.krunislavaboskovic.rs/cart.php</loc>
  <lastmod>2017-14-03</lastmod>
  <changefreq>yearly</changefreq>
  <priority>0.9</priority>
</url>
<url>
  <loc>prodavnica.krunislavaboskovic.rs/categories.php</loc>
  <lastmod>2017-14-03</lastmod>
  <changefreq>yearly</changefreq>
  <priority>0.9</priority>
</url>
<url>
  <loc>prodavnica.krunislavaboskovic.rs/details.php</loc>
  <lastmod>2017-14-03</lastmod>
  <changefreq>yearly</changefreq>
  <priority>0.8</priority>
</url>
<url>
  <loc>prodavnica.krunislavaboskovic.rs/galerija.php</loc>
```

```
<lastmod>2017-14-03</lastmod>
<changefreq>yearly</changefreq>
<priority>0.8</priority>
</url>
<url>
<loc>prodavnica.krunislavaboskovic.rs/kontakt.php</loc>
<lastmod>2017-14-03</lastmod>
<changefreq>yearly</changefreq>
<priority>0.6</priority>
</url>
<url>
<loc>prodavnica.krunislavaboskovic.rs/log_out.php</loc>
<lastmod>2017-14-03</lastmod>
<changefreq>yearly</changefreq>
<priority>0.6</priority>
</url>
<url>
<loc>prodavnica.krunislavaboskovic.rs/login.php</loc>
<lastmod>2017-14-03</lastmod>
<changefreq>yearly</changefreq>
<priority>0.7</priority>
</url>
<url>
<loc>prodavnica.krunislavaboskovic.rs/o_autoru.php</loc>
<lastmod>2017-14-03</lastmod>
<changefreq>yearly</changefreq>
<priority>0.6</priority>
</url>
<url>
<loc>prodavnica.krunislavaboskovic.rs/register.php</loc>
<lastmod>2017-14-03</lastmod>
```


```

<changefreq>yearly</changefreq>
<priority>0.9</priority>
</url>
</urlset>

```

## 2.3 Slike stranica I funkcionalnosti

Index.php



Opis funkcionalnosti :

Omogućuje odabir proizvoda sa određenom kategorijom, detaljniji prikaz za svaki proizvod, glasanje za anketu, dodavanje proizvoda u korpu .

## Admin.php

[E-Prodavnica](#) [Admin](#) [Izloguj se](#) [Korpa](#) [Kontakt](#) [O autoru](#) [Dokumentacija](#)

### Admin Panel

Proizvodi

Kategorije

Linkovi

Korisnici

Anketa

Slike proizvoda

### Kategorije

Dodaj

R.br	Naziv	Izmena	
1	Akcija	<p>Izmeni</p>	<p>Obrisi</p>
2	Strategije	<p>Izmeni</p>	<p>Obrisi</p>
3	Pucacine	<p>Izmeni</p>	<p>Obrisi</p>
4	RPG	<p>Izmeni</p>	<p>Obrisi</p>

[Admin](#) | [Izloguj se](#) | [Korpa](#) | [Kontakt](#) | [O autoru](#) | [Dokumentacija](#)


© 2017 E-Prodavnica. Sva prava zadržana.

Opis funkcionalnosti :

Dodavanje , editovanje I brisanje proizvoda , kategorija, linkova, korisnika, slike proizvoda.Odrzavanje ankete.




## Korpa.php



Opis funkcionalnosti:

Pregled stanja u korpi, prikazivanje svake stavke ponaosob, brisanje jedne stavke ili cele stavke, prikazivanje ukupne cene, narucivanje proizvoda I celokupno brisanje korpe.

## Categories.php




**Dishonored 2** 3900 din

[Dodaj u korpu](#)

Pre svega, Corvo Attano prestaje da bude nemi protagonist i...

0 glasova 0 komentara




**PC Dead Rising 4 - 6100 din**  
Steam Edition

[Dodaj u korpu](#)

Kao i u svakoj igri koja sadrži zombije, tako i u novom Dea...

0 glasova 0 komentara




**Hitman The Complete First Season Steelbook Edition** 5000 din

[Dodaj u korpu](#)

Hitman: The Complete First Season će biti izdanje igre koje...

1 glasova 0 komentara



**STYX - Shards of Darkness** 4700 din

[Dodaj u korpu](#)

Styx: Shards of Darkness, novi nastavak šunjalice gde igate...

0 glasova 0 komentara

Opis funkcionalnosti :

Prikazivanje svih proizvoda ili samo iz odredjenje kategorije, mogucnost dodavanja u korpu, odabir konkretne strane, odabir proizvoda za detaljniji prikaz.

Details.php

## Dishonored 2

[Dodaj u korpu](#)

[Galerija](#)



Svidja mi se : 0 Ne Svidja mi se : 0

[Svidja mi se](#)

[Ne svidja mi se](#)

Kategorija : Akcija

Cena 3900 RSD

Trenutno na stanju : 1

Opis : Pre svega, Corvo Attano prestaje da bude nemi protagonista i progovoriće glasom Sivena Rasela (Garett iz Thief serijala), dok glas Emily Kaldwin pozajmljuje Erika Lutrel koju smo mogli da čujemo u brojnim igrama (Diablo 3, Fallout 4, XCOM 2). Ekipi glumaca se pridružuju poznati glasovi iz serija Dardevil i Game of Thrones poput Vincent D'Onofrio, Rosario Dawson i Pedro Pascal

Vas komentar...

[Posalji](#)

Trenutno nema komentara...

Opis funkcionalnosti :

Kompletna prikaz proizvoda, dodavanje u korpu, prikazivanje slika koje pripadaju određenom proizvodu, glasanje i komentarisanje proizvoda, prikazivanje komentara.

## Galerija.php

[E-Prodavnica](#) [Admin](#) [Izloguj se](#) [Korpa](#) [Kontakt](#) [O autoru](#) [Dokumentacija](#)

### Galerija



[Admin](#) | [Izloguj se](#) | [Korpa](#) | [Kontakt](#) | [O autoru](#) | [Dokumentacija](#)

© 2017 E-Prodavnica. Sva prava zadržana.

Opis funkcionalnosti:

Prikazivanje slika određenog proizvoda. Mogućnost uveličavanja slike.


Kontakt.php

## Kontakt

Ukoliko imate bilo kakvih nedoumica ili vam je potrebna bilo kakva dodatna informacija, kontaktirajte nas preko forme ispod.

Nas telefon : 011/555-333

Nas e-mail : [djordje.petrovic.6.15@kt.edu.rs](mailto:djordje.petrovic.6.15@kt.edu.rs)



Posaji

Opis funkcionalnosti:

Prikazivanje kontakt informacija, mogućnost slanja pitanja na email.

Login.php

## Uloguj se

E-Mail

Sifra

Uloguj se

Opis funkcionalnosti :

Mogućnost logovanja za registrovanje korisnike

## O autoru.php

[E-Prodavnica](#) [Registruj se](#) [Uloguj se](#) [Kontakt](#) [O autoru](#) [Dokumentacija](#)

### O autoru



Ja sam Djordje Petrovic. Rodjen sam u Pirotu, a zivim u Beogradu od 2010-e godine, i imam 24 godina. Trenutno studiram web programiranje na Visokoj ICT skoli u Beogradu. U slobodno vreme volim da gledam filmove , da igram poker, da izlazim itd itd...

---

[Registruj se](#) | [Uloguj se](#) | [Kontakt](#) | [O autoru](#) | [Dokumentacija](#)

© 2017 E-Prodavnica. Sva prava zadržana.

## Register.php

E-Prodavnica   Registruj se   Uloguj se   Kontakt   O autoru   Dokumentacija

## Registracija

Vec imate nalog? [Ulogujte se](#)

Korisnicko ime

E-Mail

Sifra

Adresa

Broj Telefona

[Registruj se](#)

---

[Registruj se](#) | [Uloguj se](#) | [Kontakt](#) | [O autoru](#) | [Dokumentacija](#)

© 2017 E-Prodavnica. Sva prava zadržana.

Opis funkcionalnosti:

Mogucnost registracije na sajt.

## 3.Kodovi

***Index.php***

<?php



```
require_once('config/connection.php');
```

```
session_start();
```

```
$sql = "  
SELECT *  
FROM anketa as a INNER JOIN opcije as o  
ON a.id_anketa = o.id_anketa  
WHERE a.vidljivost = 1  
";
```

```
$poll = mysqli_query($connection,$sql);  
$pollHTML = "";  
$optionsHTML = "";  
$pollNameHTML = "";
```

```
if ( mysqli_num_rows($poll) > 0 ) {  
while ( $row = mysqli_fetch_array($poll) ) {  
    $id = $row['id_opcija'];  
    $label = $row['opcija'];
```

```
    $pollNameHTML = $row['ime'];
```

```
    $optionsHTML .= "  
        <li class='list-group-item'>  
            <div class='checkbox'>  
                <label>  
                    <input name='poll' type='radio' value='$id'> $label  
                </label>  
            </div>  
        </li>
```

```

";
}

$pollHTML .= "<div class='panel panel-primary'>
    <div class='panel-heading'>
        <h3 class='panel-title'><span class='fa fa-line-chart'></span> $pollNameHTML</h3>
    </div>
    <div class='panel-body'>
        <ul class='list-group' id='pollUL'>
            $optionsHTML
        </ul>
    </div>
    <div class='panel-footer text-center'>
        <button id='btnVote' type='button' class='btn btn-primary btn-block btn-sm'>
            Glasaj!
        </button>
        <button class='btn btn-primary btn-block btn-sm' id='btnShowVotes' class='small'>
            Pogledajte rezultate
        </button>
    </div>
</div>";
}

```

```

$sql = "
SELECT p.id_proizvodi, p.naziv as pNaziv , p.cena,p.kolicina,p.datum,p.broj_lajkova,
p.broj_dislajkova,p.broj_komentara,p.opis,p.slika,k.naziv as kNaziv,k.id_kategorije
FROM proizvodi as p INNER JOIN kategorije as k
ON p.id_kategorija = k.id_kategorije
ORDER BY p.datum DESC
LIMIT 6
";

```

```
$res = mysqli_query($connection,$sql);
```

```
$productsHTML = "";
```

```
while ( $row = mysqli_fetch_array($res) ) {  
    $id = $row['id_proizvodi'];  
    $name = $row['pNaziv'];  
    $img = $row['slika'];  
    $price = $row['cena'];  
    $desc = substr($row['opis'],0,60) . '...';  
    $numberOfVotes = (int)$row['broj_lajkova'] + (int)$row['broj_dislajkova'];  
    $numberOfComments = $row['broj_komentara'];
```

```
$addToCartButton = isset($_SESSION['id_korisnik'])  
    ? "<a href='/utilities/add_to_cart.php?id=$id' class='btn btn-primary block'>Dodaj u korpu</a>"  
    : "";
```

```
$productsHTML .= "  
    <div class='col-sm-4 col-lg-4 col-md-4 products'>  
        <div class='thumbnail'>  
            <a href='/details.php?id=$id'><img src='/slike/$img' alt=''></a>  
            <div class='caption'>  
                <h4 class='pull-right'>$price RSD</h4>  
                <h4><a href='/details.php?id=$id'>$name</a></h4>  
                $addToCartButton  
                <p>$desc</p>  
            </div>  
            <div class='ratings'>  
                <p class='pull-right'>$numberOfComments komentara</p>  
                <p>
```

```

        $numberOfVotes glasova
    </p>
</div>
</div>
</div>
";
}

```

```

$sql = "SELECT * FROM kategorije";

```

```

$categories = mysqli_query($connection,$sql);
?>

```

```

<!DOCTYPE html>

```

```

<html lang="sr">

```

```

<head>

```

```

    <title><?php echo SITE_NAME ?> | Pocetna</title>

```

```

    <?php include_once PARTIALS . 'meta.php' ?>

```

```

</head>

```

```

<body>

```

```

    <?php include_once PARTIALS . 'navigation.php' ?>

```

```

<div class="container">

```

```

    <div class="row">

```

```

        <div class="col-md-3">

```

```

            <h1 class="lead product-title text-success">Prodaja Video Igara</h1>

```

```

            <div class="list-group">

```

```

                <a href="/categories.php" class="list-group-item">Sve kategorije</a>

```

```

                <?php while ( $row = mysqli_fetch_array($categories) ): ?>

```

```

                    <?php

```

```

        $id = $row['id_kategorije'];
        $categorie = $row['naziv'];
    ?>
    <a href="/categories.php?kategorija=<?php echo $id; ?>"
    class="list-group-item">
        <?php echo $categorie; ?></a>
    <?php endwhile; ?>
</div>
<?php echo $pollHTML; ?>
</div>
<div class="col-md-9">

    <div class="row carousel-holder">

        <div class="col-md-11">
            <div id="carousel-example-generic" class="carousel slide" data-ride="carousel">
                <ol class="carousel-indicators">
                    <li data-target="#carousel-example-generic" data-slide-to="0" class="active"></li>
                    <li data-target="#carousel-example-generic" data-slide-to="1"></li>
                    <li data-target="#carousel-example-generic" data-slide-to="2"></li>
                </ol>
                <div class="carousel-inner">
                    <div class="item active">
                        
                    </div>
                    <div class="item">
                        
                    </div>
                    <div class="item">
                        
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```
</div>
<a class="left carousel-control" href="#carousel-example-generic" data-slide="prev">
  <span class="glyphicon glyphicon-chevron-left"></span>
</a>
<a class="right carousel-control" href="#carousel-example-generic" data-slide="next">
  <span class="glyphicon glyphicon-chevron-right"></span>
</a>
</div>
</div>
```

```
</div>
<br/>
```

```
<div class="row">
  <?php
    if ( mysqli_num_rows($res) == 0 ) {
      echo "
        <br>
        <div class='alert alert-info'>
          <p>Nista nije nadjeno...</p>
        </div>
      ";
    }
  ?>
  <?php echo $productsHTML ?>
</div>
```

```
</div>
```

```
</div>
```

```
</div>
<!-- /.container -->

<?php include_once PARTIALS . '/footer.php' ?>

</body>
<script src="/static/js/index_client.js"></script>
</html>
```

## *Skripta za index.php stranicu*

```
$(document).ready(function(){

    'use strict';

    $('#btnVote').on('click',function(){
        var id = $('#pollUL input:checked').attr('value');

        if ( !id ) {
            return alert('Morate da izaberete jednu od ponudjenih opcija');
        }

        $('#btnVote').hide();
        $('#btnShowVotes').hide();

        $.ajax({
            method:'POST',
            url:'/client_api/vote.php',
            data:{
                id:id
```

```

    },
    dataType:'json'
  }).done(function(response){
    if ( response.alreadyVoted === true ) {
      alert('Vec ste glasali...');
    }

    if ( response.userDoesntExist === true ) {
      alert('Morate biti ulogovan da biste glasali , prikazani su vam rezultati ankete');
    }

    displayPollResults();
  }).catch(function(error){
    alert('Doslo je do greske...');
  });
});

$('#btnShowVotes').on('click',function(){
  $('#btnVote').hide();
  $('#btnShowVotes').hide();

  displayPollResults();
});

function displayPollResults() {
  $.getJSON('/api/get_poll.php',function(response){
    var resultHTML = "";
    var sum = 0;

    response.forEach(function(option){
      sum += +option.broj_glasova;
    });
  });
}

```



```

});

response.forEach(function(option){
    var percent = Math.round(
        option.broj_glasova / sum * 100
    );

    resultHTML += `
        <li class="list-group-item">
            ${ option.opcija } : ${ option.broj_glasova } ${ percent } %
        </li>
    `;
});

$('#pollUL').html(resultHTML);
});
}

});

```

## ***Cart.php***

```

<?php
require_once 'config/connection.php';

session_start();

if ( !isset($_SESSION['id_korisnik']) ) {

```

```
header('Location:index.php');  
}
```

```
$userID = (int)$_SESSION['id_korisnik'];  
$email = (int)$_SESSION['email'];  
$totalPrice = 0;
```

```
$sql = "  
SELECT p.naziv as naziv, korp.kolicina, SUM(korp.kolicina * p.cena) as ukupna_cena,  
p.cena ,p.id_proizvodi  
FROM korisnici kors INNER JOIN korpa korp  
ON kors.id_korisnik = korp.id_korisnik INNER JOIN proizvodi p  
ON korp.id_proizvod = p.id_proizvodi  
WHERE kors.id_korisnik = $userID  
GROUP BY p.naziv,korp.kolicina  
";
```

```
$result = mysqli_query($connection,$sql);
```

```
if ( isset($_POST['btnCartSubmit']) ) {  
    $mailIsSent = false;
```

```
    $message = "  
    <h1>Narucio korisnik sa emailom : $email</h1>  
    ";
```

```
    $headers = "From: djordje.petrovic.6.15@ict.edu.rs";
```

```
    $shoppingCart = mysqli_query($connection,$sql);  
    $total = 0;
```

```

while ( $row = mysqli_fetch_array($shoppingCart) ) {
    $name = $row['naziv'];
    $qty = $row['kolicina'];
    $price = $row['cena'];
    $totalForProduct = $row['ukupna_cena'];
    $total += (int)$totalForProduct;

    $message .= "
        <h1>Ime proizvoda : $name</h1>
        <p>Kolicina : $qty</p>
        <p>Cena po komadu : $price</p>
        <p>Ukupno za proizvod : $totalForProduct</p>
    ";
}

$message .= "<h2>Ukupna cena korpe : $total</h2>";

if (
    @mail($_SESSION['email'], 'Korpa', $message,$headers) &&
    @mail('djordje.petrovic.6.15@ict.edu.rs', 'Korpa', $message,$headers)
) {
    $mailIsSent = true;

    $deleteUserCartSQL = "
        DELETE
        FROM korpa
        WHERE id_korisnik = $userID
    ";

    $deleteUserCart = mysqli_query($connection,$deleteUserCartSQL);

```

```
} else {

}
}
?>
<!DOCTYPE html>
<html lang="sr">
<head>
<title><?php echo SITE_NAME; ?> | Korpa</title>
<?php include_once PARTIALS . 'meta.php' ?>
</head>
<body>
<?php include_once PARTIALS . 'navigation.php' ?>

<div class="container container-min-height" id="wreaper">
<div class="row">
<div class="col-md-12">
<h1>Moja Korpa</h1>
</div>
</div>
<div class="row">
<div class="col-md-6">
<?php if ( mysqli_num_rows($result) == 0 ): ?>
<h2>Nemate nista u korpi</h2>
<?php else: ?>
<ul class='list-group'>
<?php while ( $row = mysqli_fetch_array($result) ): ?>
<?php
$productID = $row['id_proizvodi'];
$name = $row['naziv'];
$qty = $row['kolicina'];
```

```

        $individualPrice = $row['cena'];
        $price = $row['ukupna_cena'];
        $totalPrice += $price;
    ?>
    <li class='list-group-item'>
        <p>Ime : <?php echo $name ?>
        Izabrana kolicina : <?php echo $qty ?></p>
        <p>Pojedinačna cena : <?php echo $individualPrice . ' RSD'; ?>
        Ukupna cena za izabrano : <?php echo $price . ' RSD';?></p>
        <p>
            <a href="utilities/delete_all_from_cart.php?id=<?php echo $productID ?>" class="btn btn-primary">Izbrisi sve</a>
            <a href="utilities/delete_one_from_cart.php?id=<?php echo $productID ?>" class="btn btn-primary">Izbrisi jedan</a>
        </p>
    </li>
    <?php endwhile ?>
</ul>
<?php endif ?>
</div>
<?php if ( mysqli_num_rows($result) > 0 ): ?>
<div class="col-md-6 cart-left" id="cart-info">
    <h2>Ukupna cena korpe : <?php echo $totalPrice . ' RSD'; ?></h2>
    <p>
        <form action="/cart.php" method="POST">
            <button type="submit" name="btnCartSubmit" class="btn btn-primary">Naruci</button>
        </form>
        <form action="utilities/delete_cart.php" method="POST">
            <button type="submit" class="btn btn-danger">Izbrisi korpu</button>
        </form>
    </p>
</div>
<?php endif ?>

```

```
<?php if ( isset($_POST['btnCartSubmit']) ): ?>
<br/>
<div class="col-md-6 cart-left" id="cart-info">
  <?php if ( $mailIsSent ): ?>
    <h2>Uspesno ste narucili vase proizvode</h2>
  <?php else: ?>
    <h2>Doslo je do greske ,molimo vas da pokusate ponovo...</h2>
  <?php endif ?>
</div>
<?php endif ?>
</div>
</div>
<?php include_once PARTIALS . '/footer.php' ?>
</body>
</html>
```

## *Categories.php*

```
<?php
require_once 'config/connection.php';

session_start();

if ( !isset($_SESSION['id_korisnik']) ) {
    header('Location:index.php');
}

$userID = (int)$_SESSION['id_korisnik'];
$email = (int)$_SESSION['email'];
$totalPrice = 0;

$sql = "
    SELECT p.naziv as naziv, korp.kolicina, SUM(korp.kolicina * p.cena) as ukupna_cena,
    p.cena ,p.id_proizvodi
    FROM korisnici kors INNER JOIN korpa korp
    ON kors.id_korisnik = korp.id_korisnik INNER JOIN proizvodi p
    ON korp.id_proizvod = p.id_proizvodi
    WHERE kors.id_korisnik = $userID
    GROUP BY p.naziv,korp.kolicina
    ";

$result = mysqli_query($connection,$sql);

if ( isset($_POST['btnCartSubmit']) ) {
    $mailIsSent = false;
```

```

$message = "
  <h1>Narucio korisnik sa emailom : $email</h1>
";

$headers = "From: djordje.petrovic.6.15@ict.edu.rs";

$shoppingCart = mysqli_query($connection,$sql);
$total = 0;

while ( $row = mysqli_fetch_array($shoppingCart) ) {
  $name = $row['naziv'];
  $qty = $row['kolicina'];
  $price = $row['cena'];
  $totalForProduct = $row['ukupna_cena'];
  $total += (int)$totalForProduct;

  $message .= "
    <h1>Ime proizvoda : $name</h1>
    <p>Kolicina : $qty</p>
    <p>Cena po komadu : $price</p>
    <p>Ukupno za proizvod : $totalForProduct</p>
  ";
}

$message .= "<h2>Ukupna cena korpe : $total</h2>";

if (
  @mail($_SESSION['email'], 'Korpa', $message,$headers) &&
  @mail('djordje.petrovic.6.15@ict.edu.rs', 'Korpa', $message,$headers)
) {

```



```
$mailIsSent = true;

$deleteUserCartSQL = "
    DELETE
    FROM korpa
    WHERE id_korisnik = $userID
";

$deleteUserCart = mysqli_query($connection,$deleteUserCartSQL);
} else {

}
}
?>
<!DOCTYPE html>
<html lang="sr">
<head>
    <title><?php echo SITE_NAME; ?> | Korpa</title>
    <?php include_once PARTIALS . 'meta.php' ?>
</head>
<body>
    <?php include_once PARTIALS . 'navigation.php' ?>

    <div class="container container-min-height" id="wreaper">
        <div class="row">
            <div class="col-md-12">
                <h1>Moja Korpa</h1>
            </div>
        </div>
        <div class="row">
            <div class="col-md-6">
```

```

<?php if ( mysqli_num_rows($result) == 0 ): ?>
    <h2>Nemate nista u korpi</h2>
<?php else: ?>
    <ul class='list-group'>
        <?php while ( $row = mysqli_fetch_array($result) ): ?>
            <?php
                $productID = $row['id_proizvodi'];
                $name = $row['naziv'];
                $qty = $row['kolicina'];
                $individualPrice = $row['cena'];
                $price = $row['ukupna_cena'];
                $totalPrice += $price;
            ?>
            <li class='list-group-item'>
                <p>Ime : <?php echo $name ?>
                Izabrana kolicina : <?php echo $qty ?></p>
                <p>Pojedinačna cena : <?php echo $individualPrice . ' RSD'; ?>
                Ukupna cena za izabrano : <?php echo $price . ' RSD';?></p>
                <p>
                    <a href="utilities/delete_all_from_cart.php?id=<?php echo $productID ?>" class="btn btn-primary">Izbrisi sve</a>
                    <a href="utilities/delete_one_from_cart.php?id=<?php echo $productID ?>" class="btn btn-primary">Izbrisi jedan</a>
                </p>
            </li>
        <?php endwhile ?>
    </ul>
<?php endif ?>
</div>
<?php if ( mysqli_num_rows($result) > 0 ): ?>
<div class="col-md-6 cart-left" id="cart-info">
    <h2>Ukupna cena korpe : <?php echo $totalPrice . ' RSD'; ?></h2>
    <p>

```

```
<form action="/cart.php" method="POST">
  <button type="submit" name="btnCartSubmit" class="btn btn-primary">Naruci</button>
</form>
<form action="utilities/delete_cart.php" method="POST">
  <button type="submit" class="btn btn-danger">Izbrisi korpu</button>
</form>
</p>
</div>
<?php endif ?>
<?php if ( isset($_POST['btnCartSubmit']) ): ?>
<br/>
<div class="col-md-6 cart-left" id="cart-info">
  <?php if ( $mailIsSent ): ?>
    <h2>Uspesno ste narucili vase proizvode</h2>
  <?php else: ?>
    <h2>Doslo je do greske ,molimo vas da pokusate ponovo...</h2>
  <?php endif ?>
</div>
<?php endif ?>
</div>
</div>
<?php include_once PARTIALS . '/footer.php' ?>
</body>
</html>
```

## ***Details.php***

```
<?php
require_once 'config/connection.php';
```

```

session_start();

$productID = (int)$_GET['id'];

$comments = "
SELECT *
FROM komentari k INNER JOIN korisnici ko
ON k.id_korisnik = ko.id_korisnik
WHERE k.id_proizvod = $productID
";

$allComments = mysqli_query($connection,$comments);

$sql = "
SELECT p.id_proizvodi,p.naziv as pNaziv,p.cena,p.kolicina,p.broj_lajkova,p.broj_dislajkova,
p.broj_komentara,p.slika,p.opis,k.naziv as kNaziv
FROM proizvodi p INNER JOIN kategorije k
ON p.id_kategorija = k.id_kategorije
WHERE id_proizvodi = $productID
";

$res = mysqli_query($connection,$sql);

$product = mysqli_fetch_array($res);
?>

<!DOCTYPE html>
<html lang="sr">
<head>
<title><?php echo SITE_NAME; ?> | <?php echo $product['pNaziv']; ?></title>
<?php include_once(PARTIALS . 'meta.php') ?>

```

```
</head>
<body>
  <?php include_once(PARTIALS . 'navigation.php') ?>

  <div class="container" id="wreaper">
    <div class="row">
      <div class="col-md-12">
        <h1>
          <?php echo $product['pNaziv'] ?>
          <?php if ( isset($_SESSION['id_korisnik']) ): ?>
            <a href='/utilities/add_to_cart.php?id=<?php echo $product['id_proizvodi']; ?>'
              class='btn btn-primary block'>Dodaj u korpu</a>
          <?php endif ?>
          <a href="/galerija.php?id=<?php echo $product['id_proizvodi'] ?>" class="btn btn-primary">Galerija</a>
        </h1>
      </div>
    </div>
    <div class="row">
      <div class="col-md-5">
        <div id="details-img-wreaper">
          
        </div>
      <div class="col-md-9">
        <p>
          <?php if ( $product['broj_lajkova'] + $product['broj_dislajkova'] > 0 ): ?>
            <div class="votes-wreaper">
              <?php
                $total = (int)$product['broj_lajkova'] + (int)$product['broj_dislajkova'];
                $likesPercent = round((int)$product['broj_lajkova'] / $total * 100);
                $dislikesPercent = round((int)$product['broj_dislajkova'] / $total * 100);
              ?>
            </div>
          </p>
        </div>
      </div>
    </div>
  </div>

```

```
<?php ?>
<?php if ( $likesPercent > 0 ): ?>
<div id="votes-left"
  style="width:<?php echo $likesPercent . '%'; ?>">
  <?php echo $likesPercent; ?> %
</div>
<?php endif ?>
<?php if ( $dislikesPercent > 0 ): ?>
  <div id="votes-right"
    style="width:<?php echo $dislikesPercent . '%'; ?>">
    <?php echo $dislikesPercent; ?> %
  </div>
<?php endif ?>
</div>
<?php endif ?>
<div id="votes">
  Svidja mi se : <?php echo $product['broj_lajkova']; ?>
  Ne Svidja mi se : <?php echo $product['broj_dislajkova']; ?>
</div>
</p>
<?php if ( isset($_SESSION['id_korisnik']) ): ?>
  <a class="btn btn-primary"
    href="/utilities/vote_product.php?id=<?php echo $product['id_proizvodi'] ?>&like=yes">Svidja mi se</a>
  <a class="btn btn-danger"
    href="/utilities/vote_product.php?id=<?php echo $product['id_proizvodi'] ?>&dislike=yes">Ne svidja mi se</a>

  <?php else: ?>
    <p>Morate biti ulogovani da biste glasali...</p>
  <?php endif ?>
</div>
</div>
```

```

<div class="col-md-7">
  <p class="details-left">Kategorija : <?php echo $product['kNaziv']; ?></p>
  <p class="details-left">Cena <?php echo $product['cena']; ?> RSD</p>
  <p class="details-left">Trenutno na stanju : <?php echo $product['kolicina']; ?></p>
  <p class="details-left">Opis : <?php echo $product['opis']; ?></p>
  <?php if ( isset($_SESSION['id_korisnik']) ): ?>
    <form action="/utilities/komentar.php" method="POST">
      <h2>Vas komentar...</h2>
      <input type="hidden" name="productID" value="<?php echo $productID ?>">
      <div class="form-group">
        <textarea class="form-control" placeholder="Vas komentar..." name="comment">

        </textarea>
        <br>
        <button type="submit" class="btn btn-primary">Posalji</button>
      </div>
    </form>
  <?php else: ?>
    <h3>Morate biti ulogovani da biste komentarisali...</h3>
  <?php endif ?>

  <?php if ( mysqli_num_rows($allComments) == 0 ): ?>
    <p>Trenutno nema komentara...</p>
  <?php else: ?>
    <h2>Komentari</h2>
    <?php while ( $row = mysqli_fetch_array($allComments) ): ?>
      <div class="col-md-12 comments">
        <h4>Komentar poslao <?php echo $row['korisnicko_ime']; ?>
        <?php
          $date = strtotime($row['komentar_datum']);

```

```

        echo date('d/m/Y',$date);
    ?>
</h4>
<p>
    <?php echo htmlspecialchars($row['komentar']); ?>
</p>
</div>
<?php endwhile ?>
<?php endif ?>

</div>
</div>
</div>

<?php include_once PARTIALS . '/footer.php' ?>
</body>
</html>

```

## ***Galerija.php***

```

<?php
require_once 'config/connection.php';

session_start();

$productID = isset($_GET['id']) ? $_GET['id'] : 1;

$sql = "
    SELECT s.putanja,s.naziv_slike,p.slika,p.naziv
    FROM slike_proizvoda s RIGHT OUTER JOIN proizvodi p

```



```
ON s.id_proizvodi = p.id_proizvodi
WHERE p.id_proizvodi = $productID
";
```

```
$counter = 0;
```

```
$result = mysqli_query($connection,$sql);
?>
```

```
<!DOCTYPE html>
```

```
<html lang="sr">
```

```
<head>
```

```
<title><?php echo SITE_NAME; ?> | Galerija</title>
```

```
<?php include_once PARTIALS . 'meta.php' ?>
```

```
<link rel="stylesheet" type="text/css" href="/static/css/lightbox.min.css">
```

```
<script src="/static/js/lightbox.js"></script>
```

```
</head>
```

```
<body>
```

```
<?php include_once PARTIALS . 'navigation.php' ?>
```

```
<div class="container container-min-height" id="wreaper">
```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<h1>Galerija</h1>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<?php if ( mysqli_num_rows($result) == 0 ): ?>
```

```
<h3>Trenutno nema fotografija za izabrani proizvod...</h3>
```

```
<?php else: ?>
```

```
<?php while ( $row = mysqli_fetch_array($result) ): ?>
```

```
<?php
    $counter++;
?>
<?php if ( $counter == 1 ): ?>
    <div class="images-wreaper">
        <a href='<?php echo "/slike/" . $row['slika'] ; ?>'
            data-lightbox='image-<?php echo $counter; ?>'
            data-title='<?php echo $row['naziv']; ?>'>
            <img src='<?php echo "/slike/" . $row['slika'] ; ?>' alt="">
        </a>
    </div>
    <?php $counter++; ?>
<?php endif ?>
<?php if ( isset($row['putanja']) ): ?>
<?php
    $image = $row['putanja'];
    $title = $row['naziv_slike'];
?>
<div class="images-wreaper">
    <a href='<?php echo $image; ?>'
        data-lightbox='image-<?php echo $counter; ?>'
        data-title='<?php echo $title; ?>'>
        <img src='<?php echo $image; ?>' alt="">
    </a>
</div>
<?php endif ?>
<?php endwhile ?>
<?php endif ?>
</div>
</div>
```

```
<?php include_once PARTIALS . '/footer.php' ?>
</body>
</html>
```

## ***Kontakt.php***

```
<?php
require_once 'config/connection.php';

session_start();

$errors = array();
$emailRegex = '/[a-zA-Z0-9\.\?\!]+\@[a-z](\.[a-z]{2,4})?\.[a-z]{2,4}/';
$messageRegex = '/[a-zA-Z0-9\s\.\?\!-\_\"']{10,100}/';

if ( isset($_POST['btnSend']) ) {
    $email = "";
    $message = "";

    if ( isset($_POST['email']) && $_POST['email'] != " ) {
        $email = $_POST['email'];

        if ( !preg_match($emailRegex, $email) ) {
            $errors[] = 'E-mail nije u validnom formatu';
        }
    } else {
        $errors[] = 'Niste uneli email...';
    }

    if ( isset($_POST['question']) && $_POST['question'] != " ) {
```

```

$message = trim($_POST['question']);

if ( !preg_match($messageRegex, $message) ) {
    $errors[] = 'Vas komentar sadrzi nedozvoljene karaktere.Takodje mora biti najmanje 10 karaktera...';
}
} else {
    $errors[] = 'Niste nista upisali...';
}

if ( count($errors) == 0) {
    $mailIsSent = false;
    $headers = "From: djordje.petrovic.6.15@ict.edu.rs";

    if ( @mail('djordje.petrovic.6.15@ict.edu.rs', 'Informacije', $message,$headers) ) {
        $mailIsSent = true;
    } else {
        $mailIsSent = false;
    }
}
}
?>
<!DOCTYPE html>
<html lang="sr">
<head>
    <title><?php echo SITE_NAME; ?> | Kontakt</title>
    <?php include_once(PARTIALS . 'meta.php') ?>
    <link rel="stylesheet" type="text/css" href="/static/css/lightbox.min.css">
    <script src="/static/js/lightbox.js"></script>
</head>
<body>
    <?php include_once PARTIALS . 'navigation.php' ?>

```

```
<div class="container" id="wreaper">
  <div class="row">
    <div class="col-md-12">
      <h1>Kontakt</h1>
    </div>
  </div>
  <div class="row">
    <div class="col-md-12">
      <h2>Ukoliko imate bilo kakvih nedoumica ili vam je potrebna bilo kakva dodatna informacija, kontaktirajte nas preko forme ispod.
      <?php if ( !isset($_SESSION['id_korisnik']) ): ?>
        Molimo vas da unesete ispravan e-mail da bi vam odgovor uspesno stigao...
      <?php endif ?>
      <?php if ( !isset($_SESSION['id_korisnik']) ): ?>
        <h2>
          Da bi ste bili u mogucnosti da kupujete kod nas , molimo vas da se
          <a href="/register.php">registrujete</a>.Ako vec imate nalog, molimo vas da se
          <a href="/login.php">ulogujete</a>
        </h2>
      <?php endif?>
    </div>
    <div class="col-md-6">
      <form action="/kontakt.php" method="POST">
        <div class="form-group">
          <?php if ( isset($_SESSION['id_korisnik']) ): ?>
            <input type="hidden" name="email" value="<?php echo $_SESSION['email']; ?>">
```

```
<?php else: ?>
    <input class="form-control" type="text" name="email" placeholder="Vas email">
<?php endif ?>
</div>
<div class="form-group">
    <textarea id="contact-area" class="form-control" name="question" placeholder="Vase pitanje...">

    </textarea>
</div>
<div class="form-group">
    <button class="btn btn-primary" type="submit" name="btnSend">Posalji</button>
</div>
</form>
</div>
<?php if ( isset($_POST['btnSend']) && count($errors) > 0 ): ?>
<div class="col-md-6">
    <ul class="list-group">
        <?php foreach ( $errors as $e ): ?>
            <li class="list-group-item"><?php echo $e; ?></li>
        <?php endforeach ?>
    </ul>
</div>
<?php endif ?>
<?php if ( isset($mailIsSent) ): ?>
    <div class="col-md-6">
        <?php if ( $mailIsSent ): ?>
            <p>Vasa poruka je uspesno poslata, odgovoricemo sto pre...</p>
        <?php else: ?>
            <h3>Doslo je do greske prilikom slanja maila , molimo vas da pokusate ponovo...</h3>
        <?php endif ?>
    </div>
```

```
<?php endif ?>
</div>
</div>

<?php include_once PARTIALS . '/footer.php' ?>
</body>
</html>
```

## *Login.php*

```
<?php
require_once 'config/connection.php';

$error = "";

if ( isset($_POST['login']) ) {
    $email = $_POST['email'];
    $password = $_POST['password'];
    $errors = array();

    $sql = 'SELECT * FROM korisnici WHERE email = ?';

    $stmt = $connection->prepare($sql);
    $stmt->bind_param('s',$email);
    $stmt->execute();
    $result = $stmt->get_result();
    $stmt->close();

    if ( mysqli_num_rows($result) === 0 ) {
        $errors[] = 'Email ili lozinka nisu tacni , pokusajte ponovo...';
    }
}
```

```
} else {
    $row = $result->fetch_assoc();
    $hash = $row['password'];
    $isValid = password_verify($password,$hash);

    if ( $isValid == 0 ) {
        $errors[] = 'Email ili lozinka nisu tacni , pokusajte ponovo...';
    } else {
        session_start();

        $_SESSION['id_korisnik'] = $row['id_korisnik'];
        $_SESSION['dozvola'] = $row['dozvola'];
        $_SESSION['email'] = $row['email'];

        header('Location: index.php');
    }
}

if ( count($errors) > 0 ) {
    $err = '<ul class="list-group">';

    foreach ($errors as $e) {
        $err .= "<li class='list-group-item'>$e</li>";
    }

    $err .= '</ul>';
}

?>
<!DOCTYPE html>
```



```
<html lang="sr">
<head>
  <title><?php echo SITE_NAME; ?> | Uloguj se</title>
  <?php include_once(PARTIALS . 'meta.php') ?>
</head>
<body>
  <?php include_once(PARTIALS . 'navigation.php') ?>

  <div class="container container-min-height">
    <div class="row">
      <div class="col-md-12">
        <div class="alert">
          <h1>Uloguj se</h1>
        </div>
      </div>
    </div>
    <div class="row">
      <div class="col-md-6">
        <?php
          echo $err;
        ?>
        <form action="/login.php" method="POST">
          <div class="form-group">
            <label for="email">E-Mail</label>
            <input type="text" name="email" class="form-control" placeholder="E-Mail...">
          </div>
          <div class="form-group">
            <label for="password">Sifra</label>
            <input type="password" name="password" class="form-control" placeholder="Sifra...">
          </div>
          <button class="btn btn-primary" type="submit" name='login'>Uloguj se</button>
```

```
        </form>
    </div>
</div>
</div>
<?php include_once PARTIALS . 'footer.php'; ?>
</body>
</html>
```

## ***O autoru.php***

```
<?php
    require_once 'config/connection.php';

    session_start();
?>
<!DOCTYPE html>
<html lang="sr">
    <head>
        <title><?php echo SITE_NAME; ?> | O autoru</title>
        <?php include_once PARTIALS . 'meta.php' ?>
        <link rel="stylesheet" type="text/css" href="/static/css/lightbox.min.css">
        <script src="/static/js/lightbox.js"></script>
    </head>
    <body>
        <?php include_once PARTIALS . 'navigation.php' ?>

        <div class="container container-min-height" id="wreaper">
            <div class="row">
                <div class="col-md-12">
                    <h1>O autoru</h1>
```

```

    </div>
</div>
<div class="row">
    <div class="col-md-6">
        
    </div>
    <div class="col-md-6">
        <p id="bio">Ja sam Djordje Petrovic. Rodjen sam u Pirotu, a zivim u Beogradu od 2010-e godine, i imam 24 godina. Trenutno
studiram web programiranje na Visokoj ICT skoli u Beogradu. U slobodno vreme volim da gledam filmove , da igram poker, da izlazim itd
itd...</p>
    </div>
</div>
</div>
<?php include_once PARTIALS . '/footer.php' ?>
</body>
</html>

```

## ***Register.php***

```

<?php
require_once 'config/connection.php';

session_start();

$errors    = array();
$email     = "";
$password  = "";
$adress    = "";
$phone     = "";
$username  = "";

```

```
$emailRegex = '/[a-zA-Z0-9\.\?\!]+\@[a-z](\.[a-z]{2,4})?\.[a-z]{2,4}/';  
$adressRegex = '/[a-zA-Z0-9\.\?]{5,}/';  
$phoneRegex = '/06[0-9][0-9]{6,7}/';  
$usernameRegex = '/[a-zA-Z0-9\.\?\!]{5,15}/';
```

```
if ( isset($_POST['register']) ) {  
    if ( isset($_POST['email']) && $_POST['email'] != " ) {  
        $email = $_POST['email'];  
        $tempEmail = addslashes($email);
```

```
        if ( !preg_match($emailRegex,$email) ) {  
            $errors[] = 'Email nije u validnom formatu';  
        }
```

```
        $checkIfEmailExists = "  
        SELECT *  
        FROM korisnici  
        WHERE email = '$tempEmail'  
        ";
```

```
$user = mysqli_query($connection,$checkIfEmailExists);
```

```
if ( mysqli_num_rows($user) > 0 ) {  
    $errors[] = 'E-mail vec postoji...';  
}  
} else {  
    $errors[] = 'Morate da unesete e-mail';  
}
```

```
if ( isset($_POST['password']) && $_POST['password'] != " ) {
```

```
$password = $_POST['password'];
} else {
    $errors[] = 'Morate da unesete sifru';
}

if ( isset($_POST['adress']) && $_POST['adress'] != " ) {
    $adress = $_POST['adress'];

    if ( !preg_match($adressRegex,$adress) ) {
        $errors[] = 'Adresa nije u validnom formatu';
    }
} else {
    $errors[] = 'Morate da unesete adresu';
}

if ( isset($_POST['phone']) && $_POST['phone'] != " ) {
    $phone = $_POST['phone'];

    if ( !preg_match($phoneRegex, $phone) ) {
        $errors[] = 'Broj telefona nije u validnom formatu';
    }
} else {
    $errors[] = 'Morate da unesete broj telefona';
}

if ( isset($_POST['username']) && $_POST['username'] != " ) {
    $username = $_POST['username'];

    if ( !preg_match($usernameRegex, $username) ) {
        $errors[] = 'Korisnicko ime nije u validnom formatu';
    }
}
```

```
} else {  
    $errors[] = 'Morate da uneste korisnicko ime';  
}
```

```
if ( count($errors) == 0 ) {  
    $hash = password_hash($password,PASSWORD_DEFAULT);
```

```
$sql = "  
    INSERT INTO korisnici(email,password,adresa,broj_telefona,korisnicko_ime)  
    VALUES (?,?,,?,?)  
";
```

```
$stmt = $connection->prepare($sql);  
$stmt->bind_param('sssss',$email,$hash,$adress,$phone,$username);  
$stmt->execute();
```

```
$sql = "  
    SELECT *  
    FROM korisnici  
    WHERE email = '$email'  
";
```

```
$user = mysqli_query($connection,$sql);
```

```
$u = mysqli_fetch_array($user);
```

```
session_start();
```

```
$_SESSION['id_korisnik'] = $u['id_korisnik'];  
$_SESSION['dozvola'] = $u['dozvola'];  
$_SESSION['email'] = $u['email'];
```

```
    header('Location:index.php');
}
}
?>
```

```
<!DOCTYPE html>
<html lang="sr">
<head>
    <title><?php echo SITE_NAME ?> | Registracija</title>
    <?php include_once PARTIALS . 'meta.php' ?>
</head>
<body>
    <?php include_once PARTIALS . 'navigation.php' ?>

    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="alert">
                    <h1>Registracija</h1>
                    <?php if ( !isset($_SESSION['id_korisnik']) ): ?>
                        <h2>Vec imate nalog? <a href="/login.php">Ulogujte se</a></h2>
                    <?php endif ?>
                </div>
            </div>
        </div>
        <div class="row">
            <div class="col-md-6">
                <form action="/register.php" method="POST">
                    <div class="form-group">
                        <label for="username">Korisnicko ime</label>
```

```

    <input type="text" name="username" placeholder="Korisniko ime..." class="form-control">
</div>
<div class="form-group">
    <label for="email">E-Mail</label>
    <input type="text" name="email" class="form-control" placeholder="E-Mail...">
</div>
<div class="form-group">
    <label for="password">Sifra</label>
    <input type="password" name="password" class="form-control" placeholder="Sifra...">
</div>
<div class="form-group">
    <label for="address">Adresa</label>
    <input type="text" name="address" class="form-control" placeholder="Adresa...">
</div>
<div class="form-group">
    <label for="address">Broj Telefona</label>
    <input type="text" name="phone" class="form-control" placeholder="Broj Telefona...">
</div>
<button class="btn btn-primary" type="submit" name='register'>Registruj se</button>
</form>
</div>
<?php if ( isset($_POST['register']) && count($errors > 0) ): ?>
<div class="col-md-6">
    <h3>Došlo je do greske prilikom registracije vasesg naloga , molimo vas da probate ponovo...</h3>
    <ul class="list-group">
        <?php foreach ( $errors as $e ): ?>
            <li class='list-group-item'><?php echo $e; ?></li>
        <?php endforeach ?>
    </ul>
</div>
<?php endif ?>

```



```
</div>
</div>
<?php include_once PARTIALS . 'footer.php' ?>
</body>
</html>
```

## *Admin.php*

```
<?php
session_start();

if ( !isset($_SESSION['id_korisnik']) || $_SESSION['id_korisnik'] != 3 ) {
    header('Location:index.php');
} else {
    require_once 'config/connection.php';
}
?>
<!DOCTYPE html>
<html lang="sr" ng-app="admin">
<head>
    <title><?php echo SITE_NAME; ?> | Admin Panel</title>
    <?php include_once(PARTIALS . 'meta.php') ?>
    <script src="/static/js/angular.min.js"></script>
    <script src="//ajax.googleapis.com/ajax/libs/angularjs/1.5.0/angular-sanitize.js"></script>
    <script src="/static/js/angular.rout.min.js"></script>
```

```
<script src="/static/js/admin.js"></script>
</head>
<body>
  <?php include_once(PARTIALS . 'navigation.php') ?>

  <div class="modal fade" id="informationsModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-
hidden="true">
    <div class="modal-dialog" role="document">
      <div class="modal-content">
        <div class="modal-header alert-info">
          <h5 class="modal-title" id="exampleModalLabel">Obavestenje</h5>
          <button type="button" class="close" data-dismiss="modal" aria-label="Close">
            <span aria-hidden="true">&times;</span>
          </button>
        </div>
        <div class="modal-body">
          <p>{{ info }}</p>
        </div>
        <div class="modal-footer alert-info">
          <button type="button" class="btn btn-secondary" data-dismiss="modal">OK</button>
        </div>
      </div>
    </div>
  </div>

  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <h1>Admin Panel</h1>
      </div>
    </div>
  </div>
```

```

<div class="row">
  <div class="col-md-2">
    <ul class="list-group">
      <a href="#proizvodi" class="list-group-item">Proizvodi</a>
      <a href="#kategorije" class="list-group-item">Kategorije</a>
      <a href="#linkovi" class="list-group-item">Linkovi</a>
      <a href="#korisnici" class="list-group-item">Korisnici</a>
      <a href="#anketa" class="list-group-item">Anketa</a>
      <a href="#slike_proizvodi" class="list-group-item">Slike proizvoda</a>
    </ul>
  </div>
  <div class="col-md-10" id="admin-left">
    <ng-view></ng-view>
  </div>
</div>
</div>
<?php include_once PARTIALS . '/footer.php' ?>
</body>
</html>

```

Admin panel je realizovan kao single page aplikacija. Pojedinačne stranice koje on koristi I celokupan API je :

## ***Add\_categorie.php***

```

<?php
require_once '../config/connection.php';

$json = file_get_contents('php://input');
$obj = json_decode($json);

```

```
$name = $obj->name;

$sql = "
    INSERT INTO kategorije(naziv)
    VALUES ('$name')
";

$res = mysqli_query($connection,$sql);

$response = array();

if ( !$res ) {
    $response['success'] = false;
} else {
    $response['success'] = true;
}

echo json_encode($response);

mysqli_close($connection);
?>
```

## ***Add\_link.php***

```
<?php
require_once '../config/connection.php';

$json = file_get_contents('php://input');
```

```
$obj = json_decode($json);

$name = $obj->ime;
$link = $obj->link;
$dozvola = (int)$obj->dozvola;

$sql = "
    INSERT INTO linkovi(ime,link,dozvola)
    VALUES ('$name','$link','$dozvola')
";

$res = mysqli_query($connection,$sql);

$response = array();

if ( !$res ) {
    $response['success'] = false;
} else {
    $response['success'] = true;
}

echo json_encode($response);

mysqli_close($connection);
?>
```

## ***Delete\_categorie.php***

```
<?php
```

```
require_once '../config/connection.php';

$json = file_get_contents('php://input');
$obj = json_decode($json);

$id = $obj->id;

$sql = "
DELETE FROM kategorije
WHERE id_kategorije = $id
";

$res = mysqli_query($connection,$sql);

$response = array();

if ( !$res ) {
    $response['success'] = false;
} else {
    $response['success'] = true;
}

echo json_encode($response);

mysqli_close($connection);
?>
```

***Delete\_link.php***

<?php

```
require_once '../config/connection.php';

$json = file_get_contents('php://input');
$obj = json_decode($json);

$index = (int)$obj->index;

$sql = "
DELETE FROM linkovi
WHERE id_linkovi = $index
";

$res = mysqli_query($connection,$sql);

$response = array();

if ( !$res ) {
    $response['success'] = false;
} else {
    $response['success'] = true;
}

echo json_encode($response);

mysqli_close($connection);
?>
```

***Delete\_photo.php***

<?php

```
require_once '../config/connection.php';

$json = file_get_contents('php://input');
$obj = json_decode($json);

$id = (int)$obj->id;

$sql = "
    DELETE
    FROM slike_proizvoda
    WHERE id_slike = $id
";

$res = mysqli_query($connection,$sql);
$response = array();

if ( $res ) {
    $response['success'] = true;
} else {
    $response['success'] = false;
}

mysqli_close($connection);

echo json_encode($response);
?>
```

***Delete\_product.php***



```
<?php
require_once '../config/connection.php';

$json = file_get_contents('php://input');
$obj = json_decode($json);

$id = $obj->id;

$sql = "
DELETE FROM proizvodi
WHERE id_proizvodi = $id
";

$res = mysqli_query($connection,$sql);

$response = array();

if ( !$res ) {
    $response['success'] = false;
} else {
    $response['success'] = true;
}

echo json_encode($response);

mysqli_close($connection);
?>
```

***Delete\_user.php***

```
<?php
require_once '../config/connection.php';

$json = file_get_contents('php://input');
$obj = json_decode($json);

$userID = (int)$obj->id;

$sql = "
DELETE
FROM korisnici
WHERE id_korisnik = $userID
";

$res = mysqli_query($connection,$sql);
$response = array();

if ( $res ) {
    $response['success'] = true;
} else {
    $response['success'] = false;
}

mysqli_close($connection);

echo json_encode($response);
?>
```

***Get\_all\_categories.php***

```
<?php
require_once '../config/connection.php';

$sql = "
    SELECT *
    FROM kategorije
";

$result = mysqli_query($connection,$sql);
$rows = array();

while ( $row = mysqli_fetch_array($result) ) {
    $rows[] = $row;
}

mysqli_close($connection);

echo json_encode($rows);
?>
```

## ***Get\_all\_products.php***

```
<?php
require_once '../config/connection.php';

$sql = "
    SELECT p.id_proizvodi,p.naziv AS pNaziv,p.cena,p.kolicina,p.opis,k.naziv AS kNaziv,
    k.id_kategorije
```

```
FROM proizvodi p INNER JOIN kategorije k
ON p.id_kategorija = k.id_kategorije
";

$result = mysqli_query($connection,$sql);

$rows = array();

while ( $row = mysqli_fetch_array($result) ) {
    $rows[] = $row;
}

mysqli_close($connection);

echo json_encode($rows);
?>
```

## ***Get\_all\_users.php***

```
<?php
require_once '../config/connection.php';

$sql = "
    SELECT id_korisnik,email,adresa,datum,dozvola
    FROM korisnici
";

$result = mysqli_query($connection,$sql);
$rows = array();
```

```
while ( $row = mysqli_fetch_array($result) ) {  
    $rows[] = $row;  
}  
  
mysqli_close($connection);  
  
echo json_encode($rows);  
?>
```

## ***Get\_links.php***

```
<?php  
require_once '../config/connection.php';  
  
$sql = "  
    SELECT id_linkovi,ime,link,dozvola  
    FROM linkovi  
    ORDER BY dozvola ASC  
    ";  
  
$rows = array();  
  
$result = mysqli_query($connection,$sql);  
  
while ( $row = mysqli_fetch_array($result) ) {  
    $rows[] = $row;  
}  
  
mysqli_close($connection);
```

```
    echo json_encode($rows);  
?>
```

## ***Get\_photos.php***

```
<?php  
    require_once '../config/connection.php';  
  
    $productID = (int)$_GET['id'];  
  
    $sql = "  
        SELECT *  
        FROM slike_proizvoda  
        WHERE id_proizvodi = $productID  
    ";  
  
    $res = mysqli_query($connection,$sql);  
    $rows = array();  
  
    while ( $row = mysqli_fetch_array($res) ) {  
        $rows[] = $row;  
    }  
  
    mysqli_close($connection);  
  
    echo json_encode($rows);  
?>
```

## ***Get\_poll.php***

```
<?php
require_once '../config/connection.php';

$sql = "
SELECT *
FROM anketa as a INNER JOIN opcije as o
ON a.id_anketa = o.id_anketa
";

$poll = mysqli_query($connection,$sql);

$rows = array();

if ( mysqli_num_rows($poll) > 0 ) {
    while ( $row = mysqli_fetch_array($poll) ) {
        $rows[] = $row;
    }

    echo json_encode($rows);
} else {
    echo json_encode($rows);
}
?>
```

## ***Get\_poll\_votes\_count.php***

```
<?php
```

```

require_once '../config/connection.php';

$sql = "
    SELECT SUM(broj_glasova) as broj_glasova
    FROM opcije
";

$result = mysqli_query($connection,$sql);
$rows = array();

while ( $row = mysqli_fetch_array($result) ) {
    $rows[] = $row;
}

echo json_encode($rows);
?>

```

## ***Modify\_categorie.php***

```

<?php
require_once '../config/connection.php';

$json = file_get_contents('php://input');
$obj = json_decode($json);

$id = (int)$obj->id;
$name = $obj->naziv;

$sql = "
    UPDATE kategorije
    SET naziv = '$name'

```



```

        WHERE id_kategorije = $id
    ";

    $res = mysqli_query($connection,$sql);
    $response = array();

    if ( $res ) {
        $response['success'] = true;
    } else {
        $response['success'] = false;
    }

    mysqli_close($connection);

    echo json_encode($response);
?>

```

## ***Modify\_link.php***

```

<?php
require_once '../config/connection.php';

$json = file_get_contents('php://input');
$obj = json_decode($json);

$id = (int)$obj->id_linkovi;
$name = $obj->ime;
$link = $obj->link;
$dovolja = (int)$obj->dovolja;

```

```
$sql = "
    UPDATE linkovi
    SET ime = '$name' , link = '$link' , dozvola = $dozvola
    WHERE id_linkovi = $id
";

$res = mysqli_query($connection,$sql);

mysqli_close($connection);

$response = array();

if ( !$res ) {
    $response['success'] = false;
} else {
    $response['success'] = true;
}

echo json_encode($response);
?>
```

## ***Modify\_photo.php***

```
<?php
    require_once '../config/connection.php';

    $json = file_get_contents('php://input');
    $obj = json_decode($json);

    $id = (int)$obj->id;
```

```
$photoID = (int)$obj->id_slike;
$name = $obj->naziv;

$sql = "
    UPDATE slike_proizvoda
    SET naziv_slike = '$name', id_proizvodi = $id
    WHERE id_slike = $photoID
";

$res = mysqli_query($connection,$sql);
$response = array();

$response['success'] = $res ? true : false;

mysqli_close($connection);

echo json_encode($response);
?>
```

## ***Modify\_product.php***

```
<?php
require_once '../config/connection.php';

$json = file_get_contents('php://input');
$obj = json_decode($json);

$id_proizvodi = (int)$obj->id_proizvodi;
$naziv = $obj->naziv;
```

```

$id_kategorije = (int)$obj->id_kategorije;
$cena = (int)$obj->cena;
$kolicina = (int)$obj->kolicina;
$opis = $obj->opis;

$sql = "
    UPDATE proizvodi
    SET naziv = '$naziv', id_kategorija = $id_kategorije , cena = $cena,
    kolicina = $kolicina, opis = '$opis'
    WHERE id_proizvodi = $id_proizvodi
";

$res = mysqli_query($connection,$sql);

$response = array();

if ( !$res ) {
    $response['success'] = false;
} else {
    $response['success'] = true;
}

echo json_encode($response);

mysqli_close($connection);
?>

```

## ***Reset\_votes.php***

```
<?php
```

```
require_once '../config/connection.php';

$sql = "
    UPDATE opcije
    SET broj_glasova = 0
";

$res = mysqli_query($connection,$sql);

$emptyUserWhoVoted = "
    DELETE FROM korisnici_anketa
";

$e = mysqli_query($connection,$emptyUserWhoVoted);

mysqli_close($connection);

$response = array();

if ( $res && $e ) {
    $response['success'] = true;
} else {
    $response['success'] = false;
}

echo json_encode($response);
?>
```

***update\_poll.php***

```
<?php
require_once '../config/connection.php';

$json = file_get_contents('php://input');
$obj = json_decode($json);

$pollID = (int)$obj->pollID;
$pollName = $obj->pollName;
$pollShow = (int)$obj->pollShow;

$optionsJSON = json_encode($obj->options);

$options = json_decode($optionsJSON,true);

$sql = "
    UPDATE anketa
    SET ime = '$pollName' , vidljivost = $pollShow
    WHERE id_anketa = $pollID
";

$result = mysqli_query($connection,$sql);

foreach ( $options as $option ) {
    $optionID = $option['id_opcija'];
    $optionName = $option['opcija'];

    $sql = "
        UPDATE opcije
        SET opcija = '$optionName'
        WHERE id_opcija = $optionID
    ";
```

```
$res = mysqli_query($connection,$sql);  
}  
  
$response = array();  
  
if ( $result ) {  
    $response['success'] = true;  
} else {  
    $response['success'] = false;  
}  
  
echo json_encode($response);  
?>
```

## ***update\_user.php***

```
<?php  
require_once '../config/connection.php';  
  
$dozvole = array(0,1,2,3);  
  
$json = file_get_contents('php://input');  
$obj = json_decode($json);  
  
$userID = (int)$obj->userID;  
$dozvola = (int)$obj->dozvola;  
  
$response = array();
```

```
if ( !in_array($dozvola, $dozvole) ) {  
    $response['success'] = false;  
  
    echo json_encode($response);  
} else {  
    $sql = "  
        UPDATE korisnici  
        SET dozvola = $dozvola  
        WHERE id_korisnik = $userID  
    ";  
  
    $res = mysqli_query($connection,$sql);  
  
    if ( $res ) {  
        $response['success'] = true;  
    } else {  
        $response['success'] = false;  
    }  
  
    echo json_encode($response);  
}  
?>
```

***Lista stranica za admin panel***

***Anketa.html***



```

<p>Ime ankete : {{ pollName }}</p>
<p>Ukupan broj glasova za anketu : {{ votesSum }}</p>
<div class="form-group">
  <input type="text" placeholder="Ime ankete..." class="form-control" ng-model="pollName">
</div>
<p class="well">Opcije</p>
<div class="form-group" ng-repeat="option in poll">
  <input type="text" ng-model="option.opcija" class="form-control">
  <p>Broj Glasova : {{ option.broj_glasova }}</p>
</div>
<input type="checkbox" ng-checked="showPoll" ng-click="hideShowPoll()"><label>Vidljivost ankete</label>
<br/>
<button class="btn btn-primary" ng-click="resetVotes()">Resetujte anketu</button>
<button class="btn btn-primary" ng-click="updatePoll()">Izmenite anketu</button>

```

## ***kategorije.html***

```

<h1>Kategorije</h1>
<div class="form-group">
  <input type="text" class="form-control" placeholder="Naziv..." ng-model="categorieName">
  <button class="btn btn-primary" ng-click="addCategory()">Dodaj</button>
</div>
<table class="table table-hover">
  <thead>
    <tr>
      <td>R.br</td>
      <td>Naziv</td>
      <td>Izmena</td>

```

```

</tr>
</thead>
<tbody>
<tr ng-repeat="categorie in categories">
  <td>{{ $index + 1 }}</td>
  <td><input class="form-control" type="text" value="{{ categorie.naziv }}" ng-model="categorie.naziv"></td>
  <td>
    <button class="btn btn-primary" ng-click="modifyCategorie(categorie)">Izmeni</button>
    <button class="btn btn-danger" ng-click="deleteCategorie(categorie.id_kategorije)">Obrisi</button>
  </td>
</tr>
</tbody>
</table>

```

## ***korisnici.html***

```

<table class="table table-hover">
  <h2>Dozvole</h2>
  <p>0 - za sve korisnike</p>
  <p>1 - za neregistrovane korisnike</p>
  <p>2 - za registrovane korisnike</p>
  <p>3 - za administratore</p>
  <thead>
    <tr>
      <td>R.br</td>
      <td>Email</td>
      <td>Adresa</td>
      <td>Datum</td>
      <td>Dozvola</td>
    </tr>
  </thead>

```

```

        <td>Izmena</td>
    </tr>
</thead>
<tbody>
    <tr ng-repeat="user in users">
        <td>{{ $index + 1 }}</td>
        <td>{{ user.email }}</td>
        <td>{{ user.adresa }}</td>
        <td>{{ user.datum | date:"dd.MM.y" }}</td>
        <td><input class="form-control" type="text" ng-model="user.dozvola" value="{{ user.dozvola }}"></td>
        <td>
            <button class="btn btn-danger" ng-click="deleteUser(user.id_korisnik)">Obrisi</button>
            <button class="btn btn-primary" ng-click="updateUser(user.id_korisnik)">Izmeni</button>
        </td>
    </tr>
</tbody>
</table>

```

## *links.html*

```

<div class="modal fade" id="confirmDeleteModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-
hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Obrisi link</h5>
                <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
            </div>

```

```

</div>
<div class="modal-body">
  <p>Da li ste sigurni da zelite da obrisete ovaj link...?</p>
</div>
<div class="modal-footer">
  <button type="button" class="btn btn-secondary" data-dismiss="modal">Odustani</button>
  <button type="button" class="btn btn-primary" ng-click="deleteLink()" >Obrisi</button>
</div>
</div>
</div>
</div>
</div>

<div class="modal fade" id="modificationModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Izmeni link</h5>
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <div class="modal-body">
        <div class="form-group">
          <label>Naziv Linka</label>
          <input class="form-control" type="text" ng-model="linkToModify.ime">
        </div>
        <div class="form-group">
          <label>Putanja</label>
          <input class="form-control" type="text" ng-model="linkToModify.link">
        </div>
        <div class="form-group">

```

```

        <label>Dozvola</label>
        <input class="form-control" type="text" ng-model="linkToModify.dozvola">
    </div>
</div>
<div class="modal-footer">
    <button type="button" class="btn btn-secondary" data-dismiss="modal">Odustani</button>
    <button type="button" class="btn btn-primary" ng-click="modifyLink()">Izmeni</button>
</div>
</div>
</div>
</div>
</div>

<table class="table table-hover">
<thead>
<tr>
    <td>R.br</td>
    <td>Naziv linka</td>
    <td>Putanja</td>
    <td>Dozvola</td>
    <td>Izmena</td>
</tr>
</thead>
<tbody>
<tr ng-repeat="link in links">
    <td>{{ $index + 1 }}</td>
    <td>{{ link.ime }}</td>
    <td>{{ link.link }}</td>
    <td>{{ link.dozvola }}</td>
    <td>
        <button class="btn btn-primary" ng-click="showModificationForm(link)">Izmeni</button>
        <button class="btn btn-danger" ng-click="confirmDelete(link.id_linkovi)">Obrisi</button>
    </td>
</tr>
</tbody>
</table>

```

```
</td>
</tr>
</tbody>
</table>
```

```
<h1>Dodaj Link</h1>
<div class="form-group">
  <label>Naziv linka</label>
  <input type="text" class="form-control" placeholder="Naziv linka..." ng-model="linkToAdd.ime">
</div>
<div class="form-group">
  <label>Putanja</label>
  <input type="text" class="form-control" placeholder="Putanja..." ng-model="linkToAdd.link">
</div>
<div class="form-group">
  <label>Dozvola</label>
  <input type="text" class="form-control" placeholder="Dozvola..." ng-model="linkToAdd.dozvola">
</div>
<div class="form-group">
  <button class="btn btn-primary" ng-click="addLink()">Dodaj</button>
</div>
```

## ***proizvodi.html***

```
<button class="btn btn-primary" ng-click="showHideProductForm()">Dodaj Proizvod</button>
<form action="/utilities/add_product.php" method="POST" enctype="multipart/form-data" ng-show="showProductForm">
  <h2>Proizvod</h2>
  <div class="form-group">
    <input type="text" placeholder="Naziv..." class="form-control" name="naziv">
  </div>
```

```
<div class="form-group">
  <select name="kategorija" ng-bind-html="options" class="form-control">
    {{ options }}
  </select>
</div>
<div class="form-group">
  <input type="text" placeholder="Cena..." class="form-control" name="cena">
</div>
<div class="form-group">
  <input type="text" placeholder="Kolicina..." class="form-control" name="kolicina">
</div>
<div class="form-group">
  <textarea name="opis" class="form-control" placeholder="Opis...">

  </textarea>
</div>
<div class="form-group">
  <input type="file" class="form-control" name="slika">
</div>
<input class="btn btn-primary" type="submit" name="submit" value="Dodaj">
</form>
<div class="alert alert-warning" ng-show="products.length === 0">
  Trenutno ne postoji ni jedan proizvod...
</div>
<table class="table table-hover" ng-show="products.length > 0">
  <thead>
    <tr>
      <td>R.br</td>
      <td>Naziv</td>
      <td>Kategorija</td>
      <td>Cena</td>
```

```

        <td>Kolicina</td>
        <td>Izmena</td>
    </tr>
</thead>
<tbody>
<tr ng-repeat="product in products">
    <td>{{ $index + 1 }}</td>
    <td><input ng-model="product.pNaziv" class="form-control" type="text" value="{{ product.pNaziv }}"></td>
    <td>
        <select class="form-control" ng-model="product.id_kategorije">
            <option ng-repeat="c in categories" value="{{ c.id_kategorije }}">
                {{ c.naziv }}
            </option>
        </select>
    </td>
    <td><input ng-model="product.cena" class="form-control" type="text" value="{{ product.cena }}"></td>
    <td><input ng-model="product.kolicina" class="form-control" type="text" value="{{ product.kolicina }}"></td>
    <td>
        <button class="btn btn-primary" ng-click="modifyProduct(product)">Izmeni</button>
        <button class="btn btn-danger" ng-click="deleteProduct(product.id_proizvodi)">Obrisi</button>
    </td>
</tr>
</tbody>
</table>

```

## *Php skripta za dodavanje proizvoda*

```

<?php
if ( isset($_POST['submit']) ) {

```



```
require_once '../config/connection.php';

$name = $_POST['naziv'];
$cat = (int)$_POST['kategorija'];
$price = (double)$_POST['cena'];
$qty = (int)$_POST['kolicina'];
$desc = trim($_POST['opis']);
$time = time();
$imageName = $time . $_FILES['slika']['name'];
$imagePath = '../IMAGES/' . $time . basename($_FILES["slika"]["name"]);
$tempImagePath = $_FILES['slika']['tmp_name'];

$sql = "
    INSERT INTO proizvodi (naziv,id_kategorija,cena,kolicina,slika,opis)
    VALUES ('$name',$cat,$price,$qty,$imageName,$desc)
";

$res = mysqli_query($connection,$sql);

move_uploaded_file($tempImagePath, $imagePath);

mysqli_close($connection);
}

header('Location:/admin.php');
?>
```

## ***Slike\_proizvodi.html***

```
<div class="row">
```

```
<div class="col-md-8">
  <h2>Izaberite proizvod</h2>
  <div class="form-group">
    <select class="form-control" ng-model="productID">
      <option ng-repeat="product in products" value="{{ product.id_proizvodi }}">
        {{ product.pNaziv }}
      </option>
    </select>
    <button ng-if="productID" class="btn btn-primary" ng-click="getPhotos()">Prikazi fotografije</button>
  </div>
</div>
</div>
<div class="row" ng-if="productID">
  <div class="col-md-8">
    <h2>Nova fotografija za izabrani proizvod</h2>
    <form action="/utilities/add_photo.php" method="POST" enctype="multipart/form-data">
      <input type="hidden" name="id" value="{{ productID }}">
      <div class="form-group">
        <input class="form-control" type="text" name="name" placeholder="Naziv slike">
      </div>
      <div class="form-group">
        <input class="form-control" type="file" name="image">
      </div>
      <div class="form-group">
        <button class="btn btn-primary" type="submit">Posalji</button>
      </div>
    </form>
  </div>
</div>
</div>
<div class="row" ng-if="photos.length === 0">
  <div class="col-md-8">
```

```

    <h2>Trenutno nema fotografija za ovaj proizvod...</h2>
  </div>
</div>
<div class="row" ng-if="photos.length > 0">
  <div class="col-md-12">
    <table class="table table-hover">
      <thead>
        <tr>
          <td>R.br</td>
          <td>Naziv</td>
          <td>Slika</td>
          <td>Proizvod</td>
          <td>Podesavanja</td>
        </tr>
      </thead>
      <tbody>
        <tr ng-repeat="photo in photos">
          <td>{{ $index + 1 }}</td>
          <td><input type="text" class="form-control"
            value="{{ photo.naziv_slike }}"
            ng-model="photo.naziv_slike"
          ></td>
          <td>
            
          </td>
          <td>
            <select class="form-control" ng-model="photo.id_proizvodi">
              <option ng-repeat="p in products" value="{{ p.id_proizvodi }}">
                {{ p.pNaziv }}
              </option>
            </select>
          </td>
        </tr>
      </tbody>
    </table>
  </div>
</div>

```

```

        </td>
        <td>
            <button ng-click="modifyPhoto(photo)" class="btn btn-primary">Izmeni</button>
            <button ng-click="deletePhoto(photo.id_slike)" class="btn btn-danger">Obrisi</button>
        </td>
    </tr>
</tbody>
</table>
</div>
</div>

```

## *Php skripta za dodavanje slike*

```

<?php
require_once '../config/connection.php';

$productID = (int)$_POST['id'];
$name = $_POST['name'];
$imageName = $_FILES['image']['name'];
$time = time();
$imagePath = '../slike_proizvoda/' . $time . basename($_FILES["image"]["name"]);
$imagePath2 = '/slike_proizvoda/' . $time . basename($_FILES["image"]["name"]);
$tempImagePath = $_FILES['image']['tmp_name'];

if ( move_uploaded_file($tempImagePath, $imagePath) ) {
    $sql = "
        INSERT INTO slike_proizvoda(putanja,id_proizvodi,naziv_slike)
        VALUES ('$imagePath2',$productID,$name)
    ";
}

```

```
$res = mysqli_query($connection,$sql);  
}
```

```
header('Location:/admin.php');  
?>
```

## *Skripta za admin panel*

```
( function() {  
  
    'use strict';  
  
    angular.module('admin',['ngRoute','ngSanitize'])  
    .config(['$routeProvider',function($routeProvider){  
        $routeProvider  
        .when('/',{  
            templateUrl:'static/templates/proizvodi.html',  
            controller:'productsCtrl'  
        })  
        .when('/kategorije',{  
            templateUrl:'static/templates/kategorije.html',  
            controller:'categoriesCtrl'  
        })  
        .when('/linkovi',{  
            templateUrl:'static/templates/links.html',  
            controller:'linksCtrl'  
        })  
        .when('/korisnici',{  
            templateUrl:'static/templates/korisnici.html',
```

```
    controller:'usersCtrl'
  })
  .when('/anketa',{
    templateUrl:'static/templates/anketa.html',
    controller:'pollCtrl'
  })
  .when('/slike_proizvodi',{
    templateUrl:'static/templates/slike_proizvodi.html',
    controller:'photosCtrl'
  })
  .otherwise({
    redirectTo:'/'
  });
}])
```

```
.controller('photosCtrl',['$rootScope','$http','$scope',function($rootScope,$http,$scope){
  $scope.productID = null;
```

```
  $scope.getPhotos = function() {
    $http.get('/api/get_photos.php?id=' + $scope.productID).then(function(response){
      $scope.photos = response.data;
    });
  }
}
```

```
$scope.modifyPhoto = function(photo) {
  var data = {
    id_slike:photo.id_slike,
    naziv:photo.naziv_slike,
    id:photo.id_proizvodi
  };
}
```

```

$http.post('/api/modify_photo.php',data).then(function(response){
  if ( response.data.success === true ) {
    $rootScope.info = 'Fotografija uspesno azurirana...';
    $('#informationsModal').modal();
  } else {
    $rootScope.info = 'Doslo je do greske , probajte ponovo';
    $('#informationsModal').modal();
  }
});
}

```

```

$scope.deletePhoto = function(photoID) {
  $http.post('/api/delete_photo.php',{ id:photoID }).then(function(response){
    if ( response.data.success === true ) {
      var index = $scope.photos.findIndex(function(p){
        return p.id_slike === photoID
      });

      $scope.photos.splice(index,1);
      $rootScope.info = 'Fotografija uspesno obrisana...';
      $('#informationsModal').modal();
    } else {
      $rootScope.info = 'Doslo je do greske , probajte ponovo';
      $('#informationsModal').modal();
    }
  });
}

```

```

$http.get('/api/get_all_products.php').then(function(response){
  $scope.products = response.data;
});

```

```
})();
```

```
.controller('productsCtrl',[  
  '$rootScope',  
  '$scope',  
  '$http',  
  '$sce',  
  function($rootScope,$scope,$http,$sce){  
    $scope.showProductForm = false;  
    $scope.id_kategorije = null;
```

```
    $scope.product = {  
      name:null,  
      category:null,  
      price:null,  
      qty:null,  
      image:null,  
    };
```

```
    $scope.modifyProduct = function(product) {  
      var data = {  
        id_proizvodi:product.id_proizvodi,  
        naziv:product.pNaziv,  
        id_kategorije:product.id_kategorije,  
        cena:product.cena,  
        kolicina:product.kolicina,  
        opis:product.opis  
      };
```

```
      $http.post('/api/modify_product.php',data).then(function(response){  
        var message;
```



```

if ( response.data.success === true ) {
    message = 'Uspesno azurirano';
} else {
    message = 'Doslo je do greske , proverite podatke';
}

$('#informationsModal').modal();
$scope.info = message;
});
}

$scope.showHideProductForm = function() {
    $scope.showProductForm = !$scope.showProductForm;
}

$scope.deleteProduct = function(id) {
    $http.post('/api/delete_product.php',{ id:id }).then(function(response){
        if ( response.data.success === true ) {
            var index = $scope.products.findIndex(function(p){
                return p.id_proizvodi === id
            });

            $scope.products.splice(index,1);

            $rootScope.info = 'Uspesno obrisano...';
            $('#informationsModal').modal();
        } else {
            $rootScope.info = 'Doslo je do greske , probajte ponovo...';
            $('#informationsModal').modal();
        }
    });
}

```

```

    });
}

$http.get('/api/get_all_categories.php').then(function(response){
    $http.get('/api/get_all_products.php').then(function(response){
        $scope.products = response.data;
    });

    var categories = response.data;

    var options = categories.map(function(o){
        var value = o.id_kategorije;
        var label = o.naziv;

        return '<option value="' + value + ">' + label + '</option>';
    });

    $scope.categories = response.data;
    $scope.options = $sce.trustAsHtml(options.join(""));
});
})();

.controller('categoriesCtrl', ['$rootScope', '$scope', '$http', function($rootScope, $scope, $http){
    $scope.categorieName = "";

    $scope.addCategory = function() {
        $http.post('/api/add_categorie.php', { name:$scope.categorieName }).then(function(response){
            $http.get('/api/get_all_categories.php').then(function(response){
                $scope.categories = response.data;
            });
        });
    });
});

```

```

}

$scope.modifyCategorie = function(categorie) {
  var data = {
    id:categorie.id_kategorije,
    naziv:categorie.naziv
  };

  $http.post('/api/modify_categorie.php',data).then(function(response){
    if ( response.data.success === true ) {
      $('#informationsModal').modal();
      $rootScope.info = 'Kategorija uspesno azurirana...';
    } else {
      $('#informationsModal').modal();
      $rootScope.info = 'Doslo je do greske...';
    }
  });
}

$scope.deleteCategorie = function(id) {
  $http.post('/api/delete_categorie.php',{ id:id }).then(function(response){
    var index = $scope.categories.findIndex(function(c){
      return c.id_kategorije === id
    });

    $scope.categories.splice(index,1);
  });
}

$http.get('/api/get_all_categories.php').then(function(response){
  $scope.categories = response.data;

```

```
});  
})
```

```
.controller('linksCtrl',['$scope','$http','$rootScope',function($scope,$http,$rootScope){  
    $scope.indexOfLinkToDelete = null;  
    $scope.linkToModify = null;
```

```
    $scope.linkToAdd = {  
        ime:null,  
        link:null,  
        dozvola:null  
    };  
};
```

```
$scope.addLink = function() {  
    $http.post('/api/add_link.php',$scope.linkToAdd).then(function(response){  
        $scope.linkToAdd = {  
            ime:null,  
            link:null,  
            dozvola:null  
        };  
};
```

```
if ( response.data.success === true ) {  
    $('#informationsModal').modal();  
    $rootScope.info = 'Link uspesno dodat...';  
} else {  
    $('#informationsModal').modal();  
    $rootScope.info = 'Doslo je do greske...';  
}
```

```
$http.get('/api/get_links.php').then(function(response){  
    $scope.links = response.data;
```

```
});  
});  
}
```

```
$scope.showModificationForm = function(link) {  
    $('#modificationModal').modal();  
    $scope.linkToModify = link;  
}
```

```
$scope.modifyLink = function() {  
    $('#modificationModal').modal('hide');  
  
    $http.post('/api/modify_link.php',$scope.linkToModify).then(function(response){  
        if ( response.data.success === true ) {  
            $('#informationsModal').modal();  
            $rootScope.info = 'Link uspesno promenjen...';  
        } else {  
            $('#informationsModal').modal();  
            $rootScope.info = 'Doslo je do greske , pokusajte ponovo...';  
        }  
    });  
}
```

```
$scope.confirmDelete = function(index) {  
    $('#confirmDeleteModal').modal();  
    $scope.indexOfLinkToDelete = index;  
}
```

```
$scope.deleteLink = function() {  
    $('#confirmDeleteModal').modal('hide');
```

```

var data = {
  index:$scope.indexOfLinkToDelete
}

$http.post('/api/delete_link.php',data).then(function(response){
  var index = $scope.links.findIndex(function(link){
    return link.id_linkovi === $scope.indexOfLinkToDelete
  });

  $scope.links.splice(index,1);
});
}

$http.get('/api/get_links.php').then(function(response){
  $scope.links = response.data;
});
})

.controller('usersCtrl',['$rootScope','$scope','$http',function($rootScope,$scope,$http){
  $scope.deleteUser = function(userID) {
    $http.post('/api/delete_user.php',{ id:userID }).then(function(response){
      if ( response.data.success === true ) {
        var index = $scope.users.findIndex(function(u) {
          return u.id_korisnik === userID
        });

        $scope.users.splice(index,1)

        $('#informationsModal').modal();
        $rootScope.info = 'Korisnik uspesno obrisan...';
      } else {

```

```

        $('#informationsModal').modal();
        $rootScope.info = 'Doslo je do greske , pokusajte ponovo...';
    }
});
}

$scope.updateUser = function(id) {
    var user = $scope.users.find(function(user){
        return user.id_korisnik === id;
    });

    var data = {
        userID:user.id_korisnik,
        dozvola:user.dozvola
    };

    $http.post('/api/update_user.php',data).then(function(response){
        if ( response.data.success === true ) {
            $('#informationsModal').modal();
            $rootScope.info = 'Korisnik uspesno promenjen...';
        } else {
            $('#informationsModal').modal();
            $rootScope.info = 'Doslo je do greske , pokusajte ponovo...';
        }
    });
}

$http.get('/api/get_all_users.php').then(function(response){
    $scope.users = response.data;
});
})

```

```
.controller('pollCtrl',['$scope','$http','$rootScope',function($scope,$http,$rootScope){
    $scope.poll = null;
    $scope.pollName = null;
    $scope.pollID = null;

    $scope.resetVotes = function() {
        $http.get('/api/reset_votes.php').then(function(response){
            if ( response.data.success === true ) {
                $scope.poll.forEach(function(opt){
                    opt.broj_glasova = 0;
                });

                $('#informationsModal').modal();
                $rootScope.info = 'Anketa uspesno resetovana...';
            } else {
                $('#informationsModal').modal();
                $rootScope.info = 'Doslo je do greske , pokusajte ponovo...';
            }
        });
    }
}
```

```
$scope.updatePoll = function() {
    var data = {
        pollName:$scope.pollName,
        pollID:$scope.pollID,
        pollShow:$scope.showPoll === true ? 1 : 0,
        options:$scope.poll
    };

    $http.post('/api/update_poll.php',data).then(function(response){
```



```

    if ( response.data.success ) {
        $('#informationsModal').modal();
        $rootScope.info = 'Anketa Uspesno Azurirana';
    } else {
        $('#informationsModal').modal();
        $rootScope.info = 'Doslo je do greske , pokusajte ponovo...';
    }
});
}

$scope.hideShowPoll = function() {
    $scope.showPoll = !$scope.showPoll;
}

$http.get('/api/get_poll.php').then(function(response){
    $scope.poll = response.data;
    $scope.pollName = response.data[0].ime;
    $scope.pollID = response.data[0].id_anketa;
    $scope.showPoll = +response.data[0].vidljivost === 1;
});

$http.get('/api/get_poll_votes_count.php').then(function(response){
    $scope.votesSum = response.data[0].broj_glasova;
});

});

})();

```

## ***Lista kodova za konekciju I konfiguraciju***

## ***Config.php***

```
<?php
define('USERNAME','djole');
define('PASSWORD','sifra');
define('SERVER_NAME','localhost');
define('DATABASE','e_prodavnica');

define('PARTIALS','partials/');
define('STATIC','static');
define('IMAGES','slike');

define('SITE_NAME','E-Prodavnica');
define('FAVICON','static/images/favicon.ico');
?>
```

## ***connection.php***

```
<?php
require_once('config.php');

$connection = mysqli_connect(SERVER_NAME,USERNAME,PASSWORD,DATABASE);

$errors = array();

if ( !$connection ) {
    $errors[] = 'Connection to server failed';
}
```

?>

## ***Dodatne php skripte***

### ***Php skripta za dodavanje proizvoda u korpu***

```
<?php
require_once '../config/connection.php';

session_start();

if ( !isset($_SESSION['id_korisnik']) ) {
    header('Location:index.php');
}

$userID = (int)$_SESSION['id_korisnik'];
$productID = (int)$_GET['id'];
$insertOrUpdateShoppingCart = "";

$sql = "
    SELECT *
    FROM korpa
    WHERE id_korisnik = $userID AND id_proizvod = $productID
";

$result = mysqli_query($connection,$sql);

if ( mysqli_num_rows($result) == 0 ) {
```

```
$insertOrUpdateShoppingCart = "
    INSERT INTO korpa(id_korisnik,id_proizvod)
    VALUES ($userID,$productID)
";
} else {
$insertOrUpdateShoppingCart = "
    UPDATE korpa
    SET kolicina = kolicina + 1
    WHERE id_korisnik = $userID AND id_proizvod = $productID
";
}

$res = mysqli_query($connection,$insertOrUpdateShoppingCart);

mysqli_close($connection);

$page = $_SERVER['HTTP_REFERER'];

$location = 'Location: ';

if ( strpos($page, 'details.php') ) {
    $location .= '/details.php?id=' . $_GET['id'];
} else if ( strpos($page, 'categories.php') ) {
    if ( isset($_GET['kategorija']) && $_GET['kategorija'] != " ) {
        $location .= '/categories.php?kategorija=' . $_GET['kategorija'];
    } else {
        $location .= '/categories.php';
    }
} else {
    $location .= '/index.php';
}
```

```

if ( isset($_GET['strana']) ) {
    if ( strpos($location, '?') ) {
        $location .= '&strana=' . $_GET['strana'];
    } else {
        $location .= '?strana=' . $_GET['strana'];
    }
}

header($location);
?>

```

## ***Php skripta za brisanje proizvoda***

```

<?php
require_once '../config/connection.php';

session_start();

$productID = (int)$_GET['id'];
$userID = (int)$_SESSION['id_korisnik'];

$sql = "
    DELETE
    FROM korpa
    WHERE id_korisnik = $userID AND id_proizvod = $productID
";

$res = mysqli_query($connection,$sql);

```

```
mysqli_close($connection);

header('Location:/cart.php');
?>
```

## ***Php skripta za brisanje cele korpe***

```
<?php
require_once '../config/connection.php';

session_start();

$userID = (int)$_SESSION['id_korisnik'];

$sql = "
DELETE
FROM korpa
WHERE id_korisnik = $userID
";

$res = mysqli_query($connection,$sql);

mysqli_close($connection);

header('Location:/cart.php');
?>
```

## *Php skripta za smanjivanje kolicine jednog proizvoda*

```
<?php
require_once '../config/connection.php';

session_start();

$productID = (int)$_GET['id'];
$userID = (int)$_SESSION['id_korisnik'];

$updateCart = "
    UPDATE korpa
    SET kolicina = kolicina - 1
    WHERE id_korisnik = $userID AND id_proizvod = $productID
";

mysqli_query($connection, $updateCart);

$sql = "
    SELECT *
    FROM korpa
    WHERE id_korisnik = $userID AND id_proizvod = $productID
";

$res = mysqli_query($connection,$sql);
$product = mysqli_fetch_array($res);

if ( $product['kolicina'] == 0 ) {
    $deleteFromCart = "
```

```
DELETE
FROM korpa
WHERE id_korisnik = $userID AND id_proizvod = $productID
";

mysqli_query($connection,$deleteFromCart);
}

mysqli_close($connection);

header('Location:/cart.php');
?>
```

## ***Php skripta za dodavanje komentara***

```
<?php
require_once '../config/connection.php';

session_start();

$productID = (int)$_POST['productID'];
$userID = (int)$_SESSION['id_korisnik'];
$comment = trim($_POST['comment']);

$sql = "
INSERT INTO komentari(komentar,id_korisnik,id_proizvod)
VALUES ('$comment',$userID,$productID)
";

$updateCommentsNumber = "
```



```

        UPDATE proizvodi
        SET broj_komentara = broj_komentara + 1
        WHERE id_proizvodi = $productID
    ";

    $res = mysqli_query($connection,$sql);
    $res2 = mysqli_query($connection,$updateCommentsNumber);

    mysqli_close($connection);

    header('Location:/details.php?id=' . $productID);
?>

```

## ***Php skripta za glasanje proizvoda***

```

<?php
require_once '../config/connection.php';

$productID = (int)$_GET['id'];
$update = "";

if ( isset($_GET['like']) ) {
    $update = 'SET broj_lajkova = broj_lajkova + 1';
} else if ( isset($_GET['dislike']) ) {
    $update = 'SET broj_dislajkova = broj_dislajkova + 1';
}

$sql = "
    UPDATE proizvodi

```

```
$update  
WHERE id_proizvodi = $productID  
";  
  
$result = mysqli_query($connection,$sql);  
  
mysqli_close($connection);  
  
header('Location:/details.php?id=' . $productID);  
?>
```

## *Php skripta za anketu*

```
<?php  
require_once '../config/connection.php';  
  
session_start();  
  
$response = array(  
    'userDoesntExist' => false,  
    'alreadyVoted' => false,  
    'success' => false,  
    'error' => false  
);  
  
if ( isset($_SESSION['id_korisnik']) ) {  
    $userID = (int)$_SESSION['id_korisnik'];  
  
    $id = $_POST['id'];
```

```
$sql = "
    SELECT *
    FROM korisnici_anketa
    WHERE id_korisnik = $userID
";

$result = mysqli_query($connection,$sql);

if ( mysqli_num_rows($result) == 0 ) {
    $sql = "
        UPDATE opcije
        SET broj_glasova = broj_glasova + 1
        WHERE id_opcija = $id
    ";

    $res = mysqli_query($connection,$sql);

    $updateUserPolls = "
        INSERT INTO korisnici_anketa(id_korisnik)
        VALUES ($userID)
    ";

    $userPollsRes = mysqli_query($connection,$updateUserPolls);

    $response['success'] = true;

    echo json_encode($response);
} else {
    $response['alreadyVoted'] = true;
```

```
        echo json_encode($response);  
    }  
} else {  
    $response['userDoesntExist'] = true;  
  
    echo json_encode($response);  
}  
  
mysqli_close($connection);  
?>
```

## 4.Dizajn baze

