Top Token per Layer & Offset  $. scalably ty \textbf{p} \textbf{m} \\ a te Component in con$ Layer 0 pupper ic plain <unk> kara offline elson .ibm agon erland mts **ToFit** aversal esz Gavin Jeg pale .localized Layer 1 -Wich jsonResponse 483 kil utherland hes CharCode egis iani <unk> etler ilege iani Dove inos <unk> ogui Bou Ep istring Layer 2 .scalablytyped Dot 225 Piper loff Assignable CharCode ono itals mers borg reesome <unk> <unk> <unk> <unk> ogue ipi hes Layer 3 - <unk> 785 <unk> Bilg styleType arrants ounty itos InParameter iran Unchecked .synthetic iless condu <unk> zh lias <unk> <unk> wor BERS Layer 4 unw iaux Cla dex reon lorem Unchecked <unk> <unk> gubern <unk> Tick <unk> Tick <unk> abay <unk> nst ab sed <unk> Layer 5 leh hof eds ES andas .biz udden ару oyer ins urances op deen ins orny spec ev Layer 6 - ONTAL ltk CLR IDDEN <unk> asher lasses ien urances ube menus ade <unk> <unk> out zin ngx dat ogg <unk> Layer 7 - Seasons riors 972 <unk> uisse <unk> Identity PILE <unk> hol <unk> <unk> Lynch uge ippy msp <unk> iams Msp overs illet Layer 8 - <unk> 971 PILE virtual <unk> Saunders <unk> ellas bak out Forge <unk> eck iens the uario suit mand ilk REET illet Layer 9 iker <unk> past out <unk> Jonas <unk> iens solic iens Marketplace <unk> hor erie ent entr Layer 10 atas gh attracted ium Markt Bottom .inspect <unk> .googlecode <unk> way acc pur sein crop entr ex ully Layer 11 olina offic ahl <unk> ifu ibs ifu Trit hatt izza pur zew uisse zug repl <unk> ngen edImage scratch atomic -floating <unk> iox abcdefghijklmnop ti CR ifu ixel Layer 12 ney anos а umber sq W stvo igin Layer 13 icha <unk> uhn 978 Mini <unk> teil prerequisatecdefghijklmnop AVE <unk> Ch urus overs axter izr ainer grav **FSIZE** Big Layer 14 -<unk> Mask <unk> post <unk> pedia 976 hof mium <unk> tor 0S aghan <unk> hack а Layer 15 pedia 976 loft 828 <unk> <unk> <unk> other ActionTypes Destroy .TXT <unk> а recap а orca re cons eza Layer 16 anel <unk> <unk> <unk> stick bel Zub <unk> <unk> other <unk> tick ohl <unk> Nut alytics itters ando <unk> owers Layer 17 alah <unk> <unk> Pap Zub <unk> **ISCO** al lover <unk> other <unk> oke 2 .UIManageStandardItem <unk> а <unk> <unk> 904 2 <unk> StandardItem <unk> Layer 18 orio <unk> <unk> latter <unk> <unk> eel а vault bon bjerg uo 2 Layer 19 - NavParams sy <unk> lover ounty ex ennie vault <unk> stone ingo ifact unto ior eren orWhere zung Kostenlos 2 Layer 20 yk <unk> voir ielding [of vault <unk> ash endregion ifact <unk> ior once StandardItem ?url sy pur other oze AWN .setViewport Layer 21 aden <unk> <unk> ifact other otherwise .stroke <unk> ounty iena oard <unk> <unk> umer gnore opot igon Layer 22 askell aden <unk> lover RIX pur <unk> Insensitive addition rel tere ifact other obia eniz Laguna gnore consc ayar ocker Layer 23 - .Named enough lover 3 hin 5 ifact <unk> <unk> <unk> <unk> Insensitive <unk> other obia tru igh gin <unk> reo 945 925 Layer 24 -Wheeler /lg lover hani pur <unk> Insensitive add or sob other <unk> <unk> argins eren igh .Pool <unk> ISC Layer 25 wdx Wheeler uzey lover hani onga <unk> add or sob ote hy <unk> <unk> bdb ivel Summary gin .toObject 638 Layer 26 -<unk> flags anik add hy <unk> <unk> onical ween uzey lover Amar paved ote tru Summary op igan Layer 27 -Ch <unk> lover ANS <unk> Insensitive addition oder phys otlin ipples Summary INO eniz ypy arcy spaces Layer 28 -BackingField .toObject ockets lo wheel <unk> <unk> <unk> \_ajax ad compress eniz spaces rou borg ipples igh сер Forge ypy Layer 29 - <unk> <unk> <unk> Guerrero ad <unk> leading phys borg 720 igh dit <unk> ancement pany enser \_ajax ypy onda leading Layer 30 - UES <unk> DAN <unk> <unk> <unk> ancement reh enser \_ajax +-+-.appspot oux hy itus <unk> atti Summary iras Layer 31 -Exit otify Lansing <unk> ikan <unk> webtoken Cum Tulsa hy <unk> <unk> ansen adress yar Cap itus <unk> tring Summary 7 and text ō no other begin Λ assistant <|eot\_id|> .⊵, <|end\_header\_id|>

- 0.5

- 0.4

- 0.3

- 0.2

- 0.1

Offset (from last token)