

2022-2023 National Survey of Family Growth (NSFG)
Public-Use File Index for Male Respondent File

Abbreviations:

| | |
|-----|---|
| R | Respondent |
| FC | Flow Check. Numbered Flow Checks are contained within the detailed questionnaire specifications (known as CAPI Reference Questionnaires or CRQs) and indicate how each computed variable is defined within the survey instrument to assist with routing. The CRQs are posted on the NSFG webpage as part of the PUF release. |
| H/P | Wife or cohabiting partner |
| CWP | Current wife or cohabiting partner |
| CM | Century Month (see Century Month Coding for Dates in User's Guide for further details) |
| DK | Don't Know |
| RF | Refused |
| DRR | Disclosure Risk Reduction. Variables flagged with * in this column have had some DRR action taken for inclusion on the public-use files. Those that have yellow highlighting with the * are new DRR actions taken for 2022-2023. See Codebooks or Recode Specifications for further details. Also see the list of restricted-use analytic variables for further information on variables suppressed altogether from this PUF. |

For further information on Variable Type, please see User's Guide section on "Description of Codebooks" where all variable types are defined.
Variable labels for "raw" variables on asked questions start with the question number.
Further details on each raw or computed variable can be found in the codebook entry for the variable or in the questionnaires.
Further details on each recode can be found in the codebook entry for the variable or in the Recode Specifications.

| Variable Name | DRR | Variable Label | Variable Type |
|---|-----|--|---------------|
| Respondent ID and Screener Items | | | |
| CASEID | | Respondent ID number | raw |
| RSCRAGE | | Age of R at screener | raw |
| RSCRNINF | | Whether R is screener informant | raw |
| RSCRHISP | | R's Hispanic origin as reported in screener | raw |
| RSCRRACE | * | R's race as given in the screener | raw |
| FTFMODE | | Interview mode for this case | computed |
| DEVICE_TYPE | | Device used to complete web main interview | computed |
| SECTION A: Demographic Characteristics; Household Roster Summary Variables; Childhood Background | | | |
| AGE_R | | R's age at interview (FC A-2b) | computed |
| AGESCRN | | R's age at household screener (FC A-4) | computed |
| HISP | | AC-1 Hispanic/Latin origin | raw |
| HISGRP | * | AC-2 Hispanic/Latino origin - group | computed |
| ROSCNT | * | Number of household members (Computed in FC A-15) (top-coded) | computed |
| HHKIDS18 | * | Total number of children < 19 in HH with RELAR = codes 3 to 10 (Computed in FC A-15) (top-coded) | computed |
| NONBIOKIDS | * | Number of children in HH < 19 yrs with RELAR = codes 4 to 10 (Computed in FC A-15) (top-coded) | computed |
| MARSTAT | | AD-7b R's marital or cohabiting status | raw |
| LMARSTAT | | AD-7c R's legal marital status relative to opposite-sex spouses | raw |
| RMARIT | | Informal marital or cohabiting status relative to opposite-sex partners (FC A-17) | computed |
| EVRMARRY | | Ever married to an opposite-sex spouse (FC A-17) | computed |
| SSMARCOH | | R currently in same-sex marriage or cohabitation (FC A-17) | computed |
| WOMREL | | Is woman in HH R's wife or female cohabiting partner (FC A-18) | computed |
| EARNHS_Y | * | AE-2y year high school diploma obtained | raw |
| MYSCHOL_Y | * | AE-3 year last attended elem/jun/high school | raw |
| EARNBA_Y | * | AE-4 year bachelors degree obtained | raw |
| WTHPARNW | * | Does R live with any parents? (FC A-19) | computed |
| ONOWN | | AF-0a (before age 18,) R ever live away from parents/guardians? | raw |
| ONOWN18 | | Whether R lived on own before age 18 (FC A-27) | computed |
| INTACT | | AF-1 R always lived w/ both biological/adoptive parents? | raw |
| PARMARR | | AF-2 Rs biological parents married at birth? | raw |
| INTACT18 | | INTACT18--Whether R lived in intact family from birth to age 18 (FC A-29) | computed |
| LVISIT14F | * | AF-3 female parent (figure) living with at age 14 | raw |
| LVISIT14M | * | AF-4 male parent (figure) living with at age 14 | raw |
| WOMRASDU | * | AF-5 woman R thinks of as raised her during teens | raw |
| MOMWORKD | | AF-7 female parent (figure) worked FT/PT when R was 5-15? | raw |
| MANRASDU | * | AF-9 Man R thinks of as raised her during teens | raw |
| FOSTEREV | | AF-10 R ever lived in foster care | raw |
| MNYFSTER | * | AF-11 Number of foster care settings R lived in (top-coded) | raw |
| DURFSTER | * | AF-12 Total time spent in foster care | raw |
| AGEFSTER | * | AF-13 Age last left foster care | raw |
| EVCOHAB1 | | AG-3 R ever cohabited with female partner (excluding wives) - R ever married | raw |
| NUMCOH1 | * | AG-4 Number of women R has lived with-excl wives-R ever married (top-coded) | raw |
| EVCOHAB2 | | AG-5 R ever cohabited with female partner - R never married, not curr cohabiting | raw |
| NUMCOH2 | * | AG-6 Number of women R has lived with-R never marr & ever cohab (top-coded) | raw |
| EVRCOHAB | | Whether R ever cohabited with a woman (excluding wives) (FC A-40) | computed |
| NUMCOHAB | * | Number of female cohabiting partners (excluding wives) (FC A-40) (top-coded) | computed |
| MARSTATB | | AH-1 R's legal marital status relative to opposite-sex spouses | raw |
| EVCOHABB | | AH-3 ever lived with female sexual partner | raw |
| NUMCOHB | | AH-4 number of times lived with female sexual partner | raw |
| FMARIT | | Formal marital status at time of interview relative to opposite-sex spouses (FC A-44) | computed |
| SECTION B: Ever Sex with a Female, Sex Communication and Education, Vasectomy and Physical Ability to Father Children, Number of Female Sexual Partners, Enumeration and Relationship With Up To 3 Recent (Or Last) Female Sexual Partner(s) | | | |
| EVERSEX | | BA-1 Ever had sex with a female | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|---------------|-----|--|---------------|
| RHADSEX | | Whether R Has Ever Had Sex (Vaginal Intercourse) with a Female (FC B-1b) | computed |
| YNOSEX | | BA-3 Main Reason Why R Has Not Had Sex with a Female | raw |
| TALKPAR1 | | BA-4 Sex Ed Topics R Has Discussed with Parents -1st Mention | raw |
| TALKPAR2 | | BA-4 Sex Ed Topics R Has Discussed with Parents -2nd Mention | raw |
| TALKPAR3 | | BA-4 Sex Ed Topics R Has Discussed with Parents -3rd Mention | raw |
| TALKPAR4 | | BA-4 Sex Ed Topics R Has Discussed with Parents -4th Mention | raw |
| TALKPAR5 | | BA-4 Sex Ed Topics R Has Discussed with Parents -5th Mention | raw |
| TALKPAR6 | | BA-4 Sex Ed Topics R Has Discussed with Parents -6th Mention | raw |
| TALKPAR7 | | BA-4 Sex Ed Topics R Has Discussed with Parents -7th Mention | raw |
| SEDNO | | BA-5 Formal Sex Ed Before 18: How to Say No to Sex | raw |
| SEDNOLC1 | | BA-5a Place where received instructions on how to say no to sex-1st Mention | raw |
| SEDNOLC2 | | BA-5a Place where received instructions on how to say no to sex-2nd Mention | raw |
| SEDNOLC3 | | BA-5a Place where received instructions on how to say no to sex-3rd Mention | raw |
| SEDNOLC4 | | BA-5a Place where received instructions on how to say no to sex-4th Mention | raw |
| SEDNOG | | BA-6 Grade R Received Sex Ed on How to Say No to Sex | raw |
| SEDNOSX | | BA-7 Recd Sex Ed on How to Say No to Sex Before/After 1st Sex | raw |
| SEDBC | | BA-8 Formal Sex Ed Before 18: Methods of Birth Control | raw |
| SEDBCLC1 | | BA-8a Place where received instructions on methods of birth control-1st Mention | raw |
| SEDBCLC2 | | BA-8a Place where received instructions on methods of birth control-2nd Mention | raw |
| SEDBCLC3 | | BA-8a Place where received instructions on methods of birth control-3rd Mention | raw |
| SEDBCLC4 | | BA-8a Place where received instructions on methods of birth control-4th Mention | raw |
| SEDBG | | BA-9 Rs Grade When Received Instruction on Birth Control | raw |
| SEDBCSX | | BA-10 Recd Sex Ed on Birth Control Methods Before/After 1st Sex | raw |
| SEDWHBC | | BA-11 Formal Sex Ed Before 18: Where to Get Birth Control | raw |
| SEDWHLC1 | | BA-11a Place where received instructions on where to get birth control-1st Mention | raw |
| SEDWHLC2 | | BA-11a Place where received instructions on where to get birth control-2nd Mention | raw |
| SEDWHLC3 | | BA-11a Place where received instructions on where to get birth control-3rd Mention | raw |
| SEDWHLC4 | | BA-11a Place where received instructions on where to get birth control-4th Mention | raw |
| SEDWHBCG | | BA-12 Rs Grade When Received Instruction on Where to Get Birth Control | raw |
| SEDWBCSX | | BA-13 R recd Instruction-Where to Get Birth Control before/after 1st sex | raw |
| SEDCOND | | BA-14 Formal Sex Ed Before 18: How to Use a Condom | raw |
| SEDCONLC1 | | BA-14a Place where received instructions on how to use a condom-1st Mention | raw |
| SEDCONLC2 | | BA-14a Place where received instructions on how to use a condom-2nd Mention | raw |
| SEDCONLC3 | | BA-14a Place where received instructions on how to use a condom-3rd Mention | raw |
| SEDCONLC4 | | BA-14a Place where received instructions on how to use a condom-4th Mention | raw |
| SEDCONDG | | BA-15 Rs Grade When Received Instruction on How to Use a Condom | raw |
| SEDCONSX | | BA-16 R recd Instruction-How to Use a Condom before/after 1st sex | raw |
| SEDSTD | | BA-17 Formal Sex Ed Before 18: STDs | raw |
| SEDSTDL1 | | BA-17a Place where received instructions on sexually transmitted diseases-1st Mention | raw |
| SEDSTDL2 | | BA-17a Place where received instructions on sexually transmitted diseases-2nd Mention | raw |
| SEDSTDL3 | | BA-17a Place where received instructions on sexually transmitted diseases-3rd Mention | raw |
| SEDSTDL4 | | BA-17a Place where received instructions on sexually transmitted diseases-4th Mention | raw |
| SEDSTDG | | BA-18 Rs Grade When Received Instruction on STDs | raw |
| SEDSTDsx | | BA-19 Recd Sex Ed on STDs Before/After 1st Sex | raw |
| SEDHIV | | BA-20 Formal Sex Ed Before 18: preventing HIV/AIDS | raw |
| SEDHIVLC1 | | BA-20a Place where received instructions on how to prevent HIV/AIDS-1st Mention | raw |
| SEDHIVLC2 | | BA-20a Place where received instructions on how to prevent HIV/AIDS-2nd Mention | raw |
| SEDHIVLC3 | | BA-20a Place where received instructions on how to prevent HIV/AIDS-3rd Mention | raw |
| SEDHIVLC4 | | BA-20a Place where received instructions on how to prevent HIV/AIDS-4th Mention | raw |
| SEDHIVG | | BA-21 Rs Grade When Received Instruction on preventing HIV/AIDS | raw |
| SEDHIVSX | | BA-22 Rs instruction on how prevent HIV/AIDS bef/aft 1st sex? | raw |
| SEDABST | | BA-23 Formal Sex Ed Before 18: Waiting Until Marriage | raw |
| SEDABLC1 | | BA-23a Place where received instruction about waiting until marriage to have sex-1st Mention | raw |
| SEDABLC2 | | BA-23a Place where received instruction about waiting until marriage to have sex-2nd Mention | raw |
| SEDABLC3 | | BA-23a Place where received instruction about waiting until marriage to have sex-3rd Mention | raw |
| SEDABLC4 | | BA-23a Place where received instruction about waiting until marriage to have sex-4th Mention | raw |
| SEDABSTG | | BA-24 Rs Grade When Received Instruction on Waiting Until Marriage | raw |
| SEDABSSX | | BA-25 R recd instruction-Waiting Until Marriage before/after 1st sex | raw |
| EVEROPER | | BB-1 Ever had vasectomy or other male sterilizing operation | raw |
| TYPEOPER | | BB-2 Type of sterilizing operation R had | raw |
| VASEC_Y | | BB-4 Year R had vasectomy or other sterilizing operation | raw |
| PLCSTROP | | BB-5 Place where vasectomy/other sterilizing operation was done | raw |
| RVRSVAS | | BB-6 Ever had surgery, regardless of recency | raw |
| VASREV_Y | | BB-7 Year when R had vasectomy reversed | raw |
| RSURGSTR | | Whether R is Surgically Sterile at Interview | computed |
| FATHPOSS | | BB-8 Whether R is physically able to father a child | raw |
| FATHDIFF | | BB-9 Whether R would have physical difficulty fathering a child | raw |
| RSTRSTAT | | Rs Sterility Status at Time of Interview | computed |
| SXMON12 | | BC-7 Has R had sex in last 12 mos (if only 1 partner in life) | raw |
| SEXSTAT | | Summary of R's lifetime and recent sexual experience with female partners (FC B-11a) | computed |
| P12MOCONO | | BC-8a use a condom that time | raw |
| P12MOCON | | BC-8b How many times used condom during sex last 12 mons | raw |
| SEXFREQ | | BC-9 # times had sex with female in last 4 weeks | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|--|-----|---|---------------|
| CONFREQ | | BC-10 # times used condom when had sex with female in last 4 wks | raw |
| P1RLTN1 | | BD-2 Ever married to most recent sex partner | raw |
| P1CURRWIFE | | BD-3 Verifying if current wife = most recent partner | raw |
| P1CURRSEP | | BD-4 Verifying if separated wife = most recent partner | raw |
| P1RLTN2 | | BD-5 Ever cohabited with most recent sex partner | raw |
| P1COHABIT | | BD-6 Verifying if current cohab partner = most recent partner | raw |
| P1SXLAST_M | | BD-7 Month of last sex with most recent partner | raw |
| P1SXLAST_Y | | BD-8 Year of last sex with most recent partner | raw |
| CMLSXP1 | | Century month of last sex with most recent partner (FC B-19) | computed |
| P2RLTN1 | | BD-10 Ever married to 2nd most recent sex partner | raw |
| P2CURRWIFE | | BD-11 Verifying if current wife = 2nd most recent partner | raw |
| P2CURRSEP | | BD-12 Verifying if separated wife = 2nd most recent partner | raw |
| P2RLTN2 | | BD-13 Ever lived together with 2nd most recent sex partner | raw |
| P2COHABIT | | BD-14 Verifying if current cohab partner = 2nd most recent P | raw |
| P2SXLAST_M | | BD-15 Month of last sex with 2nd most recent sex partner | raw |
| P2SXLAST_Y | | BD-16 Year of last sex with 2nd most recent sex partner | raw |
| CMLSXP2 | | Century month of last sex with 2nd most recent partner (FC B-27) | computed |
| P3RLTN1 | | BD-18 Ever married to 3rd most recent sex partner | raw |
| P3CURRWIFE | | BD-19 Verifying if current wife = 3rd most recent partner | raw |
| P3CURRSEP | | BD-20 Verifying if separated wife = 3rd most recent partner | raw |
| P3RLTN2 | | BD-21 Ever cohabited with 3rd most recent sex partner | raw |
| P3COHABIT | | BD-22 Verifying if current cohab partner = 3rd most recent partner | raw |
| P3SXLAST_M | | BD-23 Month of last sex with 3rd most recent sex partner | raw |
| P3SXLAST_Y | | BD-24 Year of last sex with 3rd most recent partner | raw |
| CMLSXP3 | | Century month of last sex with 3rd most recent partner (FC B-35) | computed |
| P1RELATION | | Relationship of last/most recent sex partner to R (FC B-36) | computed |
| P2RELATION | | Relationship of 2nd to last sex partner to R (FC B-36) | computed |
| P3RELATION | | Relationship of 3rd to last sex partner to R (FC B-36) | computed |
| FIRST | | BD-25 Verifying if 1st partner ever = 2nd or 3rd most recent P | raw |
| SECTION C: Current marriage or cohabitation | | | |
| MARRDATE_Y | | CA-2y Year of marriage to current spouse | raw |
| HISAGEM | * | CA-3 R's age when married - current spouse (bottom-coded) | raw |
| LIVTOGSP | | CA-4 Ever cohabited premaritally with current spouse | raw |
| STRTSPCP_Y | | CA-5y Year began living together with current spouse/partner | raw |
| HISAGEC | | CA-6 R's age when began living together with current spouse/partner | raw |
| CMSTRTSP | * | Year current union (marriage or coresidence) began (computed in FC C-4) | computed |
| ENGATHEN | | CA-7 Engaged when began cohabiting - current spouse/partner | raw |
| WILLMARR | | CA-8 Does R think he will marry current cohabiting partner? | raw |
| CSPAGE | * | CB-1 Current age of R's spouse/partner (categorical) | raw |
| CSPEDUCN | | CB-4 Highest level of education - current spouse/partner | raw |
| CSPBORN | | CB-5 Born outside U.S. - current spouse/partner | raw |
| CSPMARBF | | CB-6 Was current spouse/partner married before? | raw |
| SSKIDTOG | | CB-7 Have children together - current husband/male cohabiting partner | raw |
| NSSKIDTOG | | CB-8 Number of children together - current husband/male cohabiting partner | raw |
| SSKIDTOG18 | | CB-9 How many children together are under age 18 - current husband/male cohabiting partner | raw |
| CWPSX1WN_M | | CC_1m Month R first had had sex with current W/P | raw |
| CWPSX1WN_Y | | CC-1y Year R first had had sex with current W/P | raw |
| CMFSXCWP | | CM of 1st sex with current wife/cohabiting partner (FC C-11) | computed |
| CWPSX1AG | | CC-2 R age when 1st had sex with W/P | raw |
| AGEFSXCWP | | R's age at 1st sex with current wife/cohabiting partner (computed in FC C-11a) | computed |
| CWPSX1RL | | CC-3 Relationship to current W/P at time of 1st sex | raw |
| CWPFUSE | | CC-4 Whether R or CWP used a contraceptive method at 1st sex | raw |
| CWPFMET01 | | CC-5 Contraceptive method R or CWP used at 1st sex-1st mention | raw |
| CWPFMET02 | | CC-5 Contraceptive method R or CWP used at 1st sex-2nd mention | raw |
| CWPFMET03 | | CC-5 Contraceptive method R or CWP used at 1st sex-3rd mention | raw |
| CWPFMET04 | | CC-5 Contraceptive method R or CWP used at 1st sex-4th mention | raw |
| CWPFMET05 | | CC-5 Contraceptive method R or CWP used at 1st sex-5th mention | raw |
| CWPOPSTR | | CD-1 Current W/P ever had sterilizing operation | raw |
| CWPREVST | | CD-2 Current W/P ever had reversal of tubal sterilization | raw |
| PSURGSTR | | Whether R's Current W/P is Surgically Sterile at Interview (computed in FC C-12) | computed |
| CWPPOSS | | CD-3 Physically possible for current W/P to have a baby | raw |
| CWPDIF | | CD-4 Physically difficult for current W/P to have a baby | raw |
| PSTRSTAT | | R's Current W/Ps Sterility Status at Time of Interview (computed in FC C-13) | computed |
| CWPLSXWN_M | | CE-1m Month of last sex with current wife/cohabiting partner (when last partner(s) not the CWP) | raw |
| CWPLSXWN_Y | | CE-1y Year of last sex with current wife/cohabiting partner (when last partner(s) not the CWP) | raw |
| CMLSXCWP | | CM when last had sex with current wife/cohabiting partner (FC C-14) | computed |
| CWPLUSE1 | | CE-2 R use method at last sex with CWP | raw |
| CWPLMET11 | | CE-3 Method R used at last sex with CWP-1st mention | raw |
| CWPLMET12 | | CE-3 Method R used at last sex with CWP-2nd mention | raw |
| CWPLMET13 | | CE-3 Method R used at last sex with CWP-3rd mention | raw |
| CWPLMET14 | | CE-3 Method R used at last sex with CWP-4th mention | raw |
| CWPLUSE2 | | CE-4 CWP use method at last sex with R | raw |
| DKCWPLUSE | | CE-4b DK CWP use method at last sex with R | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|---|-----|--|---------------|
| CWPLMET201 | | CE-5 Method CWP used at last sex with R-1st mention | raw |
| CWPLMET202 | | CE-5 Method CWP used at last sex with R-2nd mention | raw |
| CWPLMET203 | | CE-5 Method CWP used at last sex with R-3rd mention | raw |
| CWPLSXUSE | | Use of contraceptive method at last sex with current W/P | raw |
| CWPRECBC | | CF-1 Last 12 mos R or CWP used any contraceptive method | raw |
| CWPALLBC01 | | CF-2 Methods R or curr W/P used in last 12 mos-1st mention | raw |
| CWPALLBC02 | | CF-2 Methods R or curr W/P used in last 12 mos-2nd mention | raw |
| CWPALLBC03 | | CF-2 Methods R or curr W/P used in last 12 mos-3rd mention | raw |
| CWPALLBC04 | | CF-2 Methods R or curr W/P used in last 12 mos-4th mention | raw |
| CWPALLBC05 | | CF-2 Methods R or curr W/P used in last 12 mos-5th mention | raw |
| CWPBCMST | | CF-3 Method R or current W/P used most often in last 12 months | raw |
| CONDFREQ | | CF-4 Percent of time R and CWP used a condom in last 12 mos | raw |
| CWPNOFRQ | | CF-5 Freq of method use when R & CWP had sex in last 12 mos | raw |
| CWPPRGNW | | CG-1 Current W/P is pregnant with Rs child now | raw |
| CWPTRYPG | | CG-2 R and CWP currently trying to get pregnant | raw |
| CWPTRYLG | | CG-3 For how many months have R and CWP been trying to get pregnant | raw |
| CWPCPWNT | | CG-4 Did R want a child before curr W/P became pregnant | raw |
| CWPCPSON | | CG-5 Pregnancy timing - current pregnancy w/CWP | raw |
| CWPCPSNN | | CG-5a How much sooner than wanted w/CWP - Number | raw |
| CWPCPSNMY | | CG-5b How much sooner than wanted w/CWP - M/Y | raw |
| CWPCPHPY | | CG-6 Happiness about current pregnancy w/CWP | raw |
| SECTION D: Recent (or last) female sexual partners | | | |
| MARDATEN_Y_1 | * | DA-1m Year of marriage to former wife (most recent partner) | raw |
| AGEMARR_1 | | DA-2 Age at marriage to former wife (most recent partner) | raw |
| LIVTOGN_1 | | DA-3 Cohabited premaritally with former wife (most recent partner) | raw |
| AGELIV_1 | | DA-5 Age when began cohabiting with former wife/female partner (most recent partner) | raw |
| CMUNIONP_1 | * | Year union (marriage or coresidence) began with former wife/female partner (most recent partner) (computed in FC D-8) | computed |
| ENGAGTHN_1 | | DA-6 Engaged when began cohabiting with former wife/female partner (most recent partner) | raw |
| MARREND_1 | | DA-7 How did marriage end with former wife (most recent partner) | raw |
| ENDMARR_Y_1 | * | DA-8y Year marriage ended with former wife (most recent partner) | raw |
| STOPLIVE_Y_1 | * | DA-9y Year stopped living with former wife/female partner (most recent partner) | raw |
| PXCURR | | DB-1 Does R consider her a current sexual partner (most recent partner) | raw |
| PXCURRPRT | | Whether R considers her a current sexual partner (most recent partner) (FC D-14) | computed |
| PXMARRY | | DB-2 R thinks he will marry most recent partner | raw |
| PXLRUSE | | DC-1 R use method at last sex w/P (most recent partner) | raw |
| PXLRMETH1 | | DC-2 Method R used, last sex w/P -1st (most recent partner) | raw |
| PXLRMETH2 | | DC-2 Method R used, last sex w/P -2nd (most recent partner) | raw |
| PXLRMETH3 | | DC-2 Method R used, last sex w/P -3rd (most recent partner) | raw |
| PXLRMETH4 | | DC-2 Method R used, last sex w/P -4th (most recent partner) | raw |
| PXLPUSE | | DC-3 P used a method at last sex w/R (most recent partner) | raw |
| DKPXLPUSE | | DC-3b (DK followup) Don't recall or never knew (whether most recent P used method at last sex)? | raw |
| PXLPMETHOD01 | | DC-4 Method P used, last sex w/R -1st (most recent partner) | raw |
| PXLPMETHOD02 | | DC-4 Method P used, last sex w/R -2nd (most recent partner) | raw |
| PXLPMETHOD03 | | DC-4 Method P used, last sex w/R -3rd (most recent partner) | raw |
| PXLPMETHOD04 | | DC-4 Method P used, last sex w/R -4th (most recent partner) | raw |
| PXLPMETHOD05 | | DC-4 Method P used, last sex w/R -5th (most recent partner) | raw |
| LSXUSEP | | Method used at last sex (most recent partner) | raw |
| MTONCEP | | Whether had sex with most recent partner more than once | raw |
| PXMTONCE | | DC-5 Did R have sex more than once with most recent partner | raw |
| PXFRLTN1 | | DC-9 Rel'p with partner at last (or only) sex (most recent partner) | raw |
| PXEDUC | | DD-1 Education level of most recent partner | raw |
| PXMARBF | | DD-2 Partner ever been married before (most recent partner) | raw |
| PXABLECH | | DD-3 Physically possible for partner to have baby (most recent partner) | raw |
| PXSXFRST_M | | DE-1m Month 1st sex with 2nd-to-last partner in last 12 mos | raw |
| PXSXFRST_Y | | DE-1y Year 1st sex with 2nd-to-last partner in last 12 mos | raw |
| CMFSXP | | CM of first sex with most recent partner (FC D-30) | computed |
| AGEFSXP | | Age at first sex with most recent partner (FC D-30a) | computed |
| PXAGFRST | | DE-2 R's age at 1st sex with most recent partner | raw |
| PXFRLTN2 | | DE-3 Relationship with partner at first sex (most recent partner) | raw |
| PXFUSE | | DE-4 Did R or partner use a method at first sex (most recent partner) | raw |
| PXFMETH01 | | DE-5 Method R or partner used at first sex - 1st (most recent partner) | raw |
| PXFMETH02 | | DE-5 Method R or partner used at first sex - 2nd (most recent partner) | raw |
| PXFMETH03 | | DE-5 Method R or partner used at first sex - 3rd (most recent partner) | raw |
| PXFMETH04 | | DE-5 Method R or partner used at first sex - 4th (most recent partner) | raw |
| PXFMETH05 | | DE-5 Method R or partner used at first sex - 5th (most recent partner) | raw |
| PXANYUSE | | DF-1 Last 12 mos: R & partner used any method (most recent partner) | raw |
| PXMETHOD01 | | DF-2 Last 12 mos: Methods used by R & partner - 1st (most recent partner) | raw |
| PXMETHOD02 | | DF-2 Last 12 mos: Methods used by R & partner - 2nd (most recent partner) | raw |
| PXMETHOD03 | | DF-2 Last 12 mos: Methods used by R & partner - 3rd (most recent partner) | raw |
| PXMETHOD04 | | DF-2 Last 12 mos: Methods used by R & partner - 4th (most recent partner) | raw |
| PXMETHOD05 | | DF-2 Last 12 mos: Methods used by R & partner - 5th (most recent partner) | raw |
| PXMSTUSE | | DF-3 Last 12 mos: method most often used by R & most recent partner | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|---------------|-----|--|---------------|
| PXCONFRQ | | DF-4 Last 12 mos: percent of time R & P used condom (most recent partner) | raw |
| PXNOFREQ | | DF-5 Last 12 mos: how often R & P used any method (most recent partner) | raw |
| PXCPREG | | DG-1 Is R's current partner currently pregnant (last prtnr) | raw |
| PXTRYING | | DG-2 R & curr partner currently trying to get pregnant (last prtnr) | raw |
| PXTRYLONG | | DG-3 For how many months have R & curr prtnr been trying to get pregnant (last prtnr) | raw |
| PXRWANT | | DG-4 Bef curr prtnr's curr preg did R want child in future (last prtnr) | raw |
| PXRSOON | | DG-5 Timing of current partner's current pregnancy (last prtnr) | raw |
| PXRSOONN | | DG-5a How much sooner w/current partner - Number | raw |
| PXRSOONMY | | DG-5b How much sooner w/current partner - M/Y | raw |
| PXCPFEEL | | DG-6 How happy when R found out about curr P's curr preg (last prtnr) | raw |
| MARDATEN_Y_2 | * | DA-1y Year of marriage to former wife (2nd most recent partner in last 12 mos) | raw |
| AGEMARR_2 | | DA-2 Age at marriage to former wife (2nd most recent partner in last 12 mos) | raw |
| LIVTOGN_2 | | DA-3 Cohabited premaritally with former wife (2nd most recent partner in last 12 mos) | raw |
| AGELIV_2 | | DA-5 Age when began cohabiting with former wife/female partner (2nd most recent partner in last 12 mos) | raw |
| CMUNIONP_2 | * | Year union (marriage or coresidence) began with former wife/female partner (2nd most recent partner in last 12 mos) (computed in FC D-8) | computed |
| ENGAGTHN_2 | | DA-6 Engaged when began cohabiting with former wife/female partner (2nd most recent partner in last 12 mos) | raw |
| MARREND_2 | | DA-7 How did marriage end with former wife (2nd most recent partner in last 12 mos) | raw |
| ENDMARR_Y_2 | * | DA-8y Year marriage ended with former wife (2nd most recent partner in last 12 mos) | raw |
| STOPLIVE_Y_2 | * | DA-9y Year stopped living with former wife/female partner (2nd most recent partner in last 12 mos) | raw |
| PXCURR2 | | DB-1 Does R consider her a current sexual partner (2nd most recent partner) | raw |
| PXCURRPT2 | | Whether R considers her a current sexual partner (2nd most recent partner) (FC D-14) | computed |
| PXMARRY2 | | DB-2 R thinks he will marry 2nd most recent partner | raw |
| PXLRUSE2 | | DC-1 R use method at last sex with 2nd-to-last P | raw |
| PXLRMETH5 | | DC-2 Method R used, last sex with 2nd-to-last P-1st | raw |
| PXLRMETH6 | | DC-2 Method R used, last sex with 2nd-to-last P-2nd | raw |
| PXLRMETH7 | | DC-2 Method R used, last sex with 2nd-to-last P-3rd | raw |
| PXLRMETH8 | | DC-2 Method R used, last sex with 2nd-to-last P-4th | raw |
| PXLPUSE2 | | DC-3 P used a method at last sex w/R 2nd-to-last P | raw |
| DKPXPUSE2 | | DC-3b (DK followup) Don't recall or never knew (whether 2nd-to-last P used method at last sex)? | raw |
| PXLPMETH11 | | DC-4 Method 2nd-to-last P used, last sex with R-1st | raw |
| PXLPMETH12 | | DC-4 Method 2nd-to-last P used, last sex with R-2nd | raw |
| PXLPMETH13 | | DC-4 Method 2nd-to-last P used, last sex with R-3rd | raw |
| PXLPMETH14 | | DC-4 Method 2nd-to-last P used, last sex with R-4th | raw |
| PXLPMETH15 | | DC-4 Method 2nd-to-last P used, last sex with R-5th | raw |
| LSXUSEP2 | | Method used at last sex with 2nd-to-last sexual partner | raw |
| MTONCEP2 | | Had sex with 2nd-to-last recent partner more than once | raw |
| PXMTONCE2 | | DC-5 Did R have sex more than once with 2nd-to-last partner | raw |
| PXFRLTN3 | | DC-9 Relationship with 2nd-to-last partner at last sex | raw |
| PXEDUC2 | | DD-1 Education level of 2nd-to-last partner in last 12 mos | raw |
| PXMARBF2 | | DD-2 2nd-to-last partner ever been married (before) | raw |
| PXABLECH2 | | DD-3 Physically possible for 2nd-to-last partner to have a baby | raw |
| PXSXFRST_M2 | | DE-1m Month 1st sex with 2nd-to-last partner in last 12 mos | raw |
| PXSXFRST_Y2 | | DE-1y Year 1st sex with 2nd-to-last partner in last 12 mos | raw |
| CMFSXP2 | | CM of first sex with 2nd-to-last partner in last 12 mos (FC D-30) | computed |
| AGEFSXP2 | | Age of first sex with 2nd-to-last sexual partner in last 12 mos (FC D-30a) | computed |
| PXAGFRST2 | | DE-2 R's age at 1st sex with 2nd-to-last partner in last 12 mos | raw |
| PXFRLTN4 | | DE-3 Relationship at 1st sex w/2nd-to-last partner in last 12 mos | raw |
| PXFUSE2 | | DE-4 Did R or 2nd-to-last partner use a method at 1st sex | raw |
| PXFMETH14 | | DE-5 Method R or 2nd-to-last partner used at first sex-1st | raw |
| PXFMETH15 | | DE-5 Method R or 2nd-to-last partner used at first sex-2nd | raw |
| PXFMETH16 | | DE-5 Method R or 2nd-to-last partner used at first sex-3rd | raw |
| PXFMETH17 | | DE-5 Method R or 2nd-to-last partner used at first sex-4th | raw |
| PXFMETH18 | | DE-5 Method R or 2nd-to-last partner used at first sex-5th | raw |
| PXANYUSE2 | | DF-1 Last 12 mos: R & 2nd-to-last partner used any method | raw |
| PXMETHOD14 | | DF-2 Last 12 mos: Methods used by R & 2nd-to-last partner - 1st | raw |
| PXMETHOD15 | | DF-2 Last 12 mos: Methods used by R & 2nd-to-last partner - 2nd | raw |
| PXMETHOD16 | | DF-2 Last 12 mos: Methods used by R & 2nd-to-last partner - 3rd | raw |
| PXMETHOD17 | | DF-2 Last 12 mos: Methods used by R & 2nd-to-last partner - 4th | raw |
| PXMETHOD18 | | DF-2 Last 12 mos: Methods used by R & 2nd-to-last partner - 5th | raw |
| PXMSTUSE2 | | DF-3 Last 12 mos: method most often used by R & 2nd-to-last P | raw |
| PXCONFRQ2 | | DF-4 Last 12 mos: % of time R & 2nd-to-last P used condom | raw |
| PXNOFREQ2 | | DF-5 Last 12 mos: how often R & 2nd-to-last P used any method | raw |
| PXCPREG2 | | DG-1 Is R's current partner currently pregnant (2nd-to-last prtnr) | raw |
| PXTRYING2 | | DG-2 R & curr partner currently trying to get pregnant (2nd-to-last prtnr) | raw |
| PXTRYLONG2 | | DG-3 For how many months have R & curr prtnr been trying to get pregnant (2nd-to-last prtnr) | raw |
| PXRWANT2 | | DG-4 Bef curr prtnr's curr preg did R want child in future (2nd-to-last prtnr) | raw |
| PXRSOON2 | | DG-5 Timing of current partner's current pregnancy (2nd-to-last prtnr) | raw |
| PXRSOONN2 | | DG-5a How much sooner w/2nd-to-last partner - Number | raw |
| PXRSOONMY2 | | DG-5b How much sooner w/2nd-to-last partner - M/Y | raw |
| PXCPFEEL2 | | DG-6 How happy when R found out about curr P's curr preg (2nd-to-last prtnr) | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|---|-----|--|---------------|
| MARDATEN_Y_3 | * | DA-1y Year of marriage to former wife (3rd most recent partner in last 12 mos) | raw |
| AGEMARR_3 | | DA-2 Age at marriage to former wife (3rd most recent partner in last 12 mos) | raw |
| LIVTOGN_3 | | DA-3 Cohabited premaritally with former wife (3rd most recent partner in last 12 mos) | raw |
| AGELIV_3 | | DA-5 Age when began cohabiting with former wife/female partner (3rd most recent partner in last 12 mos) | raw |
| CMUNIONP_3 | * | Year union (marriage or coresidence) began with former wife/female partner (3rd most recent partner in last 12 mos) (computed in FC D-8) | computed |
| ENGAGTHN_3 | | DA-6 Engaged when began cohabiting with former wife/female partner (3rd most recent partner in last 12 mos) | raw |
| MARREND_3 | | DA-7 How did marriage end with former wife (3rd most recent partner in last 12 mos) | raw |
| ENDMARR_Y_3 | * | DA-8y Year marriage ended with former wife (3rd most recent partner in last 12 mos) | raw |
| STOPLIVE_Y_3 | * | DA-9y Year stopped living with former wife/female partner (3rd most recent partner in last 12 mos) | raw |
| PXCURR3 | | DB-1 Does R consider her a current sexual partner (3rd most recent partner) | raw |
| PXCURRPRT3 | | Whether sexual partner is current (3rd most recent P in last 12 mos) (FC D-14) | computed |
| PXMARRY3 | | DB-2 R thinks he will marry 3rd most recent partner | raw |
| PXLRUSE3 | | DC-1 R use method at last sex with 3rd-to-last P | raw |
| PXLRMETH9 | | DC-2 Method R used, last sex with 3rd-to-last P-1st | raw |
| PXLRMETH10 | | DC-2 Method R used, last sex with 3rd-to-last P-2nd | raw |
| PXLRMETH11 | | DC-2 Method R used, last sex with 3rd-to-last P-3rd | raw |
| PXLRMETH12 | | DC-2 Method R used, last sex with 3rd-to-last P-4th | raw |
| PXLPUSE3 | | DC-3 3rd-to-last P used a method at last sex w/R | raw |
| DKPXPUPUSE3 | | DC-3b (DK followup) Don't recall or never knew (whether 3rd- to-last P used method at last sex)? | raw |
| PXLPMETH21 | | DC-4 Method 3rd-to-last P used, last sex with R-1st | raw |
| PXLPMETH22 | | DC-4 Method 3rd-to-last P used, last sex with R-2nd | raw |
| PXLPMETH23 | | DC-4 Method 3rd-to-last P used, last sex with R-3rd | raw |
| PXLPMETH24 | | DC-4 Method 3rd-to-last P used, last sex with R-4th | raw |
| PXLPMETH25 | | DC-4 Method 3rd-to-last P used, last sex with R-5th | raw |
| LSXUSEP3 | | Method used at last sex with 3rd-to last partner | raw |
| MTONCEP3 | | Had sex with 3rd-to-last recent partner more than once | raw |
| PXMTONCE3 | | DC-5 Did R have sex more than once with 3rd-to-last partner | raw |
| PXFRLTN5 | | DC-9 Relationship at last sex with 3rd-to-last partner | raw |
| PXEDUC3 | | DD-1 Education level of 3rd-to-last partner in last 12 mons | raw |
| PXMARBF3 | | DD-2 3rd-to-last partner ever been married before | raw |
| PXABLECH3 | | DD-3 Physically possible for 3rd-to-last partner to have a baby | raw |
| PXSXFRST_M3 | | DE-1m Month 1st sex with 3rd-to-last partner in last 12 mos | raw |
| PXSXFRST_Y3 | | DE-1y Year 1st sex with 3rd-to-last partner in last 12 mos | raw |
| CMFSXP3 | | CM of first sex with 3rd-to-last partner in last 12 mons (FC D-30) | computed |
| AGEFSXP3 | | Age of first sex with 3rd-to-last sexual partner in last 12 mos (FC D-30a) | computed |
| PXAGFRST3 | | DE-2 R's age at 1st sex with 3rd-to-last partner in last 12 mos | raw |
| PXFRLTN6 | | DE-3 Relationship at 1st sex w/3rd-to-last partner in last 12 mos | raw |
| PXFUSE3 | | DE-4 Did R or 3rd-to-last partner use a method at 1st sex | raw |
| PXFMETH27 | | DE-5 Method R or 3rd-to-last partner used at first sex-1st | raw |
| PXFMETH28 | | DE-5 Method R or 3rd-to-last partner used at first sex-2nd | raw |
| PXFMETH29 | | DE-5 Method R or 3rd-to-last partner used at first sex-3rd | raw |
| PXFMETH30 | | DE-5 Method R or 3rd-to-last partner used at first sex-4th | raw |
| PXFMETH31 | | DE-5 Method R or 3rd-to-last partner used at first sex-5th | raw |
| PXANYUSE3 | | DF-1 Last 12 mos: R & 3rd-to-last partner used any method | raw |
| PXMETHOD27 | | DF-2 Last 12 mos: Methods used by R & 3rd-to-last partner - 1st | raw |
| PXMETHOD28 | | DF-2 Last 12 mos: Methods used by R & 3rd-to-last partner - 2nd | raw |
| PXMETHOD29 | | DF-2 Last 12 mos: Methods used by R & 3rd-to-last partner - 3rd | raw |
| PXMETHOD30 | | DF-2 Last 12 mos: Methods used by R & 3rd-to-last partner - 4th | raw |
| PXMETHOD31 | | DF-2 Last 12 mos: Methods used by R & 3rd-to-last partner - 5th | raw |
| PXMSTUSE3 | | DF-3 Last 12 mos: method most often used by R & 3rd-to-last P | raw |
| PXCONFRQ3 | | DF-4 Last 12 mos: % of time R & 3rd-to-last P used condom | raw |
| PXNOFREQ3 | | DF-5 Last 12 mos: how often R & 3rd-to-last P used any method | raw |
| PXCPREG3 | | DG-1 Is R's current partner currently pregnant (3rd-to-last prtnr) | raw |
| PXTRYING3 | | DG-2 R & curr partner currently trying to get pregnant (3rd-to-last prtnr) | raw |
| PXTRYLONG3 | | DG-3 For how many months have R & curr prtnr been trying to get pregnant (3rd-to-last prtnr) | raw |
| PXRWANT3 | | DG-4 Bef curr prtnr's curr preg did R want child in future (3rd-to-last prtnr) | raw |
| PXRSOON3 | | DG-5 Timing of current partner's current pregnancy (3rd-to-last prtnr) | raw |
| PXRSOONN3 | | DG-5a How much sooner w/3rd-to-last partner - Number | raw |
| PXRSOONMY3 | | DG-5b How much sooner w/3rd-to-last recent partner - M/Y | raw |
| PXCPFEEL3 | | DG-6 How happy when R found out about curr P's curr preg (3rd-to-last prtnr) | raw |
| CURRPREG | | Whether Rs current wife or cohabiting partner is pregnant (FC B-11a and updated in C and D) | computed |
| CURRPRTS | | Number of current nonmarital/noncohabiting partners (FC B-11a and D-14) | computed |
| SECTION E: First Former Wife; First Female Cohabiting Partner; First Female Sexual Partner | | | |
| NFORMCOHAB | * | Number of Former Female Cohabiting Partners (computed in FC E-1) (top-coded) | computed |
| FW1MARBEG_Y | * | EB-2 Year of marriage to 1st former wife | raw |
| FW1MARAGE | | EB-3 R's age at marriage to 1st former wife | raw |
| LIVTOGN_W1 | | EB-4 Cohabited premaritally with 1st former wife | raw |
| AGELIV_W1 | | EB-6 R's Age when began cohabiting (premaritally) with 1st former wife | raw |
| CMUNIONW1 | * | Year union (marriage or coresidence) began with 1st former wife (computed in FC E-9) | computed |
| ENGAGTHN_W1 | | EB-7 Engaged when began living together with 1st former wife | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|---|-----|--|-----------------------------|
| MARREND_W1 | | EB-8 How marriage ended with 1st former wife | raw |
| FW1MAREND_Y | * | EB-9y Year marriage ended with 1st former wife | raw |
| STOPLIVE_Y_W1 | * | EB-10y Year last lived together with 1st former wife | raw |
| FWPEDUC_W1 | | EB-13 Education of 1st Former Wife | raw |
| FWPMARBF_W1 | | EB-14 Was She Married Before? - 1st Former Wife | raw |
| STRTLIVE_Y_FC1 | * | EB-5y Year Began Cohabiting with 1st Female Former Cohab Partner | raw |
| AGELIV_FC1 | | EB-6 R's Age When Began Cohabiting with 1st Female Former Cohab Partner | raw |
| ENGAGTHN_FC1 | | EB-7 Engaged When Began Living Together - 1st Female Former Cohab Partner | raw |
| STOPLIVE_Y_FC1 | * | EB-10y Year Last Lived Together - 1st Female Former Cohab Partner | raw |
| FWPEDUC_FC1 | | EB-13 Education of 1st Female Former Cohabiting Partner | raw |
| FWPMARBF_FC1 | | EB-14 Was She Married Before? - 1st Female Former Cohabiting Partner | raw |
| FPPROBE | | EC-11 1st partner, 1st sex: could partner have used method & R not know | raw |
| SECTION F: Biological Children Ever Fathered; Nonbiological Children Living with R; Other Pregnancies Fathered | | | |
| EVBIOKID | | FA-1 Ever fathered a biological child | raw |
| NUMBIOKID | | FA-2 Number of biological children | raw |
| ONEMOM | | FA-3 All children have the same biological mother | raw |
| MOMWHO | | FA-4 Who is biological mother | raw |
| BCMOMWHO_01 | | FA-6 Who is bio child's mom -1st child | raw |
| BCMOMAGE_01 | * | FA-6a How old was bio mom when this child was born - 1st child | raw |
| BCSEX_01 | | FA-7 Sex of this bio child - 1st child | raw |
| YRBIOCHILD_01 | * | Year when R's biological child was born - 1st child | computed in post-processing |
| BCAGE_01 | | Age of this bio child -1st child (Computed in Flow Check F-5) | raw |
| BCAGEGRP_01 | | FA-8C Bio child's age group -1st child | raw |
| BCMARLIV_01 | | FA-10 Marital/cohabiting status w/child's mother when this child was born-1st child | raw |
| BCLRNPRG_01 | | FA-11 When R found out wife/partner was pregnant with this child-1st child | raw |
| LIVEHERE_01 | | FA-12a Did this bio child live with R at least half the time-1st child | raw |
| ALIVENOW_01 | | FA-12b Is this bio child still living-1st child | raw |
| BCNOWLIV_01 | | FA-12c Who does this bio child live with-1st child | raw |
| BCRES_01 | | Where this bio child usually lives-1st child (defined in FC F-8) | computed |
| BCSIGNBC_01 | | FA-13 R signed birth certificate or other legal doc as father of this child-1st child | raw |
| BCCOURT_01 | | FA-14 R went to court to establish legal paternity of this child-1st child | raw |
| BCGENTST_01 | | FA-15 R legally established paternity of this child by blood or genetic test-1st child | raw |
| LIVCHEVR_01 | | FA-16 Did R ever live with this bio child-1st child | raw |
| BCWANT_01 | | FA-17 R wanted a child before mother got pregnant-1st child | raw |
| BCTIMING_01 | | FA-18 Pregnancy timing of 1st child | raw |
| BCSOONN_01 | | FA-19a How much sooner than wanted was pregnancy w/1st child - Number | raw |
| BCSOONNMY_01 | | FA-19b How much sooner than wanted was pregnancy w/1st child - Unit (mo/yr) | raw |
| BCHPY_01 | | FA-20 R's happiness when finding out about this pregnancy- 1st child | raw |
| BCMOMWHO_02 | | FA-6 Who is bio child's mom -2nd child | raw |
| BCMOMAGE_02 | * | FA-6a How old was bio mom when this child was born - 2nd child | raw |
| BCSEX_02 | | FA-7 Sex of this bio child - 2nd child | raw |
| YRBIOCHILD_02 | * | Year when R's biological child was born - 2nd child | computed in post-processing |
| BCAGE_02 | | Age of this bio child -2nd child (Computed in Flow Check F-5) | raw |
| BCAGEGRP_02 | | FA-8C Bio child's age group -2nd child | raw |
| MULTBIRT_02 | | FA-9 Verifying if this bio child was part of a multiple birth -2nd child | raw |
| BCMARLIV_02 | | FA-10 Marital/cohabiting status w/child's mother when this child was born-2nd child | raw |
| BCLRNPRG_02 | | FA-11 When R found out wife/partner was pregnant with this child-2nd child | raw |
| LIVEHERE_02 | | FA-12a Did this bio child live with R at least half the time-2nd child | raw |
| ALIVENOW_02 | | FA-12b Is this bio child still living-2nd child | raw |
| BCNOWLIV_02 | | FA-12c Who does this bio child live with-2nd child | raw |
| BCRES_02 | | Where this bio child usually lives-2nd child (defined in FC F-8) | computed |
| BCSIGNBC_02 | | FA-13 R signed birth certificate or other legal doc as father of this child-2nd child | raw |
| BCCOURT_02 | | FA-14 R went to court to establish legal paternity of this child-2nd child | raw |
| BCGENTST_02 | | FA-15 R legally established paternity of this child by blood or genetic test-2nd child | raw |
| LIVCHEVR_02 | | FA-16 Did R ever live with this bio child-2nd child | raw |
| BCWANT_02 | | FA-17 R wanted a child before mother got pregnant-2nd child | raw |
| BCTIMING_02 | | FA-18 Pregnancy timing of 2nd child | raw |
| BCSOONN_02 | | FA-19a How much sooner than wanted was pregnancy w/2nd child - Number | raw |
| BCSOONNMY_02 | | FA-19b How much sooner than wanted was pregnancy w/2nd child - Unit (mo/yr) | raw |
| BCHPY_02 | | FA-20 R's happiness when finding out about this pregnancy- 2nd child | raw |
| BCMOMWHO_03 | | FA-6 Who is bio child's mom -3rd child | raw |
| BCMOMAGE_03 | * | FA-6a How old was bio mom when this child was born - 3rd child | raw |
| BCSEX_03 | | FA-7 Sex of this bio child - 3rd child | raw |
| YRBIOCHILD_03 | * | Year when R's biological child was born - 3rd child | computed in post-processing |
| BCAGE_03 | | Age of this bio child -3rd child (Computed in Flow Check F-5) | raw |
| BCAGEGRP_03 | | Age of this bio child -3rd child | raw |
| MULTBIRT_03 | | FA-9 Verifying if this bio child was part of a multiple birth -3rd child | raw |
| BCMARLIV_03 | | FA-10 Marital/cohabiting status w/child's mother when this child was born-3rd child | raw |
| BCLRNPRG_03 | | FA-11 When R found out wife/partner was pregnant with this child-3rd child | raw |
| LIVEHERE_03 | | FA-12a Did this bio child live with R at least half the time-3rd child | raw |
| ALIVENOW_03 | | FA-12b Is this bio child still living-3rd child | raw |
| BCNOWLIV_03 | | FA-12c Who does this bio child live with-3rd child | raw |
| BCRES_03 | | Where this bio child usually lives-3rd child (defined in FC F-8) | computed |

| Variable Name | DRR | Variable Label | Variable Type |
|---------------|-----|--|-----------------------------|
| BCSIGNBC_03 | | FA-13 R signed birth certificate or other legal doc as father of this child-3rd child | raw |
| BCCOURT_03 | | FA-14 R went to court to establish legal paternity of this child-3rd child | raw |
| BCGENTST_03 | | FA-15 R legally established paternity of this child by blood or genetic test-3rd child | raw |
| LIVCHEVR_03 | | FA-16 Did R ever live with this bio child-3rd child | raw |
| BCWANT_03 | | FA-17 R wanted a child before mother got pregnant-3rd child | raw |
| BCTIMING_03 | | FA-18 Pregnancy timing of 3rd child | raw |
| BCSOONN_03 | | FA-19a How much sooner than wanted was pregnancy w/3rd child - Number | raw |
| BCSOONNMY_03 | | FA-19b How much sooner than wanted was pregnancy w/3rd child - Unit (mo/yr) | raw |
| BCHPY_03 | | FA-20 R's happiness when finding out about this pregnancy- 3rd child | raw |
| BCMOMWHO_04 | | FA-6 Who is bio child's mom -4th child | raw |
| BCMOMAGE_04 | * | FA-6a How old was bio mom when this child was born - 4th child | raw |
| BCSEX_04 | | FA-7 Sex of this bio child - 4th child | raw |
| YRBIOCHILD_04 | * | Year when R's biological child was born - 4th child | computed in post-processing |
| BCAGE_04 | | Age of this bio child -4th child (Computed in Flow Check F-5) | raw |
| BCAGEGRP_04 | | Age of this bio child -4th child | raw |
| MULTBIRT_04 | | FA-9 Verifying if this bio child was part of a multiple birth -4th child | raw |
| BCMARLIV_04 | | FA-10 Marital/cohabiting status w/child's mother when this child was born-4th child | raw |
| BCLRNPRG_04 | | FA-11 When R found out wife/partner was pregnant with this child-4th child | raw |
| LIVEHERE_04 | | FA-12a Did this bio child live with R at least half the time-4th child | raw |
| ALIVENOW_04 | | FA-12b Is this bio child still living-4th child | raw |
| BCNOWLIV_04 | | FA-12c Who does this bio child live with-4th child | raw |
| BCRES_04 | | Where this bio child usually lives-4th (defined in FC F-8) | computed |
| BCSIGNBC_04 | | FA-13 R signed birth certificate or other legal doc as father of this child-4th child | raw |
| BCCOURT_04 | | FA-14 R went to court to establish legal paternity of this child-4th child | raw |
| BCGENTST_04 | | FA-15 R legally established paternity of this child by blood or genetic test-4th child | raw |
| LIVCHEVR_04 | | FA-16 Did R ever live with this bio child-4th child | raw |
| BCWANT_04 | | FA-17 R wanted a child before mother got pregnant-4th child | raw |
| BCTIMING_04 | | FA-18 Pregnancy timing of 4th child | raw |
| BCSOONN_04 | | FA-19a How much sooner than wanted was pregnancy w/4th child - Number | raw |
| BCSOONNMY_04 | | FA-19b How much sooner than wanted was pregnancy w/4th child - Unit (mo/yr) | raw |
| BCHPY_04 | | FA-20 R's happiness when finding out about this pregnancy- 4th child | raw |
| BCMOMWHO_05 | | FA-6 Who is bio child's mom -5th child | raw |
| BCMOMAGE_05 | * | FA-6a How old was bio mom when this child was born - 5th child | raw |
| BCSEX_05 | | FA-7 Sex of this bio child - 5th child | raw |
| YRBIOCHILD_05 | * | Year when R's biological child was born - 5th child | computed in post-processing |
| BCAGE_05 | | Age of this bio child -5th child (Computed in Flow Check F-5) | raw |
| BCAGEGRP_05 | | FA-8C Bio child's age group -5th child | raw |
| MULTBIRT_05 | | FA-9 Verifying if this bio child was part of a multiple birth -5th child | raw |
| BCMARLIV_05 | | FA-10 Marital/cohabiting status w/child's mother when this child was born-5th child | raw |
| BCLRNPRG_05 | | FA-11 When R found out wife/partner was pregnant with this child-5th child | raw |
| LIVEHERE_05 | | FA-12a Did this bio child live with R at least half the time-5th child | raw |
| ALIVENOW_05 | | FA-12b Is this bio child still living-5th child | raw |
| BCNOWLIV_05 | | FA-12c Who does this bio child live with-5th child | raw |
| BCRES_05 | | Where this bio child usually lives-5th (defined in FC F-8) | computed |
| BCSIGNBC_05 | | FA-13 R signed birth certificate or other legal doc as father of this child-5th child | raw |
| BCCOURT_05 | | FA-14 R went to court to establish legal paternity of this child-5th child | raw |
| BCGENTST_05 | | FA-15 R legally established paternity of this child by blood or genetic test-5th child | raw |
| LIVCHEVR_05 | | FA-16 Did R ever live with this bio child-5th child | raw |
| BCWANT_05 | | FA-17 R wanted a child before mother got pregnant-5th child | raw |
| BCTIMING_05 | | FA-18 Pregnancy timing of 5th child | raw |
| BCSOONN_05 | | FA-19a How much sooner than wanted was pregnancy w/5th child - Number | raw |
| BCSOONNMY_05 | | FA-19b How much sooner than wanted was pregnancy w/5th child - Unit (mo/yr) | raw |
| BCHPY_05 | | FA-20 R's happiness when finding out about this pregnancy- 5th child | raw |
| BCMOMWHO_06 | | FA-6 Who is bio child's mom -6th child | raw |
| BCMOMAGE_06 | * | FA-6a How old was bio mom when this child was born - 6th child | raw |
| BCSEX_06 | | FA-7 Sex of this bio child - 6th child | raw |
| YRBIOCHILD_06 | * | Year when R's biological child was born - 6th child | computed in post-processing |
| BCAGE_06 | | Age of this bio child -6th child (Computed in Flow Check F-5) | raw |
| BCAGEGRP_06 | | FA-8C Bio child's age group -6th child | raw |
| MULTBIRT_06 | | FA-9 Verifying if this bio child was part of a multiple birth -6th child | raw |
| BCMARLIV_06 | | FA-10 Marital/cohabiting status w/child's mother when this child was born-6th child | raw |
| BCLRNPRG_06 | | FA-11 When R found out wife/partner was pregnant with this child-6th child | raw |
| LIVEHERE_06 | | FA-12a Did this bio child live with R at least half the time-6th child | raw |
| ALIVENOW_06 | | FA-12b Is this bio child still living-6th child | raw |
| BCNOWLIV_06 | | FA-12c Who does this bio child live with-6th child | raw |
| BCRES_06 | | Where this bio child usually lives-6th (defined in Flow Check F-8) | computed |
| BCSIGNBC_06 | | FA-13 R signed birth certificate or other legal doc as father of this child-6th child | raw |
| BCCOURT_06 | | FA-14 R went to court to establish legal paternity of this child-6th child | raw |
| BCGENTST_06 | | FA-15 R legally established paternity of this child by blood or genetic test-6th child | raw |
| LIVCHEVR_06 | | FA-16 Did R ever live with this bio child-6th child | raw |
| BCWANT_06 | | FA-17 R wanted a child before mother got pregnant-6th child | raw |
| BCTIMING_06 | | FA-18 Pregnancy timing of 6th child | raw |
| BCSOONN_06 | | FA-19a How much sooner than wanted was pregnancy w/6th child - Number | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|---------------|-----|--|-----------------------------|
| BCSOONMY_06 | | FA-19b How much sooner than wanted was pregnancy w/6th child - Unit (mo/yr) | raw |
| BCHPY_06 | | FA-20 R's happiness when finding out about this pregnancy- 6th child | raw |
| BCMOMWHO_07 | | FA-6 Who is bio child's mom -7th child | raw |
| BCMOMAGE_07 | * | FA-6a How old was bio mom when this child was born - 7th child | raw |
| BCSEX_07 | | FA-7 Sex of this bio child - 7th child | raw |
| YRBIOCHILD_07 | * | Year when R's biological child was born - 7th child | computed in post-processing |
| BCAGE_07 | | Age of this bio child -7th child (Computed in Flow Check F-5) | raw |
| BCAGEGRP_07 | | FA-8C Bio child's age group -7th child | raw |
| MULTBIRT_07 | | FA-9 Verifying if this bio child was part of a multiple birth -7th child | raw |
| BCMARLIV_07 | | FA-10 Marital/cohabiting status w/child's mother when this child was born-7th child | raw |
| BCLRNPRG_07 | | FA-11 When R found out wife/partner was pregnant with this child-7th child | raw |
| LIVEHERE_07 | | FA-12a Did this bio child live with R at least half the time-7th child | raw |
| ALIVENOW_07 | | FA-12b Is this bio child still living-7th child | raw |
| BCNOWLIV_07 | | FA-12c Who does this bio child live with-7th child | raw |
| BCRES_07 | | Where this bio child usually lives-7th (defined in Flow Check F-8) | computed |
| BCSIGNBC_07 | | FA-13 R signed birth certificate or other legal doc as father of this child-7th child | raw |
| BCCOURT_07 | | FA-14 R went to court to establish legal paternity of this child-7th child | raw |
| BCGENTST_07 | | FA-15 R legally established paternity of this child by blood or genetic test-7th child | raw |
| LIVCHEVR_07 | | FA-16 Did R ever live with this bio child-7th child | raw |
| BCWANT_07 | | FA-17 R wanted a child before mother got pregnant-7th child | raw |
| BCTIMING_07 | | FA-18 Pregnancy timing of 7th child | raw |
| BCSOONN_07 | | FA-19a How much sooner than wanted was pregnancy w/7th child - Number | raw |
| BCSOONMY_07 | | FA-19b How much sooner than wanted was pregnancy w/7th child - Unit (mo/yr) | raw |
| BCHPY_07 | | FA-20 R's happiness when finding out about this pregnancy- 7th child | raw |
| BCMOMWHO_08 | | FA-6 Who is bio child's mom -8th child | raw |
| BCMOMAGE_08 | * | FA-6a How old was bio mom when this child was born - 8th child | raw |
| BCSEX_08 | | FA-7 Sex of this bio child - 8th child | raw |
| YRBIOCHILD_08 | * | Year when R's biological child was born - 8th child | computed in post-processing |
| BCAGE_08 | | Age of this bio child -8th child (Computed in Flow Check F-5) | raw |
| BCAGEGRP_08 | | FA-8C Bio child's age group -8th child | raw |
| MULTBIRT_08 | | FA-9 Verifying if this bio child was part of a multiple birth -8th child | raw |
| BCMARLIV_08 | | FA-10 Marital/cohabiting status w/child's mother when this child was born-8th child | raw |
| BCLRNPRG_08 | | FA-11 When R found out wife/partner was pregnant with this child-8th child | raw |
| LIVEHERE_08 | | FA-12a Did this bio child live with R at least half the time-8th child | raw |
| ALIVENOW_08 | | FA-12b Is this bio child still living-8th child | raw |
| BCNOWLIV_08 | | FA-12c Who does this bio child live with-8th child | raw |
| BCRES_08 | | Where this bio child usually lives-8th (defined in Flow Check F-8) | computed |
| BCSIGNBC_08 | | FA-13 R signed birth certificate or other legal doc as father of this child-8th child | raw |
| BCCOURT_08 | | FA-14 R went to court to establish legal paternity of this child-8th child | raw |
| BCGENTST_08 | | FA-15 R legally established paternity of this child by blood or genetic test-8th child | raw |
| LIVCHEVR_08 | | FA-16 Did R ever live with this bio child-8th child | raw |
| BCWANT_08 | | FA-17 R wanted a child before mother got pregnant-8th child | raw |
| BCTIMING_08 | | FA-18 Pregnancy timing of 8th child | raw |
| BCSOONN_08 | | FA-19a How much sooner than wanted was pregnancy w/8th child - Number | raw |
| BCSOONMY_08 | | FA-19b How much sooner than wanted was pregnancy w/8th child - Unit (mo/yr) | raw |
| BCHPY_08 | | FA-20 R's happiness when finding out about this pregnancy- 8th child | raw |
| BCMOMWHO_09 | | FA-6 Who is bio child's mom -9th child | raw |
| BCMOMAGE_09 | * | FA-6a How old was bio mom when this child was born - 9th child | raw |
| BCSEX_09 | | FA-7 Sex of this bio child - 9th child | raw |
| YRBIOCHILD_09 | * | Year when R's biological child was born - 9th child | computed in post-processing |
| BCAGE_09 | | Age of this bio child -9th child (Computed in Flow Check F-5) | raw |
| BCAGEGRP_09 | | FA-8C Bio child's age group -9th child | raw |
| MULTBIRT_09 | | FA-9 Verifying if this bio child was part of a multiple birth -9th child | raw |
| BCMARLIV_09 | | FA-10 Marital/cohabiting status w/child's mother when this child was born-9th child | raw |
| BCLRNPRG_09 | | FA-11 When R found out wife/partner was pregnant with this child-9th child | raw |
| LIVEHERE_09 | | FA-12a Did this bio child live with R at least half the time-9th child | raw |
| ALIVENOW_09 | | FA-12b Is this bio child still living-9th child | raw |
| BCNOWLIV_09 | | FA-12c Who does this bio child live with-9th child | raw |
| BCRES_09 | | Where this bio child usually lives-9th (defined in Flow Check F-8) | computed |
| BCSIGNBC_09 | | FA-13 R signed birth certificate or other legal doc as father of this child-9th child | raw |
| BCCOURT_09 | | FA-14 R went to court to establish legal paternity of this child-9th child | raw |
| BCGENTST_09 | | FA-15 R legally established paternity of this child by blood or genetic test-9th child | raw |
| LIVCHEVR_09 | | FA-16 Did R ever live with this bio child-9th child | raw |
| BCWANT_09 | | FA-17 R wanted a child before mother got pregnant-9th child | raw |
| BCTIMING_09 | | FA-18 Pregnancy timing of 9th child | raw |
| BCHPY_09 | | FA-20 R's happiness when finding out about this pregnancy- 9th child | raw |
| BCSOONN_09 | | FA-19a How much sooner than wanted was pregnancy w/9th child - Number | raw |
| BCSOONMY_09 | | FA-19b How much sooner than wanted was pregnancy w/9th child - Unit (mo/yr) | raw |
| BCMOMWHO_10 | | FA-6 Who is bio child's mom -10th child | raw |
| BCMOMAGE_10 | * | FA-6a How old was bio mom when this child was born - 10th child | raw |
| BCSEX_10 | | FA-7 Sex of this bio child - 10th child | raw |
| YRBIOCHILD_10 | * | Year when R's biological child was born - 10th child | computed in post-processing |
| BCAGE_10 | | Age of this bio child -10th child (Computed in Flow Check F-5) | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|--|-----|--|---------------|
| BCAGEGRP_10 | | FA-8C Bio child's age group -10th child | raw |
| MULTBIRT_10 | | FA-9 Verifying if this bio child was part of a multiple birth -10th child | raw |
| BCMARLIV_10 | | FA-10 Marital/cohabiting status w/child's mother when this child was born-10th child | raw |
| BCLRNPRG_10 | | FA-11 When R found out wife/partner was pregnant with this child-10th child | raw |
| LIVEHERE_10 | | FA-12a Did this bio child live with R at least half the time-10th child | raw |
| ALIVENOW_10 | | FA-12b Is this bio child still living-10th child | raw |
| BCNOWLIV_10 | | FA-12c Who does this bio child live with-10th child | raw |
| BCRES_10 | | Where this bio child usually lives-10th (defined in Flow Check F-8) | computed |
| BCSIGNBC_10 | | FA-13 R signed birth certificate or other legal doc as father of this child-10th child | raw |
| BCCOURT_10 | | FA-14 R went to court to establish legal paternity of this child-10th child | raw |
| BCGENTST_10 | | FA-15 R legally established paternity of this child by blood or genetic test-10th child | raw |
| LIVCHEVR_10 | | FA-16 Did R ever live with this bio child-10th child | raw |
| BCWANT_10 | | FA-17 R wanted a child before mother got pregnant-10th child | raw |
| BCTIMING_10 | | FA-18 Pregnancy timing of 10th child | raw |
| BCSOONN_10 | | FA-19a How much sooner than wanted was pregnancy w/10th child - Number | raw |
| BCSOONNMY_10 | | FA-19b How much sooner than wanted was pregnancy w/10th child - Unit (mo/yr) | raw |
| BCHPY_10 | | FA-20 R's happiness when finding out about this pregnancy- 10th child | raw |
| CWPKIDS | | Whether R had child with current wife/cohab partner (computed in FC F-15) | computed |
| NBPARENT | | FB-1 How many nonbio children R has parental responsibility | raw |
| NBKLEGSTAT | | FB-2 Adopted or legal guardian for any of non bio children | raw |
| NBKADOP1 | | FB-3a Legally adopt this non bio children | raw |
| NBKADOP2 | | FB-1 How many nonbio children R legally adopted | raw |
| NBKGUARD | | FB-3c How many nonbio children R are now legal guardian | raw |
| EVERADOPT | | FB-4 R ever legally adopted a child | raw |
| OTPREG | | FC-1 Whether R ever had a pregnancy ending in Miscarriage/Stillbirth/Abortion | raw |
| OTPRGPRB | | FC-2 Could R have had a pregnancy like this but not know | raw |
| OTPRGN | * | FC-3 Number of pregnancies that did not end in live birth (top-coded) | raw |
| OTPREGS | * | Total number of pregs R fathered that did not result in live birth (computed in FC F-22) (top-coded) | computed |
| PREGSNOW | | Number of women currently pregnant with R's child (computed in FC F-22) | computed |
| PREGCHK | | FC-4 Confirm total # of Times R Made Someone Pregnant | raw |
| TOTPREGS_R | * | FC-5 corrected number times R made someone pregnant (top-coded) | raw |
| TOTPREGS_CON | * | Total number of pregnancies - after confirmation (computed in FC F-24) (top-coded) | computed |
| ANYKIDS | | Whether R has any bio or adopted children | computed |
| SECTION G: Activities with coresidential and non-coresidential children | | | |
| CRALL | * | Total number of coresidential children (computed in FC G-0) (top-coded) | computed |
| CRALLU5 | * | Total number of coresidential children under age 5 (computed in FC G-0) (top-coded) | computed |
| CRALL518 | * | Total number of coresidential children ages 5-18 (computed in FC G-0) (top-coded) | computed |
| CRMALU5 | * | Total number of coresidential male children under age 5 (computed in FC G-0) (top-coded) | computed |
| CRMAL518 | * | Total number of coresidential male children ages 5-18 (computed in FC G-0) (top-coded) | computed |
| CRFEMU5 | * | Total number of coresidential female children under age 5 (computed in FC G-0) (top-coded) | computed |
| CRFEM518 | * | Total number of coresidential female children ages 5-18 (computed in FC G-0) (top-coded) | computed |
| NCALL | | Total number of eligible noncoresidential children (computed in FC G-0) | computed |
| NCALLU5 | | Total number of eligible noncoresidential children under age 5 (computed in FC G-0) | computed |
| NCALL518 | | Total number of eligible noncoresidential children ages 5-18 (computed in FC G-0) | computed |
| NCMALU5 | | Total number of eligible noncoresidential male children under age 5 (computed in FC G-0) | computed |
| NCMAL518 | | Total number of eligible noncoresidential male children ages 5-18 (computed in FC G-0) | computed |
| NCFEMU5 | | Total number of eligible noncoresidential female children under age 5 (computed in FC G-0) | computed |
| NCFEM518 | | Total number of eligible noncoresidential female children ages 5-18 (computed in FC G-0) | computed |
| RFAGE | | Age of focal residential child | computed |
| RFSEX | | Gender of focal residential child | computed |
| ROUTG04 | | GA-1 How often went on outing -last 4 weeks (CR 0-4) | raw |
| RMEAL04 | | GA-2 How often ate evening meals together -last 4 weeks (CR 0-4) | raw |
| RERRAND04 | | GA-3 How often take along on errands ?last 4 weeks (CR 0-4) | raw |
| RPLAY04 | | GA-4 How often played games-last 4 weeks (CR 0-4) | raw |
| RREAD04 | | GA-5 How often read to him/her -last 4 weeks (CR 0-4) | raw |
| RAFFECT04 | | GA-6 How often showed physical affection -last 4 weeks (CR 0-4) | raw |
| RPRAISE04 | | GA-7 How often praised -last 4 weeks (CR 0-4) | raw |
| RFEED04 | | GA-8 How often fed -last 4 weeks (CR 0-4) | raw |
| RBATH04 | | GA-9 How often gave bath-last 4 weeks (CR 0-4) | raw |
| RDIAPER04 | | GA-10 How often diaper/help use toilet -last 4 weeks (CR 0-4) | raw |
| RBED04 | | GA-11 How often put to bed -last 4 weeks (CR 0-4) | raw |
| RAPPT04 | | GA-12 How often take to/from appointments -last 4 weeks (CR 0-4) | raw |
| RDISC04 | | GA-13 How often disciplined -last 4 weeks (CR 0-4) | raw |
| ROUTG518 | | GA-14 How often went on outing -last 4 weeks (CR 5-18) | raw |
| RMEAL518 | | GA-15 how often ate evening meals together -last 4 weeks (CR 5-18) | raw |
| RERRAND518 | | GA-16 How often take along on errands -last 4 weeks (CR 5-18) | raw |
| RAFFECT518 | | GA-17 How often showed physical affection -last 4 weeks (CR 5-18) | raw |
| RPRAISE518 | | GA-18 How often praised -last 4 weeks (CR 5-18) | raw |
| RTAKE518 | | GA-19 How often take to/from activities -last 4 weeks (CR 5-18) | raw |
| RAPPT518 | | GA-20 How often take to/from appointments -last 4 weeks (CR 5-18) | raw |
| RHELP518 | | GA-21 How often helped with homework -last 4 weeks (CR 5-18) | raw |
| RDISC518 | | GA-22 How often disciplined -last 4 weeks (CR 5-18) | raw |
| RCLFR518 | | GA-23 How much know child's close friends -last 4 weeks (CR 5-18) | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|---|-----|--|---------------|
| RDO518 | | GA-24 How much know about what doing when not home -last 4 weeks (CR 5-18) | raw |
| NRFAGE | | Age of focal nonresidential child | computed |
| NRFSEX | | Gender of focal nonresidential child | computed |
| NRVISIT04 | | GB-1 How often visit child -last 4 weeks (NCR 0-4) | raw |
| NRSATVIS04 | | GB-2 How satisfied with how often visit -last 4 weeks (NCR 0-4) | raw |
| NROUTG04 | | GB-3 How often went on outing -last 4 weeks (NCR 0-4) | raw |
| NRMEAL04 | | GB-4 How often ate evening meals together -last 4 weeks (NCR 0-4) | raw |
| NRERRAND04 | | GB-5 How often take along on errands -last 4 weeks (NCR 0-4) | raw |
| NROVRNT04 | | GB-6 How often stay overnight with you -last 4 weeks (NCR 0-4) | raw |
| NRPLAY04 | | GB-7 How often played games -last 4 weeks (NCR 0-4) | raw |
| NRREAD04 | | GB-8 How often read to him/her -last 4 weeks (NCR 0-4) | raw |
| NRAFFECT04 | | GB-9 How often showed physical affection -last 4 weeks (NCR 0-4) | raw |
| NRPRAISE04 | | GB-10 How often praised -last 4 weeks (NCR 0-4) | raw |
| NRFEED04 | | GB-11 How often fed -last 4 weeks (NCR 0-4) | raw |
| NRBATH04 | | GB-12 How often gave bath -last 4 weeks (NCR 0-4) | raw |
| NRDIAPER04 | | GB-13 How often diaper/help use toilet -last 4 weeks (NCR 0-4) | raw |
| NRBED04 | | GB-14 How often put to bed -last 4 weeks (NCR 0-4) | raw |
| NRAPPT04 | | GB-15 How often take to/from appointments-last 4 weeks (NCR 0-4) | raw |
| NRDISC04 | | GB-16 How often disciplined -last 4 weeks (NCR 0-4) | raw |
| NRVISIT518 | | GB-17 How often visit child -last 4 weeks (NCR 5-18) | raw |
| NRSATVIS518 | | GB-18 How satisfied with how often visit -last 4 weeks (NCR 5-18) | raw |
| NROUTG518 | | GB-19 How often went on outing -last 4 weeks (NCR 5-18) | raw |
| NRMEAL518 | | GB-20 How often ate evening meals together -last 4 weeks (NCR 5-18) | raw |
| NRERRAND518 | | GB-21 How often take along on errands -last 4 weeks (NCR 5-18) | raw |
| NROVRNT518 | | GB-22 How often stay overnight with you -last 4 weeks (NCR 5-18) | raw |
| NRAFFECT518 | | GB-23 How often showed physical affection -last 4 weeks (NCR 5-18) | raw |
| NRPRAISE518 | | GB-24 How often praised -last 4 weeks (NCR 5-18) | raw |
| NRTAKE518 | | GB-25 How often take to/from activities -last 4 weeks (NCR 5-18) | raw |
| NRAPPT518 | | GB-26 How often take to/from appointments -last 4 weeks (NCR 5-18) | raw |
| NRHELP518 | | GB-27 How often helped with homework -last 4 weeks (NCR 5-18) | raw |
| NRDISC518 | | GB-28 How often disciplined -last 4 weeks (NCR 5-18) | raw |
| NRCLFR518 | | GB-29 How much know child's close friends -last 4 weeks (NCR 5-18) | raw |
| NRDO518 | | GB-30 How much know about what doing when not home -last 4 weeks (CR 5-18) | raw |
| COPARENT | | GD-1 Whether R and child's mother are a good parenting team | raw |
| SECTION H: Desires and Intentions for Future Biological Children | | | |
| RWANT | | HA-2 R wants a(another) child at some time | raw |
| PROBWANT | | HA-3 R prob wants/does not want a(another) child at some time | raw |
| JINTEND | | HB-2 R & CWP intend to have a(another) baby at some time | raw |
| JSUREINT | | HB-3 How sure R & CWP will/will not have a(nother) child | raw |
| JINTENDN | | HB-4 How many (more) children R and CWP intend | raw |
| JEXPECTL | | HB-5 Largest number of (additional) children R expects to have with CWP | raw |
| JEXPECTS | | HB-6 Smallest number of (additional) children R expects to have with CWP | raw |
| JINTNEXT | | HB-7 When R and CWP expect 1st/next child to be born | raw |
| INTEND | | HC-2 R intends to have a(another) child at some time | raw |
| INTENDN | | HC-3 Number of (more) children R intends | raw |
| EXPECTL | | HC-4 Largest number of (additional) children R intends | raw |
| EXPECTS | | HC-5 Smallest number of (additional) children R intends | raw |
| INTNEXT | | HC-6 When R expects his 1st/next child to be born | raw |
| SECTION I: Health Conditions and Health Services | | | |
| USUALCAR | | IA-1 Is there a place R usually goes when sick | raw |
| USLPLACE | | IA-2 Place R usually goes when sick | raw |
| USL12MOS | | IA-2a R has gone to his usual source of health care in last 12 months | raw |
| CURRCOV | | IA-3 Currently covered by health insurance | raw |
| COVERHOW_01 | * | IA-4 Type of health care coverage-1st mention | raw |
| COVERHOW_02 | * | IA-4 Type of health care coverage-2nd mention | raw |
| COVERHOW_03 | * | IA-4 Type of health care coverage-3rd mention | raw |
| PARINSUR | | IA-5 Covered by parents' plan | raw |
| COVER12 | | IA-6 Did R lack health coverage any time in last 12 mos | raw |
| NUMNOCOV | | IA-7 How many of the last 12 mos was R without coverage | raw |
| YUOGFPC | | IB-1 R ever received service at a Family Planning clinic | raw |
| WHENGOFPC | | IB-2 Last time R received service at a Family Planning clinic | raw |
| YOUFPSVC_1 | | IB-3 Services R received at last visit - 1st mention | raw |
| YOUFPSVC_2 | | IB-3 Services R received at last visit - 2nd mention | raw |
| YOUFPSVC_3 | | IB-3 Services R received at last visit - 3rd mention | raw |
| YOUFPSVC_4 | | IB-3 Services R received at last visit - 4th mention | raw |
| YOUFPSVC_5 | | IB-3 Services R received at last visit - 5th mention | raw |
| YOUFPSVC_6 | | IB-3 Services R received at last visit - 6th mention | raw |
| YOUFPSVC_7 | | IB-3 Services R received at last visit - 7th mention | raw |
| VISION | | IC-1 Level of difficulty R has with seeing | raw |
| HEARING | | IC-2 Level of difficulty R has with hearing | raw |
| MOBILITY | | IC-3 Level of difficulty R has with walking or climbing steps | raw |
| COGNITION | | IC-4 Level of difficulty R has with remembering or concentrating | raw |
| SELFCARE | | IC-5 Level of difficulty R has with self-care | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|---------------|-----|--|---------------|
| COMMUNIC | | IC-6 Level of difficulty R has with communicating | raw |
| EVRCANCER | | IC-7 R has ever had cancer | raw |
| AGECANCER | * | IC-7a Age when R was first told he had cancer (bottom-coded) | raw |
| ALCORISK | | IC-8 R's assessment of cancer risk due to alcohol consumption | raw |
| VISIT12MO | | ID-1 Had any visit to a doctor in last 12 months | raw |
| SVC12MO_1 | | ID-2 Received any of these services at visit in last 12 months - 1st mention | raw |
| SVC12MO_2 | | ID-2 Received any of these services at visit in last 12 months - 2nd mention | raw |
| SVC12MO_3 | | ID-2 Received any of these services at visit in last 12 months - 3rd mention | raw |
| SVC12MO_4 | | ID-2 Received any of these services at visit in last 12 months - 4th mention | raw |
| SVC12MO_5 | | ID-2 Received any of these services at visit in last 12 months - 5th mention | raw |
| SVC12MO_6 | | ID-2 Received any of these services at visit in last 12 months - 6th mention | raw |
| SVC12MO_7 | | ID-2 Received any of these services at visit in last 12 months - 7th mention | raw |
| SVC12MO_8 | | ID-2 Received any of these services at visit in last 12 months - 8th mention | raw |
| SVC12MO_9 | | ID-2 Received any of these services at visit in last 12 months - 9th mention | raw |
| NUMVISIT | | ID-3 How many visits in the last 12 months with a doctor or health care provider | raw |
| PLACEVIS_01 | | ID-4 Type of place went to for health visit(s) - 1st mention | raw |
| PLACEVIS_02 | | ID-4 Type of place went to for health visit(s) - 2nd mention | raw |
| PLACEVIS_03 | | ID-4 Type of place went to for health visit(s) - 3rd mention | raw |
| PLACEVIS_04 | | ID-4 Type of place went to for health visit(s) - 4th mention | raw |
| PLACEVIS_05 | | ID-4 Type of place went to for health visit(s) - 5th mention | raw |
| PLACEVIS_06 | | ID-4 Type of place went to for health visit(s) - 6th mention | raw |
| SVCPAY_1 | | ID-5 Source of payment for health visit(s) - 1st mention | raw |
| SVCPAY_2 | | ID-5 Source of payment for health visit(s) - 2nd mention | raw |
| SVCPAY_3 | | ID-5 Source of payment for health visit(s) - 3rd mention | raw |
| SVCPAY_4 | | ID-5 Source of payment for health visit(s) - 4th mention | raw |
| TALKSA | | ID-6 At visits in last 12 months doctor asked if sexually active | raw |
| TALKEC | | ID-7 At visits in last 12 months doctor talked about emergency contraception | raw |
| TALKDM | | ID-8 At visits in last 12 months doctor talked about using condom with female method | raw |
| WHYPSTD | | ID-9 Main reason chose place for STD test | raw |
| WHYNOSTD | | ID-10 Main reason no STD test in past 12 months | raw |
| BARRIER_01 | | ID-11 Reason did not see a doctor in past 12 months - 1st mention | raw |
| BARRIER_02 | | ID-11 Reason did not see a doctor in past 12 months - 2nd mention | raw |
| BARRIER_03 | | ID-11 Reason did not see a doctor in past 12 months - 3rd mention | raw |
| BARRIER_04 | | ID-11 Reason did not see a doctor in past 12 months - 4th mention | raw |
| BARRIER_05 | | ID-11 Reason did not see a doctor in past 12 months - 5th mention | raw |
| BARRIER_06 | | ID-11 Reason did not see a doctor in past 12 months - 6th mention | raw |
| BARRIER_07 | | ID-11 Reason did not see a doctor in past 12 months - 7th mention | raw |
| BARRIER_08 | | ID-11 Reason did not see a doctor in past 12 months - 8th mention | raw |
| EVERVACC | | ID-12 R ever received HPV vaccine | raw |
| HPVSHOT1 | * | ID-13 Age when R received first HPV vaccine shot (top- and bottom-coded) | raw |
| BLDPRESS | | ID-14 R had blood pressure checked in past year | raw |
| HIGHBP | | ID-15 R told he had high blood pressure in the past year | raw |
| BPMEDS | | ID-16 R currently taking medicine for high blood pressure | raw |
| BPMON | | ID-17 R monitors blood pressure at home | raw |
| BPMONFRQ | | ID-18 How often R monitors blood pressure at home | raw |
| ASKSMOKE | | ID-19 In the past year, medical provider asked R whether he smokes or uses tobacco | raw |
| INFHELP | | IE-1 R (and partner if applicable) ever received medical help to have a baby | raw |
| INFSVCS_1 | | IE-2 Infertility services received - 1st mention | raw |
| INFSVCS_2 | | IE-2 Infertility services received - 2nd mention | raw |
| INFSVCS_3 | | IE-2 Infertility services received - 3rd mention | raw |
| INFSVCS_4 | | IE-2 Infertility services received - 4th mention | raw |
| INFSVCS_5 | | IE-2 Infertility services received - 5th mention | raw |
| INFSVCS_6 | | IE-2 Infertility services received - 6th mention | raw |
| INFHLPNW | | IE-3 R & partner currently pursuing medical help to have a baby | raw |
| LASTHELP | | IE-4 Most recent visit for medical help to have a baby was in last 12 months | raw |
| INFRTHIS_1 | | IE-5 Male infertility problem diagnosed - 1st mention | raw |
| INFRTHIS_2 | | IE-5 Male infertility problem diagnosed - 2nd mention | raw |
| INFRTHIS_3 | | IE-5 Male infertility problem diagnosed - 3rd mention | raw |
| DONBLOOD | | IF-1 Has R Ever Donated Blood or Blood Products | raw |
| DONBLDYR | | IF-1b Has R donated blood or blood products in past year | raw |
| HIVTEST | | IF-2 Any HIV Test Outside of Blood Donation | raw |
| WHNHIVTST | | IF-2b How long ago was last HIV test | raw |
| PLCHIV | | IF-4 Place Where R Had Last HIV Test | raw |
| RHHIVT1 | | IF-4a Used a rapid home HIV test in past year | raw |
| RHHIVT2_1 | | IF-5 Reasons for rapid home HIV test - 1st mention | raw |
| RHHIVT2_2 | | IF-5 Reasons for rapid home HIV test - 2nd mention | raw |
| HIVTST | | IF-6 Main Reason For This (Last) HIV Test | raw |
| PREPHIV | | IF-7 Has R heard about PrEP medications | raw |
| PREP12 | | IF-8 Has R taken PrEP medications in the past 12 months | raw |
| TALKDOCT | | IF-9 Has a doctor ever talked with R about HIV/AIDS | raw |
| AIDSTALK_01 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 1st mention | raw |
| AIDSTALK_02 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 2nd mention | raw |
| AIDSTALK_03 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 3rd mention | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|--|-----|--|-----------------------------|
| AIDSTALK_04 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 4th mention | raw |
| AIDSTALK_05 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 5th mention | raw |
| AIDSTALK_06 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 6th mention | raw |
| AIDSTALK_07 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 7th mention | raw |
| AIDSTALK_08 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 8th mention | raw |
| AIDSTALK_09 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 9th mention | raw |
| AIDSTALK_10 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 10th mention | raw |
| AIDSTALK_11 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 11th mention | raw |
| AIDSTALK_12 | | IF-10 HIV Topics Covered in Discussion with Doctor/Provider - 12th mention | raw |
| SECTION J: Residence and place of birth; Religion; Past and current work (R and current spouse/partner) | | | |
| SAMEADD | | JA-0 Was R living at current address on April 1, 2020 | raw |
| BRNOUT | | JA-3 Whether R was born outside of US | raw |
| ATTND14 | | JB-3 How often R attended religious services at age 14 | raw |
| FUNDAM_1 | | JB-6 Fundamental affiliation, if any - 1st mention | raw |
| FUNDAM_2 | | JB-6 Fundamental affiliation, if any - 2nd mention | raw |
| FUNDAM_3 | | JB-6 Fundamental affiliation, if any - 3rd mention | raw |
| FUNDAM_4 | | JB-6 Fundamental affiliation, if any - 4th mention | raw |
| RELDLIFE | | JB-7 How important is religion in R's daily life | raw |
| ATTNDNOW | | JB-8 How often R attends religious services | raw |
| MILSVC | * | JC-1 Ever on active duty in Armed Forces, Reserves, or National Guard? | raw |
| WRK12MOS | | JC-2 Ever worked in past 12 mos | raw |
| FPT12MOS | | JC-3 Last 12 mos worked full-time, part-time, or both? | raw |
| DOLASTWK1 | | JC-4 What was R doing last week (employment status) - 1st mention | raw |
| DOLASTWK2 | | JC-4 What was R doing last week (employment status) - 2nd mention | raw |
| DOLASTWK3 | | JC-4 What was R doing last week (employment status) - 3rd mention | raw |
| DOLASTWK4 | | JC-4 What was R doing last week (employment status) - 4th mention | raw |
| DOLASTWK5 | | JC-4 What was R doing last week (employment status) - 5th mention | raw |
| DOLASTWK6 | | JC-4 What was R doing last week (employment status) - 6th mention | raw |
| RWRKST | | Whether R is currently employed (working or temporarily on leave from a job) (computed in FC J-7) | computed |
| RFTPTX | | JC-5 Worked full- or part-time at all jobs last week (or last week worked) | raw |
| SPLSTWK1 | | JD-1 What was spouse/partner doing last week (employment status) - 1st mention | raw |
| SPLSTWK2 | | JD-1 What was spouse/partner doing last week (employment status) - 2nd mention | raw |
| SPLSTWK3 | | JD-1 What was spouse/partner doing last week (employment status) - 3rd mention | raw |
| SPLSTWK4 | | JD-1 What was spouse/partner doing last week (employment status) - 4th mention | raw |
| SPLSTWK5 | | JD-1 What was spouse/partner doing last week (employment status) - 5th mention | raw |
| SPLSTWK6 | | JD-1 What was spouse/partner doing last week (employment status) - 6th mention | raw |
| SPWRKST | | Whether spouse/partner is currently employed (working or temporarily on leave from a job) (computed in FC J-9) | computed |
| SPFTPTX | | JD-2 Spouse/partner worked full- or part-time at all jobs last week (or last week worked) | raw |
| REACTSLF | | JE-1 How R would feel if he got (wife/partner/a female) pregnant now | raw |
| CHBOTHER | | JE-2 How bothered would R be if he did not have any (additional) children | raw |
| SEXNEEDS | | JE-3 Agree/disagree that men have greater sexual needs than women | raw |
| WHENSICK | | JE-4 Agree/disagree that men only need to see a doctor when they are hurt or sick | raw |
| SHOWPAIN | | JE-5 Agree/disagree that a man should not show pain | raw |
| CASILANG | | JE-6 Language to be used in CASI | raw |
| SECTION K: CASI if FTF; Continued CAWI if online | | | |
| GENHEALT | | KA-1 R's General Health | raw |
| BMICAT | * | Body Mass Index (BMI, in categorical form) | computed in post-processing |
| DRWEIGH | | KA-4 Was R weighed in past year by a medical care provider | raw |
| TELLWGHT | | KA-5 Did medical provider tell R he was underweight, normal weight, overweight, or obese? | raw |
| WGHTSCRN | | KA-6 Was R provided with diet or exercise counseling by medical care provider | raw |
| ENGSPKAK | | KA-7 How well does R speak English | raw |
| NOBEDYR | | KB-1a R had to stay overnight in a shelter, car or someplace outdoors in last 12 months | raw |
| STAYREL | | KB-1b R had to stay overnight with a friend or relative in last 12 months | raw |
| JAILED | | KB-2 Spent time in jail, prison, juvenile detention in last 12 months | raw |
| JAILED2 | | KB-3 R Ever in jail, prison, juvenile detention | raw |
| FRQJAIL | | KB-4 Number of times R has ever been in jail, prison, or juvenile detention facility | raw |
| FRQJAIL2 | | KB-5 Length of time R was jailed or detained the last time | raw |
| EVSUSPEN | | KB-6 R ever been suspended/expelled from school | raw |
| GRADSUSP | | KB-7 Grade R was suspended/expelled from school | raw |
| SMK100 | | KC-1 Has R Smoked at Least 100 Cigarettes in Life | raw |
| AGESMK | * | KC-2 Age That R First Began Smoking Regularly (bottom-coded) | raw |
| SMOKE30 | | KC-3 Last 30 days: How Often R Smoked Cigarettes | raw |
| DRINK12 | | KC-4 Last 12 mos: how often drank alcoholic beverages | raw |
| BINGE12 | | KC-5 Last 12 mos: how often binge drank (5+ in couple of hours) | raw |
| POT12 | | KC-6 Last 12 mos: how often smoked marijuana | raw |
| FEMTOUCH | | KE-1 R ever touched by female and ejaculated | raw |
| VAGSEX | | KE-2 Ever had vaginal intercourse with female partner | raw |
| AGEVAGR | * | KE-2b R's age at first vaginal intercourse with female partner (bottom-coded) | raw |
| CONDVAG | | KE-3 Was condom used at last vaginal intercourse with female partner | raw |
| COND1BRK | | KE-3a Did condom break at last vaginal intercourse with female partner | raw |
| COND1OFF | | KE-3b Was condom used only part of the time at last vaginal intercourse with female partner | raw |
| WHYCONDL | | KE-4 Reason for condom use at last vaginal intercourse with female partner | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|---------------|-----|---|---------------|
| GETORALF | | KE-5 R Ever received oral sex from a female partner | raw |
| CONFPELL | | KE-6 Was condom used when last received oral sex from a female partner | raw |
| GIVORALF | | KE-7 R ever gave oral sex to a female partner | raw |
| ANYORAL | | Ever had oral sex with a female partner (computed in FC K-6c) | computed |
| K_HADSEX | | Ever had vaginal intercourse with female partner (computed in K-6c) | computed |
| TIMING | | KE-7b First oral sex before, after, or during first vaginal sex? | raw |
| ANALSEX | | KE-8 R ever had anal sex with a female partner | raw |
| CONDANAL | | KE-9 Used condom at last anal sex with female partner | raw |
| OPPSEXANY | | Ever had vaginal, oral, or anal sex with a female partner (computed in FC K-7) | computed |
| OPPSEXGEN | | Ever had male-genital-involving sex with a female partner (computed in FC K-7) | computed |
| CONDSEXL | | KE-10 Was condom used at last sex of any kind with a female partner | raw |
| OPPLIFENUM | * | Number of opposite-sex partners in lifetime for all types of sex (computed in FC K-9d) (top-coded) | computed |
| OPPYEARNUM | * | Number of opposite-sex partners in last 12 months for all types of sex (computed in FC K-9f) (top-coded) | computed |
| VAGNUM12 | * | KG-2YRa Number of female vaginal sex partners in last 12 months (top-coded) | raw |
| ORALNUM12 | * | KG-2YRb Number of female oral sex partners in last 12 months (top-coded) | raw |
| ANALNUM12 | * | KG-2YRc Number of female anal sex partners in last 12 months (top-coded) | raw |
| RNONMONOG | | KG-2YRd R had sex with multiple female partners around the same time in the past 12 months | raw |
| NONMONOG | | KG-4 Last 12 mos: R had sex with female partner who was having sex with others | raw |
| NNONMONOG | * | KG-5 # of female partners from past 12 mos who were having sex with other people around the same time (top-coded) | raw |
| FEMSHT12 | | KG-6 Last 12 mos: R had sex with female intravenous drug user | raw |
| JOHNFREQ | | KG-7 Last 12 mos: R gave money or drugs to female for sex | raw |
| PROSTFRQ | | KG-8 Last 12 mos: R took money or drugs from female for sex | raw |
| GIVORALM | | KH-1 Has R ever performed oral sex on another male | raw |
| GETORALM | | KH-2 Has another male ever performed oral sex on R | raw |
| ORALCONDM | | KH-2b R used a condom at last oral sex with a male partner | raw |
| ANALSEX2 | | KH-3 Has a male partner ever put his penis in R's anus | raw |
| ANALCONDM1 | | KH-3b R used a condom at last receptive anal sex with a male partner | raw |
| ANALSEX3 | | KH-4 Has R ever put his penis in a male partner's anus | raw |
| ANALCONDM2 | | KH-4b R used a condom at last insertive anal sex with a male partner | raw |
| MALESEX | | KH-4C R had any other sexual experience with another male | raw |
| SAMESEXANY | | Ever had sexual experience with a male partner (computed in FC K-13a) | computed |
| MALPRTAGE | | KH-5 Was most recent male sexual partner older, younger, or about the same age as R? | raw |
| SAMLIFENUM | * | Number of same-sex partners in lifetime (computed in FC K-14d) (top-coded) | computed |
| SAMYEARNUM | * | Number of same-sex partners in last 12 months (computed in FC K-14f) (top-coded) | computed |
| SAMORAL12 | * | KJ-2YRa Number of male (same-sex) partners in last year for oral sex (top-coded) | raw |
| RECEPANAL12 | * | KJ-2YRb Number of male (same-sex) partners in last year for receptive anal sex (top-coded) | raw |
| INSERANAL12 | * | KJ-2YRc Number of male (same-sex) partners in last year for insertive anal sex (top-coded) | raw |
| SAMESEX1 | * | KJ-3 R's age at first sexual experience with same-sex (male) partner (categorical) | raw |
| MSAMEREL | | KJ-3a R's relationship with 1st male partner at time of 1st sex with him | raw |
| MALEGSTAT | | KJ-3b Current legal marital status with regard to men - R not married to a man | raw |
| MALMARRN | | KJ-3c Number of times R has been married to a man | raw |
| MALCOHN | | KJ-3d Number of times R has cohabited with a man without being married | raw |
| MSMNONMON | * | KJ-4 Number of non-monogamous male (same-sex) partners in last 12 months (top-coded) | raw |
| MALSHT12 | | KJ-5 Last 12 mos: R had sex with a male intravenous drug user | raw |
| JOHN2FRQ | | KJ-6 Last 12 mos: R gave money or drugs to male for sex | raw |
| PROS2FRQ | | KJ-7 Last 12 mos: R took money or drugs from male for sex | raw |
| MSMSORT12 | | KJ-11 Male partners in last 12 mos: Chosen based on HIV status | raw |
| CNDLSMAL | | KJ-12 Was a condom used at last sex with a male partner | raw |
| CONDALLS | | KK-1 Was a condom used at last sex with a male or female partner | raw |
| MFLASTP | | KK-2 Was R's last sex partner male or female | raw |
| WHYCOND | | KK-3 Reason For Condom Use at Last Sex (if female partner) | raw |
| DATEAPP | | KK-3a Had sex with someone they first met on the internet in past 12 months | raw |
| ATTRACT | | KK-4 R's level of sexual attraction to male and/or female partners | raw |
| ORIENT | | KK-5 R's sexual orientation | raw |
| CONFCONC | | KK-6a Would R ever not go for sexual or reproductive health care because parents might find out | raw |
| TIMALON | | KK_6b Dr spent any time alone with R without a parent | raw |
| RISKCHK1 | | KK-6c Last 12 mos: Doctor asked R about sexual orientation or sex of partners | raw |
| RISKCHK2 | | KK-6d Last 12 mos: Doctor asked R about his number of sexual partners | raw |
| RISKCHK3 | | KK-6e Last 12 mos: Doctor asked R about his use of condoms | raw |
| RISKCHK4 | | KK-6f Last 12 mos: Doctor asked R about the types of sex he has | raw |
| RECTDOUCH | | KK-6g Last 12 mos: Rectal douching | raw |
| STDTS12 | | KK-7 Last 12 mos: R Tested for STD | raw |
| STDSITE12 | | KK-7b Last 12 mos: R had pharyngeal or rectal STD testing | raw |
| STDTRT12 | | KK-8 Last 12 mos: R Treated for STD | raw |
| GON | | KK-9 Last 12 mos: R told he had gonorrhea | raw |
| CHLAM | | KK-10 Last 12 mos: R told he had chlamydia | raw |
| HERPES | | KK-11 R ever (in life) told he had genital herpes | raw |
| GENWARTS | | KK-12 R ever (in life) told he had genital warts | raw |
| SYPHILIS | | KK-13 R ever (in life) told he had syphilis | raw |
| EMOTABUSE | | KK-16 How often parent or adult insulted R or put him down (before age 18) | raw |
| PHYSABUSE | | KK-17 How often parent or adult hit, beat or physically hurt R (before age 18) | raw |

| Variable Name | DRR | Variable Label | Variable Type |
|--|-----|---|-----------------|
| SEXABUSE | * | KK-18 How often someone made R do sexual things he did not want to (before age 18) | raw |
| REVPHYSNEG | | KK-19 How often someone tried to make sure R's needs were met (before age 18) | raw |
| REVEHOTNEG | | KK-20 How often someone tried to make sure R felt love (before age 18) | raw |
| WITNESSIPV | | KK-21 How often R witnessed adults beat each other up (before age 18) | raw |
| LIVDRUGS | | KK-22 Lived with parent/guardian who was having alcohol or drug problems (before age 18) | raw |
| LIVDEPRESS | | KK-23 Lived with parent/guardian who was depressed, mentally ill, or suicidal (before age 18) | raw |
| SEPJAIL | | KK-24 Been separated from parent or guardian due to their jail time (before age 18) | raw |
| RACEDESCRIM | | KK-25 How often R treated badly or unfairly because of race (before age 18) | raw |
| GENDDESCRIM | | KK-26 How often treated badly or unfairly because of gender identity or sexual orientation (before age 18) | raw |
| WITVIOL | | KK-27 How often saw someone get physically attacked, beaten in neighborhood (before age 18) | raw |
| EARNTYPE | | KL-0a Total earnings before taxes reported weekly, monthly, or yearly | raw |
| EARN | | KL-0b total (weekly/monthly/yearly) earnings before taxes | raw |
| EARNDK1 | | KL-0c If DK/RF total earnings, was it \$20,000 or more? | raw |
| EARNDK2 | | KL-0d If more than \$20,000, was it \$50,000 or more (DK/RF total earnings) | raw |
| EARNDK3 | | KL-0e If more than \$50,000, was it \$75,000 or more (DK/RF total earnings) | raw |
| EARNDK4 | | KL-0f If more than \$75,000, was it \$100,000 or more (DK/RF total earnings) | raw |
| TOINCWMY | | KL-2 Prefer to Report Total Income per Week, Month, or Year | raw |
| TOTINC | | KL-3 Total combined family income in prior calendar year (per week/month/year) | raw |
| FMINCDK1 | | KL-3a If DK/RF combined family income, was it less than \$50,000 or \$50,000 or more? | raw |
| FMINCDK2 | | KL-3b If income less than \$50,000, was it less than \$35,000? | raw |
| FMINCDK3 | | KL-3c If income less than \$35,000, was it less than the poverty threshold? | raw |
| FMINCDK4 | | KL-3d If income more than \$50,000, was it \$75,000 or more? | raw |
| FMINCDK5 | | KL-3e If income more than \$75,000, was it \$100,000 or more? | raw |
| PUBASST | | KL-4 R or family member received cash assistance from state/county welfare program in prior calendar year | raw |
| FOODSTMP | | KL-5 R or family member received food stamps in prior calendar year | raw |
| WIC | | KL-6 R or family member received WIC in prior calendar year | raw |
| HLPTRANS | | KL-7 R or family member received transportation assistance in prior calendar year | raw |
| HLPCHLDC | | KL-8 R or family member received child care services or assistance in prior calendar year | raw |
| HLPJOB | | KL-9 R or family member received job training/search help from social services in prior calendar year | raw |
| FREEFOOD | | KL-10 In last 12 months, R or a family member received free or reduced-cost food because couldn't afford to buy food | raw |
| HUNGRY | | KL-11 In last 12 months, R or a family member was hungry because could not afford more food | raw |
| MED_COST | | KL-12 In last 12 months, R or a family member didn't see doctor because of cost | raw |
| COVIDVAX | | KL-13 Had at least one COVID vaccine dose | raw |
| COVVAX_M | | KL-14m Month of first COVID vaccine | raw |
| COVVAX_Y | | KL-14y Year of first COVID vaccine | raw |
| CMCOVVAX | | CM Date of COVID vaccine (computed in FC K-21) | computed |
| HADCOVID | | KL-15 diagnosed or tested positive for COVID | raw |
| Recode Variables and Imputation Flags | | | |
| AGER | | R's age at interview | recode |
| FMARITAL | | Formal (legal) marital status relative to opposite-sex spouses | recode |
| RMARITAL | | Informal marital status relative to opposite-sex spouses | recode |
| HIEDUC | * | Highest completed year of school or highest degree received (bottom-coded) | recode |
| HIEDUC_I | | HIEDUC imputation flag | imputation flag |
| HISPANIC | | Hispanic origin of respondent | recode |
| HISPANIC_I | | HISPANIC imputation flag | imputation flag |
| HISPRACE2 | | Race and Hispanic origin - based on 1997 OMB guidelines | recode |
| HISPRACE2_I | | HISPRACE2 imputation flag | imputation flag |
| NUMDKHH | * | Number of biological/adopted/related/legal children under age 18 in household (top-coded) | recode |
| NUMFMHH | * | Number of family members in household (top-coded) | recode |
| HHFAMTYP | | Type of household/family structure | recode |
| HHFAMTYP_I | | HHFAMTYP imputation flag | imputation flag |
| HHPARTYP | | Type of parental situation in household | recode |
| NCHILDHH | | Number of respondent's children (18 or younger) living in household | recode |
| HHKIDTYP | | Whether R has children (18 or younger), and whether bio/non-bio, living in household | recode |
| CSPBBHH | * | Number of R's biological children (aged 18 or younger) with current wife or cohabiting partner who live in the household (top-coded) | recode |
| CSPSBHH | * | Number of male R's nonbiological children (aged 18 or younger) in household who are the biological children of his current wife or cohabiting partner (top-coded) | recode |
| CSPOKHH | * | Number of all other children (aged 18 or younger) in household living with R and his current wife or cohabiting partner (top-coded) | recode |
| INTCTFAM | | Intact status of childhood family | recode |
| INTCTFAM_I | | INTCTFAM imputation flag | imputation flag |
| PARAGE14 | * | Parental living situation at age 14 | recode |
| PARAGE14_I | | PARAGE14 imputation flag | imputation flag |
| EDUCMOM | * | Mother's (or mother figure's) education | recode |
| EDUCMOM_I | | EDUCMOM imputation flag | imputation flag |
| AGEMOMB1 | | Age of mother (or mother figure) at first birth | recode |
| AGEMOMB1_I | | AGEMOMB1 imputation flag | imputation flag |
| HADSEX | | Whether R ever had sexual intercourse with a female | recode |
| LSEXDATE | * | CM date of last or most recent sexual intercourse | recode |

| Variable Name | DRR | Variable Label | Variable Type |
|---------------|-----|--|-----------------------------|
| LSEXDATE_I | | LSEXDATE imputation flag | imputation flag |
| LSEXRAGE | * | R's age at last or most recent sexual intercourse (bottom-coded) | computed in post-processing |
| SEX3MO | | Whether R had sexual intercourse in the last 3 months (based on LSEXDATE) (bottom-coded) | computed in post-processing |
| SEX12MO | | Whether R had sexual intercourse in the last 12 months (based on LSEXDATE) | computed in post-processing |
| LSEXRLTN | | Relationship with last sexual partner at last sex | recode |
| LSEXRLTN_I | | LSEXRLTN imputation flag | imputation flag |
| LSEXUSE1 | | Method used at last sex - 1st method | recode |
| LSEXUSE1_I | | LSEXUSE1 imputation flag | imputation flag |
| LSEXUSE2 | | Method used at last sex - 2nd method | recode |
| LSEXUSE2_I | | LSEXUSE2 imputation flag | imputation flag |
| LSEXUSE3 | | Method used at last sex - 3rd method | recode |
| LSEXUSE3_I | | LSEXUSE3 imputation flag | imputation flag |
| LSEXUSE4 | | Method used at last sex - 4th method | recode |
| LSEXUSE4_I | | LSEXUSE4 imputation flag | imputation flag |
| METH12M1 | | Method used at last sex in the past 12 months - 1st mention | computed in post-processing |
| METH12M2 | | Method used at last sex in the past 12 months - 2nd mention | computed in post-processing |
| METH12M3 | | Method used at last sex in the past 12 months - 3rd mention | computed in post-processing |
| METH12M4 | | Method used at last sex in the past 12 months - 4th mention | computed in post-processing |
| METH3M1 | | Method used at last sex in the past 3 months - 1st mention | computed in post-processing |
| METH3M2 | | Method used at last sex in the past 3 months - 2nd mention | computed in post-processing |
| METH3M3 | | Method used at last sex in the past 3 months - 3rd mention | computed in post-processing |
| METH3M4 | | Method used at last sex in the past 3 months - 4th mention | computed in post-processing |
| PARTS1YR | * | Number of opposite-sex sexual partners in last 12 months (top-coded) | recode |
| PARTS1YR_I | | PARTS1YR imputation flag | imputation flag |
| PARTDUR1 | | Number of months between 1st and most recent sexual intercourse with most recent sexual partner (in the past 12 months) | recode |
| PARTDUR2 | | Number of months between 1st and most recent sexual intercourse with second-to-last sexual partner (in the past 12 months) | recode |
| PARTDUR3 | | Number of months between 1st and most recent sexual intercourse with third-to-last sexual partner (in the past 12 months) | recode |
| PARTDUR1_I | | PARTDUR1 imputation flag | imputation flag |
| PARTDUR2_I | | PARTDUR2 imputation flag | imputation flag |
| PARTDUR3_I | | PARTDUR3 imputation flag | imputation flag |
| NUMP3MOS | | Number of female partners in past 3 months | recode |
| NUMP3MOS_I | | NUMP3MOS imputation flag | imputation flag |
| LIFPRTNR | * | Number of opposite-sex sexual partners in lifetime (top-coded) | recode |
| LIFPRTNR_I | | LIFPRTNR imputation flag | imputation flag |
| FMARNO | | Number of times R has been married to a woman | recode |
| COHEVER | | Whether R ever cohabited with a woman (including premarital cohabitation) | recode |
| COHEVER_I | | COHEVER imputation flag | imputation flag |
| EVMARCOH | | Whether R ever married or cohabited with a woman | computed in post-processing |
| SEXONCE | | Whether R has had sexual intercourse with a female only once | recode |
| SEXONCE_I | | SEXONCE imputation flag | imputation flag |
| VRY1STSX | * | CM Date of First Sexual Intercourse with a Female | recode |
| VRY1STSX_I | | VRY1STSX imputation flag | imputation flag |
| VRY1STAG | * | R's age at first sexual intercourse (bottom-coded) | computed in post-processing |
| FIRSTPFLAG | | Intermediate variable created for recode variable VRY1STSX | intermediate |
| FSEXRLTN | | Relationship with 1st sexual partner at time of 1st sex | recode |
| FSEXRLTN_I | | FSEXRLTN imputation flag | imputation flag |
| SEX1MTHD1 | | Method used at first intercourse, if any-1st method | recode |
| SEX1MTHD1_I | | SEX1MTHD1 imputation flag | imputation flag |
| SEX1MTHD2 | | Method used at first intercourse, if any-2nd method | recode |
| SEX1MTHD2_I | | SEX1MTHD2 imputation flag | imputation flag |
| SEX1MTHD3 | | Method used at first intercourse, if any-3rd method | recode |
| SEX1MTHD3_I | | SEX1MTHD3 imputation flag | imputation flag |
| SEX1MTHD4 | | Method used at first intercourse, if any-4th method | recode |
| SEX1MTHD4_I | | SEX1MTHD4 imputation flag | imputation flag |
| MARDAT01 | * | Year of R's marriage to 1st wife | recode |
| MARDAT01_I | | MARDAT01 imputation flag | imputation flag |
| FMAR1AGE | * | Age at 1st marriage to a woman (bottom-coded) | computed in post-processing |
| MAREND01 | | How R's marriage to 1st wife ended | recode |
| MAREND01_I | | MAREND01 imputation flag | imputation flag |
| MARDIS01 | * | Year of dissolution of R's marriage to 1st wife | recode |
| MARDIS01_I | | MARDIS01 imputation flag | imputation flag |
| PREMARW1 | | Whether R lived premaritally with his first wife | recode |
| MAR1DISS | * | Months between 1st marriage to a woman and dissolution of that marriage (or date of interview) (categorical) | computed in post-processing |
| COHAB1 | | Year of first cohabitation with a woman (including premarital cohabitation) | recode |
| COHAB1_I | | COHAB1 imputation flag | imputation flag |
| COHSTAT | | Opposite-sex cohabitation experience relative to first marriage to a woman | recode |
| COHSTAT_I | | COHSTAT imputation flag | imputation flag |
| COHOUT | | Outcome of first (if premarital) cohabitation with a woman | recode |
| COH1DUR | * | Duration (in months) of R's first cohabitation (if premarital) with a woman (categorical) | recode |

| Variable Name | DRR | Variable Label | Variable Type |
|--|-----|---|-----------------------------|
| COH1DUR_I | | COH1DUR imputation flag | imputation flag |
| SEXMAR | * | Months between 1st intercourse with a woman and 1st marriage to a woman (or date of interview) (categorical) | computed in post-processing |
| SEXUNION | * | Months between 1st intercourse with a woman and 1st coresidential union with a woman (or date of interview) (categorical) | computed in post-processing |
| CSPBIOKD | | Number of Biological Children R Has Fathered with His Current Wife or Cohabiting Partner | recode |
| CSPBIOKD_I | | CSPBIOKD imputation flag | imputation flag |
| DATBABY1 | * | Year when R had his first biological child | recode |
| DATBABY1_I | | DATBABY1 imputation flag | imputation flag |
| AGEBABY1 | | Age when R had his first biological child | computed in post-processing |
| B1PREMAR | | Whether R's 1st biological child was born before his 1st marriage to a woman | computed in post-processing |
| MARBABY1 | | Marital or cohabiting status at time of first biological child's birth | recode |
| MARBABY1_I | | MARBABY1 imputation flag | imputation flag |
| COMPREG | * | Number of completed pregnancies R has fathered (top-coded) | recode |
| COMPREG_I | | COMPREG imputation flag | imputation flag |
| WANTB1 | | Wantedness of R's 1st biological child (if born within the past 5 years) | recode |
| WANTB1_I | | WANTB1 imputation flag | imputation flag |
| DADTYPE | | Type of children aged 18 or younger that R has | recode |
| DADTYPE_I | | DADTYPE imputation flag | imputation flag |
| INTENT | | Intentions for additional births | recode |
| ADDEXP | | Central number of additional births expected | recode |
| ADDEXP_I | | ADDEXP imputation flag | imputation flag |
| CURR_INS | | Current health insurance coverage status | recode |
| CURR_INS_I | | CURR_INS imputation flag | imputation flag |
| EVHIVTST | | Ever had an HIV test | recode |
| RELIGION | | Current religious affiliation | recode |
| RELIGION_I | | RELIGION imputation flag | imputation flag |
| LABORFOR | | Labor force status | recode |
| LABORFOR_I | | LABORFOR imputation flag | imputation flag |
| TOTINCR | | Total income of R's family | recode |
| TOTINCR_I | | TOTINCR imputation flag | imputation flag |
| POVERTY | * | Family income as percentage of federal poverty threshold (top- and bottom-coded) | recode |
| POVERTY_I | | POVERTY imputation flag | imputation flag |
| METRO | | Place of residence (metropolitan-nonmetropolitan) | recode |
| Sample design and select paradata | | | |
| WGT2022_2023 | | Final weight for the 2022-2023 NSFG | weight-related |
| VEST | | Randomized version of the Variance Estimation Stratum | weight-related |
| VECL | | Randomized version of the Variance Estimation Cluster | weight-related |
| CMINTVW | | Century month of month of interview (computed in FC A-1) | computed |
| CMLSTYR | | Century month of month of interview minus 1 year (computed in FC A-1) | computed |
| CMFIVYR | | Century month of month of interview minus 5 years (computed in FC A-1) | computed |
| YEAR | | Year when interview occurred | raw |
| QUARTER | | Quarter when case was sampled | raw |
| PHASE1 | | Whether case was selected for Phase 1 sample | raw |
| PHASE2 | | Whether case was selected for Phase 2 sample | raw |
| PHASE3 | | Whether case was selected for Phase 3 sample | raw |