1ˢᵗ question

Html file:

```html
<!Doctype Html>
<html>
<head>
        <title>(1st) Lift Tracker</title>
        <script src="https://ajax.googleapis.com/ajax/libs/angularjs/1.6.9/angular.min.js"></script>
</head>
<body>

<div ng-app="aapp" ng-controller="add">
        <form name="lift_track" style="border-style: solid;width: 600px;height: 200px; margin:
auto;margin-top: 150px;"  ng-submit="send()">
        <br>
        <br>
        <label>Enter the type of lift:</label>
        <input type="Text" name="type" ng-model="formdetails.lift_type"><br><br>
        <label>Enter the number of weights (in Kgs): </label>
        <input type="text" name="weight" ng-model="formdetails.no_of_weight"><br><br>
        <label>Enter the Date:</label>
        <input type="Date" name="date" ng-model="formdetails.Date_of_lift"><br><br>
        <input type="button" name="submit" value="Add" ng-click="send()">
        </form>


        <table style="border-style: solid; border: solid;" >
                <tr>
                        <th> Type of lift &nbsp &nbsp</th>
                        <th> Number of weights   </th>
                        <th> Date  </th>
                </tr>

                <tr ng-repeat="user in users">
        <td>{{user.type_of_lift}}</td>
        <td>{{user.no_of_weight}}</td>
        <td>{{user.Date_of_lift}}</td>
    </tr>
        </table>

</div>
<script>
        var app=angular.module("aapp",[]);
        app.controller("add",function($scope,$http){
                $scope.formdetails={};
                $scope.send=function(){
                        $http({method:"POST",url:"lift.php",data:$scope.formdetails});
                }
                $http({method:"GET",url:"get.php"})
                        .then(function successcallback(response){ $scope.users = response.data;});
```

```
        });
</script>
</body>
</html>
```

Lift.php

```php
<?php

$conn =mysqli_connect("localhost","root","","weight_lift");
$form_data=json_decode(file_get_contents("php://input"));

$lift_type = mysqli_real_escape_string($conn,$form_data->lift_type);
$no_of_weight = mysqli_real_escape_string($conn,$form_data->no_of_weight);
$Date_of_lift = mysqli_real_escape_string($conn,$form_data->Date_of_lift);

$sql="INSERT into lift_track VALUES ('$lift_type','$no_of_weight','$Date_of_lift')";
mysqli_query($conn,$sql);

?>
```

GET.PHP

```php
<?php

$conn =mysqli_connect("localhost","root","","weight_lift");
$sql1=mysqli_query($conn,"SELECT * from lift_track");
$data=array();
while ($row = mysqli_fetch_array($sql1)) {
 $data[] =
array("type_of_lift"=>$row['type_of_lift'],"no_of_weight"=>$row['weight_valu
e'],"Date_of_lift"=>$row['ddate']);
}
echo json_encode($data);
?>
```

Table name:

#	Name	Type	Collation	Attribu
☐ 1	**type_of_lift**	text	utf8mb4_general_ci	
☐ 2	**weight_value**	int(200)		
☐ 3	**ddate** 🔑	date		

#	Name	Type	Collation	Attribu
☐ 1	**type_of_lift**	text	utf8mb4_general_ci	