Memo Template - A Minimal Book Example¹

Note Personnelle

Une magnifique citation qui explique l'objectif et le sens profond de ce mémoire

Table des matières

Li	ste des	Tableaux								V
Li	ste des	figures								vii
Pr	erequ	isites								ix
1	Intro	oduction								1
2	Liter	ature								5
3	Meth	nods								7
4	Appl	ications								9
	4.1	Example one	 	 	 •					9
	4.2	Example two	 	 	 •		 •	•	•	9
_	Fina	l Words								11



Liste des Tableaux

1.1	Here is a	a nice	table!																						
-----	-----------	--------	--------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



Liste des figures

			C .															
ΙT	Here is	nice	tiaiirel															-
L. L	1101010	a micc.	meurc.		•	•	•		•	•	•	•		•	•	•	•	



Prerequisites

This is a *sample* book written in **Markdown**. You can use anything that Pandoc's Markdown supports, e.g., a math equation $a^2+b^2=c^2$.

The **bookdown** package can be installed from CRAN or Github:

```
install.packages("bookdown")
# or the development version
# devtools::install_github("rstudio/bookdown")
```

Remember each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading #.

To compile this example to PDF, you need XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): https://yihui.org/tinytex/.



Introduction

You can label chapter and section titles using {#label} after them, e.g., we can reference Chapter 1. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 3.

Figures and tables with captions will be placed in figure and table environments, respectively.

```
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```




FIGURE 1.1: Here is a nice figure!

Reference a figure by its code chunk label with the fig: prefix,

1

2 1 Introduction

TABLEAU 1.1: Here is a nice table!

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa

e.g., see Figure 1.1. Similarly, you can reference tables generated from knitr::kable(), e.g., see Table 1.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the bookdown

package (?) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).



2

Literature

Here is a review of existing methods.



Methods

We describe our methods in this chapter.



4

Applications

Some significant applications are demonstrated in this chapter.

- 4.1 Example one
- 4.2 Example two



5

Final Words

We have finished a nice book.



Bibliographie

Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.