

Most Used List Methods in Python

1. append()

Adds an element at the end of the list.

Example:

```
fruits = ['apple', 'banana']
fruits.append('orange')
print(fruits) # ['apple', 'banana', 'orange']
```

2. extend()

Adds multiple elements to the end of the list.

Example:

```
fruits = ['apple']
fruits.extend(['banana', 'cherry'])
print(fruits) # ['apple', 'banana', 'cherry']
```

3. insert()

Inserts an element at a specific index.

Example:

```
fruits = ['apple', 'cherry']
fruits.insert(1, 'banana')
print(fruits) # ['apple', 'banana', 'cherry']
```

4. remove()

Removes the first occurrence of a value.

Example:

```
fruits = ['apple', 'banana', 'cherry']
```

Most Used List Methods in Python

```
fruits.remove('banana')  
print(fruits) # ['apple', 'cherry']
```

5. pop()

Removes and returns the element at the given index (last element if not specified).

Example:

```
fruits = ['apple', 'banana', 'cherry']  
item = fruits.pop()  
print(item) # cherry  
print(fruits) # ['apple', 'banana']
```

6. index()

Returns the index of the first occurrence of the specified value.

Example:

```
fruits = ['apple', 'banana', 'cherry']  
i = fruits.index('banana')  
print(i) # 1
```

7. count()

Counts the number of times a value appears in the list.

Example:

```
nums = [1, 2, 2, 3, 2]  
print(nums.count(2)) # 3
```

8. sort()

Most Used List Methods in Python

Sorts the list in ascending order.

Example:

```
nums = [3, 1, 2]
nums.sort()
print(nums) # [1, 2, 3]
```

9. reverse()

Reverses the order of the list.

Example:

```
nums = [1, 2, 3]
nums.reverse()
print(nums) # [3, 2, 1]
```

10. copy()

Returns a shallow copy of the list.

Example:

```
a = [1, 2, 3]
b = a.copy()
print(b) # [1, 2, 3]
```

11. clear()

Removes all elements from the list.

Example:

```
a = [1, 2, 3]
a.clear()
print(a) # []
```