

Movie App – data-testid Specification (CA2 Evaluation)

Purpose

These data-testid attributes are used by the **automated evaluator** to:

- Read UI values
- Simulate user actions
- Validate application behavior

👉 If any required test ID is missing → evaluation may fail

1. PAGE LEVEL IDENTIFIERS

Component	data-testid	Purpose
Home Page	home-page	Verify home route loads
App Title	app-title	UI validation
Favorites Page	favorites-page	Verify favorites route
Favorites Title	favorites-title	UI validation
Stats Page	stats-page	Main evaluation page

2. MOVIE LIST (CORE DATA RENDERING)

Element	data-testid	Purpose
Movie List Container	movie-list	Scope list
Movie Item	movie-item	Count movies
Movie Title	movie-title	Verify content
Movie Genre	movie-genre	Verify category
Movie Status	movie-status	Validate watched toggle

3. MOVIE ACTIONS (INTERACTION TESTING)

Action	data-testid	Purpose
Toggle Watched	toggle-watched	Simulate toggle
Toggle Favorite	toggle-favorite	Simulate favorite
Delete Movie	delete-movie	Validate deletion

4. MOVIE FORM (INPUT TESTING)

Element	data-testid	Purpose
Form	movie-form	Detect submission
Title Input	input-title	Enter title
Genre Input	input-genre	Enter genre
Year Input	input-year	Enter year
Submit Button	add-movie-btn	Add movie

5. FAVORITES PAGE (FILTERED DATA)

Element	data-testid	Purpose
Favorites List	favorites-list	Scope filtered data
Empty State	no-favorites	Edge case validation

👉 Uses movie-item internally

6. STATS PAGE (MOST IMPORTANT 🔥)

Element	data-testid	Purpose
Total Movies	total-movies	Validate total
Watched Movies	watched-movies	Validate watched count
Favorite Movies	favorite-movies	Validate favorite count
Genre List	genre-list	Verify aggregation
Empty Stats	no-stats	Edge case

7. STATE HANDLING

State	data-testid	Purpose
Loading	loading	Verify async handling
Empty Movies	no-movies	Validate empty dataset

8. GLOBAL EVALUATION OBJECT (MANDATORY)

Exposed in:

```
window.appState = {
  totalMovies,
```



```
watchedMovies,  
favoriteMovies  
};
```

👉 Evaluator reads this directly

IMPORTANT RULES

Must Follow

- Use **exact names** (case-sensitive)
- Add only where required
- Keep UI text consistent

Do NOT

- Rename test IDs
- Remove test IDs
- Use dynamic/random names