

# This is a template for L<sup>A</sup>T<sub>E</sub>X

Karamitros Dimitrios

September 9, 2020

## Abstract

Abstract goes here.

## 1 This is a section

Example of an equation is shown in eq. (1.1).

$$\int x dx = \frac{x^2}{2} . \quad (1.1)$$

This is an example of a “generic” citation [1]. This is a citation of an article [2].

### 1.1 Figures

In Fig. (1) you see a figure!




Figure 1: This is an example of a figure

In Fig. (2) you see subfigures!




Figure 2: Example of subfigures.

## 2 This is a section

The are a few macros. See the source to understand how to reference multiple equation easily as eqs. (1.1) and (A.1), as well as Figures as Figs. (1) and (2).

## Appendix

### A This is an appendix

This is an appendix. Equations have different enumeration as you see in eq. (A.1).

$$\int x^2 dx = \frac{x^3}{3} . \tag{A.1}$$

#### References you can use

##### `\eqs` and `\Eqs`

References to equations:

- eq. (A.1)
- eqs. (A.1) and (1.1)
- eqs. (A.1), (1.1), and (1.1)
- Eq. (A.1)
- Eqs. (A.1) and (1.1)
- Eqs. (A.1), (1.1), and (1.1)

##### `\refs`

References without “head”:

- (1)
- (1) and (1)
- (1), (1), and (A)

##### `\Figs`

References to figures:

- Fig. (2)
- Figs. (2) and (2)
- Figs. (2), (2), and (1)

##### `\Gen`

References to with custom message (I know `\refs` can do the same thing):

- Figures. (2), (2), and (1)
- EquATiOnS. (A.1), (1.1), and (1.1)

## References

- [1] D. Karamitros, *NaBBODES: Not a black box ordinary differential equation solver in C++*, 2019–.
- [2] L. Darmé, A. Hryczuk, D. Karamitros, and L. Roszkowski, *Forbidden frozen-in dark matter*, *JHEP* **11** (2019) 159, [[arXiv:1908.05685](#)].