Leading Causes of Death by Age Group, Hispanic Males-United States, 2012*

Age in Groups

Age in Groups														
Rank	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65+	65-74	75-84	85+	All Ages
1	Unintentional injuries 31.2%	Unintentional injuries 32.3%	Unintentional injuries 31.9%	Unintentional injuries 37.3%	Unintentional injuries 40.5%	Unintentional injuries 38.2%	Unintentional injuries 25.0%	Cancer 19.7%	Cancer 27.5%	Heart disease 26.0%	Cancer 31.2%	Heart disease 25.2%	Heart disease 29.1%	Cancer 20.9%
2	Birth defects 15.0%	Cancer 22.7%	Cancer 15.6%	Homicide 24.1%	Homicide 21.4%	Homicide 14.7%	Heart disease 12.6%	Heart disease 18.0%	Heart disease 21.7%	Cancer 24.3%	Heart disease 24.2%	Cancer 25.1%	Cancer 15.3%	Heart disease 20.3%
3	Cancer 11.3%	Birth defects 5.7%	Suicide 8.6%	Suicide 15.6%	Suicide 14.7%	Suicide 11.4%	Cancer 12.1%	Unintentional injuries 12.7%	Chronic liver disease 7.8%	Stroke 5.4%	Diabetes 6.5%	Stroke 5.8%	Stroke 6.0%	Unintentional injuries 9.7%
4	Homicide 6.1%	Homicide 4.3%	Birth defects 8.0%	Cancer 7.2%	Cancer 5.7%	Cancer 7.6%	Suicide 8.0%	Chronic liver disease 10.3%	Unintentional injuries 6.0%	Diabetes 5.3%	Stroke 4.5%	Diabetes 5.6%	Chronic lower respiratory diseases 5.1%	Diabetes 4.4%
5	Heart disease 2.6%	Influenza & pneumonia 3.2%	Homicide 7.1%	Heart disease 2.5%	Heart disease 2.8%	Heart disease 6.1%	Homicide 6.7%	Diabetes 4.4%	Diabetes 5.6%	Chronic lower respiratory diseases 4.3%	Chronic liver disease 3.7%	Chronic lower respiratory diseases 4.7%	Alzheimer's disease 5.0%	Stroke 4.3%
6	Influenza & pneumonia 2.2%	Benign neoplasms (6) 2.8%	Heart disease 3.7%	Birth defects 1.6%	Birth defects (6) 0.9%	Chronic liver disease 2.1%	Chronic liver disease 6.4%	Stroke 3.9%	Stroke 4.1%	Alzheimer's disease 2.7%	Chronic lower respiratory diseases 3.3%	Alzheimer's disease 2.7%	Diabetes 3.7%	Chronic liver disease 4.0%
7	Perinatal conditions 1.8%	Chronic lower respiratory diseases (6) 2.8%	Stroke 2.8%	Legal intervention 0.6%	Legal intervention (6) 0.9%	HIV disease 2.0%	Stroke 3.4%	Suicide 3.5%	Viral hepatitis 2.6%	Influenza & pneumonia 2.6%	Unintentional injuries 2.8%	Influenza & pneumonia 2.6%	Influenza & pneumonia 3.4%	Suicide 2.7%
8	Septicemia (8) 1.4%	Heart disease 2.1%	Septicemia (8) 1.2%	Stroke 0.5%	Stroke 0.7%	Stroke 1.3%	Diabetes 2.8%	Viral hepatitis 2.9%	Kidney disease 2.0%	Unintentional injuries 2.5%	Kidney disease 2.3%	Kidney disease 2.5%	Unintentional injuries 2.4%	Homicide 2.7%
9	Stroke (8) 1.4%		Benign neoplasms (8) 1.2%	Influenza & pneumonia 0.5%		Diabetes 1.1%	HIV disease 2.4%	HIV disease 2.5%	Chronic lower respiratory diseases 1.7%	Kidney disease 2.4%	Influenza & pneumonia 1.8%	Unintentional injuries 2.4%	Kidney disease 2.3%	Chronic lower respiratory diseases 2.7%
10	Chronic lower respiratory diseases 1.0%	Septicemia (9) 1.8% Stroke (9) 1.8%	Appendix disease 0.6%	Septicemia (10) 0.2% Benign neoplasms (10) 0.2% Diabetes (10) 0.2% Aortic aneurism (10) 0.2% Bronchitis (10) 0.2% Chronic lower respiratory diseases (10) 0.2% Pneumonitis (10) 0.2% Medical & surgical care complications (10) 0.2%	HIV disease (9) 0.5% Influenza & pneumonia (9) 0.5%	Legal intervention 0.7%	Influenza & pneumonia 1.3%	Homicide 1.9%	Septicemia 1.6%	Chronic liver disease 1.9%	Septicemia 1.7%	Parkinson's disease 1.8%	Hypertension 2.0%	Influenza & pneumonia 1.8%

^{*}Percentages represent total deaths in the age group due to the cause indicated. Numbers in parentheses indicate tied rankings. The white, black, American Indian/Alaska Native, and Asian/Pacific Islander race groups include persons of Hispanic and non-Hispanic origin may be of any race. Some terms have been shortened from those used in the National Vital Statistics Report. See the next page for a listing of the shortened terms in the table and their full unabridged equivalents used in the report. To learn more, visit *Mortality Tables* at http://www.cdc.gov/nchs/nvss/mortality_tables.htm (HHS, CDC, NCHS).

Short and Full Terms for Leading Causes of Death (Males)

Some terms in the leading causes of death table have been shortened from those used in the National Vital Statistics Report. Below is a listing of the shortened terms used in the table and their full, unabridged equivalents used in the report.

SHORT TERMS FULL TERMS

Aortic aneurism Aortic aneurism and dissection

Benign neoplasms In situ neoplasms and neoplasms of uncertain or unknown behavior

Birth defects Congenital malformations, deformations and chromosomal abnormalities

Bronchitis Acute bronchitis and bronchiolitis

Cancer Malignant neoplasms

C. difficile infectionChronic liver diseaseEnter colitis due to clostridiumChronic liver disease and cirrhosis

obstructive pulmonary disease

Diabetes Diabetes mellitus

Gallbladder disorders Cholethiasis and other disorders of gallbladder

Heart disease Diseases of the heart

HIV disease Human immunodeficiency virus (HIV) disease

Homicide Assault (homicide)

Hypertension Essential (primary) hypertension and hypertensive renal disease

Kidney disease Nephritis, nephrotic syndrome and nephrosis

Kidney infection Infections of kidney

Legal Intervention* Physical or other force used by police or other law-enforcing agents, including mili-

tary on duty, in the course of arresting or attempting to arrest lawbreakers, suppressing disturbances, maintaining order, and other legal action. Includes legal exe-

cution and excludes citizen arrest.

Medical & surgical care complications
Complications of medical and surgical care

Operations of War Operations of War and their sequelae

Perinatal conditions Certain conditions originating in the perinatal period

Pneumonitis Pneumonitis due to solids and liquids

Stroke Cerebrovascular diseases
Suicide Intentional self-harm

Unintentional injuries Accidents (unintentional injuries)

*World Health Organization. International statistical Classification of Diseases and Related Health Problems, Tenth Revision (ICD-10). Geneva: World Health Organization, 1992. Available at http://www.who.int/classifications/icd/en/. Accessed April 15, 2010.