
Birth to 36 months:	Boys	
Length-for-age and	Weight-for-age	percentiles

NAME ______RECORD # _____



Published May 30, 2000 (modified 4/20/01).




Birth to 36 months:	Girls
Length-for-age and	Weight-for-age percentiles

	Birt	h	3	6	9		12	1	15	1	18	2	1		24		27		30		3	3	3	6	
in 🗏	-cm-	++					-		Α.	GE (MO	NTL	16/	-	111		1			++	-		-	-cm-	in_
-41										<u> </u>		1411													41-
-40-										_	\exists											-			40-
-39	-100									\pm	\forall						+		+			95		100 -	39
-38										#	Ħ										1	75			-38-
	-95									\pm	oxdot								7		4	50	+	- 95 -	
-37											\blacksquare						\forall		\prec						37-
36	-90									\pm	${}^{\sharp}$						4		4			25	-	- 90 -	36-
-35										\pm	Ħ											10			35-
-34	OF.									\mp							+					0			
-33	-85 <u>-</u>																								
-32										\neq															38-
-31	-80 -											4			1							95		-17-	
							1	4			Ħ														-36-
-30	−75 <i>−</i>										H											90		- 16-	- 00
-29-										\pm	\blacksquare														- -34-
-28	-70				4			4		\pm	\boxminus						4		\neq	1				-15-	- 07
-27=	, ,									\pm	Ħ											75	5		-32-
-26	05		+							\mp	Ħ						1							4.4	
25	-65 -									\pm	oxdot				4				1			50		-14-	- -30-
-24										_							4								_ 00
	-60 <u>+</u>		\mathcal{V}							$ \angle $		4			\neq									-13-	- -28-
-23											\Box											25			_ 20
-22	−55 //							/		\pm		4										10		-12-	- 26-
-21		////						\times		\mathbb{X}	\blacksquare						+	1				5	1 1		_26-
-20	-50 ₩								\angle	۲,	\not	4			4									-11-	-24-
-19								4		/	共														- 24
-18	-45				\mathcal{X}					$\overline{}$	1													-10-	22-
-17-	45				$\prime \prime$	\checkmark		4		\pm	\forall													10	
	40					1/		\times																	-20-
-16	-40 <u>-</u>				/			\nearrow		4	Ħ						+		+		\dashv			<u> </u>	-20-
<u> 15 </u>		++	+		\times					丰	Ħ	+			-		+		+	$\overline{\Box}$	\dashv				10
																								 8-	-18-
10-			+							+	${}$						+		\pm						-10
-16-	-7		1/							\perp	‡		=	AG	E (I	NON	ΙŤΗ	IS)			\dashv			1	- 16-
4.4			\mathcal{N}			₩.	12-	-1	15-	 1	18	-2	1-		24		27		30		-3	3—	-3	6.kg	-lb-
-14-	-6-					Mo	ther'	s Sta	ature							ation	al								•
	0		$/\!\!\!/$					Stat							ige:			We	eks			С	omr	ment	
-12-	_		1/				ate		Ag		W	eight	7		engt				Circ.			Ŭ	· · · · ·		
	<u> </u>	H/H	4//			_		\top	Birt			9	\top												
-10-			\mathscr{X}					\perp		\Box						\Box									
_	—4 // /		\pm					+		\dashv			+			\dashv									
-8-								+		\dashv			+			+									
	—3 //					+		+		\dashv			+			\dashv									
− 6 <u>−</u>	//									\Box															
			#					\perp					\perp			\bot				\perp					
lb -	2 - kg		+			1-		+		\dashv			+			+				+					
וט –	Birtl		3	<u> </u>	9																				_


Published May 30, 2000 (modified 4/20/01).

Birth to 36 months: Boys Head circumference-for-age and Weight-for-length percentiles




Birth to 36 months: Girls Head circumference-for-age and Weight-for-length percentiles







RECORD # _____




2 to 20	years: Girls		
Stature-	-for-age and	Weight-for-age	percentiles


les RECORD # _____

Moth	ner's Sta	ture _					-ath	er's	Statu	ıre					_			=	۸٦	F	/V	ΕAI	20	$^{\prime} \equiv$		圭	\pm	cm:	_in-
D	ate	,	Age		 '	Weig	ht	+	Sta	ture)	L	BI	MI*	_		#	¥		<u>-</u>	\ <u>'</u>		+	'		#	#	190-	-76-
					\vdash			+							\dashv					E						≢	\equiv		74-
								\perp												Ė						\pm		185-	-72-
					┢			+							\dashv			#		ŧ						#	#	180-	_12
								\top												E						≢	Ŧ		-70
															_					E			÷			Ŧ	95=	175	_68-
*To C	Calculat	e BMI r Weig											ı) x	10,0	00							_	+			#	90=	170	
in			3=	<u> </u>			<u> </u>	_	_	-			10	+4	_		/	1								_	75=	165-	-66
	cm		ა 	4-	= 5) 	р- -	= 1	<u>'</u>	8- -	– 9 – 1	+	10	+1	ŀ		/	-	\neq				ŧ						64-
-62·	160			Ŧ									Ŧ		1	\overline{Z}	7									#	25 –	160	-62-
-02	155																	4		1						#	10-	155-	_62-
-60	1			#								#	١,	//				\mathbb{X}		Ł			÷				5 =		- 60-
-58·	150			Ŧ										1			/	\overline{Z}								\equiv	\equiv	150	_
	- 145			+								4	4,	\angle		/	/	X		F						#	\equiv		
-56·	140												4	\angle	\angle		\mathbb{Z}											105-	220
-54·												4	\times							F						#	#		=
	 135			Ŧ								/	\downarrow	4	1					F						#	=	100	220
-52	130											\times		/						Ė						圭	\pm	95	210
-50				#							4	Z	\mathbb{Z}							F						#	#		200
_10	125							\square																		\equiv		90:	100
40	120			#			4		//			#	#				+	+		ŧ						#	#	85	190
-46	115						1																			1	95=	80	180
-44				+			4						+							H						#	#		170
	‡110			1									Ŧ													=	90-	 /5-	- -160
-42	105			#	4/		#					#	#						/	1						#	#		
-40	_			4	//								#					\mathbb{Z}								#	75 =		150
	100			1									Ŧ				/		\mathbb{Z}							1	/5-	65	140
-38	= 95				4								ŧ			/		4		ŧ			#			#	#	60	130
-36	90			4																1						#	50=		
-34				#			ŧ					#	#			\triangleleft		\star	1	ŧ						丰	25=	-	120
	00			#													/									_		50	110
-32	80			+									4	4		4		\star	1	ŧ						#	10= 5=	45	100
-30				ŧ								4	4				4			1						#			90
				Ŧ								4	otan				\neq	1	\overline{z}							\equiv	\equiv	<u>+40</u>	
-80	=35			ŧ							\Box	\neq		\checkmark		4		1	\neq	ŧ						#	#	35	-80·
-70·	30										4	/	1	\angle			/									\pm	\pm	30-	- 70
-60	-			ŧ							1		4				+	+		ŧ						#	#	00_	-80 -70 -60
	= 25			ŧ							7		1							F						\pm		25	E
-50	二20						1					\pm	#				#	\pm		ŧ			+	\blacksquare		#	#	20	E
-40				1									\pm							E						#	\equiv		-40 -30
-30	15										Ħ	#	#		Ħ					F						#	#	15	30
-	10			#								#	^	ЗE			P	5/ = 		E			ŧ			#	#	 10=	=
lb	kg	H. T.	LΤ	£		H	+	+	_	+	\vdash	-	Αl	7	(T	⊏Æ	ın:	3 I 🗆					-	$+ \exists$	\perp	-	+=	kg=	= lb

2 to 20 years: Boys Body mass index-for-age percentiles



2 to 20 y	years: G	airls		
Body m	ass ind	ex-for-age	percentil	es






NAME		

Weight-for-stature percentiles: Boys

RECORD # _____



NAME

Weight-for-stature percentiles: Girls

RECORD # _____

