
# DOE Integrated Project Management In the Information Age



Melvin Frank
Chief, Project Management Policy and Systems (PM-30)
Office of Project Management Oversight and Assessments (PM)
Presentation for IPMW
October 31, 2016


# Office of Project Management Oversight and Assessments (PM)





# PM-30 Organization Chart





# **EVMS** Reviews – Then and Now **Evolution of Data Driven Approach**



- Past approach Through 2010
  - Assess contractor EVM system compliance during certification reviews and surveillances
  - Limited cost/schedule data analysis
- Recent years Since 2011
  - Moved in direction of risk-based, data driven approach
  - Roll-out of PARS II and Assessment-Focused Standard Operating Procedures
- Recent surveillances have improved over past in identifying system issues
  - Data traces demonstrate shortcomings in system integration between areas (budgeting, scheduling, work authorization, etc.)
  - More work on systematic data analysis driven process
- Current goal is fully automated data analysis to flag areas of concern

#### **EVMS** Issues to Overcome




- Attitude that EVMS is merely a reporting tool NOT a project management tool
  - Not used for front-end planning
  - Scope/cost/schedule not integrated
  - Risks not identified/managed
  - Comprehensive Baseline Reviews not conducted
- Invalid project schedule
  - Not predictive; inaccurate progress assessments
- Baseline manipulation to mask performance
  - 1.0 CPI/SPI mentality
  - MR/Contingency and Budget/Funds confusion
- Significant Total Project Cost increases not forecast by EVMS
  - EAC not realistic nor inclusive of entire scope

#### Integrated EVM / PM Acquisition Lifecycle



#### EVM is Integral to DOE's PM Philosophy from CD-0 to CD-4



Typical DOE Acquisition Management System for Line Item Capital Asset Projects

### **Priority Tasking Identified: FY15 Plan**



#### Develop FY 15 EVMS Strategic Plan

- Based on complete assessment of EVMS within DOE
- Conducted by independent entity recognized and respected by government and industry as EVMS expert
- Assess robustness and sufficiency of all policies, procedures, guidance, practices, training
- Conduct a competency assessment and gap analysis (knowledge, skills and abilities)
- Assess sufficiency of resources and organizational construct (staffing levels and distribution)
- Conduct Root Cause Corrective Actions for all EVMS issues and concerns


#### TO BE THE BEST

# Improving Integration of PM and EVM Study: Survey Results




# Do EIA-748 compliant EVM Systems provide data to make management decisions and forecasts?





#### It is all good news until it isn't . . .






### **Comments Re: Reporting Bad News**



- (F) Bad news tends to be punished way more than is warranted, and this drives a "hide and seek" behavior, which is detrimental to both DOE/NNSA's priorities, as well as the contractor's.
- (C) Too much trying to get around EVMS or trick the system with huge WPs and CAs and long durations that cannot be used for real analysis.
- (C) Pressure by local DOE to "BCP to Green". They do not want the project to go Red in PARS II.
- (F) Very few of the headline challenged projects over the past few years were a surprise to anyone, so it also doesn't help when so many run for cover an example of behavior that sends the wrong message to those we want to be open and objective and timely in their reporting.

# Do EIA-748 compliant EVM Systems provide data to make management decisions and forecasts?





#### **Survey Results**



• The primary message is clear (and no coincidence):

# CONSISTENCY

- Increase consistency/reduce complexity regardless of who is assessing compliance (HQ PM, Project Management Support Office (PMSO), Federal Project Directors (FPD), or Contractor)
  - Consistent application
  - Consistent execution
  - Consistent results

#### **FY16 Call to Action: Consistency**



- Transformational Change
- One Certifying Authority Office of Project Management Oversight and Assessments (PM)
  - O 413.3B Update Changes EVMS Thresholds

≥\$100M: PM-led EVMS Review Team conducts certification and surveillance

<\$100M: PM-led Surveillance on an exception basis or at PMSO request

#### Focusing DOE Compliance Efforts

- EVMS Interpretation Handbook (EVMSIH)
  - Improvements
  - Tested in a Pilot Environment
  - Increased Automation
- Standard Operating Procedures (SOPs)
- Roadside Assist Visits (RSAV)
- Communication
- Collaboration



# DOE EVMSIH UPDATES

(V1.0 - V2.0)



#### **EVMSIH Important Considerations**



- Provide the necessary levels of interpretation to establish a consistent and clear definition of EIA-748 EVMS compliance
  - Based on an understanding of historical precedence and the present day needs of project management that when fully implemented can successfully pass a DOE EVMS compliance review
- EVMSIH based on the following authoritative sources:
  - Bowman Guide
  - DCMA EVMIG and DCMA DIG
  - NDIA Intent Guide
  - DOD EVMSIG
  - NDIA IPMD PASEG
  - GAO Schedule Guide

#### **Benefits of the EVMSIH Solution**



- Serves as a consistent, automated review standard
- Based on minimum expectations
  - Qualifying Expectation Lines of Inquiry (QE LOI)
- Establishes a basis for reciprocity expectations
- Provides flexibility for other CFAs to supplement for Agency-specific areas of concern
- Benefits the Entire EVMS Community
  - Mandatory in DOE
  - Recommended/Shared with CAIWG

#### **EVMSIH Change Control**



- Authoritative body of knowledge for determinations of EIA-748 EVMS compliance
  - September 2015: V1.0 Release
  - January 2016: V1.1 Release (DRAFT)
  - August 2016: V2.0 Release
- V2.0 update defines minimum compliance requirements some QE LOI preferences may be candidates for Continuous Improvement Opportunities (CIO)
- Revisions to the EVMSIH do not change the purpose and interpretation of compliance for each EIA-748 EVMS Guideline; however, testing protocols can alter significantly to help realize operating efficiencies.
- EVMSIH (3.0) Agile, incremental release strategy tied to CNS EVMS Pilot Project results

#### **EVMSIH 2.0 – New Streamlined Look**



ш





#### EARNED VALUE MANAGEMENT SYSTEMS INTERPRETATION HANDBOOK EVMSIH (2.0)

U.S. DEPARTMENT OF ENERGY OFFICE OF PROJECT MANAGEMENT OVERSIGHT AND ASSESSMENTS (PM) WASHINGTON, D.C.

AUGUST 2016

The Mission of the Energy Department is to Ensure America's Security and Prosperity by Addressing Its Energy, Environmental and Nuclear Challenges through Transformative Science and Technology Solutions

#### TABLE OF CONTENTS

Approvals	2
Document Change Control	7
Preface	8
Foreword	9
1.0 Introduction	11
1.1 – Purpose Of The EVMSIH	11
1.2 – EVM Policy	12
1.3 – EVMS Compliance	12
1.4 – Content And Format Of The EVMSIH	15
1.5 – General Topics To Understand Guideline Intent	18
2.0 Organization	20
Guideline 1 – Define The WBS	22
Guideline 2 – Define The Project OBS	26
Guideline 3 - Integrate Subsidiary Management Processes	28
Guideline 5 - Integrate WBS/OBS To Create Control Accounts	31
3.0 Planning, Scheduling, And Budgeting	35
Guideline 6 - Scheduling Work	38
Guideline 7 - Identify Products And Milestones For Progress Assessment	60
Guideline 8 – Establish The Performance Measurement Baseline	62
Guideline 9 – Authorize And Budget By Cost Elements	69
Guideline 10 - Determine Discrete Work And Objective Measures	73
Guideline 11 - Sum WP/PP Budgets To Control Account	83
Guideline 12 - Level Of Effort (LOE) Planning And Control	84
Guideline 14 - Identify MR And UB	86
Guideline 15 - Reconcile To Target Costs	90
4.0 Accounting Considerations	92
Guideline 16 – Record Direct Costs	93
Guideline 17 - Summarize Direct Costs By WBS Elements	100
Guideline 18 – Summarize Direct Cost By OBS Elements	102
Guideline 20 – Identify Unit And Lot Costs	104
Guideline 21 – Track And Report Material Cost/Quantities	106
5.0 Analysis And Management Reports	112
Guideline 22 - Calculate Schedule Variance And Cost Variance	113

1

#### **EVMSIH 2.0 – New Streamlined Look**



#### IMPACT OF NONCOMPLIANCE

Failure to link scope with the WBS may result in required work being omitted or unauthorized work being performed.

#### OF LOI DISCUSSION

#### 1.A.1. IS A SINGLE PRODUCT-ORIENTED WBS USED FOR A GIVEN PROJECT EXTENDED TO THE CONTROL ACCOUNT LEVEL AS A

The key aspect of this QE LOI is a single, product/deliverable-oriented WBS extended to the CA level at a minimum to integrate, plan, and manage the project work scope, schedule requirements. In all cases, the contractor must extend the WBS to a level neededinternal management control. This level should not be an arbitrary level established project. The WBS is a direct representation of the work scope of each specific documents the hierarchy and description of the activities to be performed and their re the project deliverables. The WBS is used as a nomenclature that demonstrates integ scope, schedule, and budget systems of the project. Therefore, only one WBS is L acceptable. The WBS represents the complete project scope.

For projects involving scope content being implemented by other performing entitie should also reflect this work content within the overall hierarchy of project work. performing entities may, or may not have standard contractual arrangements, they are responsible for specified WBS elements through some type of directed agreement arrar DOE. This work content must also be subdivided to an appropriate level of product-o for project planning, control, and reporting. The resulting work elements must be clear and included within the project WBS under the correct hierarchical branches in just the as prime contractor WBS elements.

As the end product is decomposed into smaller sub products at lower WBS levels, the required by each element can be identified to functional organization units at a lower of level. At some level on each WBS branch, management will assign responsibility schedule, and cost performance. It is at this intersection of WBS element and organiza a Control Account (CA) is usually established, work is scheduled, budget is plan collected, and performance is measured, recorded and controlled. The technical requirements for each work product must be clearly specified and documented. As pr accomplished, actual completion and technical respressions can be verified.

The WBS level at which a CA is established is primar tion of the size of the pr type of product. The responsible organization level is a i and upper management's desire to delegate technical, schedule, and c

#### Filter and Sort on Testing Criteria by EIA-748 Guideline and QE LOI

Guideline 1 - Define the authorized work elements for the Program project. A work breakdown structure (WBS), tailored for effective internal management control, is commonly used in this process.

A Work Breakdown Structure (WBS) is the structure and code that integrates and relates all project work (scope, schedule and cost). It is the cornerstone of effective project planning, execution, control, status, and reporting. All the work contained within the WBS is to be identified, estimated, scheduled, and budgeted. The WBS contains the scope baseline necessary to achieve the technical objectives of the work described. It is generally a multi-level framework that organizes and graphically displays elements representing the work to be accomplished in logical relationships. Relationships among WBS elements and detailed descriptions of each element are presented in the WBS dictionary accompanying the hierarchical diagram.

manage the project work scope, schedule and budget requirements.  IMPACT OF NONCOMPLIANCE  Without a single WBS that contains all authorized project work, the project cannot be properly planned, managed, and executed.  WBS structure is used for the project.  Tool, Control Account Plan (CAP), and the IPMR/OPR Format I and verify the WBS structure is consistent through the system.  b. Using the previous trace artifacts, verify the WBS is extended to the control account level at a minimum.  c. Identify any WBS elements that are not part of the project scope. If present, these WBS elements that are not part of the project scope. If present, these WBS elements should not be considered for purposes of 2. Verify the WBS is a product  2. Verify the WBS is a product  account level at a minimum.  Calment is used for the tothe WBS structure in the tothe WBS Document all wBS Document all WBS Dictionary, R	#	Interpretive Discussion	Test Steps	Test Metric	Metric Threshold	Artifacts
WBS extended to the CA level at a minimum to integrate, plan, and manage the project work scope, schedule and budget requirements.  IMPACT OF NONCOMPLIANCE Without a single WBS that contains all authorized project work, the project cannot be properly planned, managed, and executed.  I. Review the WBS and verify only one WBS structure is used for the Project wBS linde.  I. Review the WBS and verify only one WBS structure is used for the Project wBS linde.  I. Review the WBS and verify only one WBS index to the WBS structure in the RAM, WADs, IMS, EWM COAT, IND., Control Account Plan (CAP), and the IPMR/OPR Format I and verify the WBS is extended to the control account fevel at a minimum.  I. Review the WBS and verify only one WBS index to the WBS structure is used for the project account plan (CAP), and the IPMR/OPR Format I and verify the WBS is extended to the control account fevel at a minimum.  I. Review the WBS and verify only one WBS index to the WBS Structure is used for the PROJECT WBS Index (CAP), and the IPMR/OPR Format I and verify the WBS is extended to the control account fevel at a minimum.  I. Review the WBS and verify only one WBS structure is used for the BS Index to the WBS Compliance concerns Tool, CAP. IPMR/OCD (CDRL)  Project WBS Index to the WBS Control Account Plan (CAP), and the IPMR/OPR Format I and verify the WBS is extended to the control account fevel at a minimum.  I. Review the WBS structure is used for the BS compliance concerns and compliance concerns the BS Index (CAP), and the IPMR/OPR Format I and verify the WBS Index (CAP), and the IPMR/OPR Format I and verify the WBS Index (CAP), and the IPMR/OPR Format I and verify the WBS Index (CAP), and the IPMR/OPR Format I and verify the WBS Index (CAP), and the IPMR/OPR Format I and verify the WBS Index (CAP), and the IPMR/OPR Format I and verify the WBS Index (CAP), and the IPMR/OPR Format I and verify the WBS Index (CAP), and the IPMR/OPR Format I and verify the WBS Index (CAP), and the IPMR/OPR Format I and verify the WBS Index (CAP	A.1	Is a single product-oriented WBS used for a given project exten	ded to the control account is	vel as a minimum?		
manage the project work scope, schedule and budget requirements.  IMPACT OF NONCOMPLIANCE  Without a single WBS that contains all authorized project work, the project cannot be properly planned, managed, and executed.  WES structure is used for the project.  Tool, Control Account Plan (CAP), and the IPPR/CPR Format I and verify the WBS structure is consistent through the system.  b. Using the previous trace artifacts, verify the WBS is extended to the control account level at a minimum.  c. Identify any WBS elements that are not part of the project scope. If present, those WBS elements should not be considered for purposes of 2. Verify the WBS is a product oriented WBS consistent with the DDE PM Work Breakdown Structure (WBS) Handbook.  Structure (WBS) Handbook.  Structure (WBS) Handbook.  Document all discrepancies as compliance concerns Tool, CAP, IPMR/(CDRL)  WBS Dictionary, R WADs, IMS, EVM. Tool, CAP, IPMR/(CDRL)  WBS Dictionary, R WADs, IMS, EVM. Tool, CAP, IPMR/(CDRL)  WBS Dictionary, R WADs, IMS, EVM. Tool, CAP, IPMR/(CDRL)  WBS Dictionary, R WBS Bructure in the business and compliance concerns and concerns and control account level at a minimum.  c. Identify any WBS elements that are not part of the project scope. If present, these WBS elements should not be considered for purposes of and/or Performan work Structure with the DOE PM WBS Handbook guidance.  Trace all levels of the current WBS.  In the WBS elements that are not part of the project work and or product oriented consistent with the DOE PM		The key aspect of this QE LOI is a single, product/deliverable-oriented	Manual Tests:			
IMPACT OF NONCOMPLIANCE Without a single WBS that contains all authorized project work, the project cannot be properly planned, managed, and executed.  RAM, WADS, IMS, EVM Cost Tool, Control Account Plan (CAP), and the IPMR/CPP Format I and verify the WBS structure is consistent through the system.  b. Using the previous trace artifacts, verify the WBS is extended to the control account level at a minimum.  c. Identify any WBS elements that are not part of the project scope, if present, these WBS elements shat are not part oriented WBS consistent with the DOE PM work Breakdown Structure (WBS) Handbook.  2. Verify the WBS is a product oriented WBS consistent with the DOE PM Work Breakdown Structure (WBS) Handbook.  Structure (WBS) Handbook.		WBS extended to the CA level at a minimum to integrate, plan, and	1. Review the WBS and verify o	ly a. Compare the WBS Index	Document all	Project WBS Index,
Without a single WBS that contains all authorized project work, the project cannot be properly planned, managed, and executed.    Tool, CAP, IPMR/CORE		manage the project work scope, schedule and budget requirements.	one WBS structure is used for	he to the WBS structure in the	discrepancies as	WBS Dictionary, RAM,
Without a single WBS that contains all authorized project work, the project cannot be properly planned, managed, and executed.    CAP), and the IPME/OPR Format I and verify the WBS structure is consistent through the system.			project.	RAM, WADS, IMS, EVM Cost	compliance concerns	WADs, IMS, EVM Cost
project cannot be properly planned, managed, and executed.  Format I and verify the WBS structure is consistent through the system.  b. Using the previous trace artifacts, verify the WBS is extended to the control account level at a minimum.  c. Identify any WBS elements that are not part of the project scope. If present, these WBS elements should not be considered for purposes of the considered for purposes of the DDE PM Work Breakdown  Structure (WBS) Handbook.  Structure (WBS) Handbook.  Taca all levels of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DDE PM  WBS Dictionary, D  PM WBS Handbook pM WBS elements that are not product oriented consistent with the DDE PM  WBS elements that are not product oriented consistent with the DDE PM		IMPACT OF NONCOMPLIANCE		Tool, Control Account Plan	'	Tool, CAP, IPMR/CPR
WBS structure is consistent through the system.  b. Using the previous trace artifacts, verify the WBS is extended to the control account level at a minimum.  c. Identify any WBS elements that are not part of the project scope, if present, these WBS elements should not be considered for purposes of a. Ompare the WBS elements should not be considered for purposes of the project was and/or Performan work Statement (oriented WBS consistent with the DOE PM Work Breakdown Structure (WBS) Handbook.  2. Verify the WBS is a product oriented was consistent with the DOE PM WBS Handbook suidance.  b. Trace all levels of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DOE PM		Without a single WBS that contains all authorized project work, the		(CAP), and the IPMR/CPR		(CDRL)
through the system.  b. Using the previous trace artifacts, verify the WBS is extended to the control account level at a minimum.  c. Identify any WBS elements that are not part of the project scope. If present, these WBS elements should not be considered for purposes of an account level at a minimum.  2. Verify the WBS is a product oriented WBS consistent with the DOE PM Work Breakdown Structure (WBS) Handbook.  2. Verify the WBS is a product oriented wBS consistent with the DOE PM Work Breakdown Structure (WBS) Handbook.  2. Verify the WBS is a product oriented discrepancies as compliance concerns guidance.  b. Trace all levels of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DOE PM		project cannot be properly planned, managed, and executed.		Format 1 and verify the		
b. Using the previous trace artifacts, verify the WBS is extended to the control account level at a minimum.  c. Identify any WBS elements that are not part of the project scope. If present, these WBS elements with the DOE PM Work Breakdown Structure (WBS) Handbook.  2. Verify the WBS is a product oriented WBS consistent with the DOE PM Work Breakdown Structure (WBS) Handbook.  3. Compare the WBS Document all discrepancies as compliance concerns guidance.  b. Trace all levels of the current WBS.  X = # of WBS elements that are not part of the project WBS Index  WBS Dictionary, R  WBS Dictionary, D  WBS Handbook of the current WBS.  Now The second of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DOE PM				WBS structure is consistent		
artifacts, verify the WBS is extended to the control account level at a minimum.  c. Identify any WBS elements that are not part of the project scope. If present, these WBS elements should not be considered for purposes of all of the project scopes of the project scope in present, these WBS elements should not be considered for purposes of the DOE PM Work Breakdown Structure (WBS) Handbook.  2. Verify the WBS is a product oriented WBS consistent with the DOE PM Work Breakdown Structure (WBS) Handbook.  Structure (WBS) Handbook.  A compare the WBS Document all discrepancies as compliance concerns guidance.  b. Trace all levels of the current WBS.  X = # of WBS elements that are not part of the project WBS linder.  b. Trace all evels of the current WBS.  X = # of WBS elements that are not part of the project WBS linder.  WBS Dictionary, R  and/or Performan Work Statement (  WBS Dictionary, R  WBS Dictionary, R  WBS Dictionary, R  and/or Performan work Statement (  WBS Dictionary, R  and/or Performan work Statement (  WBS Dictionary, R  WBS Dictionary, R  And/or Performan work Statement (  WBS Dictionary, R  WBS Dictionary, R  WBS Dictionary, R  And/or Performan work Statement (  WBS Dictionary, R  And/or Performan work				through the system.		
extended to the control account level at a minimum.  c. Identify any WBS elements that are not part of the project scope. If present, these WBS elements should not be considered for purposes of  2. Verify the WBS is a product oriented WBS consistent with the DOE PM Work Breakdown Structure (WBS) Handbook.  2. Verify the WBS is a product oriented WBS consistent with the DoE PM Work Breakdown Structure (WBS) Handbook.  3. Compare the WBS discrepancies as compliance concerns guidance. b. Trace all levels of the current WBS. X = # of WBS elements that are not product oriented consistent with the DOE PM				b. Using the previous trace	1	Project WBS Index,
account level at a minimum.  c. Identify any WBS elements that are not part of the project scope. If present, these WBS elements should not be considered for purposes of a. Oompare the WBS Dictionary Structure with the DOE PM Work Breakdown Structure (WBS) Handbook.  A compare the WBS Dictionary Structure with the DOE PM WBS Handbook guidance. b. Trace all levels of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DOE PM				artifacts, verify the WBS is		WBS Dictionary, RAM,
c. Identify any WBS elements that are not part of the project scope. If present, these WBS elements should not be considered for purposes of  2. Verify the WBS is a product oriented WBS consistent with the DDE PM Work Breakdown Structure (WBS) Handbook.  Structure (WBS) Handbook.  C. Identify any WBS elements that are not part of the project scope. If present, these WBS elements should not be considered for purposes of a. Compare the WBS Dictionary structure with the DDE PM WBS Handbook spuidance. b. Trace all levels of the current WBS.  X = for WBS elements that are not product oriented consistent with the DDE PM				extended to the control		WADs, IMS, EVM Cost
elements that are not part of the project scope. If present, these WBS elements should not be considered for purposes of  2. Verify the WBS is a product oriented WBS consistent with the DOE PM Work Braakdown Structure (WBS) Handbook.  Structure (WBS) Handbook.    A compare the WBS   Document all discrepancies as the DOE PM WBS Handbook of guidance.				account level at a minimum.		Tool, CAP
of the project scope. If present, these WBS elements should not be considered for purposes of  2. Verify the WBS is a product oriented WBS consistent with the DDE PM Work Breakdown Structure (WBS) Handbook.  Structure (WBS) Handbook.  On the project scope. If present, these WBS elements should not be considered for purposes of  a. Compare the WBS Dictionary structure with the DDE PM WBS Handbook guidance.  b. Trace all levels of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DDE PM				c. Identify any WBS	1	Project WBS Index,
present, these WBS elements should not be considered for purposes of  2. Verify the WBS is a product oriented WBS consistent with the DDE PM Work Breakdown Structure (WBS) Handbook.  Structure (WBS) Handbook.  Structure (WBS) Handbook.  Structure (WBS) Handbook.  Document all discrepancies as compliance concerns guidance. b. Trace all levels of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DDE PM				elements that are not part		WBS Dictionary, SOW
elements should not be considered for purposes of  2. Verify the WBS is a product oriented WBS consistent with the DDE PM Work Breakdown Structure (WBS) Handbook.  Structure (WBS) Handbook.  Structure WBS.  X = # of WBS elements that are not product oriented consistent with the DDE PM				of the project scope. If		and/or Performance
considered for purposes of  2. Verify the WBS is a product oriented WBS consistent with the DDE PM Work Breakdown Structure (WBS) Handbook.  Structure (WBS) Handbook.  Structure oriented wBS consistent with the DDE PM WBS Handbook the Current WBS.  X = 9 or WBS elements that are not product oriented consistent with the DDE PM				present, these WBS		Work Statement (PWS
2. Verify the WBS is a product oriented WBS consistent with the DDE PM Work Breakdown Structure (WBS) Handbook.  Structure (WBS) Handbook.  STWBS Dictionary structure with the DDE PM WBS Handbook guidance.  b. Trace all levels of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DDE PM				elements should not be		
oriented WBS consistent with the DDE PM WBS Handbook the DDE PM WBS Handbook suidance.  Structure (WBS) Handbook.  Structure (WBS) Handbook.  L. Trace all levels of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DDE PM				considered for purposes of		
DOE PM Work Breakdown Structure (WBS) Handbook.  b. Trace all levels of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DOE PM			2. Verify the WBS is a product	a. Compare the WBS	Document all	WBS Dictionary, DOE
Structure (WBS) Handbook.  b. Trace all levels of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DOE PM			oriented WBS consistent with t	e Dictionary structure with	discrepancies as	PM WBS Handbook
b. Trace all levels of the current WBS.  X = # of WBS elements that are not product oriented consistent with the DOE PM			DOE PM Work Breakdown	the DOE PM WBS Handbook	compliance concerns	
current WBS.  X = # of WBS elements that are not product oriented consistent with the DOE PM			Structure (WBS) Handbook.	guidance.		
X = # of WBS elements that are not product oriented consistent with the DOE PM				b. Trace all levels of the		
are not product oriented consistent with the DOE PM				current WBS.		
consistent with the DOE PM				X = # of WBS elements that		
				•		
WBS Handbook.						
				WBS Handbook.		
GL1 GL2 GL3 GL5 GL6 GL7 GL8 GL9 GL10 GL11 GL12 GL14 GL15 GL16 GL17 GL18 GL20 GL21 G	•	GL 1   GL 2   GL 3   GL 5   GL 6   GL 7   GL 8   GL 9	GL 10   GL 11   GL 12	GL 14 GL 15 GL 16	GL 17   GL 18   G	L 20   GL 21   GL 22

# Partnering to Pilot the DOE EVMSIH



#### **Pilot Objectives**



#### Pilot Project:

- Allows CNS to participate in and contribute to the development of EVMSIH compliance protocols, while working towards obtaining DOE EVMS compliance credentials
- Simultaneously facilitate the development of testing methods and automated solutions that focus on identifying management processes and quality issues
- Establishes a collaborative laboratory-type environment to develop and test the EVMSIH, while understanding the commercial practices used in managing projects

#### **Core Team Roster Participants**



- Mel Frank PM30
- David Kester PM30
- Karen Urschel PM30
- Wayne Harris PM30
- Luis Contreras PM30
- Buck Wilkerson PM30
- Igor Pedan PM30
- Sandi Tracy CNS
- Kevin McGuire CNS
- Sarah Blakey CNS
- Lisa Frank CNS
- Brooke Ratliff UPF
- Paul Tackett UPF

- Mike Blake Bechtel
- Pamela Brooker SRR
- Steve Dismuke CNS
- Jeff Fronzak LANL
- Craig Hewitt RL
- Anita Hirschy ETTP
- Mike Lassiter NPO
- Derek Lehman RL
- John Clayton UPO
- Patrick Milliken WTP
- Rick Millikin –
   CHPRC/EFCOG
- John Newberry UPF

### **Concept of Operations**



- PM, as the lead for the CNS Pilot Project, is the final decision authority with respect to defining and determining EIA-748 EVMS compliance
- The scope requires mutual support by DOE HQ, NNSA, DOE Field Offices, EFCOG (as applicable), and CNS to successfully complete the pilot project objectives
  - Championing a culture of project management excellence and use of EVM as a necessary and viable project management practice
  - Collaborating on ways to help effect change and openly address problem areas that impact full EVMS implementation
  - Dedicating resources, and making the Pilot Project a high priority
  - Providing full and open access to business systems, data, and other pertinent information
  - Providing full and open access to key personnel


#### **Measures of Success**



- Progress made towards the successful completion of Pilot schedule IMP events and accomplishments
  - Compliance Reference Checklist (EVMS Description)
  - LOI Testing Protocol Flowcharting
  - Automation of Testing Protocols
  - QE LOI Burndown
  - QE LOI Test Results
  - Gap Analysis (Fishbone)
  - Action Item Closures
  - Full EIA-748 Compliance (CNS DOE Compliance Credentials)
  - EVMSIH 3.0 (Streamlined)

# Pilot Flowcharting Process for EVMSIH 3.0





#### **Master Plan and Schedule**



 The period of performance of this Charter is expected to last from May 2016 through March 2017

_ E	EVN	1S I	Pilot	Project
-----	-----	------	-------	---------

EVMS PP Approval

Kick off (@ Oak Ridge, TN)

Organization Assessment

Planning, Scheduling Assessment

Analysis Assessment

Revisions Assessment

Accounting Assessment

Indirect Assessment

05/02/16 - 03/31/17

05/02/16 BL 05/02/16 A

05/16/16 BL 05/16/16 A

07/15/16 BL 09/12/16 A

08/29/16 BL 09/26/16 A

10/10/16 BL 11/16/16 F

11/07/16 BL 12/29/16 F

12/21/16 BL 02/23/17 F

12/21/16 BL 02/23/17 F

#### **Results and Observations**



- Good team chemistry and collaboration reaching consensus, getting results
- Consideration of Commercial Best Practices being weighed against EIA-748 EVMS compliance requirements
- A significant number of QE LOI Test Metrics have been removed from EVMSIH 2.0
  - 52% reduction of tests through Rev & Data Maintenance
  - Remaining 99 tests, assuming no reductions, would result in an overall 44% reduction


	EVMSIH 2.0	Totals Through Revisions & Data Maintenance		Accounting & Indirects (scheduled for review 11.7.16 to 11.18.16)	Total Including Accounting & Indirects (Assumes no reductions)
		EVMSIH 2.0	Pilot Program	EVMSIH 2.0	Pilot Program
LOI	134	103	80	31	111
Test Steps	345	292	154	53	207
Test Metrics	597	498	238	99	337

#### **QE LOI Stats**



#### **EVMSIH 2.0 Test Metrics**

Auto → 116 (19%)
Manual → 481 (81%)



#### **Final Thoughts**



- Still working towards a March 2017 completion date; adjustments needed to schedule
- Active Compliance Review Underway
- Commitment and Automation Remains Key to Success
- Next visit scheduled for 07-18 November 2016 (Accounting & Indirects)
- Interviews of CAMs and PM to begin with the next visit
- Clarification of expectations are being identified to both the EVMSIH and CNS EVMSD
- Integration with EIR and Other Reviews
- Incorporation of New Technologies

# **CNS Compliance Considerations**



### **EVMS Compliance Considerations**




- DOE EVMS Compliance assessment is organized by the five guideline areas with Indirects broken out separately
- Compliance assessment is accomplished through data analysis, data traces, and manager interviews
- Whether descriptive processes and practices are compliant with EIA-748 guidelines
- Whether descriptive documents containing policies and procedures are followed in the actual execution of work
  - How the data and information are generated by the EVM System
- How the data are used in the decision making and management of the project
- Managers' knowledge of EVM System content, roles and responsibilities

### **EVMS Compliance Considerations**



#### Process Approach

- EIA-748 compliance definitions are translated into testing protocol flowcharts and developed for each QE LOI
- 'Tripped' testing thresholds indicate an anomaly exists that may require further review and explanation
- Definition of thresholds or tolerance levels consider the materiality of the breach



# **Analysis Tool Evolution**



## Tools Used by PM-30 for Review



#### PM-30 Toolkit


- -P6
- Deltek Acumen Fuse
- MS Office Professional including MS Access
- Contractors not required to use these same tools
  - However, these are what PM-30 uses to test compliance
  - Making available to all when complete
  - Most tests can be replicated in other tools and each test is defined to make this achievable

#### PM-30 Toolkit in Future

- PARS II will be upgraded to incorporate most if not all of the DOE EVMSIH Automated Tests
- -P6
- Validating tests as we conduct RSAVs, Reviews, etc.

### PARS II Path Forward





# **Collaboration and Communication**



#### **Standard Operating Procedures (SOPs)**



- EVMS Review (ERSOP)
  - Applies to Certification, Implementation, Review for Cause, Surveillance, ICE, EIR, and Project Peer
- Independent Cost Estimate/Review (ICE/ICRSOP) and External Independent Review (EIRSOP)
  - Added EVM perspective for Performance Measurement Baseline (PMB)
  - Focus on technical assessment of scope, schedule, budget to establish a logical, realistic, and executable baseline
- Project Peer Review (PPRSOP)
  - EVM-related focus:
    - Achievability of cost and schedule baselines
    - Assess project status
    - Assess project management control systems
- EVMS Corrective Action SOP (ECASOP)
  - Detailed instructions on:
    - Corrective Action Requests (CARs) and Continuous Improvement Opportunities (CIOs) processes
    - Assessment of contractors procedures and implementation associated with Variance Analysis Reports (VARs) and Corrective Action Plans (CAPs)
- EVMS Project Analysis SOP (EPASOP)
  - Update after PARSII enhancements

## Roadside Assist Visit (RSAV)



- HQ Comes to the Sites
- Work together with EFCOG members towards a common goal of effective EVMS implementation
  - Provide a chance for DOE personnel and EFCOG members from the various different sites to discuss their work in progress towards EVMS compliance
  - Review government requirements and expectations for EIA-748
     EVMS compliance and to discuss new methods and automated toolsets to maximize their usefulness to the whole community
  - Discuss how to improve project management by the way we think about (and use) EVMS data and information

## Roadside Assist Visit (RSAV)




- Focus on EVMSIH Planning, Scheduling, & Budgeting
  - Topics
  - Techniques
  - Quality Checks
- Share Automated Test Results
- Opportunity to Discuss Site and Contractor Questions

#### Integrated EVM / PM Acquisition Lifecycle



	Guideline 1 – Define Work Scope (WBS) Guideline 2 – Define Project Organization (OBS) Guideline 3 – Integrate Processes Guideline 4 – Identify Overhead Management Guideline 5 – Integrate WBS/OBS to Create Control Accounts	Organize
R. A.	Guideline 6 – Schedule with Network Logic Guideline 7 – Set Measurement Indicators Guideline 8 – Establish Budgets for Authorized Work Guideline 9 – Budget by Cost Elements Guideline 10 – Create Work Packages, Planning Packages Guideline 11 – Sum Detail Budgets to Control Account Guideline 12 – LOE Planning and Control Guideline 13 – Establish Overhead Budgets Guideline 14 – Identify Management Reserve and Undistributed B	Planning Scheduling Budgeting
	Guideline 15 – Reconcile to Target Cost Goal Guideline 16 – Record Direct Costs Guideline 17 – Summarize Direct Costs by WBS Elements Guideline 18 – Summarize Direct Costs by OBS Elements Guideline 19 – Record/Allocate Indirect Costs Guideline 20 – Identify Unit and Lot Costs Guideline 21 – Track and Report Material Costs and Quantities	Accounting
	Guideline 22 – Calculate Schedule Variance and Cost Variance Guideline 23 – Identify Significant Variances for Analysis Guideline 24 – Analyze Indirect Cost Variances Guideline 25 – Summarize Information for Management Guideline 26 – Implement Corrective Actions Guideline 27 – Revise Estimate at Completion (EAC)	Analysis
\	Guideline 28 – Incorporate Changes in a Timely Manner Guideline 29 – Reconcile Current to Prior Budgets Guideline 30 – Control Retroactive Changes Guideline 31 – Prevent Unauthorized Revisions Guideline 32 – Document PMB Changes	Revisions

# **EVM** is Integral to DOE's PM Philosophy from CD-0 to CD-4



#### Appearing at an RSAV Near You!



- **LANS** (1/11/16)
- **★** SRNS/PGS/SRR (2/22/16)
- **CNS/UCOR (3/7/16)**
- **★ CHBWV/FBP (4/4/16)**
- **★ WIPP/NWP (7/21/16)**
- RL/ORP (8/8/16)
- **☆ CNS/Pantex (TBD)**

- ☆ SPRO/FPO (Q2FY17)
- **↑** NTS/NSTec (Q2FY17)
- **☆ LLNL/LLNS (TBD)**
- ☆ INL/BEA (TBD)
- **☆ SNL/Sandia (TBD)**



#### **Expanding and Improving Communication**



- Snippets
- RSAV
- Teaming with EFCOG
- Webinars
- Newsletters
- Rolodex of Project Controls Federal and Contractor POCs
- And last but not least, Project Controls Workshops
  - Spring Project Management Workshops (Day 3)
  - Fall Integrated Program Management Workshop (DOE Track)



### **FY17 EVMS Strategic Plan**



- Transparency of Data Analysis via Monthly PARS II (Central Data Repository)
  - Visible to Individual Contractors
    - We see what they see...and...They see what we see!
    - Allows contractors to take the initiative to course correct before DOE steps in
- Opens Door for true and effective Self-Governance
  - Reduced Government Oversight
  - Puts the contractual EVMS compliance oversight back on the Contractor

## In Summary



- DOE approach serves as a consistent, automated review standard
  - Minimizes differing opinions of the reviewer
  - Streamlines assessment from event-driven to monthly; from behind closed doors by assessors to transparency
- Based on minimum expectations
- Excellent basis for self-governance
- Establishes a basis for reciprocity expectations
- Allows for flexibility for other CFAs to supplement for Agency-specific areas of concern
- Benefits the Entire EVMS Community
  - Mandatory in DOE; Recommended/Shared with CAIWG, PARCA

#### **DOE PM Website**



#### http://www.energy.gov/projectmanagement/earned-value-management

#### EARNED VALUE MANAGEMENT

Project Management
Earned Value Management
EVMS Guidance
EVM SMEs
Training
Glossary of Terms & Acronyms
Career Development (PMCDP)
Policy Development
Information Systems



The mission of the DOE Earned Value Management website is to educate and train on theory and practice of Earned Value Management, and use it as an integrated Project Management process.

Earned Value Management (EVM) is a systematic approach to the integration and measurement of cost, schedule, and technical (scope) accomplishments on a project or task. It provides both the government and contractors the ability to examine detailed schedule information, critical program and technical milestones, and cost data.

- · Integrates scope, cost, and schedule, with risk management
- · Allows objective assessment and quantification of current project performance
- Helps predict future performance based on trends

#### DOE INITIATIVE TO IMPROVE INTEGRATION OF EVM AND PM

- · DOE EVMS Survey Results Report
- · EVM/PM Integration Improvement Recommendation Report

#### KEY RESOURCES



PMCDP



**EVMS** 



🖔 PARS IIe



FPD Resource Center



PM Newsletter



Forms and Templates