

# Clinical summary review

Verify the generated draft against scored evidence before it enters the pilot record.

**Critical screen needs direct review**

A non-zero self-report is present. The draft cannot be approved until a qualified reviewer acknowledges the source response.


| RECORD         | COMPLETION      | RESPONSE TIME | INPUT COVERAGE | DRAFT VERSION |
|----------------|-----------------|---------------|----------------|---------------|
| FF-TEST-2407-A | Today • 9:42 AM | 09:42         | 105 / 105      | cal-0.9.3     |

## What the profile may indicate

Self-report results show mild-range depression indicators and mild-range anxiety indicators, with minimal-range global distress. The pattern is concentrated in negative cognition, anhedonia, apprehension, and physiological arousal rather than evenly distributed across domains. A non-zero critical-screen response must be reviewed directly with the person before this summary is approved or used in care planning. These findings are hypotheses for a licensed clinician to test against interview data, history, context, and observed functioning; they do not establish a diagnosis.

02 / SIGNAL PROFILE

### Negative affect + global burden



REVIEWER REVISED • R1

- 01

**Reduced reward and self-evaluative strain**

Mild reduced-reward and negative-cognition indicators may reflect limited access to pleasure alongside self-evaluative strain. Clarify onset, duration, context, protective factors, and functional change in direct interview.

Anhedonia • 5    Negative cognition • 7

CONFIDENCE  
MODERATE
- 02

**Cognitive tension with limited somatic load**

Apprehension is more prominent than physiological arousal, which may indicate a worry-led pattern. Confirm whether tension is generalized, situational, or episodic.

Apprehension • 9    Physiological arousal • 3

CONFIDENCE  
MODERATE
- 03

**Domain signal without corresponding global elevation**

One or more domain indicators exceed the minimal global index. This mixed signal may reflect contained, context-specific, or uneven distress; explore protective factors, recent stressors, and functional impact.

GPI • 55    Depression • 22    Anxiety • 16

CONFIDENCE  
HIGH

**Clinical note.** This structured decision-support draft is derived from self-report scores. It does not diagnose, prescribe, or replace interview data, history, functional assessment, or licensed clinical judgment.